

Dirk Timmerman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4170906/publications.pdf>

Version: 2024-02-01

556
papers

26,202
citations

8755

75
h-index

9861

141
g-index

636
all docs

636
docs citations

636
times ranked

16188
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Endometrial cancer. <i>Lancet, The</i> , 2005, 366, 491-505. | 13.7 | 1,368 |
| 2 | The EFSUMB Guidelines and Recommendations on the Clinical Practice of Contrast Enhanced Ultrasound (CEUS): Update 2011 on non-hepatic applications. <i>Ultraschall in Der Medizin</i> , 2012, 33, 33-59. | 1.5 | 922 |
| 3 | Terms, definitions and measurements to describe the sonographic features of adnexal tumors: a consensus opinion from the International Ovarian Tumor Analysis (IOTA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 500-505. | 1.7 | 747 |
| 4 | ESMO/ESGO consensus conference recommendations on ovarian cancer: pathology and molecular biology, early and advanced stages, borderline tumours and recurrent disease. <i>Annals of Oncology</i> , 2019, 30, 672-705. | 1.2 | 665 |
| 5 | Prognostic importance of degree of differentiation and cyst rupture in stage I invasive epithelial ovarian carcinoma. <i>Lancet, The</i> , 2001, 357, 176-182. | 13.7 | 598 |
| 6 | Systematic approach to sonographic evaluation of the pelvis in women with suspected endometriosis, including terms, definitions and measurements: a consensus opinion from the International Deep Endometriosis Analysis (IDEA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 318-332. | 1.7 | 503 |
| 7 | Terms, definitions and measurements to describe sonographic features of myometrium and uterine masses: a consensus opinion from the Morphological Uterus Sonographic Assessment (MUSA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 46, 284-298. | 1.7 | 461 |
| 8 | High prevalence of endometriosis in infertile women with normal ovulation and normospermic partners. <i>Fertility and Sterility</i> , 2009, 92, 68-74. | 1.0 | 445 |
| 9 | Simple ultrasound-based rules for the diagnosis of ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 681-690. | 1.7 | 435 |
| 10 | Logistic Regression Model to Distinguish Between the Benign and Malignant Adnexal Mass Before Surgery: A Multicenter Study by the International Ovarian Tumor Analysis Group. <i>Journal of Clinical Oncology</i> , 2005, 23, 8794-8801. | 1.6 | 396 |
| 11 | Clinical management of uterine sarcomas. <i>Lancet Oncology, The</i> , 2009, 10, 1188-1198. | 10.7 | 374 |
| 12 | Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ: British Medical Journal</i> , 2010, 341, c6839-c6839. | 2.3 | 336 |
| 13 | Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. <i>BMJ, The</i> , 2014, 349, g5920-g5920. | 6.0 | 309 |
| 14 | Predicting the prognosis of breast cancer by integrating clinical and microarray data with Bayesian networks. <i>Bioinformatics</i> , 2006, 22, e184-e190. | 4.1 | 308 |
| 15 | Patient-derived organoids from endometrial disease capture clinical heterogeneity and are amenable to drug screening. <i>Nature Cell Biology</i> , 2019, 21, 1041-1051. | 10.3 | 281 |
| 16 | HE4 and CA125 as a diagnostic test in ovarian cancer: prospective validation of the Risk of Ovarian Malignancy Algorithm. <i>British Journal of Cancer</i> , 2011, 104, 863-870. | 6.4 | 270 |
| 17 | The accuracy of transvaginal ultrasonography for the diagnosis of ectopic pregnancy prior to surgery. <i>Human Reproduction</i> , 2005, 20, 1404-1409. | 0.9 | 267 |
| 18 | Pregnancy of unknown location: a consensus statement of nomenclature, definitions, and outcome. <i>Fertility and Sterility</i> , 2011, 95, 857-866. | 1.0 | 264 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | O-RADS US Risk Stratification and Management System: A Consensus Guideline from the ACR Ovarian-Adnexal Reporting and Data System Committee. <i>Radiology</i> , 2020, 294, 168-185. | 7.3 | 240 |
| 20 | Development of organoids from mouse and human endometrium showing endometrial epithelium physiology and long-term expandability. <i>Development (Cambridge)</i> , 2017, 144, 1775-1786. | 2.5 | 228 |
| 21 | Color Doppler imaging is a valuable tool for the diagnosis and management of uterine vascular malformations. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 21, 570-577. | 1.7 | 219 |
| 22 | Subjective assessment of adnexal masses with the use of ultrasonography: an analysis of interobserver variability and experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999, 13, 11-16. | 1.7 | 216 |
| 23 | Terms, definitions and measurements to describe the sonographic features of the endometrium and intrauterine lesions: a consensus opinion from the International Endometrial Tumor Analysis (IETA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 103-112. | 1.7 | 212 |
| 24 | Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 424-437. | 1.3 | 212 |
| 25 | The Thessaloniki ESHRE/ESGE consensus on diagnosis of female genital anomalies. <i>Human Reproduction</i> , 2016, 31, 2-7. | 0.9 | 210 |
| 26 | Endometriomas: their ultrasound characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 730-740. | 1.7 | 190 |
| 27 | Monochorionic diamniotic twins: complications and management options. <i>Current Opinion in Obstetrics and Gynecology</i> , 2003, 15, 177-194. | 2.0 | 186 |
| 28 | Discrimination Between Benign and Malignant Adnexal Masses by Specialist Ultrasound Examination Versus Serum CA-125. <i>Journal of the National Cancer Institute</i> , 2007, 99, 1706-1714. | 6.3 | 184 |
| 29 | Uterine adenomyosis in the infertility clinic. <i>Human Reproduction Update</i> , 2003, 9, 139-147. | 10.8 | 177 |
| 30 | Subjective assessment versus ultrasound models to diagnose ovarian cancer: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2016, 58, 17-29. | 2.8 | 172 |
| 31 | Presurgical diagnosis of adnexal tumours using mathematical models and scoring systems: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2014, 20, 449-462. | 10.8 | 163 |
| 32 | Sonographic classification and reporting system for diagnosing adenomyosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 576-582. | 1.7 | 157 |
| 33 | Diagnostic accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 462-470. | 1.7 | 156 |
| 34 | Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 226-234. | 1.7 | 154 |
| 35 | Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (<sc>IOTA</sc>) studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 9-20. | 1.7 | 153 |
| 36 | The impact of complaints procedures on the welfare, health and clinical practise of 7926 doctors in the UK: a cross-sectional survey. <i>BMJ Open</i> , 2015, 5, e006687-e006687. | 1.9 | 150 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 62-70. | 1.3 | 149 |
| 38 | A comparison of methods for preoperative discrimination between malignant and benign adnexal masses: The development of a new logistic regression model. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 57-65. | 1.3 | 149 |
| 39 | Vascular malformations in the uterus: ultrasonographic diagnosis and conservative management. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000, 92, 171-178. | 1.1 | 149 |
| 40 | The pedicle artery sign based on sonography with color Doppler imaging can replace secondâ€stage tests in women with abnormal vaginal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 166-171. | 1.7 | 149 |
| 41 | Sonographic examination of uterine niche in nonâ€pregnant women: a modified Delphi procedure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 107-115. | 1.7 | 147 |
| 42 | Which extrauterine pelvic masses are difficult to correctly classify as benign or malignant on the basis of ultrasound findings and is there a way of making a correct diagnosis?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 438-444. | 1.7 | 144 |
| 43 | The use of ultrasound-based 'soft markers' for the prediction of pelvic pathology in women with chronic pelvic pain-can we reduce the need for laparoscopy?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 251-256. | 2.3 | 139 |
| 44 | Standardized approach for imaging and measuring Cesarean section scars using ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 252-259. | 1.7 | 139 |
| 45 | Anti-TNF-Î treatment for deep endometriosis-associated pain: a randomized placebo-controlled trial. <i>Human Reproduction</i> , 2008, 23, 2017-2023. | 0.9 | 138 |
| 46 | Prospective Study to Assess Short-Term Intra-Articular and Tenosynovial Changes in the Aromatase Inhibitorâ€Associated Arthralgia Syndrome. <i>Journal of Clinical Oncology</i> , 2008, 26, 3147-3152. | 1.6 | 130 |
| 47 | Diagnostic accuracy of varying discriminatory zones for the prediction of ectopic pregnancy in women with a pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 770-775. | 1.7 | 128 |
| 48 | Interpregnancy Weight Change and Risk for Adverse Perinatal Outcome. <i>Obstetrics and Gynecology</i> , 2013, 122, 999-1009. | 2.4 | 126 |
| 49 | Limitations of current definitions of miscarriage using mean gestational sac diameter and crownâ€rump length measurements: a multicenter observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 497-502. | 1.7 | 124 |
| 50 | The psychological impact of early pregnancy loss. <i>Human Reproduction Update</i> , 2018, 24, 731-749. | 10.8 | 123 |
| 51 | Pregnancies of unknown location: consensus statement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 121-122. | 1.7 | 120 |
| 52 | Post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy: a prospective cohort study. <i>BMJ Open</i> , 2016, 6, e011864. | 1.9 | 120 |
| 53 | Posttraumatic stress, anxiety and depression following miscarriage and ectopic pregnancy: a multicenter, prospective, cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 367.e1-367.e22. | 1.3 | 120 |
| 54 | The use of a new logistic regression model for predicting the outcome of pregnancies of unknown location. <i>Human Reproduction</i> , 2004, 19, 1900-1910. | 0.9 | 116 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Acute effects of tamoxifen and third-generation aromatase inhibitors on menopausal symptoms of breast cancer patients. <i>Anti-Cancer Drugs</i> , 2004, 15, 753-760. | 1.4 | 116 |
| 56 | Ovarian-Adnexal Reporting Lexicon for Ultrasound: A White Paper of the ACR Ovarian-Adnexal Reporting and Data System Committee. <i>Journal of the American College of Radiology</i> , 2018, 15, 1415-1429. | 1.8 | 116 |
| 57 | Artificial neural network models for the preoperative discrimination between malignant and benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999, 13, 17-25. | 1.7 | 112 |
| 58 | Debilitating musculoskeletal pain and stiffness with letrozole and exemestane: associated tenosynovial changes on magnetic resonance imaging. <i>Breast Cancer Research and Treatment</i> , 2007, 104, 87-91. | 2.5 | 111 |
| 59 | Predictive analytics in health care: how can we know it works?. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2019, 26, 1651-1654. | 4.4 | 110 |
| 60 | Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. <i>Lancet Oncology</i> , The, 2019, 20, 448-458. | 10.7 | 110 |
| 61 | Ultrasound characteristics of different types of adnexal malignancies. <i>Gynecologic Oncology</i> , 2006, 102, 41-48. | 1.4 | 106 |
| 62 | Associated malformations and chromosomal anomalies in 42 cases of prenatally diagnosed diaphragmatic hernia. <i>American Journal of Medical Genetics Part A</i> , 2001, 103, 278-282. | 2.4 | 105 |
| 63 | Developing Organoids from Ovarian Cancer as Experimental and Preclinical Models. <i>Stem Cell Reports</i> , 2020, 14, 717-729. | 4.8 | 105 |
| 64 | Subjective assessment by ultrasound is superior to the risk of malignancy index (RMI) or the risk of ovarian malignancy algorithm (ROMA) in discriminating benign from malignant adnexal masses. <i>European Journal of Cancer</i> , 2012, 48, 1649-1656. | 2.8 | 104 |
| 65 | Imaging in gynecological disease (1): ultrasound features of metastases in the ovaries differ depending on the origin of the primary tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 505-511. | 1.7 | 102 |
| 66 | Three myths about risk thresholds for prediction models. <i>BMC Medicine</i> , 2019, 17, 192. | 5.5 | 101 |
| 67 | Occurrence and Outcome of Residual Trophoblastic Tissue. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 357-361. | 1.7 | 100 |
| 68 | Meigs's™ Syndrome with Elevated Serum CA 125 Levels: Two Case Reports and Review of the Literature. <i>Gynecologic Oncology</i> , 1995, 59, 405-408. | 1.4 | 98 |
| 69 | Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014, 111, 680-688. | 6.4 | 98 |
| 70 | Prospective Internal Validation of Mathematical Models to Predict Malignancy in Adnexal Masses: Results from the International Ovarian Tumor Analysis Study. <i>Clinical Cancer Research</i> , 2009, 15, 684-691. | 7.0 | 97 |
| 71 | A simulation study of sample size demonstrated the importance of the number of events per variable to develop prediction models in clustered data. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1406-1414. | 5.0 | 94 |
| 72 | The association between vaginal bacterial composition and miscarriage: a nested case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 264-274. | 2.3 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | DALI: Vitamin D and lifestyle intervention for gestational diabetes mellitus (GDM) prevention: an European multicentre, randomised trial " study protocol. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 142. | 2.4 | 85 |
| 74 | Multicentre external validation of IOTA prediction models and RMI by operators with varied training. <i>British Journal of Cancer</i> , 2013, 108, 2448-2454. | 6.4 | 80 |
| 75 | Chromosomal Instability in Cell-Free DNA as a Highly Specific Biomarker for Detection of Ovarian Cancer in Women with Adnexal Masses. <i>Clinical Cancer Research</i> , 2017, 23, 2223-2231. | 7.0 | 80 |
| 76 | Consensus on revised definitions of Morphological Uterus Sonographic Assessment (<sc>MUSA</sc>) features of adenomyosis: results of modified Delphi procedure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 118-131. | 1.7 | 80 |
| 77 | The use of mathematical models to evaluate pelvic masses; can they beat an expert operator?. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2004, 18, 91-104. | 2.8 | 79 |
| 78 | Prediction of ectopic pregnancy in women with a pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 680-687. | 1.7 | 78 |
| 79 | External validation of the endometriosis fertility index (EFI) staging system for predicting non-ART pregnancy after endometriosis surgery. <i>Human Reproduction</i> , 2013, 28, 1280-1288. | 0.9 | 77 |
| 80 | Human chorionic gonadotrophin and progesterone levels in pregnancies of unknown location. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 86, 351-357. | 2.3 | 76 |
| 81 | Axillary lymph node status of operable breast cancers by combined steroid receptor and HER-2 status: triple positive tumours are more likely lymph node positive. <i>Breast Cancer Research and Treatment</i> , 2009, 113, 181-187. | 2.5 | 76 |
| 82 | Imaging in gynecological disease (5): clinical and ultrasound characteristics in fibroma and fibrothecoma of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 188-195. | 1.7 | 76 |
| 83 | Defining safe criteria to diagnose miscarriage: prospective observational multicentre study. <i>BMJ, The</i> , 2015, 351, h4579. | 6.0 | 76 |
| 84 | Inclusion of CA-125 Does Not Improve Mathematical Models Developed to Distinguish Between Benign and Malignant Adnexal Tumors. <i>Journal of Clinical Oncology</i> , 2007, 25, 4194-4200. | 1.6 | 75 |
| 85 | Why are some ectopic pregnancies characterized as pregnancies of unknown location at the initial transvaginal ultrasound examination?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1150-1154. | 2.8 | 75 |
| 86 | Clinical implications of intra- and interobserver reproducibility of transvaginal sonographic measurement of gestational sac and crown-rump length at 6-9 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 510-515. | 1.7 | 75 |
| 87 | The optimal timing of an ultrasound scan to assess the location and viability of an early pregnancy. <i>Human Reproduction</i> , 2009, 24, 1811-1817. | 0.9 | 74 |
| 88 | The harm of class imbalance corrections for risk prediction models: illustration and simulation using logistic regression. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2022, 29, 1525-1534. | 4.4 | 74 |
| 89 | Acquired uterine vascular malformations: radiological and clinical outcome after transcatheter embolotherapy. <i>European Radiology</i> , 2006, 16, 299-306. | 4.5 | 73 |
| 90 | The Use of Contrast Transvaginal Sonography in the Diagnosis of Gynecologic Diseases. <i>Journal of Ultrasound in Medicine</i> , 2005, 24, 1267-1278. | 1.7 | 72 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Imaging of gynecological disease (2): clinical and ultrasound characteristics of Sertoli cell tumors, Sertoli-Leydig cell tumors and Leydig cell tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 85-91. | 1.7 | 72 |
| 92 | External Validation of Diagnostic Models to Estimate the Risk of Malignancy in Adnexal Masses. <i>Clinical Cancer Research</i> , 2012, 18, 815-825. | 7.0 | 72 |
| 93 | Screening for uterine tumours. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2012, 26, 257-266. | 2.8 | 72 |
| 94 | The characteristic ultrasound features of specific types of ovarian pathology (Review). <i>International Journal of Oncology</i> , 2015, 46, 445-458. | 3.3 | 72 |
| 95 | First International Consensus Report on Adnexal Masses: Management Recommendations. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 849-863. | 1.7 | 72 |
| 96 | Preoperative prediction of malignancy of ovarian tumors using least squares support vector machines. <i>Artificial Intelligence in Medicine</i> , 2003, 28, 281-306. | 6.5 | 71 |
| 97 | Imaging of gynecological disease (3): clinical and ultrasound characteristics of granulosa cell tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 450-456. | 1.7 | 71 |
| 98 | Evaluation of Markers and Risk Prediction Models. <i>Medical Decision Making</i> , 2013, 33, 490-501. | 2.4 | 71 |
| 99 | Adnexal masses difficult to classify as benign or malignant using subjective assessment of gray-scale and Doppler ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 456-465. | 1.7 | 70 |
| 100 | Assessing the discriminative ability of risk models for more than two outcome categories. <i>European Journal of Epidemiology</i> , 2012, 27, 761-770. | 5.7 | 70 |
| 101 | Sample size considerations and predictive performance of multinomial logistic prediction models. <i>Statistics in Medicine</i> , 2019, 38, 1601-1619. | 1.6 | 70 |
| 102 | Rationalizing the follow-up of pregnancies of unknown location. <i>Human Reproduction</i> , 2007, 22, 1744-1750. | 0.9 | 67 |
| 103 | Extending the χ^2 statistic to nominal polytomous outcomes: the Polytomous Discrimination Index. <i>Statistics in Medicine</i> , 2012, 31, 2610-2626. | 1.6 | 67 |
| 104 | Risk of malignancy in unilocular cysts: a study of 1148 adnexal masses classified as unilocular cysts at transvaginal ultrasound and review of the literature. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 80-89. | 1.7 | 66 |
| 105 | Evaluating the risk of ovarian cancer before surgery using the ADNEX model: a multicentre external validation study. <i>British Journal of Cancer</i> , 2016, 115, 542-548. | 6.4 | 66 |
| 106 | External Validation of Mathematical Models to Distinguish Between Benign and Malignant Adnexal Tumors: A Multicenter Study by the International Ovarian Tumor Analysis Group. <i>Clinical Cancer Research</i> , 2007, 13, 4440-4447. | 7.0 | 65 |
| 107 | General obstetrics: Failing pregnancies of unknown location: a prospective evaluation of the human chorionic gonadotrophin ratio. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 521-527. | 2.3 | 64 |
| 108 | Rationalizing the management of pregnancies of unknown location: temporal and external validation of a risk prediction model on 1962 pregnancies. <i>Human Reproduction</i> , 2013, 28, 609-616. | 0.9 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Color Doppler and gray-scale ultrasound evaluation of the postpartum uterus. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 586-591. | 1.7 | 62 |
| 110 | Treatment of Menopausal Vasomotor Symptoms With Fezolinetant, a Neurokinin 3 Receptor Antagonist: A Phase 2a Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5893-5905. | 3.6 | 62 |
| 111 | Misoprostol compared with methylergometrine for the prevention of postpartum haemorrhage: a double-blind randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 1066-1070. | 2.3 | 61 |
| 112 | A prospective evaluation of a single-visit strategy to manage pregnancies of unknown location. <i>Human Reproduction</i> , 2005, 20, 1398-1403. | 0.9 | 61 |
| 113 | Clinically oriented three-step strategy for assessment of adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 582-591. | 1.7 | 61 |
| 114 | Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 818-828. | 1.7 | 61 |
| 115 | Imaging of gynecological disease (4): clinical and ultrasound characteristics of struma ovarii. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 210-219. | 1.7 | 60 |
| 116 | A multicenter prospective external validation of the diagnostic performance of IOTA simple descriptors and rules to characterize ovarian masses. <i>Gynecologic Oncology</i> , 2013, 130, 140-146. | 1.4 | 58 |
| 117 | Using literature and data to learn Bayesian networks as clinical models of ovarian tumors. <i>Artificial Intelligence in Medicine</i> , 2004, 30, 257-281. | 6.5 | 57 |
| 118 | Prospective evaluation of blood flow in the myometrium and uterine arteries in the puerperium. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 23, 378-381. | 1.7 | 57 |
| 119 | Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 345-354. | 1.7 | 57 |
| 120 | Ultrasound features of different histopathological subtypes of borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 644-650. | 1.7 | 56 |
| 121 | Prevalence of major levator abnormalities in symptomatic patients with an underactive pelvic floor contraction. <i>International Urogynecology Journal</i> , 2010, 21, 861-867. | 1.4 | 56 |
| 122 | Gestational sac and embryonic growth are not useful as criteria to define miscarriage: a multicenter observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 503-509. | 1.7 | 56 |
| 123 | Pseudo-Meigs' Syndrome Caused by a Hydropic Degenerating Uterine Leiomyoma with Elevated CA 125. <i>Gynecologic Oncology</i> , 2001, 83, 153-157. | 1.4 | 55 |
| 124 | Assessing first trimester growth: the influence of ethnic background and maternal age. <i>Human Reproduction</i> , 2009, 24, 284-290. | 0.9 | 55 |
| 125 | Ultrasound Experience Substantially Impacts on Diagnostic Performance and Confidence when Adnexal Masses Are Classified Using Pattern Recognition. <i>Gynecologic and Obstetric Investigation</i> , 2010, 69, 160-168. | 1.6 | 54 |
| 126 | PET/CT in the staging of patients with a pelvic mass suspicious for ovarian cancer. <i>Gynecologic Oncology</i> , 2013, 131, 694-700. | 1.4 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | A spline-based tool to assess and visualize the calibration of multiclass risk predictions. <i>Journal of Biomedical Informatics</i> , 2015, 54, 283-293. | 4.3 | 54 |
| 128 | Managing pregnancy of unknown location based on initial serum progesterone and serial serum hCG levels: development and validation of a two-step triage protocol. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 642-649. | 1.7 | 54 |
| 129 | Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020, 370, m2614. | 6.0 | 54 |
| 130 | ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 961-982. | 2.5 | 54 |
| 131 | There is no role for uterine curettage in the contemporary diagnostic workup of women with a pregnancy of unknown location. <i>Human Reproduction</i> , 2006, 21, 2706-2710. | 0.9 | 52 |
| 132 | The Use of a New Gel Foam for the Evaluation of Tubal Patency. <i>Gynecologic and Obstetric Investigation</i> , 2013, 75, 152-156. | 1.6 | 52 |
| 133 | Adenomyosis and Subfertility: Evidence of Association and Causation. <i>Seminars in Reproductive Medicine</i> , 2013, 31, 101-108. | 1.1 | 52 |
| 134 | Ovarian cancer arising in endometrioid cysts: ultrasound findings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 99-106. | 1.7 | 51 |
| 135 | Noninvasive diagnosis of endometriosis: the role of imaging and markers. <i>Obstetrics and Gynecology Clinics of North America</i> , 2003, 30, 95-114. | 1.9 | 50 |
| 136 | Third generation aromatase inhibitors may prevent endometrial growth and reverse tamoxifen-induced uterine changes in postmenopausal breast cancer patients. <i>Annals of Oncology</i> , 2005, 16, 70-74. | 1.2 | 50 |
| 137 | Intravenous contrast ultrasound examination using contrast-tuned imaging (CnTl ₂ , ϕ) and the contrast medium SonoVue [®] for discrimination between benign and malignant adnexal masses with solid components. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 699-710. | 1.7 | 50 |
| 138 | Triaging women with ovarian masses for surgery: observational diagnostic study to compare RCOG guidelines with an International Ovarian Tumour Analysis (IOTA) group protocol. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 662-671. | 2.3 | 49 |
| 139 | Predicting successful vaginal birth after Cesarean section using a model based on Cesarean scar features examined by transvaginal sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 672-678. | 1.7 | 49 |
| 140 | Clinical information does not improve the performance of mathematical models in predicting the outcome of pregnancies of unknown location. <i>Fertility and Sterility</i> , 2007, 88, 572-580. | 1.0 | 48 |
| 141 | Assessing calibration of multinomial risk prediction models. <i>Statistics in Medicine</i> , 2014, 33, 2585-2596. | 1.6 | 48 |
| 142 | A comparison between an ultrasound based prediction model (LR2) and the Risk of Ovarian Malignancy Algorithm (ROMA) to assess the risk of malignancy in women with an adnexal mass. <i>Gynecologic Oncology</i> , 2013, 129, 377-383. | 1.4 | 47 |
| 143 | Consensus on Recording Deep Endometriosis Surgery: the CORDES statement. <i>Human Reproduction</i> , 2016, 31, 1219-1223. | 0.9 | 47 |
| 144 | Burnout, well-being and defensive medical practice among obstetricians and gynaecologists in the UK: cross-sectional survey study. <i>BMJ Open</i> , 2019, 9, e030968. | 1.9 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | A validation of the most commonly used protocol to predict the success of single-dose methotrexate in the treatment of ectopic pregnancy. <i>Human Reproduction</i> , 2007, 22, 858-863. | 0.9 | 46 |
| 146 | Pain experienced during transvaginal ultrasound, saline contrast sonohysterography, hysteroscopy and office sampling: a comparative study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 346-351. | 1.7 | 46 |
| 147 | Accurate prediction of pregnancy viability by means of a simple scoring system. <i>Human Reproduction</i> , 2013, 28, 68-76. | 0.9 | 46 |
| 148 | Does the presence of a Caesarean section scar affect implantation site and early pregnancy outcome in women attending an early pregnancy assessment unit?. <i>Human Reproduction</i> , 2013, 28, 1489-1496. | 0.9 | 46 |
| 149 | Imaging techniques for the pre-surgical diagnosis of adnexal tumours. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 683-695. | 2.8 | 46 |
| 150 | Predicting the outcome of pregnancies of unknown location: Bayesian networks with expert prior information compared to logistic regression. <i>Human Reproduction</i> , 2006, 21, 1824-1831. | 0.9 | 45 |
| 151 | Acoustic streaming cannot discriminate reliably between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 349-353. | 1.7 | 45 |
| 152 | Peritoneal full-conditioning reduces postoperative adhesions and pain: a randomised controlled trial in deep endometriosis surgery. <i>Journal of Ovarian Research</i> , 2013, 6, 90. | 3.0 | 44 |
| 153 | Changes in Cesarean section scar dimensions during pregnancy: a prospective longitudinal study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 556-562. | 1.7 | 44 |
| 154 | A thin and regular endometrium on ultrasound is very unlikely in patients with endometrial malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 674-679. | 1.7 | 43 |
| 155 | Doctors' experiences and their perception of the most stressful aspects of complaints processes in the UK: an analysis of qualitative survey data. <i>BMJ Open</i> , 2016, 6, e011711. | 1.9 | 43 |
| 156 | Age-related differences in the sonographic characteristics of endometriomas. <i>Human Reproduction</i> , 2016, 31, 1723-1731. | 0.9 | 43 |
| 157 | Bayesian applications of belief networks and multilayer perceptrons for ovarian tumor classification with rejection. <i>Artificial Intelligence in Medicine</i> , 2003, 29, 39-60. | 6.5 | 42 |
| 158 | New models to predict depth of infiltration in endometrial carcinoma based on transvaginal sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 664-671. | 1.7 | 42 |
| 159 | New crownâ€“rump length curve based on over 3500 pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 650-655. | 1.7 | 42 |
| 160 | A model and scoring system to predict outcome of intrauterine pregnancies of uncertain viability. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 588-595. | 1.7 | 42 |
| 161 | Grayâ€“scale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 586-593. | 1.7 | 42 |
| 162 | The DALI vitamin D randomized controlled trial for gestational diabetes mellitus prevention: No major benefit shown besides vitamin D sufficiency. <i>Clinical Nutrition</i> , 2020, 39, 976-984. | 5.0 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | <scp>ESGO</scp>/<scp>ISUOG</scp>/<scp>IOTA</scp>/<scp>ESGE</scp> Consensus Statement on preoperative diagnosis of ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 148-168. | 1.7 | 42 |
| 164 | Imaging of gynecological disease (6): clinical and ultrasound characteristics of ovarian dysgerminoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 596-602. | 1.7 | 41 |
| 165 | The ENDOCARE questionnaire (ECQ): a valid and reliable instrument to measure the patient-centeredness of endometriosis care in Europe. <i>Human Reproduction</i> , 2011, 26, 2988-2999. | 0.9 | 41 |
| 166 | Triaging pregnancies of unknown location: the performance of protocols based on single serum progesterone or repeated serum hCG levels. <i>Human Reproduction</i> , 2014, 29, 938-945. | 0.9 | 41 |
| 167 | Definition and sonographic reporting system for Cesarean scar pregnancy in early gestation: modified Delphi method. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 437-449. | 1.7 | 41 |
| 168 | Treatment modalities in endometrial cancer. <i>Current Opinion in Oncology</i> , 2007, 19, 479-485. | 2.4 | 40 |
| 169 | The role of CnTI-SonoVue in the diagnosis of ovarian masses with papillary projections: a preliminary study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 512-516. | 1.7 | 40 |
| 170 | Impact of the availability of sonography in the acute gynecology unit. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 207-213. | 1.7 | 39 |
| 171 | Hyperreactio luteinalis in a spontaneously conceived singleton pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 371-373. | 1.7 | 39 |
| 172 | Ovarian massâ€“differentiating benign from malignant: the value of the International Ovarian Tumor Analysis ultrasound rules. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 652-660. | 1.3 | 39 |
| 173 | The practical application of a mathematical model to predict the outcome of pregnancies of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 311-315. | 1.7 | 38 |
| 174 | Evaluating myometrial and cervical invasion in women with endometrial cancer: comparing subjective assessment with objective measurement techniques. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 353-358. | 1.7 | 38 |
| 175 | Sex differences in fetal growth and immediate birth outcomes in a low-risk Caucasian population. <i>Biology of Sex Differences</i> , 2019, 10, 48. | 4.1 | 38 |
| 176 | Ultrasound assessment of endometrial thickness and endometrial polyps in women on hormonal replacement therapy. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 1249-1253. | 1.3 | 37 |
| 177 | Do levels of serum cancer antigen 125 and creatine kinase predict the outcome in pregnancies of unknown location?. <i>Human Reproduction</i> , 2005, 20, 3348-3354. | 0.9 | 37 |
| 178 | Aromatase inhibitor-induced loss of grip strength is body mass index dependent: hypothesis-generating findings for its pathogenesis. <i>Annals of Oncology</i> , 2011, 22, 1763-1769. | 1.2 | 37 |
| 179 | Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. <i>Clinical Cancer Research</i> , 2017, 23, 5082-5090. | 7.0 | 37 |
| 180 | Preoperative diagnosis of ovarian tumors using Bayesian kernel-based methods. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 496-504. | 1.7 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | A scoring system to differentiate malignant from benign masses in specific ultrasound-based subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 92-101. | 1.7 | 36 |
| 182 | Detection of endometrial pathology using saline infusion sonography versus gel instillation sonography: a prospective cohort study. <i>Fertility and Sterility</i> , 2011, 95, 285-288. | 1.0 | 36 |
| 183 | Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 158. | 2.4 | 36 |
| 184 | Imaging in gynecological disease (14): clinical and ultrasound characteristics of ovarian clear cell carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 792-800. | 1.7 | 36 |
| 185 | P54 Triple positive (ER+/PR+/HER-2+) breast carcinomas occur at a younger age than all other ER/PR/HER-2 breast cancer phenotypes. <i>Breast</i> , 2007, 16, S27-S28. | 2.2 | 35 |
| 186 | Prospective study to assess fluid accumulation and tenosynovial changes in the aromatase inhibitor-induced musculoskeletal syndrome: 2-year follow-up data. <i>Annals of Oncology</i> , 2013, 24, 350-355. | 1.2 | 35 |
| 187 | Diagnostic protocols for the management of pregnancy of unknown location: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 190-198. | 2.3 | 35 |
| 188 | Evaluation of machine learning methods with Fourier Transform features for classifying ovarian tumors based on ultrasound images. <i>PLoS ONE</i> , 2019, 14, e0219388. | 2.5 | 35 |
| 189 | Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (IETA) terminology in women with abnormal uterine bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 164-172. | 1.7 | 35 |
| 190 | Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 454-461. | 1.7 | 34 |
| 191 | Subjective ultrasound assessment, the ADNEX model and ultrasound-guided tru-cut biopsy to differentiate disseminated primary ovarian cancer from metastatic non-ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 110-116. | 1.7 | 34 |
| 192 | Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. <i>Diagnostics</i> , 2017, 7, 32. | 2.6 | 34 |
| 193 | Functional linear discriminant analysis: a new longitudinal approach to the assessment of embryonic growth. <i>Human Reproduction</i> , 2009, 24, 278-283. | 0.9 | 32 |
| 194 | The use of serum inhibin A and activin A levels in predicting the outcome of 'pregnancies of unknown location'. <i>Human Reproduction</i> , 2009, 24, 2451-2456. | 0.9 | 32 |
| 195 | A Novel Approach to Predict the Likelihood of Specific Ovarian Tumor Pathology Based on Serum CA-125: A Multicenter Observational Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2420-2428. | 2.5 | 32 |
| 196 | Methods of Assessing Ovarian Masses. <i>Obstetrics and Gynecology Clinics of North America</i> , 2019, 46, 625-641. | 1.9 | 32 |
| 197 | Ectopic pregnancy: using the hCG ratio to select women for expectant or medical management. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 264-272. | 2.8 | 31 |
| 198 | Beliefs, Barriers, and Preferences of European Overweight Women to Adopt a Healthier Lifestyle in Pregnancy to Minimize Risk of Developing Gestational Diabetes Mellitus: An Explorative Study. <i>Journal of Pregnancy</i> , 2016, 2016, 1-11. | 2.4 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Random-effects meta-analysis of the clinical utility of tests and prediction models. <i>Statistics in Medicine</i> , 2018, 37, 2034-2052. | 1.6 | 31 |
| 200 | Changing predictor measurement procedures affected the performance of prediction models in clinical examples. <i>Journal of Clinical Epidemiology</i> , 2020, 119, 7-18. | 5.0 | 31 |
| 201 | Real-time ultrasound vs. evaluation of static images in the preoperative assessment of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 828-831. | 1.7 | 30 |
| 202 | Dynamic and interactive gynecological ultrasound examination. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 225-229. | 1.7 | 30 |
| 203 | Does a prediction model for pregnancy of unknown location developed in the UK validate on a US population?. <i>Human Reproduction</i> , 2010, 25, 2434-2440. | 0.9 | 30 |
| 204 | Impact of ovulation and implantation timing on first-trimester crown-rump length and gestational age. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 630-635. | 1.7 | 30 |
| 205 | The hCG ratio can predict the ultimate viability of the intrauterine pregnancies of uncertain viability in the pregnancy of unknown location population. <i>Human Reproduction</i> , 2008, 23, 1964-1967. | 0.9 | 29 |
| 206 | Gel infusion sonography in the evaluation of the uterine cavity. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 711-714. | 1.7 | 29 |
| 207 | Does the presence of a Cesarean section scar influence the site of placental implantation and subsequent migration in future pregnancies: a prospective case-control study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 557-561. | 1.7 | 29 |
| 208 | Imaging in gynecological disease (7): clinical and ultrasound features of Brenner tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 706-713. | 1.7 | 29 |
| 209 | Accuracy of ultrasonography performed by examiners with varied training and experience in predicting specific pathology of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 605-612. | 1.7 | 29 |
| 210 | Doctors' perception of support and the processes involved in complaints investigations and how these relate to welfare and defensive practice: a cross-sectional survey of the UK physicians. <i>BMJ Open</i> , 2017, 7, e017856. | 1.9 | 29 |
| 211 | Imaging in gynecological disease (13): clinical and ultrasound characteristics of endometrioid ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 535-543. | 1.7 | 29 |
| 212 | ISUOG Consensus Statement on rationalization of early pregnancy care and provision of ultrasonography in context of SARS-CoV-2. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 871-878. | 1.7 | 29 |
| 213 | Ultrasound assessment of the peri-implantation uterus: a review. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 612-619. | 1.7 | 28 |
| 214 | Do pocket-sized ultrasound machines have the potential to be used as a tool to triage patients in obstetrics and gynecology?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 145-150. | 1.7 | 28 |
| 215 | Are serum HE4 or ROMA scores useful to experienced examiners for improving characterization of adnexal masses after transvaginal ultrasonography?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 89-97. | 1.7 | 28 |
| 216 | Imaging in gynecological disease (9): clinical and ultrasound characteristics of tubal cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 328-335. | 1.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Randomized Controlled Trial of Neurokinin 3 Receptor Antagonist Fezolinetant for Treatment of Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3519-e3532. | 3.6 | 28 |
| 218 | Polytomous diagnosis of ovarian tumors as benign, borderline, primary invasive or metastatic: development and validation of standard and kernel-based risk prediction models. <i>BMC Medical Research Methodology</i> , 2010, 10, 96. | 3.1 | 27 |
| 219 | A Mathematical Model for Interpretable Clinical Decision Support with Applications in Gynecology. <i>PLoS ONE</i> , 2012, 7, e34312. | 2.5 | 27 |
| 220 | Imaging in gynecological disease (8): ultrasound characteristics of recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 452-458. | 1.7 | 27 |
| 221 | Pain during Fallopianâ€tube patency testing by hysterosalpingoâ€foam sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 346-350. | 1.7 | 27 |
| 222 | Evaluation of models to predict lymph node metastasis in endometrial cancer: A multicentre study. <i>European Journal of Cancer</i> , 2016, 61, 52-60. | 2.8 | 27 |
| 223 | Lack of standardization in gynecological ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 395-398. | 1.7 | 26 |
| 224 | Prospective cross-validation of three methods of predicting failing pregnancies of unknown location. <i>Human Reproduction</i> , 2007, 22, 1156-1160. | 0.9 | 26 |
| 225 | Normative data for uterine size according to age and gravidity and possible role of the classical golden ratio. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 713-717. | 1.7 | 26 |
| 226 | Unilocular adnexal cysts with papillary projections but no other solid components: is there a diagnostic method that can classify them reliably as benign or malignant before surgery?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 570-581. | 1.7 | 26 |
| 227 | Does ignoring clustering in multicenter data influence the performance of prediction models? A simulation study. <i>Statistical Methods in Medical Research</i> , 2018, 27, 1723-1736. | 1.5 | 26 |
| 228 | Imaging in gynecological disease (16): clinical and ultrasound characteristics of serous cystadenofibromas in adnexa. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 823-830. | 1.7 | 26 |
| 229 | Validation of ultrasound strategies to assess tumor extension and to predict highâ€risk endometrial cancer in women from the prospective IETA (International Endometrial Tumor Analysis)â€4 cohort. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 115-124. | 1.7 | 26 |
| 230 | The viability of the intrauterine pregnancies in the pregnancy of unknown location population: hCG ratio vs progesterone. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, n/a-n/a. | 1.7 | 25 |
| 231 | Maximum Peak Systolic Velocity and Management of Highly Vascularized Retained Products of Conception. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1577-1582. | 1.7 | 25 |
| 232 | Organoids of epithelial ovarian cancer as an emerging preclinical in vitro tool: a review. <i>Journal of Ovarian Research</i> , 2019, 12, 105. | 3.0 | 25 |
| 233 | Differences in postâ€traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy between women and their partners: multicenter prospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 141-148. | 1.7 | 25 |
| 234 | Confidence of expert ultrasound operators in making a diagnosis of adnexal tumor: effect on diagnostic accuracy and interobserver agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 89-93. | 1.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 235 | Polypoid endometriosis of the bladder during pregnancy mimicking urachal carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 475-478. | 1.7 | 24 |
| 236 | Peripherally-driven myeloid NFκB and IFN/ISG responses predict malignancy risk, survival, and immunotherapy regime in ovarian cancer. , 2021, 9, e003609. | | 24 |
| 237 | Predicting the clinical behavior of ovarian cancer from gene expression profiles. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 147-151. | 2.5 | 23 |
| 238 | Prospective external validation of the "ovarian crescent sign"™ as a single ultrasound parameter to distinguish between benign and malignant adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 81-87. | 1.7 | 23 |
| 239 | Visibility and measurement of Cesarean section scars in pregnancy: a reproducibility study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 549-556. | 1.7 | 23 |
| 240 | Lesion size affects diagnostic performance of IOTA logistic regression models, IOTA simple rules and risk of malignancy index in discriminating between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 345-354. | 1.7 | 23 |
| 241 | Triaging women with pregnancy of unknown location using two-step protocol including M6 model: clinical implementation study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 105-114. | 1.7 | 23 |
| 242 | ISUOG Consensus Statement on rationalization of gynecological ultrasound services in context of SARS-CoV-2. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 879-885. | 1.7 | 23 |
| 243 | Genomic changes in endometrial polyps associated with tamoxifen show no evidence for its action as an external carcinogen. <i>Cancer Research</i> , 1998, 58, 2278-81. | 0.9 | 23 |
| 244 | Prognostic Value of Serum HE4 Levels and Risk of Ovarian Malignancy Algorithm Scores at the Time of Ovarian Cancer Diagnosis. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 1173-1180. | 2.5 | 22 |
| 245 | Morcellation of uterine leiomyomas: a plea for patient triage. <i>Lancet Oncology</i> , The, 2015, 16, 1454-1456. | 10.7 | 22 |
| 246 | The clinical performance of the M4 decision support model to triage women with a pregnancy of unknown location as at low or high risk of complications. <i>Human Reproduction</i> , 2016, 31, 1425-1435. | 0.9 | 22 |
| 247 | Differences in ultrasound features of papillations in unilocular solid adnexal cysts: a retrospective international multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 269-278. | 1.7 | 22 |
| 248 | What Determines the Need to Morcellate the Uterus during Total Laparoscopic Hysterectomy?. <i>Journal of Minimally Invasive Gynecology</i> , 2009, 16, 52-55. | 0.6 | 21 |
| 249 | Preoperative HE4 and ROMA values do not improve the CA125 diagnostic value for borderline tumors of the ovary (BOT) – a study of the TOC Consortium. <i>Journal of Ovarian Research</i> , 2014, 7, 49. | 3.0 | 21 |
| 250 | Practical guidance for applying the ADNEX model from the IOTA group to discriminate between different subtypes of adnexal tumors. <i>Facts, Views & Vision in ObGyn</i> , 2015, 7, 32-41. | 1.1 | 21 |
| 251 | Should we screen for endometrial cancer?. <i>Lancet Oncology</i> , The, 2011, 12, 4-5. | 10.7 | 20 |
| 252 | Lidocaine Does Not Reduce Pain Perception during Gel Instillation Sonography or Subsequent Office Hysteroscopy: Results of a Randomized Trial. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 236-239. | 1.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | International Endometrial Tumor Analysis (IETA) terminology in women with postmenopausal bleeding and sonographic endometrial thicknessâ€”4.5â€”mm: agreement and reliability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 259-268. | 1.7 | 20 |
| 254 | Untapped potential of multicenter studies: a review of cardiovascular risk prediction models revealed inappropriate analyses and wide variation in reporting. <i>Diagnostic and Prognostic Research</i> , 2019, 3, 6. | 1.8 | 20 |
| 255 | Cancer Surveillance in Healthy Carriers of Germline Pathogenic Variants in <i>BRCA1/2</i> : A Review of Secondary Prevention Guidelines. <i>Journal of Oncology</i> , 2020, 2020, 1-13. | 1.3 | 20 |
| 256 | Body mass index and HER-2 overexpression in breast cancer patients over 50 years of age. <i>Breast Cancer Research and Treatment</i> , 2007, 106, 127-133. | 2.5 | 19 |
| 257 | OC11.03: Saline infusion versus gel instillation sonography: a prospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-20. | 1.7 | 19 |
| 258 | Prenatal Diagnosis of Harlequin Ichthyosis Using 3- and 4-Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 317-319. | 1.7 | 19 |
| 259 | Effect of gelâ€”instillation sonography on Doppler ultrasound findings in endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 355-359. | 1.7 | 19 |
| 260 | Screening for data clustering in multicenter studies: the residual intraclass correlation. <i>BMC Medical Research Methodology</i> , 2013, 13, 128. | 3.1 | 19 |
| 261 | The influence of weight gain patterns in pregnancy on fetal growth using cluster analysis in an obese and nonobese population. <i>Obesity</i> , 2013, 21, 1416-1422. | 3.0 | 19 |
| 262 | External validation of models and simple scoring systems to predict miscarriage in intrauterine pregnancies of uncertain viability. <i>Human Reproduction</i> , 2013, 28, 2905-2911. | 0.9 | 19 |
| 263 | Evaluating the use of telemedicine in gynaecological practice: a systematic review. <i>BMJ Open</i> , 2020, 10, e039457. | 1.9 | 19 |
| 264 | Pitfall in the diagnosis of endometrial cancer: case report of an endometrioid adenocarcinoma arising from uterine adenomyosis. <i>European Journal of Gynaecological Oncology (discontinued)</i> , 2011, 32, 431-4. | 0.2 | 19 |
| 265 | Diagnostic accuracy of transvaginal ultrasound for detection of endometriosis using International Deep Endometriosis Analysis (<i>IDEA</i>) approach: prospective international pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 404-413. | 1.7 | 19 |
| 266 | Balancing false positives and false negatives for the detection of differential expression in malignancies. <i>British Journal of Cancer</i> , 2004, 91, 1160-1165. | 6.4 | 18 |
| 267 | Endometrial safety of third generation aromatase inhibitors versus tamoxifen in breast cancer patients. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 515-517. | 2.5 | 18 |
| 268 | The relationship between first trimester fetal growth, pregnancyâ€”associated plasma protein A levels and birthweight. <i>Prenatal Diagnosis</i> , 2010, 30, 873-878. | 2.3 | 18 |
| 269 | Clinical Data Miner: An Electronic Case Report Form System With Integrated Data Preprocessing and Machine-Learning Libraries Supporting Clinical Diagnostic Model Research. <i>JMIR Medical Informatics</i> , 2014, 2, e28. | 2.6 | 18 |
| 270 | Use of ultrasound pattern recognition by expert operators to identify borderline ovarian tumors: a study of diagnostic performance and interobserver agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 84-88. | 1.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Development and external validation of new ultrasound-based mathematical models for preoperative prediction of high-risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 586-595. | 1.7 | 17 |
| 272 | Myeloid-derived suppressor cells at diagnosis may discriminate between benign and malignant ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1381-1388. | 2.5 | 17 |
| 273 | Natural history of pregnancy-related enhanced myometrial vascularity following miscarriage. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 676-682. | 1.7 | 17 |
| 274 | External validation of models to predict the outcome of pregnancies of unknown location: a multicentre cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 552-562. | 2.3 | 17 |
| 275 | Intra-cavitary uterine pathology in women with abnormal uterine bleeding: a prospective study of 1220 women. <i>Facts, Views & Vision in ObGyn</i> , 2015, 7, 17-24. | 1.1 | 17 |
| 276 | Bayesian networks in ovarian cancer diagnosis: potentials and limitations. , 0, , . | | 16 |
| 277 | Ultrasonographic features of the endometrium and the ovaries in women on etonogestrel implant. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 377-380. | 1.7 | 16 |
| 278 | Ovarian torsion in a premenarcheal girl: MRI findings. <i>Abdominal Imaging</i> , 2007, 32, 424-427. | 2.0 | 16 |
| 279 | Detection of intracavitary uterine pathology using offline analysis of three-dimensional ultrasound volumes: interobserver agreement and diagnostic accuracy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 459-463. | 1.7 | 16 |
| 280 | Refining Ovarian Cancer Test accuracy Scores (ROCKETS): protocol for a prospective longitudinal test accuracy study to validate new risk scores in women with symptoms of suspected ovarian cancer. <i>BMJ Open</i> , 2016, 6, e010333. | 1.9 | 16 |
| 281 | Early-pregnancy events and subsequent antenatal, delivery and neonatal outcomes: prospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 530-537. | 1.7 | 16 |
| 282 | Improved modeling of clinical data with kernel methods. <i>Artificial Intelligence in Medicine</i> , 2012, 54, 103-114. | 6.5 | 15 |
| 283 | Imaging in gynecological disease (17): ultrasound features of malignant ovarian yolk sac tumors (endodermal sinus tumors). <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 276-284. | 1.7 | 15 |
| 284 | Organoids of the Female Reproductive Tract: Innovative Tools to Study Desired to Unwelcome Processes. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 661472. | 3.7 | 15 |
| 285 | Ultrasound visualization of fetal membrane detachment at the uterine cervix: the "moon sign"™. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 431-432. | 1.7 | 14 |
| 286 | Ultrasound examination of the endometrium before and after Pipelle endometrial sampling. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 283-286. | 1.7 | 14 |
| 287 | An application of methods for the probabilistic three-class classification of pregnancies of unknown location. <i>Artificial Intelligence in Medicine</i> , 2009, 46, 139-154. | 6.5 | 14 |
| 288 | Prevalent breast cancer patients with a homozygous mutant status for CYP2D6*4: response and biomarkers in tamoxifen users. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 531-538. | 2.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | No influence of body mass index on first trimester fetal growth. <i>Human Reproduction</i> , 2010, 25, 1895-1899. | 0.9 | 14 |
| 290 | Improving the preoperative classification of adnexal masses as benign or malignant by second-stage tests. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 100-106. | 1.7 | 14 |
| 291 | Ultrasound features of endometrial pathology in women without abnormal uterine bleeding: results from the International Endometrial Tumor Analysis study (<sc>IETA3</sc>). <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 243-255. | 1.7 | 14 |
| 292 | Expression profiling to predict the clinical behaviour of ovarian cancer fails independent evaluation. <i>BMC Cancer</i> , 2008, 8, 18. | 2.6 | 13 |
| 293 | Application of proteomics in ovarian cancer: Which sample should be used?. <i>Gynecologic Oncology</i> , 2009, 115, 497-503. | 1.4 | 13 |
| 294 | Pain and bleeding pattern related to levonorgestrel intrauterine system (LNG-IUS) insertion. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 171, 154-156. | 1.1 | 13 |
| 295 | NICE guidance on ectopic pregnancy and miscarriage restricts access and choice and may be clinically unsafe. <i>BMJ, The</i> , 2013, 346, f197-f197. | 6.0 | 13 |
| 296 | Clinical and ultrasound characteristics of surgically removed adnexal lesions with largest diameter ≥ 2.5 cm: a pictorial essay. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 648-656. | 1.7 | 13 |
| 297 | Ultrasound-based risk model for preoperative prediction of lymph node metastases in women with endometrial cancer: model development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 443-452. | 1.7 | 13 |
| 298 | Developing risk models for multicenter data using standard logistic regression produced suboptimal predictions: A simulation study. <i>Biometrical Journal</i> , 2020, 62, 932-944. | 1.0 | 13 |
| 299 | Ultrasound Determination of Chorionicity in Twin Pregnancy: Accuracy and Operator Experience. <i>Twin Research and Human Genetics</i> , 2001, 4, 223-226. | 1.0 | 12 |
| 300 | Multi-class AUC metrics and weighted alternatives. , 2008, , . | | 12 |
| 301 | Is Serum Human Chorionic Gonadotrophin Follow-Up Necessary after Suspected Spillage of Trophoblast at the Time of Laparoscopic Surgery for Ectopic Pregnancy?. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 225-228. | 1.6 | 12 |
| 302 | Use of a pocket-sized ultrasound machine (PUM) for routine examinations in the third trimester of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 64-68. | 1.7 | 12 |
| 303 | Signs and symptoms associated with uterine cancer in pre- and postmenopausal women. <i>Heliyon</i> , 2020, 6, e05372. | 3.2 | 12 |
| 304 | Estimation of the Endometriosis Fertility Index prior to operative laparoscopy. <i>Human Reproduction</i> , 2021, 36, 636-646. | 0.9 | 12 |
| 305 | Age interacts with the expression of steroid and HER-2 receptors in operable invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2008, 110, 153-159. | 2.5 | 11 |
| 306 | The use of transvaginal ultrasonography to diagnose bladder carcinoma in women presenting with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 959-960. | 1.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | The value of laparoscopic skills courses. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2009, 49, 312-315. | 1.0 | 11 |
| 308 | Screening for ovarian carcinoma: not quite there yet. Lancet Oncology, The, 2009, 10, 308-309. | 10.7 | 11 |
| 309 | Defining the relationship between fetal Doppler indices, abdominal circumference and growth rate in severe fetal growth restriction using functional linear discriminant analysis. Journal of the Royal Society Interface, 2013, 10, 20130376. | 3.4 | 11 |
| 310 | The rs1800716 variant in CYP2D6 is associated with an increased double endometrial thickness in postmenopausal women on tamoxifen. Annals of Oncology, 2014, 25, 90-95. | 1.2 | 11 |
| 311 | An Evaluation of the Effectiveness of Image-based Texture Features Extracted from Static B-mode Ultrasound Images in Distinguishing between Benign and Malignant Ovarian Masses. Ultrasonic Imaging, 2021, 43, 124-138. | 2.6 | 11 |
| 312 | Automated characterisation of ultrasound images of ovarian tumours: the diagnostic accuracy of a support vector machine and image processing with a local binary pattern operator. Facts, Views & Vision in ObGyn, 2015, 7, 7-15. | 1.1 | 11 |
| 313 | Umbilical artery pulsatility index and fetal abdominal circumference in isolated gastroschisis. Ultrasound in Obstetrics and Gynecology, 2011, 38, 538-542. | 1.7 | 10 |
| 314 | Simple dichotomous updating methods improved the validity of polytomous prediction models. Journal of Clinical Epidemiology, 2013, 66, 1158-1165. | 5.0 | 10 |
| 315 | Automated classification of static ultrasound images of ovarian tumours based on decision level fusion. , 2014, , . | | 10 |
| 316 | Clinical evaluation of the NK3 receptor antagonist fezolinetant (a.k.a. ESN364) for the treatment of menopausal hot flashes. Maturitas, 2017, 103, 89-90. | 2.4 | 10 |
| 317 | Juvenile cystic adenomyosis: A case report and review of the literature. Australasian Journal of Ultrasound in Medicine, 2019, 22, 295-300. | 0.6 | 10 |
| 318 | <scp>IDEAL</scp> study: magnetic resonance imaging for suspected deep endometriosis assessment prior to laparoscopy is as reliable as radiological imaging as a complement to transvaginal ultrasonography. Ultrasound in Obstetrics and Gynecology, 2020, 56, 255-266. | 1.7 | 10 |
| 319 | Ultrasound Determination of Chorionicity in Twin Pregnancy: Accuracy and Operator Experience. Twin Research and Human Genetics, 2001, 4, 223-226. | 1.0 | 9 |
| 320 | Using Bayesian neural networks with ARD input selection to detect malignant ovarian masses prior to surgery. Neural Computing and Applications, 2008, 17, 489-500. | 5.6 | 9 |
| 321 | Chlamydia trachomatis infection in patients attending an Early Pregnancy Unit: Prevalence, symptoms, pregnancy location and viability. Acta Obstetrica Et Gynecologica Scandinavica, 2008, 87, 601-607. | 2.8 | 9 |
| 322 | Performance of the American College of Obstetricians and Gynecologists' Ovarian Tumor Referral Guidelines With a Multivariate Index Assay. Obstetrics and Gynecology, 2011, 118, 1179-1181. | 2.4 | 9 |
| 323 | Pre-sampling ultrasound evaluation and assessment of the tissue yield during sampling improves the diagnostic reliability of office endometrial biopsy. Journal of Obstetrics and Gynaecology, 2012, 32, 173-176. | 0.9 | 9 |
| 324 | Differentiating stage I epithelial ovarian cancer from benign disease in women with adnexal tumors using biomarkers or the ROMA algorithm. Gynecologic Oncology, 2013, 130, 398-399. | 1.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 325 | Can risk factors, clinical history and symptoms be used to predict risk of ectopic pregnancy in women attending an early pregnancy assessment unit?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 656-662. | 1.7 | 9 |
| 326 | Morcellation and risk of malignancy in presumed ovarian fibromas/fibrothecomas. <i>Lancet Oncology</i> , The, 2016, 17, 273-274. | 10.7 | 9 |
| 327 | Ultrasound evaluation of ovarian masses and assessment of the extension of ovarian malignancy. <i>British Journal of Radiology</i> , 2021, 94, 20201375. | 2.2 | 9 |
| 328 | Neo-Adjuvant Chemotherapy Reduces, and Surgery Increases Immunosuppression in First-Line Treatment for Ovarian Cancer. <i>Cancers</i> , 2021, 13, 5899. | 3.7 | 9 |
| 329 | To the Editor. <i>Gynecologic Oncology</i> , 2001, 83, 166-167. | 1.4 | 8 |
| 330 | Uterine intramural bone after mid-trimester termination of pregnancy may not affect fertility: a case report. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 407-408. | 1.7 | 8 |
| 331 | Viable cervical pregnancy with levonorgestrel containing intrauterine device, treated successfully with methotrexate and mifepristone. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 120, 233-235. | 1.1 | 8 |
| 332 | Classifying ovarian tumors using Bayesian Multi-Layer Perceptrons and Automatic Relevance Determination: A multi-center study. , 2006, 2006, 5342-5. | | 8 |
| 333 | 2D versus 3D roadmap for uterine artery catheterization: impact on several angiographic parameters. <i>Acta Radiologica</i> , 2014, 55, 62-70. | 1.1 | 8 |
| 334 | Intima-Media Thickness Measurements in the Fetus and Mother During Pregnancy: A Feasibility Study. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1949-1957. | 1.5 | 8 |
| 335 | Venous Air Embolism during Hysteroscopic Myomectomy: An Analysis of 7 Cases. <i>Gynecologic and Obstetric Investigation</i> , 2017, 82, 569-574. | 1.6 | 8 |
| 336 | A new imaging technology to reduce the radiation dose during uterine fibroid embolization. <i>Acta Radiologica</i> , 2018, 59, 1446-1450. | 1.1 | 8 |
| 337 | Niche definition and guidance for detailed niche evaluation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1351-1352. | 2.8 | 8 |
| 338 | First-trimester intrauterine hematoma and pregnancy complications. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 536-545. | 1.7 | 8 |
| 339 | Assessment of protein biomarkers for preoperative differential diagnosis between benign and malignant ovarian tumors. <i>Gynecologic Oncology</i> , 2020, 159, 811-819. | 1.4 | 8 |
| 340 | Adaptive sample size determination for the development of clinical prediction models. <i>Diagnostic and Prognostic Research</i> , 2021, 5, 6. | 1.8 | 8 |
| 341 | Imaging in gynaecology: How good are we in identifying endometriomas?. <i>Facts, Views & Vision in ObGyn</i> , 2009, 1, 7-17. | 1.1 | 8 |
| 342 | Using artificial neural networks to predict malignancy of ovarian tumors. , 0, , . | | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Imaging in gynecological disease. Ultrasound in Obstetrics and Gynecology, 2007, 29, 483-484. | 1.7 | 7 |
| 344 | Prospective assessment of the endometrium in postmenopausal breast cancer patients treated with fulvestrant. Breast Cancer Research and Treatment, 2009, 117, 77-81. | 2.5 | 7 |
| 345 | Sonographic determination of the position of a levonorgestrel intrauterine device. Ultrasound in Obstetrics and Gynecology, 2009, 33, 121-124. | 1.7 | 7 |
| 346 | Accuracy of peritoneal fluid measurements by transvaginal ultrasonography. Ultrasound in Obstetrics and Gynecology, 2010, 35, 589-592. | 1.7 | 7 |
| 347 | OC01.03: Ultrasound in diagnosis of new and recurrent borderline ovarian tumors. Ultrasound in Obstetrics and Gynecology, 2010, 36, 1-2. | 1.7 | 7 |
| 348 | Flawed external validation study of the ADNEX model to diagnose ovarian cancer. Gynecologic Oncology Reports, 2016, 18, 49-50. | 0.6 | 7 |
| 349 | Imaging in gynecological disease (22): clinical and ultrasound characteristics of ovarian embryonal carcinomas, non-gestational choriocarcinomas and malignant mixed germ cell tumors. Ultrasound in Obstetrics and Gynecology, 2021, 57, 987-994. | 1.7 | 7 |
| 350 | Safety and efficiency of performing transvaginal ultrasound-guided tru-cut biopsy for pelvic masses. Gynecologic Oncology, 2021, 161, 845-851. | 1.4 | 7 |
| 351 | ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumours. Facts, Views & Vision in ObGyn, 2021, 13, 107-130. | 1.1 | 7 |
| 352 | Absence of correlation between risk factors for endometrial cancer and the presence of tamoxifen-associated endometrial polyps in postmenopausal patients with breast cancer. European Journal of Cancer, 2000, 36, 40-42. | 2.8 | 6 |
| 353 | Imaging of Adnexal Masses. Clinical Obstetrics and Gynecology, 2017, 60, 38-45. | 1.1 | 6 |
| 354 | Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study. BMC Pregnancy and Childbirth, 2017, 17, 293. | 2.4 | 6 |
| 355 | Uterine ultrasound and endometrial biopsy in tamoxifen users. Breast Cancer Research and Treatment, 2020, 180, 833-834. | 2.5 | 6 |
| 356 | Vessel morphology depicted by three-dimensional power Doppler ultrasound as second-stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. Ultrasound in Obstetrics and Gynecology, 2021, 57, 324-334. | 1.7 | 6 |
| 357 | Comparing Analytical Decision Support Models Through Boolean Rule Extraction: A Case Study of Ovarian Tumour Malignancy. Lecture Notes in Computer Science, 2007, , 1177-1186. | 1.3 | 6 |
| 358 | Optimizing the ultrasound visualization of the endometrial-myometrial junction (EMJ). Facts, Views & Vision in ObGyn, 2015, 7, 60-3. | 1.1 | 6 |
| 359 | Gradient boosted trees with individual explanations: An alternative to logistic regression for viability prediction in the first trimester of pregnancy. Computer Methods and Programs in Biomedicine, 2022, 213, 106520. | 4.7 | 6 |
| 360 | Evaluating cutoff levels for progesterone, β human chorionic gonadotropin and β human chorionic gonadotropin ratio to exclude pregnancy viability in women with a pregnancy of unknown location: A prospective multicenter cohort study. Acta Obstetrica Et Gynecologica Scandinavica, 2022, 101, 46-55. | 2.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 361 | How to use power Doppler ultrasound in transvaginal assessment of uterine fibroids. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 277-283. | 1.7 | 6 |
| 362 | Prognostic factors for post-traumatic stress, anxiety and depression in women after early pregnancy loss: a multi-centre prospective cohort study. <i>BMJ Open</i> , 2022, 12, e054490. | 1.9 | 6 |
| 363 | Pan-Cancer Detection and Typing by Mining Patterns in Large Genome-Wide Cell-Free DNA Sequencing Datasets. <i>Clinical Chemistry</i> , 2022, 68, 1164-1176. | 3.2 | 6 |
| 364 | Tamoxifen-Induced Endometrial Polyp. <i>New England Journal of Medicine</i> , 1996, 335, 1650-1650. | 27.0 | 5 |
| 365 | Removal of focal intracavitary lesions results in cessation of abnormal uterine bleeding in the vast majority of women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 612-613. | 1.7 | 5 |
| 366 | Key findings from the International Ovarian Tumor Analysis (IOTA) study: an approach to the optimal ultrasound based characterisation of adnexal pathology. <i>Australasian Journal of Ultrasound in Medicine</i> , 2012, 15, 82-86. | 0.6 | 5 |
| 367 | Optimizing the Histological Diagnosis of Adenomyosis Using in vitro Three-Dimensional Ultrasonography. <i>Gynecologic and Obstetric Investigation</i> , 2016, 81, 563-567. | 1.6 | 5 |
| 368 | Imaging in gynecological disease: clinical and ultrasound characteristics of ovarian carcinosarcomas. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, , . | 1.7 | 5 |
| 369 | The Risk of Endometrial Malignancy and Other Endometrial Pathology in Women with Abnormal Uterine Bleeding: An Ultrasound-Based Model Development Study by the IETA Group. <i>Gynecologic and Obstetric Investigation</i> , 2022, 87, 54-61. | 1.6 | 5 |
| 370 | Experiences and well-being of healthcare professionals working in the field of ultrasound in obstetrics and gynaecology as the SARS-CoV-2 pandemic were evolving: a cross-sectional survey study. <i>BMJ Open</i> , 2022, 12, e051700. | 1.9 | 5 |
| 371 | The Bayesian approach: a natural framework for statistical modeling. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 485-488. | 1.7 | 4 |
| 372 | OC147: Mathematical decision trees vs. clinician-based algorithms in the diagnosis of endometrial disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 412-412. | 1.7 | 4 |
| 373 | Implementing robotic assisted myomectomy in surgical practice – a retrospective cohort study. <i>Gynecological Surgery</i> , 2019, 16, . | 0.9 | 4 |
| 374 | Long-term outcome and pre-interventional predictors for late intervention after uterine fibroid embolization. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 247, 149-155. | 1.1 | 4 |
| 375 | Nucleosome footprinting in plasma cell-free DNA for the pre-surgical diagnosis of ovarian cancer. <i>Npj Genomic Medicine</i> , 2022, 7, 30. | 3.8 | 4 |
| 376 | Domain knowledge based information retrieval language: an application of annotated Bayesian networks in ovarian cancer domain. , 0, , . | | 3 |
| 377 | Acoustic streaming in two endometriomas: the exception to the rule?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 27, 89-90. | 1.7 | 3 |
| 378 | Ultrasonography in the prediction of complications during and after uterine myomectomy. <i>Gynecological Surgery</i> , 2016, 13, 507-514. | 0.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Classification of Ovarian Tumors Using Bayesian Least Squares Support Vector Machines. Lecture Notes in Computer Science, 2003, , 219-228. | 1.3 | 3 |
| 380 | Comparing Methods for Multi-class Probabilities in Medical Decision Making Using LS-SVMs and Kernel Logistic Regression. Lecture Notes in Computer Science, 2007, , 139-148. | 1.3 | 3 |
| 381 | Extended Bayesian Regression Models: A Symbiotic Application of Belief Networks and Multilayer Perceptrons for the Classification of Ovarian Tumors. Lecture Notes in Computer Science, 2001, , 177-187. | 1.3 | 3 |
| 382 | Immunological parameters as a new lead in the diagnosis of ovarian cancer. Facts, Views & Vision in ObGyn, 2015, 7, 67-72. | 1.1 | 3 |
| 383 | Guiding histological assessment of uterine lesions using 3D in vitro ultrasonography and stereotaxis. Facts, Views & Vision in ObGyn, 2017, 9, 77-84. | 1.1 | 3 |
| 384 | Risk assessment for endometrial cancer in women with abnormal vaginal bleeding: Results from the prospective IETA cohort study. International Journal of Gynecology and Obstetrics, 2022, 159, 103-110. | 2.3 | 3 |
| 385 | Similar long-term recurrence rates with cystectomy and CO2 laser vaporization for endometrioma: a retrospective study. Reproductive BioMedicine Online, 2022, 45, 101-108. | 2.4 | 3 |
| 386 | Psychological impact of endometrial monitoring in tamoxifen-treated postmenopausal breast cancer patients. Journal of Psychosomatic Obstetrics and Gynaecology, 2000, 21, 225-233. | 2.1 | 2 |
| 387 | Independent Test Set Performance in the Prediction of Early Relapse in Ovarian Cancer with Gene Expression Profiles. Clinical Cancer Research, 2005, 11, 7958-7959. | 7.0 | 2 |
| 388 | Aromatase Inhibitors and Postmenopausal Breast Cancer Patients with Tamoxifen-Induced Endometrial Pathology. Clinical Cancer Research, 2006, 12, 5603-5603. | 7.0 | 2 |
| 389 | OC69: Ability to make a diagnosis at first early pregnancy ultrasound assessment according to gestational age. Ultrasound in Obstetrics and Gynecology, 2007, 30, 388-388. | 1.7 | 2 |
| 390 | OC046: The addition of lidocaine to the gel used for gel infusion sonography (GIS): Effect on pain perception during GIS and subsequent hysteroscopy and endometrial sampling. Ultrasound in Obstetrics and Gynecology, 2008, 32, 257-258. | 1.7 | 2 |
| 391 | Towards a Clinical Decision Support System for Pregnancies of Unknown Location. , 2008, , . | | 2 |
| 392 | OC04.02: Intra- and inter-observer reproducibility of first trimester measurements between 6 and 9 weeks gestation. Ultrasound in Obstetrics and Gynecology, 2010, 36, 7-7. | 1.7 | 2 |
| 393 | OC08.01: Differentiation of uterine pathology by transvaginal elastography: preliminary results. Ultrasound in Obstetrics and Gynecology, 2010, 36, 14-15. | 1.7 | 2 |
| 394 | Uterine and quality of life changes in postmenopausal women with an asymptomatic tamoxifen-thickened endometrium randomized to continuation of tamoxifen or switching to anastrozole. Menopause, 2011, 18, 224-229. | 2.0 | 2 |
| 395 | Effect of cancer prevalence on the use of risk-assessment cut-off levels and the performance of mathematical models to distinguish malignant from benign adnexal masses. Ultrasound in Obstetrics and Gynecology, 2011, 37, 226-231. | 1.7 | 2 |
| 396 | Characterizing Ovarian Pathology. International Journal of Gynecological Cancer, 2012, 22, S9-S11. | 2.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 397 | Reactive Nodular Fibrous Pseudotumor: Case Report and Review of the Literature. Case Reports in Obstetrics and Gynecology, 2014, 2014, 1-4. | 0.3 | 2 |
| 398 | Clearance Rates of Ringer's Lactate and Adept and the Effect of Full Conditioning: A Randomized Controlled Trial. Journal of Gynecologic Surgery, 2015, 31, 139-143. | 0.1 | 2 |
| 399 | Interobserver agreement in assessment of polycystic ovarian morphology using pattern recognition. Ultrasound in Obstetrics and Gynecology, 2016, 47, 652-653. | 1.7 | 2 |
| 400 | An automated technique for potential differentiation of ovarian mature teratomas from other benign tumours using neural networks classification of 2D ultrasound static images: a pilot study. Proceedings of SPIE, 2017, , . | 0.8 | 2 |
| 401 | Re: Validation of prediction model for successful vaginal birth after Cesarean delivery based on sonographic assessment of hysterotomy scar. A. Baranov, K. Å... Salvesen and O. Vikhareva. Ultrasound Obstet Gynecol 2018; 51: 189-193.. Ultrasound in Obstetrics and Gynecology, 2018, 51, 167-167. | 1.7 | 2 |
| 402 | A Prospective International Lung Ultrasound Analysis Study in Tertiary Maternity Wards During the Severe Acute Respiratory Syndrome Coronavirus 2 Pandemic. Journal of Ultrasound in Medicine, 2020, 40, 1991-1996. | 1.7 | 2 |
| 403 | P-385 The relationship between systemic oestradiol and vaginal microbiota composition in miscarriage and normal pregnancy. Human Reproduction, 2021, 36, . | 0.9 | 2 |
| 404 | 3D Ultrasound (3D US). , 2015, , 79-97. | | 2 |
| 405 | Abstract P3-07-46: CYPTAM-BRUT 3: Endometrial thickness cannot be used as a marker for tamoxifen metabolization in postmenopausal breast cancer patients. Cancer Research, 2016, 76, P3-07-46-P3-07-46. | 0.9 | 2 |
| 406 | III.2 Saline infusion sonography (SIS) or office hysteroscopy: Which one is the best? A prospective randomised study. European Journal of Cancer, 1998, 34, S32-S33. | 2.8 | 1 |
| 407 | III.6 Tamoxifen-induced changes of the uterus: MRI features. European Journal of Cancer, 1998, 34, S36-S37. | 2.8 | 1 |
| 408 | Cyst rupture during surgery. Lancet, The, 2001, 358, 73. | 13.7 | 1 |
| 409 | Web-based data collection for uterine adnexal tumors: a case study. , 0, , . | | 1 |
| 410 | OC065: Negative predictive value of transvaginal ultrasound in women with chronic pelvic pain. Can we reduce the number of laparoscopies?. Ultrasound in Obstetrics and Gynecology, 2003, 22, 18-18. | 1.7 | 1 |
| 411 | Significance of secondary ultrasonographic endometrial thickening in postmenopausal tamoxifen-treated women. Cancer, 2003, 98, 431-432. | 4.1 | 1 |
| 412 | P12.03: Can we improve the performance of logistic regression analysis for predicting the outcome of pregnancies of unknown location (PULs)?. Ultrasound in Obstetrics and Gynecology, 2005, 26, 455-455. | 1.7 | 1 |
| 413 | Predictive Models for Long Term Survival after Premature Rupture of Membranes. , 2005, 2005, 4622-5. | | 1 |
| 414 | Diagnostic strategies in endometrial cancer. International Congress Series, 2005, 1279, 141-148. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | Molecular profiling of platinum resistant ovarian cancer: Use of the model in clinical practice. <i>International Journal of Cancer</i> , 2006, 119, 1511-1511. | 5.1 | 1 |
| 416 | A New Method for Modeling Preoperative Diagnosis of Ovarian Tumors. <i>IEEE Transactions on Biomedical Engineering</i> , 2007, 54, 2064-2072. | 4.2 | 1 |
| 417 | OC150: The use of gel instillation hysterosonography in a single examiner setting. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 413-413. | 1.7 | 1 |
| 418 | OC153: Logistic regression models to distinguish between benign, primary invasive, borderline malignant and metastatic ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 414-414. | 1.7 | 1 |
| 419 | OC096: How important is measuring endometrial thickness in women with pregnancies of unknown location?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 274-274. | 1.7 | 1 |
| 420 | OC145: Ultrasound scoring system to differentiate benign from malignant masses in specific subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 290-290. | 1.7 | 1 |
| 421 | OP24.06: Elastography in gynecology: preliminary experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 140-140. | 1.7 | 1 |
| 422 | OC23.04: Which adnexal masses are difficult to classify as benign or malignant with prediction models?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 42-43. | 1.7 | 1 |
| 423 | Evaluation of Imputation Methods in Ovarian Tumor Diagnostic Models Using Generalized Linear Models and Support Vector Machines. <i>Medical Decision Making</i> , 2010, 30, 123-131. | 2.4 | 1 |
| 424 | OP08.04: Showing pictograms in electronic data capture software improves interrater agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 78-79. | 1.7 | 1 |
| 425 | The independent effect of tumor size in predicting ovarian malignancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 162, 237-238. | 1.1 | 1 |
| 426 | Ultrasound examination before, during, and after office endometrial sampling. <i>Gynecological Surgery</i> , 2013, , . | 0.9 | 1 |
| 427 | Diagnosing adnexal tumours before surgery: a critical appraisal of recent evidence. <i>The Obstetrician and Gynaecologist</i> , 2015, 17, 163-171. | 0.4 | 1 |
| 428 | Hysterosalpingo-foam sonography (HyFoSy) using two different balloon catheters: a randomized trial. <i>Gynecological Surgery</i> , 2015, 12, 41-44. | 0.9 | 1 |
| 429 | Automated follicle count using three-dimensional ultrasound in polycystic ovarian morphology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 147-149. | 1.7 | 1 |
| 430 | Ovarian massâ€differentiating benign from malignant. Why the International Ovarian Tumour Analysis rules should be implemented in Australasia. <i>Australasian Journal of Ultrasound in Medicine</i> , 2018, 21, 121-124. | 0.6 | 1 |
| 431 | Ultrasound, macroscopic and histological features of malignant ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 150-151. | 2.5 | 1 |
| 432 | Response to: Correspondence on "ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors" by Thomassin-Nagarra et al. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 1396-1397. | 2.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Postmenopausal Bleeding: Ultrasound and Hydrosonography versus Hysteroscopy. , 2003, , 55-61. | | 1 |
| 434 | Classifying ovarian tumors using Bayesian Multi-Layer Perceptrons and Automatic Relevance Determination: A multi-center study. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2006, , . | 0.5 | 1 |
| 435 | EVALUATION OF ENDOMETRIAL PATHOLOGY IN TAMOXIFEN-TREATED BREAST CANCER PATIENTS: THE VALUE OF THE "PEDICLE ARTERY TEST"™ USING TRANSVAGINAL COLOR DOPPLER IMAGING. International Journal of Gynecological Cancer, 2003, 13, 67.2-67. | 2.5 | 1 |
| 436 | NEWS ON ULTRASONOGRAPHIC TECHNIQUES FOR PELVIC MALIGNANCIES. International Journal of Gynecological Cancer, 2003, 13, 120.2-121. | 2.5 | 1 |
| 437 | Re: "Diagnostic Accuracies of the Ultrasound and Magnetic Resonance Imaging ADNEX Scoring Systems for Ovarian Adnexal Mass: Systematic Review and Meta-Analysis" Academic Radiology, 2021, 28, 1643-1644. | 2.5 | 1 |
| 438 | Ultrasound Characteristics of Endometriosis. , 2003, , 189-195. | | 1 |
| 439 | Imaging in gynaecological disease: clinical and ultrasound characteristics of mucocele of the appendix. A pictorial essay. Facts, Views & Vision in ObGyn, 2013, 5, 209-12. | 1.1 | 1 |
| 440 | Building decision trees for diagnosing intracavitary uterine pathology. Facts, Views & Vision in ObGyn, 2009, 1, 182-8. | 1.1 | 1 |
| 441 | F11Ultrasound evaluation of the uterus after pregnancy. Ultrasound in Obstetrics and Gynecology, 2000, 16, 37-37. | 1.7 | 0 |
| 442 | The influence of hormone replacement therapy on the ultrasound features of the endometrium: a prospective study. Ultrasound in Obstetrics and Gynecology, 2001, 18, CEG-17-CEG-17. | 1.7 | 0 |
| 443 | P284: The occurrence of echogenic intrauterine spots after pregnancy. Ultrasound in Obstetrics and Gynecology, 2003, 22, 146-147. | 1.7 | 0 |
| 444 | OC28.01: The role of contrast media in the diagnosis and management of ovarian masses. Ultrasound in Obstetrics and Gynecology, 2005, 26, 354-354. | 1.7 | 0 |
| 445 | OC31.08: What is the optimal approach to accurately classifying failing pregnancies of unknown location (PULs)?. Ultrasound in Obstetrics and Gynecology, 2005, 26, 363-363. | 1.7 | 0 |
| 446 | OC37.01: Is it safe to perform uterine curettage in women with no signs of an intra-uterine pregnancy on transvaginal ultrasound?. Ultrasound in Obstetrics and Gynecology, 2005, 26, 373-373. | 1.7 | 0 |
| 447 | Reply to the Letter to the Editor on "Third generation aromatase inhibitors may prevent endometrial growth and reverse tamoxifen-induced uterine changes in postmenopausal breast cancer patients" by I. Cohen Ann Oncol 2005; 16: 1399. Annals of Oncology, 2005, 16, 1402-1403. | 1.2 | 0 |
| 448 | Intravenous contrast ultrasound in gynecology. International Congress Series, 2005, 1279, 174-178. | 0.2 | 0 |
| 449 | Assessment of measurement validity. Fertility and Sterility, 2006, 85, 268. | 1.0 | 0 |
| 450 | OC17: Ultrasound and not biochemistry determines the ultimate viability of intra-uterine pregnancies in the PUL population. Ultrasound in Obstetrics and Gynecology, 2006, 28, 364-364. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 451 | OC18: What is the optimal approach to classifying viable intra-uterine pregnancies in the PUL population?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 364-364. | 1.7 | 0 |
| 452 | OC19: Using a mathematical model in the management of pregnancies of unknown location: a prospective interventional study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 364-364. | 1.7 | 0 |
| 453 | OC20: Validation of a logistic regression model to predict the outcome of pregnancies of unknown location in a new patient population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 365-365. | 1.7 | 0 |
| 454 | Preoperative prediction of malignancy of ovarian tumours using modified sequential non-uniform procedure. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 5403-6. | 0.5 | 0 |
| 455 | To the Editor. <i>International Journal of Gynecological Cancer</i> , 2007, 17, 543-543. | 2.5 | 0 |
| 456 | P32 Axillary lymph node involvement in breast cancer decreases with age but increases again after age 70 mainly in small tumors. <i>Breast</i> , 2007, 16, S21. | 2.2 | 0 |
| 457 | OC48: Development of a model to predict ability of ultrasound to make a diagnosis at first assessment in the unselected early pregnancy population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 382-382. | 1.7 | 0 |
| 458 | OC154: Accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 414-414. | 1.7 | 0 |
| 459 | OC204: Analysis of sonographic and Doppler features of struma ovarii: insights into a diagnostic dilemma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 430-430. | 1.7 | 0 |
| 460 | OC001: Prospective assessment of simple rules to distinguish between malignant and benign adnexal masses prior to surgery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 243-243. | 1.7 | 0 |
| 461 | OC047: Removal of focal intracavity lesions results in cessation of abnormal uterine bleeding in the vast majority of women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 258-258. | 1.7 | 0 |
| 462 | OC091: Can high definition transvaginal ultrasound result in a reduction in the number of women characterised as having a pregnancy of unknown location?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 272-273. | 1.7 | 0 |
| 463 | OC092: The appearance and behaviour of ectopic pregnancies in the "pregnancy of unknown location"™ population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 273-273. | 1.7 | 0 |
| 464 | OC094: The timing of serum human chorionic gonadotrophin measurements to predict the outcome of pregnancies of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 273-274. | 1.7 | 0 |
| 465 | OC097: Pregnancy location and viability in women with chlamydia trachomatis infection. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 274-274. | 1.7 | 0 |
| 466 | OC107: Growth delay in the first trimester: Sensitivity and specificity of using serial measurements of embryonic growth for the prediction of early pregnancy loss. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 278-278. | 1.7 | 0 |
| 467 | OC112: Determination of outcome in very early intrauterine pregnancies of uncertain viability. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 279-279. | 1.7 | 0 |
| 468 | OC152: Prevalence of cancer and optimal cut-off levels for mathematical models to distinguish between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 292-293. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 469 | OP05.07: Just images on sono-endoscopic findings of adnexal torsion: A retrospective multicenter study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 327-327. | 1.7 | 0 |
| 470 | OP09.02: A cross-sectional analysis of embryonic growth in normal and genetically abnormal pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 337-337. | 1.7 | 0 |
| 471 | OP12.06: Optimal timing of transvaginal ultrasound to confirm early pregnancy viability. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 349-349. | 1.7 | 0 |
| 472 | OP14.01: Assessing early first trimester growth with ultrasonography: The influence of ethnic background. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 354-354. | 1.7 | 0 |
| 473 | OP14.02: The influence of maternal age on early first trimester growth assessed by ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 355-355. | 1.7 | 0 |
| 474 | OP17.01: Prospective comparison of one-step and two-step models for the classification of adnexal masses as benign or malignant. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 368-368. | 1.7 | 0 |
| 475 | OC01.04: A practical approach to preoperatively assess ovarian pathology: combining pattern recognition and mathematical models. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 2-2. | 1.7 | 0 |
| 476 | OC05.01: Predicting ovarian malignancy if simple rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 7-7. | 1.7 | 0 |
| 477 | OC05.05: External validation of old and new mathematical models to distinguish between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 8-8. | 1.7 | 0 |
| 478 | OC07.01: A new crown-rump length curve based on over 3500 pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 11-12. | 1.7 | 0 |
| 479 | OC11.01: Comparison of gel instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity lesions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-19. | 1.7 | 0 |
| 480 | OC11.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-19. | 1.7 | 0 |
| 481 | OC11.07: Endometrial thickness measurement with and without fluid contrast ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 21-21. | 1.7 | 0 |
| 482 | OC13.02: Ultrasound in the detection of rectal- and distal sigmoid involvement of deep endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 24-24. | 1.7 | 0 |
| 483 | OC21.02: Adnexal masses difficult to classify as benign or malignant using subjective evaluation of ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 38-38. | 1.7 | 0 |
| 484 | OC25.01 Unilocular solid adnexal masses with papillary projections but no other solid components: is there a logistic regression model that can help?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 48-48. | 1.7 | 0 |
| 485 | OC25.02: Intercenter variability in ultrasound features of malignant and benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 48-49. | 1.7 | 0 |
| 486 | OC25.05: Adjusting prediction models for ovarian tumor classification to new clinical settings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 49-50. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | OC25.07: Ovarian cancer arising in endometrioma: ultrasound findings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 50-50. | 1.7 | 0 |
| 488 | OP08.02: Crown-rump length in genetically abnormal pregnancies compared to a CRL curve for normal pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 85-85. | 1.7 | 0 |
| 489 | OP27.07: The relationship between abdominal circumference and umbilical artery Doppler z-scores in severe early onset fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 151-151. | 1.7 | 0 |
| 490 | OP30.01: Interobserver agreement on reporting uterine intracavity lesions at gel infusion sonography (GIS). <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 158-158. | 1.7 | 0 |
| 491 | OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 160-160. | 1.7 | 0 |
| 492 | OP30.09: VOCAL in the evaluation of the endometrium: a pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 160-160. | 1.7 | 0 |
| 493 | P20.02: The relationship between abdominal circumference and middle cerebral artery Doppler z-scores in severe early onset fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 257-257. | 1.7 | 0 |
| 494 | Reply: No influence of body mass index on first trimester fetal growth. <i>Human Reproduction</i> , 2010, 25, 3161-3162. | 0.9 | 0 |
| 495 | OC04.03: Risk factors for tubal versus non-tubal ectopic pregnancies: a multicentre case series. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 7-7. | 1.7 | 0 |
| 496 | OC04.05: A longitudinal assessment of gestation sac growth in pregnancies subsequently shown to be viable and non-viable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 8-8. | 1.7 | 0 |
| 497 | OC05.01: Reducing the follow-up required in women with a failing pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 8-8. | 1.7 | 0 |
| 498 | OC10.03: Is pain during and after Mirena® insertion related to the flexion of the uterus and the final position of the Mirena®?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 18-19. | 1.7 | 0 |
| 499 | OC23.01: New logistic regression model to predict ovarian malignancy in cases for which simple ultrasound rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 41-42. | 1.7 | 0 |
| 500 | OP02.10: Prediction of pregnancy viability by means of scoring systems: towards a "risk of miscarriage"™ index. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 57-58. | 1.7 | 0 |
| 501 | OP07.02: The added value of fluid instillation sonography in women with a total endometrial thickness $\geq 1/2$ 5 mm at transvaginal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 71-71. | 1.7 | 0 |
| 502 | OP07.04: The value of fluid instillation sonography in women under 40 years of age. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 71-71. | 1.7 | 0 |
| 503 | OP07.06: The influence of Mirena® position on the bleeding pattern after Mirena® insertion?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 72-72. | 1.7 | 0 |
| 504 | OP26.03: Transperineal ultrasound and clinical examination for pelvic organ prolapse correlate better if both are performed in a one stop clinic. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 128-128. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 505 | OP26.08: Preoperative ultrasound measurements of genital hiatus are not different between patients with and without de novo recurrence after anterior vaginal repair. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 129-130. | 1.7 | 0 |
| 506 | OP29.06: Umbilical artery PI and fetal abdominal circumference in gastroschisis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 137-138. | 1.7 | 0 |
| 507 | OP35.04: 2D and 3D ultrasound in the visualization of different levonorgestrel-releasing intrauterine systems and copper intrauterine devices. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 154-154. | 1.7 | 0 |
| 508 | P07.02: The surgical removal of residual trophoblastic tissue in case of enhanced myometrial vascularity with a peak systolic velocity > 50 cm/sec. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 192-192. | 1.7 | 0 |
| 509 | P16.01: Comparing tubal and non-tubal ectopic pregnancies: a multicentre case series. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 228-228. | 1.7 | 0 |
| 510 | P16.04: The influence of symptoms, uncertainty of dates and previous miscarriage on gestation sac growth. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 229-229. | 1.7 | 0 |
| 511 | P26.06: Changes in genital hiatus after sacrocolpopexy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 271-271. | 1.7 | 0 |
| 512 | Reply of the Authors: Endometriosis: is laparoscopy justified without previous ultrasonogram and magnetic resonance imaging (MRI)? & High prevalence of endometriosis in infertile women with normal ovulation and normospermic partners. <i>Fertility and Sterility</i> , 2010, 93, e12. | 1.0 | 0 |
| 513 | OC04.05: The limitations of using mean gestation sac diameter (MSD) measurements to define miscarriage. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 8-9. | 1.7 | 0 |
| 514 | OC07.01: Serial hCG assays for the management of pregnancies of unknown location (PUL): does the timing of hCG samples matter?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 12-13. | 1.7 | 0 |
| 515 | OC07.05: Comparing the subjective impression of the examiner to the hCG ratio and mathematical models for the management of pregnancies of unknown location (PUL). <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 14-14. | 1.7 | 0 |
| 516 | OC17.01: The association of patients' characteristics and bleeding pattern with uterine intracavitary pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 31-31. | 1.7 | 0 |
| 517 | OC17.02: New ultrasound based mathematical models for the preoperative prediction of high risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 31-32. | 1.7 | 0 |
| 518 | OC17.06: Clinical Data Miner (CDM)â€”a webâ€”based electronic data capture framework for multiâ€”centric studies with imaging modalities. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 33-33. | 1.7 | 0 |
| 519 | OC20.05: Changes in Caesarean section scar size in the three trimesters of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 38-38. | 1.7 | 0 |
| 520 | OC21.02: Selection of women with an ovarian tumor for surgery in specialist centers: a comparison of two triaging protocols. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 39-39. | 1.7 | 0 |
| 521 | OC21.04: A prediction model to distinguish between benign, borderline, stage I invasive, higher stage invasive, and metastatic adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 40-40. | 1.7 | 0 |
| 522 | OC26.05: Longitudinal measurements of Caesarean section scar size and residual myometrial thickness in pregnancy as predictors of scar appearance at repeat Caesarean delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 48-48. | 1.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 523 | OP02.11: Rationalizing the management of pregnancies of unknown location (PULs) by reliably selecting failed PUL and intrauterine pregnancies for minimal follow up. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 62-62. | 1.7 | 0 |
| 524 | OP08.01: Image Study Webapp-a web interface for imaging-based interrater agreement studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 78-78. | 1.7 | 0 |
| 525 | OP10.08: The relationship between previous elective or emergency Caesarean section and time-to-next-pregnancy interval on Caesarean scar size and residual myometrial thickness in subsequent pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 86-86. | 1.7 | 0 |
| 526 | OP33.03: Visibility and dimensions of Caesarean section scars in pregnancy-an interobserver variability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 150-150. | 1.7 | 0 |
| 527 | OP33.07: How is the orientation and magnitude of a CRL measurement used to estimate fetal gestation affected by ultrasound machines variability?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 151-152. | 1.7 | 0 |
| 528 | Reply: The performance of the risk of ovarian malignancy algorithm. <i>British Journal of Cancer</i> , 2011, 105, 187-188. | 6.4 | 0 |
| 529 | Limitations of Current Definitions of Miscarriage Using Mean Gestational Sac Diameter and Crown-Rump Length Measurements. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 146-147. | 0.4 | 0 |
| 530 | Standardized Approach for Imaging and Measuring Cesarean Section Scars Using Ultrasonography. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 404-405. | 0.4 | 0 |
| 531 | Preoperative identification of a suspicious adnexal mass. <i>Gynecologic Oncology</i> , 2012, 127, 260-262. | 1.4 | 0 |
| 532 | Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 121-122. | 1.7 | 0 |
| 533 | Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 123-124. | 1.7 | 0 |
| 534 | Authors' reply to Candido-dos-Reis. <i>BMJ, The</i> , 2014, 349, g6691-g6691. | 6.0 | 0 |
| 535 | Authors'™ reply to Fountain and colleagues. <i>BMJ, The</i> , 2015, 351, h5852. | 6.0 | 0 |
| 536 | Dharmasena case illustrates what is wrong with complaints procedures. <i>BMJ, The</i> , 2015, 350, h1130-h1130. | 6.0 | 0 |
| 537 | 218: Standardized fetal growth curves according to world health organization recommendations (GAMLSS analysis) in a low-risk caucasian population. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, S122-S123. | 1.3 | 0 |
| 538 | Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 677-678. | 1.3 | 0 |
| 539 | Reply: Should we also work on an international informed consent for endometriosis surgery?. <i>Human Reproduction</i> , 2017, 32, 480.2-481. | 0.9 | 0 |
| 540 | The Adnexa and Other Pathology. , 2017, , 59-68. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 541 | Elective uterine artery embolization prior to laparoscopic resection of interstitial pregnancy: two cases and literature review. <i>Gynecological Surgery</i> , 2018, 15, . | 0.9 | 0 |
| 542 | Role of Imaging in Gynaecology. , 2018, , 499-518. | | 0 |
| 543 | The potential value of activin B and fibronectin for the triage of pregnancies of unknown location and prediction of first trimester viability. <i>Australasian Journal of Ultrasound in Medicine</i> , 2018, 21, 138-146. | 0.6 | 0 |
| 544 | Uterine Arterial Embolization Combined with Laparoscopic Resection in the Management of Caesarean Scar Pregnancy. <i>Journal of Gynecologic Surgery</i> , 2019, 35, 308-310. | 0.1 | 0 |
| 545 | Advanced Doppler imaging and trucut biopsy of a lateâ€stage cervical lymphoma. <i>Australasian Journal of Ultrasound in Medicine</i> , 2019, 22, 301-304. | 0.6 | 0 |
| 546 | The potential use of urinary hCG measurements in the management of pregnancies of unknown location. <i>Human Fertility</i> , 2020, , 1-8. | 1.7 | 0 |
| 547 | The Use of Ultrasound to Assess the Morphology of Ovarian Tumours. , 2003, , 141-152. | | 0 |
| 548 | Adenomyosis. , 2007, , 86-92. | | 0 |
| 549 | Abstract OT2-2-02: Prospective multicentre study evaluating the effect of impaired tamoxifen metabolism on efficacy in breast cancer patients receiving tamoxifen in the neo-adjuvant or metastatic setting - The CYPTAM-BRUT 2 trial.. , 2012, , . | | 0 |
| 550 | Sex Cord-Stromal Tumors: Clinical Setting and Ultrasound Findings. , 2013, , 279-295. | | 0 |
| 551 | Abstract OT3-2-04: Prospective multicenter study evaluating the effect of impaired tamoxifen metabolism on efficacy in breast cancer patients receiving tamoxifen in the neo-adjuvant or metastatic setting - The CYPTAM-BRUT 2 trial. , 2013, , . | | 0 |
| 552 | Echoscopie van het ovarium. , 2016, , 47-58. | | 0 |
| 553 | Contrastechoscopie. , 2016, , 73-78. | | 0 |
| 554 | Uterus. , 2018, , 821-844. | | 0 |
| 555 | Intrauterine fluid instillation and transtubal flow: A randomized controlled in vitro trial comparing gel and water. <i>Journal of Medical Ultrasound</i> , 2020, 28, 35-40. | 0.4 | 0 |
| 556 | Editorial. Facts, Views & Vision in ObGyn, 2015, 7, 1-2. | 1.1 | 0 |