

Dirk Timmerman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4170906/publications.pdf>

Version: 2024-02-01

556
papers

26,202
citations

8755

75
h-index

9861

141
g-index

636
all docs

636
docs citations

636
times ranked

16188
citing authors

#	ARTICLE	IF	CITATIONS
1	Consensus on revised definitions of Morphological Uterus Sonographic Assessment (<scp>MUSA</scp>) features of adenomyosis: results of modified Delphi procedure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 118-131.	1.7	80
2	Gradient boosted trees with individual explanations: An alternative to logistic regression for viability prediction in the first trimester of pregnancy. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 213, 106520.	4.7	6
3	Evaluating cut-off levels for progesterone, β human chorionic gonadotropin and β human chorionic gonadotropin ratio to exclude pregnancy viability in women with a pregnancy of unknown location: A prospective multicenter cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 46-55.	2.8	6
4	Definition and sonographic reporting system for Cesarean scar pregnancy in early gestation: modified Delphi method. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 437-449.	1.7	41
5	Risk assessment for endometrial cancer in women with abnormal vaginal bleeding: Results from the prospective IETA cohort study. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 159, 103-110.	2.3	3
6	The Risk of Endometrial Malignancy and Other Endometrial Pathology in Women with Abnormal Uterine Bleeding: An Ultrasound-Based Model Development Study by the IETA Group. <i>Gynecologic and Obstetric Investigation</i> , 2022, 87, 54-61.	1.6	5
7	Experiences and well-being of healthcare professionals working in the field of ultrasound in obstetrics and gynaecology as the SARS-CoV-2 pandemic were evolving: a cross-sectional survey study. <i>BMJ Open</i> , 2022, 12, e051700.	1.9	5
8	How to use power Doppler ultrasound in transvaginal assessment of uterine fibroids. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 277-283.	1.7	6
9	Similar long-term recurrence rates with cystectomy and CO2 laser vaporization for endometrioma: a retrospective study. <i>Reproductive BioMedicine Online</i> , 2022, 45, 101-108.	2.4	3
10	Prognostic factors for post-traumatic stress, anxiety and depression in women after early pregnancy loss: a multi-centre prospective cohort study. <i>BMJ Open</i> , 2022, 12, e054490.	1.9	6
11	Ultrasound features of endometrial pathology in women without abnormal uterine bleeding: results from the International Endometrial Tumor Analysis study (<scp>IETA3</scp>). <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 243-255.	1.7	14
12	Nucleosome footprinting in plasma cell-free DNA for the pre-surgical diagnosis of ovarian cancer. <i>Npj Genomic Medicine</i> , 2022, 7, 30.	3.8	4
13	Diagnostic accuracy of transvaginal ultrasound for detection of endometriosis using International Deep Endometriosis Analysis (<scp>IDEA</scp>) approach: prospective international pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 404-413.	1.7	19
14	The harm of class imbalance corrections for risk prediction models: illustration and simulation using logistic regression. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2022, 29, 1525-1534.	4.4	74
15	Pan-Cancer Detection and Typing by Mining Patterns in Large Genome-Wide Cell-Free DNA Sequencing Datasets. <i>Clinical Chemistry</i> , 2022, 68, 1164-1176.	3.2	6
16	Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (<scp>IETA</scp>) terminology in women with abnormal uterine bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 164-172.	1.7	35
17	Imaging in gynecological disease (22): clinical and ultrasound characteristics of ovarian embryonal carcinomas, non-gestational choriocarcinomas and malignant mixed germ cell tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 987-994.	1.7	7
18	Differences in post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy between women and their partners: multicenter prospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 141-148.	1.7	25

#	ARTICLE	IF	CITATIONS
19	Ultrasound, macroscopic and histological features of malignant ovarian tumors. International Journal of Gynecological Cancer, 2021, 31, 150-151.	2.5	1
20	External validation of models to predict the outcome of pregnancies of unknown location: a multicentre cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 552-562.	2.3	17
21	Vessel morphology depicted by three-dimensional power Doppler ultrasound as second-stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. Ultrasound in Obstetrics and Gynecology, 2021, 57, 324-334.	1.7	6
22	An Evaluation of the Effectiveness of Image-based Texture Features Extracted from Static B-mode Ultrasound Images in Distinguishing between Benign and Malignant Ovarian Masses. Ultrasonic Imaging, 2021, 43, 124-138.	2.6	11
23	Adaptive sample size determination for the development of clinical prediction models. Diagnostic and Prognostic Research, 2021, 5, 6.	1.8	8
24	Organoids of the Female Reproductive Tract: Innovative Tools to Study Desired to Unwelcome Processes. Frontiers in Cell and Developmental Biology, 2021, 9, 661472.	3.7	15
25	Randomized Controlled Trial of Neurokinin 3 Receptor Antagonist Fezolinetant for Treatment of Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3519-e3532.	3.6	28
26	<scp>ESGO</scp>/<scp>ISUOG</scp>/<scp>IOTA</scp>/<scp>ESGE</scp> Consensus Statement on preoperative diagnosis of ovarian tumors. Ultrasound in Obstetrics and Gynecology, 2021, 58, 148-168.	1.7	42
27	Safety and efficiency of performing transvaginal ultrasound-guided tru-cut biopsy for pelvic masses. Gynecologic Oncology, 2021, 161, 845-851.	1.4	7
28	ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumours. Facts, Views & Vision in ObGyn, 2021, 13, 107-130.	1.1	7
29	ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors. International Journal of Gynecological Cancer, 2021, 31, 961-982.	2.5	54
30	Pâ€“385 The relationship between systemic oestradiol and vaginal microbiota composition in miscarriage and normal pregnancy. Human Reproduction, 2021, 36, .	0.9	2
31	Imaging in gynecological disease: clinical and ultrasound characteristics of ovarian carcinosarcomas. Ultrasound in Obstetrics and Gynecology, 2021, , .	1.7	5
32	Response to: Correspondence on "ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors" by Thomassin-Nagarra et al. International Journal of Gynecological Cancer, 2021, 31, 1396-1397.	2.5	1
33	Ultrasound evaluation of ovarian masses and assessment of the extension of ovarian malignancy. British Journal of Radiology, 2021, 94, 20201375.	2.2	9
34	Re: â€œDiagnostic Accuracies of the Ultrasound and Magnetic Resonance Imaging ADNEX Scoring Systems for Ovarian Adnexal Mass: Systematic Review and Meta-Analysisâ€• Academic Radiology, 2021, 28, 1643-1644.	2.5	1
35	Estimation of the Endometriosis Fertility Index prior to operative laparoscopy. Human Reproduction, 2021, 36, 636-646.	0.9	12
36	Peripherally-driven myeloid NFkB and IFN/ISG responses predict malignancy risk, survival, and immunotherapy regime in ovarian cancer. , 2021, 9, e003609.		24

#	ARTICLE	IF	CITATIONS
37	Neo-Adjuvant Chemotherapy Reduces, and Surgery Increases Immunosuppression in First-Line Treatment for Ovarian Cancer. <i>Cancers</i> , 2021, 13, 5899.	3.7	9
38	Validation of ultrasound strategies to assess tumor extension and to predict high-risk endometrial cancer in women from the prospective IETA (International Endometrial Tumor Analysis) cohort. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 115-124.	1.7	26
39	The DALI vitamin D randomized controlled trial for gestational diabetes mellitus prevention: No major benefit shown besides vitamin D sufficiency. <i>Clinical Nutrition</i> , 2020, 39, 976-984.	5.0	42
40	The association between vaginal bacterial composition and miscarriage: a nested case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 264-274.	2.3	89
41	First-trimester intrauterine hematoma and pregnancy complications. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 536-545.	1.7	8
42	Triaging women with pregnancy of unknown location using two-step protocol including M6 model: clinical implementation study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 105-114.	1.7	23
43	O-RADS US Risk Stratification and Management System: A Consensus Guideline from the ACR Ovarian-Adnexal Reporting and Data System Committee. <i>Radiology</i> , 2020, 294, 168-185.	7.3	240
44	Changing predictor measurement procedures affected the performance of prediction models in clinical examples. <i>Journal of Clinical Epidemiology</i> , 2020, 119, 7-18.	5.0	31
45	<sc>IDEAL</sc> study: magnetic resonance imaging for suspected deep endometriosis assessment prior to laparoscopy is as reliable as radiological imaging as a complement to transvaginal ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 255-266.	1.7	10
46	Natural history of pregnancy-related enhanced myometrial vascularity following miscarriage. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 676-682.	1.7	17
47	Posttraumatic stress, anxiety and depression following miscarriage and ectopic pregnancy: a multicenter, prospective, cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 367.e1-367.e22.	1.3	120
48	Ultrasound-based risk model for preoperative prediction of lymph node metastases in women with endometrial cancer: model development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 443-452.	1.7	13
49	Assessment of protein biomarkers for preoperative differential diagnosis between benign and malignant ovarian tumors. <i>Gynecologic Oncology</i> , 2020, 159, 811-819.	1.4	8
50	Signs and symptoms associated with uterine cancer in pre- and postmenopausal women. <i>Heliyon</i> , 2020, 6, e05372.	3.2	12
51	A Prospective International Lung Ultrasound Analysis Study in Tertiary Maternity Wards During the Severe Acute Respiratory Syndrome Coronavirus 2 Pandemic. <i>Journal of Ultrasound in Medicine</i> , 2020, 40, 1991-1996.	1.7	2
52	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020, 370, m2614.	6.0	54
53	Evaluating the use of telemedicine in gynaecological practice: a systematic review. <i>BMJ Open</i> , 2020, 10, e039457.	1.9	19
54	The potential use of urinary hCG measurements in the management of pregnancies of unknown location. <i>Human Fertility</i> , 2020, , 1-8.	1.7	0

#	ARTICLE	IF	CITATIONS
55	Cancer Surveillance in Healthy Carriers of Germline Pathogenic Variants in <i>BRCA1/2</i> : A Review of Secondary Prevention Guidelines. <i>Journal of Oncology</i> , 2020, 2020, 1-13.	1.3	20
56	Uterine ultrasound and endometrial biopsy in tamoxifen users. <i>Breast Cancer Research and Treatment</i> , 2020, 180, 833-834.	2.5	6
57	Long-term outcome and pre-interventional predictors for late intervention after uterine fibroid embolization. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 247, 149-155.	1.1	4
58	Imaging in gynecological disease (17): ultrasound features of malignant ovarian yolk sac tumors (endodermal sinus tumors). <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 276-284.	1.7	15
59	ISUOG Consensus Statement on rationalization of early pregnancy care and provision of ultrasonography in context of SARS-CoV-2. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 871-878.	1.7	29
60	ISUOG Consensus Statement on rationalization of gynecological ultrasound services in context of SARS-CoV-2. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 879-885.	1.7	23
61	Developing Organoids from Ovarian Cancer as Experimental and Preclinical Models. <i>Stem Cell Reports</i> , 2020, 14, 717-729.	4.8	105
62	Developing risk models for multicenter data using standard logistic regression produced suboptimal predictions: A simulation study. <i>Biometrical Journal</i> , 2020, 62, 932-944.	1.0	13
63	Intrauterine fluid instillation and transtubal flow: A randomized controlled in vitro trial comparing gel and water. <i>Journal of Medical Ultrasound</i> , 2020, 28, 35-40.	0.4	0
64	Sonographic classification and reporting system for diagnosing adenomyosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 576-582.	1.7	157
65	Diagnostic protocols for the management of pregnancy of unknown location: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 190-198.	2.3	35
66	Patient-derived organoids from endometrial disease capture clinical heterogeneity and are amenable to drug screening. <i>Nature Cell Biology</i> , 2019, 21, 1041-1051.	10.3	281
67	Predictive analytics in health care: how can we know it works?. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2019, 26, 1651-1654.	4.4	110
68	Juvenile cystic adenomyosis: A case report and review of the literature. <i>Australasian Journal of Ultrasound in Medicine</i> , 2019, 22, 295-300.	0.6	10
69	Evaluation of machine learning methods with Fourier Transform features for classifying ovarian tumors based on ultrasound images. <i>PLoS ONE</i> , 2019, 14, e0219388.	2.5	35
70	Uterine Arterial Embolization Combined with Laparoscopic Resection in the Management of Cesarean Scar Pregnancy. <i>Journal of Gynecologic Surgery</i> , 2019, 35, 308-310.	0.1	0
71	Advanced Doppler imaging and trucut biopsy of a late-stage cervical lymphoma. <i>Australasian Journal of Ultrasound in Medicine</i> , 2019, 22, 301-304.	0.6	0
72	Organoids of epithelial ovarian cancer as an emerging preclinical in vitro tool: a review. <i>Journal of Ovarian Research</i> , 2019, 12, 105.	3.0	25

#	ARTICLE	IF	CITATIONS
73	Three myths about risk thresholds for prediction models. BMC Medicine, 2019, 17, 192.	5.5	101
74	Treatment of Menopausal Vasomotor Symptoms With Fezolinetant, a Neurokinin 3 Receptor Antagonist: A Phase 2a Trial. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 5893-5905.	3.6	62
75	Implementing robotic assisted myomectomy in surgical practice – a retrospective cohort study. Gynecological Surgery, 2019, 16, .	0.9	4
76	Sex differences in fetal growth and immediate birth outcomes in a low-risk Caucasian population. Biology of Sex Differences, 2019, 10, 48.	4.1	38
77	Untapped potential of multicenter studies: a review of cardiovascular risk prediction models revealed inappropriate analyses and wide variation in reporting. Diagnostic and Prognostic Research, 2019, 3, 6.	1.8	20
78	Niche definition and guidance for detailed niche evaluation. Acta Obstetrica Et Gynecologica Scandinavica, 2019, 98, 1351-1352.	2.8	8
79	ESMO–ESGO consensus conference recommendations on ovarian cancer: pathology and molecular biology, early and advanced stages, borderline tumours and recurrent disease. Annals of Oncology, 2019, 30, 672-705.	1.2	665
80	Early pregnancy events and subsequent antenatal, delivery and neonatal outcomes: prospective cohort study. Ultrasound in Obstetrics and Gynecology, 2019, 54, 530-537.	1.7	16
81	Imaging in gynecological disease (16): clinical and ultrasound characteristics of serous cystadenofibromas in adnexa. Ultrasound in Obstetrics and Gynecology, 2019, 54, 823-830.	1.7	26
82	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. Lancet Oncology, The, 2019, 20, 448-458.	10.7	110
83	Burnout, well-being and defensive medical practice among obstetricians and gynaecologists in the UK: cross-sectional survey study. BMJ Open, 2019, 9, e030968.	1.9	47
84	Methods of Assessing Ovarian Masses. Obstetrics and Gynecology Clinics of North America, 2019, 46, 625-641.	1.9	32
85	Myeloid-derived suppressor cells at diagnosis may discriminate between benign and malignant ovarian tumors. International Journal of Gynecological Cancer, 2019, 29, 1381-1388.	2.5	17
86	Sample size considerations and predictive performance of multinomial logistic prediction models. Statistics in Medicine, 2019, 38, 1601-1619.	1.6	70
87	Sonographic examination of uterine niche in non-pregnant women: a modified Delphi procedure. Ultrasound in Obstetrics and Gynecology, 2019, 53, 107-115.	1.7	147
88	A new imaging technology to reduce the radiation dose during uterine fibroid embolization. Acta Radiologica, 2018, 59, 1446-1450.	1.1	8
89	Random-effects meta-analysis of the clinical utility of tests and prediction models. Statistics in Medicine, 2018, 37, 2034-2052.	1.6	31
90	Re: Validation of prediction model for successful vaginal birth after Cesarean delivery based on sonographic assessment of hysterotomy scar. A. Baranov, K. Å... Salvesen and O. Vikhareva. Ultrasound Obstet Gynecol 2018; 51: 189–193.. Ultrasound in Obstetrics and Gynecology, 2018, 51, 167-167.	1.7	2

#	ARTICLE	IF	CITATIONS
91	Imaging in gynecological disease (13): clinical and ultrasound characteristics of endometrioid ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 535-543.	1.7	29
92	Does ignoring clustering in multicenter data influence the performance of prediction models? A simulation study. <i>Statistical Methods in Medical Research</i> , 2018, 27, 1723-1736.	1.5	26
93	International Endometrial Tumor Analysis (IETA) terminology in women with postmenopausal bleeding and sonographic endometrial thickness ≤ 4.5 mm: agreement and reliability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 259-268.	1.7	20
94	Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 818-828.	1.7	61
95	Automated follicle count using three-dimensional ultrasound in polycystic ovarian morphology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 147-149.	1.7	1
96	Differences in ultrasound features of papillations in unilocular solid adnexal cysts: a retrospective international multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 269-278.	1.7	22
97	Elective uterine artery embolization prior to laparoscopic resection of interstitial pregnancy: two cases and literature review. <i>Gynecological Surgery</i> , 2018, 15, .	0.9	0
98	The psychological impact of early pregnancy loss. <i>Human Reproduction Update</i> , 2018, 24, 731-749.	10.8	123
99	Role of Imaging in Gynaecology. , 2018, , 499-518.		0
100	Imaging in gynecological disease (14): clinical and ultrasound characteristics of ovarian clear cell carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 792-800.	1.7	36
101	The potential value of activin B and fibronectin for the triage of pregnancies of unknown location and prediction of first trimester viability. <i>Australasian Journal of Ultrasound in Medicine</i> , 2018, 21, 138-146.	0.6	0
102	Ovarian mass differentiating benign from malignant. Why the International Ovarian Tumour Analysis rules should be implemented in Australasia. <i>Australasian Journal of Ultrasound in Medicine</i> , 2018, 21, 121-124.	0.6	1
103	Ovarian-Adnexal Reporting Lexicon for Ultrasound: A White Paper of the ACR Ovarian-Adnexal Reporting and Data System Committee. <i>Journal of the American College of Radiology</i> , 2018, 15, 1415-1429.	1.8	116
104	Uterus. , 2018, , 821-844.		0
105	Venous Air Embolism during Hysteroscopic Myomectomy: An Analysis of 7 Cases. <i>Gynecologic and Obstetric Investigation</i> , 2017, 82, 569-574.	1.6	8
106	Clinical and ultrasound characteristics of surgically removed adnexal lesions with largest diameter ≤ 2.5 cm: a pictorial essay. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 648-656.	1.7	13
107	First International Consensus Report on Adnexal Masses: Management Recommendations. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 849-863.	1.7	72
108	Imaging of Adnexal Masses. <i>Clinical Obstetrics and Gynecology</i> , 2017, 60, 38-45.	1.1	6

#	ARTICLE	IF	CITATIONS
109	An automated technique for potential differentiation of ovarian mature teratomas from other benign tumours using neural networks classification of 2D ultrasound static images: a pilot study. Proceedings of SPIE, 2017, , .	0.8	2
110	Development of organoids from mouse and human endometrium showing endometrial epithelium physiology and long-term expandability. Development (Cambridge), 2017, 144, 1775-1786.	2.5	228
111	Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. Clinical Cancer Research, 2017, 23, 5082-5090.	7.0	37
112	Reply: Should we also work on an international informed consent for endometriosis surgery?. Human Reproduction, 2017, 32, 480.2-481.	0.9	0
113	Ovarian massâ€“differentiating benign from malignant: the value of the International Ovarian Tumor Analysis ultrasound rules. American Journal of Obstetrics and Gynecology, 2017, 217, 652-660.	1.3	39
114	Clinical evaluation of the NK3 receptor antagonist fezolinetant (a.k.a. ESN364) for the treatment of menopausal hot flashes. Maturitas, 2017, 103, 89-90.	2.4	10
115	Doctorsâ€™ perception of support and the processes involved in complaints investigations and how these relate to welfare and defensive practice: a cross-sectional survey of the UK physicians. BMJ Open, 2017, 7, e017856.	1.9	29
116	Chromosomal Instability in Cell-Free DNA as a Highly Specific Biomarker for Detection of Ovarian Cancer in Women with Adnexal Masses. Clinical Cancer Research, 2017, 23, 2223-2231.	7.0	80
117	The Adnexa and Other Pathology. , 2017, , 59-68.		0
118	Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. Diagnostics, 2017, 7, 32.	2.6	34
119	Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study. BMC Pregnancy and Childbirth, 2017, 17, 293.	2.4	6
120	Guiding histological assessment of uterine lesions using 3D in vitro ultrasonography and stereotaxis. Facts, Views & Vision in ObGyn, 2017, 9, 77-84.	1.1	3
121	Beliefs, Barriers, and Preferences of European Overweight Women to Adopt a Healthier Lifestyle in Pregnancy to Minimize Risk of Developing Gestational Diabetes Mellitus: An Explorative Study. Journal of Pregnancy, 2016, 2016, 1-11.	2.4	31
122	Refining Ovarian Cancer Test accuracy Scores (ROCKETS): protocol for a prospective longitudinal test accuracy study to validate new risk scores in women with symptoms of suspected ovarian cancer. BMJ Open, 2016, 6, e010333.	1.9	16
123	Post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy: a prospective cohort study. BMJ Open, 2016, 6, e011864.	1.9	120
124	Optimizing the Histological Diagnosis of Adenomyosis Using in vitro Three-Dimensional Ultrasonography. Gynecologic and Obstetric Investigation, 2016, 81, 563-567.	1.6	5
125	Consensus on Recording Deep Endometriosis Surgery: the CORDES statement. Human Reproduction, 2016, 31, 1219-1223.	0.9	47
126	Evaluation of models to predict lymph node metastasis in endometrial cancer: A multicentre study. European Journal of Cancer, 2016, 61, 52-60.	2.8	27

#	ARTICLE	IF	CITATIONS
127	Reply. American Journal of Obstetrics and Gynecology, 2016, 215, 677-678.	1.3	0
128	Evaluating the risk of ovarian cancer before surgery using the ADNEX model: a multicentre external validation study. British Journal of Cancer, 2016, 115, 542-548.	6.4	66
129	Ultrasonography in the prediction of complications during and after uterine myomectomy. Gynecological Surgery, 2016, 13, 507-514.	0.9	3
130	Can risk factors, clinical history and symptoms be used to predict risk of ectopic pregnancy in women attending an early pregnancy assessment unit?. Ultrasound in Obstetrics and Gynecology, 2016, 48, 656-662.	1.7	9
131	Systematic approach to sonographic evaluation of the pelvis in women with suspected endometriosis, including terms, definitions and measurements: a consensus opinion from the International Deep Endometriosis Analysis (IDEA) group. Ultrasound in Obstetrics and Gynecology, 2016, 48, 318-332.	1.7	503
132	Flawed external validation study of the ADNEX model to diagnose ovarian cancer. Gynecologic Oncology Reports, 2016, 18, 49-50.	0.6	7
133	Doctors' experiences and their perception of the most stressful aspects of complaints processes in the UK: an analysis of qualitative survey data. BMJ Open, 2016, 6, e011711.	1.9	43
134	The clinical performance of the M4 decision support model to triage women with a pregnancy of unknown location as at low or high risk of complications. Human Reproduction, 2016, 31, 1425-1435.	0.9	22
135	Age-related differences in the sonographic characteristics of endometriomas. Human Reproduction, 2016, 31, 1723-1731.	0.9	43
136	Interobserver agreement in assessment of polycystic ovarian morphology using pattern recognition. Ultrasound in Obstetrics and Gynecology, 2016, 47, 652-653.	1.7	2
137	Managing pregnancy of unknown location based on initial serum progesterone and serial serum hCG levels: development and validation of a two-step triage protocol. Ultrasound in Obstetrics and Gynecology, 2016, 48, 642-649.	1.7	54
138	Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. American Journal of Obstetrics and Gynecology, 2016, 214, 424-437.	1.3	212
139	Subjective ultrasound assessment, the ADNEX model and ultrasound-guided tru-cut biopsy to differentiate disseminated primary ovarian cancer from metastatic non-ovarian cancer. Ultrasound in Obstetrics and Gynecology, 2016, 47, 110-116.	1.7	34
140	Subjective assessment versus ultrasound models to diagnose ovarian cancer: A systematic review and meta-analysis. European Journal of Cancer, 2016, 58, 17-29.	2.8	172
141	Morcellation and risk of malignancy in presumed ovarian fibromas/fibrothecomas. Lancet Oncology, The, 2016, 17, 273-274.	10.7	9
142	The Thessaloniki ESHRE/ESGE consensus on diagnosis of female genital anomalies. Human Reproduction, 2016, 31, 2-7.	0.9	210
143	Echoscopie van het ovarium. , 2016, , 47-58.		0
144	Contrastechoscopie. , 2016, , 73-78.		0

#	ARTICLE	IF	CITATIONS
145	Abstract P3-07-46: CYPTAM-BRUT 3: Endometrial thickness cannot be used as a marker for tamoxifen metabolism in postmenopausal breast cancer patients. <i>Cancer Research</i> , 2016, 76, P3-07-46-P3-07-46.	0.9	2
146	Diagnosing adnexal tumours before surgery: a critical appraisal of recent evidence. <i>The Obstetrician and Gynaecologist</i> , 2015, 17, 163-171.	0.4	1
147	Clearance Rates of Ringer's Lactate and Adept and the Effect of Full Conditioning: A Randomized Controlled Trial. <i>Journal of Gynecologic Surgery</i> , 2015, 31, 139-143.	0.1	2
148	Pain during Fallopian tube patency testing by hysterosalpingo-foam sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 346-350.	1.7	27
149	Authors' reply to Fountain and colleagues. <i>BMJ, The</i> , 2015, 351, h5852.	6.0	0
150	Terms, definitions and measurements to describe sonographic features of myometrium and uterine masses: a consensus opinion from the Morphological Uterus Sonographic Assessment (MUSA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 46, 284-298.	1.7	461
151	Dharmasena case illustrates what is wrong with complaints procedures. <i>BMJ, The</i> , 2015, 350, h1130-h1130.	6.0	0
152	The impact of complaints procedures on the welfare, health and clinical practise of 7926 doctors in the UK: a cross-sectional survey. <i>BMJ Open</i> , 2015, 5, e006687-e006687.	1.9	150
153	The characteristic ultrasound features of specific types of ovarian pathology (Review). <i>International Journal of Oncology</i> , 2015, 46, 445-458.	3.3	72
154	Hysterosalpingo-foam sonography (HyFoSy) using two different balloon catheters: a randomized trial. <i>Gynecological Surgery</i> , 2015, 12, 41-44.	0.9	1
155	Morcellation of uterine leiomyomas: a plea for patient triage. <i>Lancet Oncology, The</i> , 2015, 16, 1454-1456.	10.7	22
156	Defining safe criteria to diagnose miscarriage: prospective observational multicentre study. <i>BMJ, The</i> , 2015, 351, h4579.	6.0	76
157	Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 158.	2.4	36
158	Maximum Peak Systolic Velocity and Management of Highly Vascularized Retained Products of Conception. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1577-1582.	1.7	25
159	A spline-based tool to assess and visualize the calibration of multiclass risk predictions. <i>Journal of Biomedical Informatics</i> , 2015, 54, 283-293.	4.3	54
160	A simulation study of sample size demonstrated the importance of the number of events per variable to develop prediction models in clustered data. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1406-1414.	5.0	94
161	218: Standardized fetal growth curves according to world health organization recommendations (GAMLSS analysis) in a low-risk caucasian population. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, S122-S123.	1.3	0
162	Accuracy of ultrasonography performed by examiners with varied training and experience in predicting specific pathology of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 605-612.	1.7	29

#	ARTICLE	IF	CITATIONS
163	3D Ultrasound (3D US). , 2015, , 79-97.		2
164	Editorial. Facts, Views & Vision in ObGyn, 2015, 7, 1-2.	1.1	0
165	Intra-cavitary uterine pathology in women with abnormal uterine bleeding: a prospective study of 1220 women. Facts, Views & Vision in ObGyn, 2015, 7, 17-24.	1.1	17
166	Practical guidance for applying the ADNEX model from the IOTA group to discriminate between different subtypes of adnexal tumors. Facts, Views & Vision in ObGyn, 2015, 7, 32-41.	1.1	21
167	Optimizing the ultrasound visualization of the endometrial-myometrial junction (EMJ). Facts, Views & Vision in ObGyn, 2015, 7, 60-3.	1.1	6
168	Immunological parameters as a new lead in the diagnosis of ovarian cancer. Facts, Views & Vision in ObGyn, 2015, 7, 67-72.	1.1	3
169	Automated characterisation of ultrasound images of ovarian tumours: the diagnostic accuracy of a support vector machine and image processing with a local binary pattern operator. Facts, Views & Vision in ObGyn, 2015, 7, 7-15.	1.1	11
170	Are serum HE4 or ROMA scores useful to experienced examiners for improving characterization of adnexal masses after transvaginal ultrasonography?. Ultrasound in Obstetrics and Gynecology, 2014, 43, 89-97.	1.7	28
171	2D <i>versus</i> 3D roadmap for uterine artery catheterization: impact on several angiographic parameters. Acta Radiologica, 2014, 55, 62-70.	1.1	8
172	Reactive Nodular Fibrous Pseudotumor: Case Report and Review of the Literature. Case Reports in Obstetrics and Gynecology, 2014, 2014, 1-4.	0.3	2
173	Use of a pocket-sized ultrasound machine (PUM) for routine examinations in the third trimester of pregnancy. Ultrasound in Obstetrics and Gynecology, 2014, 44, 64-68.	1.7	12
174	Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. BMJ, The, 2014, 349, g5920-g5920.	6.0	309
175	Assessing calibration of multinomial risk prediction models. Statistics in Medicine, 2014, 33, 2585-2596.	1.6	48
176	Automated classification of static ultrasound images of ovarian tumours based on decision level fusion. , 2014, , .		10
177	Prognostic Value of Serum HE4 Levels and Risk of Ovarian Malignancy Algorithm Scores at the Time of Ovarian Cancer Diagnosis. International Journal of Gynecological Cancer, 2014, 24, 1173-1180.	2.5	22
178	Imaging techniques for the pre-surgical diagnosis of adnexal tumours. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2014, 28, 683-695.	2.8	46
179	Imaging in gynecological disease (9): clinical and ultrasound characteristics of tubal cancer. Ultrasound in Obstetrics and Gynecology, 2014, 43, 328-335.	1.7	28
180	Development and external validation of new ultrasound-based mathematical models for preoperative prediction of high-risk endometrial cancer. Ultrasound in Obstetrics and Gynecology, 2014, 43, 586-595.	1.7	17

#	ARTICLE	IF	CITATIONS
181	Presurgical diagnosis of adnexal tumours using mathematical models and scoring systems: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2014, 20, 449-462.	10.8	163
182	The rs1800716 variant in CYP2D6 is associated with an increased double endometrial thickness in postmenopausal women on tamoxifen. <i>Annals of Oncology</i> , 2014, 25, 90-95.	1.2	11
183	Preoperative HE4 and ROMA values do not improve the CA125 diagnostic value for borderline tumors of the ovary (BOT) – a study of the TOC Consortium. <i>Journal of Ovarian Research</i> , 2014, 7, 49.	3.0	21
184	Triaging pregnancies of unknown location: the performance of protocols based on single serum progesterone or repeated serum hCG levels. <i>Human Reproduction</i> , 2014, 29, 938-945.	0.9	41
185	Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014, 111, 680-688.	6.4	98
186	Intima-Media Thickness Measurements in the Fetus and Mother During Pregnancy: A Feasibility Study. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 1949-1957.	1.5	8
187	Authors' reply to Candido-dos-Reis. <i>BMJ</i> , The, 2014, 349, g6691-g6691.	6.0	0
188	Clinical Data Miner: An Electronic Case Report Form System With Integrated Data Preprocessing and Machine-Learning Libraries Supporting Clinical Diagnostic Model Research. <i>JMIR Medical Informatics</i> , 2014, 2, e28.	2.6	18
189	DALI: Vitamin D and lifestyle intervention for gestational diabetes mellitus (GDM) prevention: an European multicentre, randomised trial – study protocol. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 142.	2.4	85
190	The Use of a New Gel Foam for the Evaluation of Tubal Patency. <i>Gynecologic and Obstetric Investigation</i> , 2013, 75, 152-156.	1.6	52
191	Differentiating stage I epithelial ovarian cancer from benign disease in women with adnexal tumors using biomarkers or the ROMA algorithm. <i>Gynecologic Oncology</i> , 2013, 130, 398-399.	1.4	9
192	A multicenter prospective external validation of the diagnostic performance of IOTA simple descriptors and rules to characterize ovarian masses. <i>Gynecologic Oncology</i> , 2013, 130, 140-146.	1.4	58
193	Accurate prediction of pregnancy viability by means of a simple scoring system. <i>Human Reproduction</i> , 2013, 28, 68-76.	0.9	46
194	Peritoneal full-conditioning reduces postoperative adhesions and pain: a randomised controlled trial in deep endometriosis surgery. <i>Journal of Ovarian Research</i> , 2013, 6, 90.	3.0	44
195	Ultrasound examination before, during, and after office endometrial sampling. <i>Gynecological Surgery</i> , 2013, , .	0.9	1
196	Screening for data clustering in multicenter studies: the residual intraclass correlation. <i>BMC Medical Research Methodology</i> , 2013, 13, 128.	3.1	19
197	Pain and bleeding pattern related to levonorgestrel intrauterine system (LNG-IUS) insertion. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 171, 154-156.	1.1	13
198	Risk of malignancy in unilocular cysts: a study of 1148 adnexal masses classified as unilocular cysts at transvaginal ultrasound and review of the literature. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 80-89.	1.7	66

#	ARTICLE	IF	CITATIONS
199	Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (<scp>IOTA</scp>) studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 9-20.	1.7	153
200	PET/CT in the staging of patients with a pelvic mass suspicious for ovarian cancer. <i>Gynecologic Oncology</i> , 2013, 131, 694-700.	1.4	54
201	Simple dichotomous updating methods improved the validity of polytomous prediction models. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1158-1165.	5.0	10
202	Rationalizing the management of pregnancies of unknown location: temporal and external validation of a risk prediction model on 1962 pregnancies. <i>Human Reproduction</i> , 2013, 28, 609-616.	0.9	63
203	A comparison between an ultrasound based prediction model (LR2) and the Risk of Ovarian Malignancy Algorithm (ROMA) to assess the risk of malignancy in women with an adnexal mass. <i>Gynecologic Oncology</i> , 2013, 129, 377-383.	1.4	47
204	Imaging in gynecological disease (8): ultrasound characteristics of recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 452-458.	1.7	27
205	Normative data for uterine size according to age and gravidity and possible role of the classical golden ratio. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 713-717.	1.7	26
206	NICE guidance on ectopic pregnancy and miscarriage restricts access and choice and may be clinically unsafe. <i>BMJ, The</i> , 2013, 346, f197-f197.	6.0	13
207	Does the presence of a Caesarean section scar affect implantation site and early pregnancy outcome in women attending an early pregnancy assessment unit?. <i>Human Reproduction</i> , 2013, 28, 1489-1496.	0.9	46
208	Interpregnancy Weight Change and Risk for Adverse Perinatal Outcome. <i>Obstetrics and Gynecology</i> , 2013, 122, 999-1009.	2.4	126
209	Defining the relationship between fetal Doppler indices, abdominal circumference and growth rate in severe fetal growth restriction using functional linear discriminant analysis. <i>Journal of the Royal Society Interface</i> , 2013, 10, 20130376.	3.4	11
210	Prospective study to assess fluid accumulation and tenosynovial changes in the aromatase inhibitor-induced musculoskeletal syndrome: 2-year follow-up data. <i>Annals of Oncology</i> , 2013, 24, 350-355.	1.2	35
211	Adenomyosis and Subfertility: Evidence of Association and Causation. <i>Seminars in Reproductive Medicine</i> , 2013, 31, 101-108.	1.1	52
212	External validation of the endometriosis fertility index (EFI) staging system for predicting non-ART pregnancy after endometriosis surgery. <i>Human Reproduction</i> , 2013, 28, 1280-1288.	0.9	77
213	The influence of weight gain patterns in pregnancy on fetal growth using cluster analysis in an obese and nonobese population. <i>Obesity</i> , 2013, 21, 1416-1422.	3.0	19
214	Predicting successful vaginal birth after Cesarean section using a model based on Cesarean scar features examined by transvaginal sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 672-678.	1.7	49
215	Evaluation of Markers and Risk Prediction Models. <i>Medical Decision Making</i> , 2013, 33, 490-501.	2.4	71
216	Multicentre external validation of IOTA prediction models and RMI by operators with varied training. <i>British Journal of Cancer</i> , 2013, 108, 2448-2454.	6.4	80

#	ARTICLE	IF	CITATIONS
217	External validation of models and simple scoring systems to predict miscarriage in intrauterine pregnancies of uncertain viability. <i>Human Reproduction</i> , 2013, 28, 2905-2911.	0.9	19
218	Unilocular adnexal cysts with papillary projections but no other solid components: is there a diagnostic method that can classify them reliably as benign or malignant before surgery?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 570-581.	1.7	26
219	Changes in Cesarean section scar dimensions during pregnancy: a prospective longitudinal study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 556-562.	1.7	44
220	Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 121-122.	1.7	0
221	Evaluating myometrial and cervical invasion in women with endometrial cancer: comparing subjective assessment with objective measurement techniques. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 353-358.	1.7	38
222	Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 123-124.	1.7	0
223	Sex Cord-Stromal Tumors: Clinical Setting and Ultrasound Findings. , 2013, , 279-295.		0
224	Abstract OT3-2-04: Prospective multicenter study evaluating the effect of impaired tamoxifen metabolism on efficacy in breast cancer patients receiving tamoxifen in the neo-adjuvant or metastatic setting - The CYPAM-BRUT 2 trial. , 2013, , .		0
225	Imaging in gynaecological disease: clinical and ultrasound characteristics of mucocele of the appendix. A pictorial essay. <i>Facts, Views & Vision in ObGyn</i> , 2013, 5, 209-12.	1.1	1
226	External Validation of Diagnostic Models to Estimate the Risk of Malignancy in Adnexal Masses. <i>Clinical Cancer Research</i> , 2012, 18, 815-825.	7.0	72
227	The EFSUMB Guidelines and Recommendations on the Clinical Practice of Contrast Enhanced Ultrasound (CEUS): Update 2011 on non-hepatic applications. <i>Ultraschall in Der Medizin</i> , 2012, 33, 33-59.	1.5	922
228	Characterizing Ovarian Pathology. <i>International Journal of Gynecological Cancer</i> , 2012, 22, S9-S11.	2.5	2
229	Key findings from the International Ovarian Tumor Analysis (IOTA) study: an approach to the optimal ultrasound based characterisation of adnexal pathology. <i>Australasian Journal of Ultrasound in Medicine</i> , 2012, 15, 82-86.	0.6	5
230	Limitations of Current Definitions of Miscarriage Using Mean Gestational Sac Diameter and Crown-Rump Length Measurements. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 146-147.	0.4	0
231	Standardized Approach for Imaging and Measuring Cesarean Section Scars Using Ultrasonography. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 404-405.	0.4	0
232	Visibility and measurement of Cesarean section scars in pregnancy: a reproducibility study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 549-556.	1.7	23
233	Does the presence of a Cesarean section scar influence the site of placental implantation and subsequent migration in future pregnancies: a prospective case-control study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 557-561.	1.7	29
234	Imaging in gynecological disease (7): clinical and ultrasound features of Brenner tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 706-713.	1.7	29

#	ARTICLE	IF	CITATIONS
235	Clinically oriented three-step strategy for assessment of adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 582-591.	1.7	61
236	Impact of ovulation and implantation timing on first-trimester crown-rump length and gestational age. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 630-635.	1.7	30
237	Preoperative identification of a suspicious adnexal mass. <i>Gynecologic Oncology</i> , 2012, 127, 260-262.	1.4	0
238	Pre-sampling ultrasound evaluation and assessment of the tissue yield during sampling improves the diagnostic reliability of office endometrial biopsy. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 173-176.	0.9	9
239	Assessing the discriminative ability of risk models for more than two outcome categories. <i>European Journal of Epidemiology</i> , 2012, 27, 761-770.	5.7	70
240	Subjective assessment by ultrasound is superior to the risk of malignancy index (RMI) or the risk of ovarian malignancy algorithm (ROMA) in discriminating benign from malignant adnexal masses. <i>European Journal of Cancer</i> , 2012, 48, 1649-1656.	2.8	104
241	The independent effect of tumor size in predicting ovarian malignancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 162, 237-238.	1.1	1
242	Detection of intracavitary uterine pathology using offline analysis of three-dimensional ultrasound volumes: interobserver agreement and diagnostic accuracy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 459-463.	1.7	16
243	Lesion size affects diagnostic performance of IOTA logistic regression models, IOTA simple rules and risk of malignancy index in discriminating between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 345-354.	1.7	23
244	A Mathematical Model for Interpretable Clinical Decision Support with Applications in Gynecology. <i>PLoS ONE</i> , 2012, 7, e34312.	2.5	27
245	Standardized approach for imaging and measuring Cesarean section scars using ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 252-259.	1.7	139
246	Ultrasound assessment of the peri-implantation uterus: a review. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 612-619.	1.7	28
247	Do pocket-sized ultrasound machines have the potential to be used as a tool to triage patients in obstetrics and gynecology?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 145-150.	1.7	28
248	Extending the χ^2 -statistic to nominal polytomous outcomes: the Polytomous Discrimination Index. <i>Statistics in Medicine</i> , 2012, 31, 2610-2626.	1.6	67
249	Triaging women with ovarian masses for surgery: observational diagnostic study to compare RCOG guidelines with an International Ovarian Tumour Analysis (IOTA) group protocol. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 662-671.	2.3	49
250	Improved modeling of clinical data with kernel methods. <i>Artificial Intelligence in Medicine</i> , 2012, 54, 103-114.	6.5	15
251	Screening for uterine tumours. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2012, 26, 257-266.	2.8	72
252	Abstract OT2-2-02: Prospective multicentre study evaluating the effect of impaired tamoxifen metabolism on efficacy in breast cancer patients receiving tamoxifen in the neo-adjuvant or metastatic setting - The CYPTAM-BRUT 2 trial.. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
253	Detection of endometrial pathology using saline infusion sonography versus gel instillation sonography: a prospective cohort study. <i>Fertility and Sterility</i> , 2011, 95, 285-288.	1.0	36
254	Pregnancy of unknown location: a consensus statement of nomenclature, definitions, and outcome. <i>Fertility and Sterility</i> , 2011, 95, 857-866.	1.0	264
255	Should we screen for endometrial cancer?. <i>Lancet Oncology</i> , The, 2011, 12, 4-5.	10.7	20
256	Uterine and quality of life changes in postmenopausal women with an asymptomatic tamoxifen-thickened endometrium randomized to continuation of tamoxifen or switching to anastrozole. <i>Menopause</i> , 2011, 18, 224-229.	2.0	2
257	Performance of the American College of Obstetricians and Gynecologists' Ovarian Tumor Referral Guidelines With a Multivariate Index Assay. <i>Obstetrics and Gynecology</i> , 2011, 118, 1179-1181.	2.4	9
258	Ectopic pregnancy: using the hCG ratio to select women for expectant or medical management. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 264-272.	2.8	31
259	HE4 and CA125 as a diagnostic test in ovarian cancer: prospective validation of the Risk of Ovarian Malignancy Algorithm. <i>British Journal of Cancer</i> , 2011, 104, 863-870.	6.4	270
260	Gestational sac and embryonic growth are not useful as criteria to define miscarriage: a multicenter observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 503-509.	1.7	56
261	Limitations of current definitions of miscarriage using mean gestational sac diameter and crown-rump length measurements: a multicenter observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 497-502.	1.7	124
262	Improving the preoperative classification of adnexal masses as benign or malignant by second-stage tests. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 100-106.	1.7	14
263	Effect of cancer prevalence on the use of risk-assessment cut-off levels and the performance of mathematical models to distinguish malignant from benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 226-231.	1.7	2
264	Clinical implications of intra- and interobserver reproducibility of transvaginal sonographic measurement of gestational sac and crown-rump length at 6-9 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 510-515.	1.7	75
265	Umbilical artery pulsatility index and fetal abdominal circumference in isolated gastroschisis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 538-542.	1.7	10
266	Imaging of gynecological disease (6): clinical and ultrasound characteristics of ovarian dysgerminoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 596-602.	1.7	41
267	Ovarian cancer arising in endometrioid cysts: ultrasound findings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 99-106.	1.7	51
268	Polypoid endometriosis of the bladder during pregnancy mimicking urachal carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 475-478.	1.7	24
269	A model and scoring system to predict outcome of intrauterine pregnancies of uncertain viability. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 588-595.	1.7	42
270	Adnexal masses difficult to classify as benign or malignant using subjective assessment of gray-scale and Doppler ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 456-465.	1.7	70

#	ARTICLE	IF	CITATIONS
271	Gray-scale and color Doppler ultrasound characteristics of endometrial cancer in relation to stage, grade and tumor size. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 586-593.	1.7	42
272	Effect of gel-instillation sonography on Doppler ultrasound findings in endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 355-359.	1.7	19
273	OC04.05: The limitations of using mean gestation sac diameter (MSD) measurements to define miscarriage. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 8-9.	1.7	0
274	OC07.01: Serial hCG assays for the management of pregnancies of unknown location (PUL): does the timing of hCG samples matter?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 12-13.	1.7	0
275	OC07.05: Comparing the subjective impression of the examiner to the hCG ratio and mathematical models for the management of pregnancies of unknown location (PUL). <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 14-14.	1.7	0
276	OC17.01: The association of patients' characteristics and bleeding pattern with uterine intracavitary pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 31-31.	1.7	0
277	OC17.02: New ultrasound based mathematical models for the preoperative prediction of high risk endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 31-32.	1.7	0
278	OC17.06: Clinical Data Miner (CDM) – a web-based electronic data capture framework for multi-centric studies with imaging modalities. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 33-33.	1.7	0
279	OC20.05: Changes in Caesarean section scar size in the three trimesters of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 38-38.	1.7	0
280	OC21.02: Selection of women with an ovarian tumor for surgery in specialist centers: a comparison of two triaging protocols. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 39-39.	1.7	0
281	OC21.04: A prediction model to distinguish between benign, borderline, stage I invasive, higher stage invasive, and metastatic adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 40-40.	1.7	0
282	OC26.05: Longitudinal measurements of Caesarean section scar size and residual myometrial thickness in pregnancy as predictors of scar appearance at repeat Caesarean delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 48-48.	1.7	0
283	OP02.11: Rationalizing the management of pregnancies of unknown location (PULs) by reliably selecting failed PUL and intrauterine pregnancies for minimal follow up. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 62-62.	1.7	0
284	OP08.01: Image Study Webapp-a web interface for imaging-based interrater agreement studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 78-78.	1.7	0
285	OP08.04: Showing pictograms in electronic data capture software improves interrater agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 78-79.	1.7	1
286	OP10.08: The relationship between previous elective or emergency Caesarean section and time-to-next-pregnancy interval on Caesarean scar size and residual myometrial thickness in subsequent pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 86-86.	1.7	0
287	OP33.03: Visibility and dimensions of Caesarean section scars in pregnancy-an interobserver variability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 150-150.	1.7	0
288	OP33.07: How is the orientation and magnitude of a CRL measurement used to estimate fetal gestation affected by ultrasound machines variability?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 151-152.	1.7	0

#	ARTICLE	IF	CITATIONS
289	Aromatase inhibitor-induced loss of grip strength is body mass index dependent: hypothesis-generating findings for its pathogenesis. <i>Annals of Oncology</i> , 2011, 22, 1763-1769.	1.2	37
290	The ENDOCARE questionnaire (ECQ): a valid and reliable instrument to measure the patient-centeredness of endometriosis care in Europe. <i>Human Reproduction</i> , 2011, 26, 2988-2999.	0.9	41
291	Is Serum Human Chorionic Gonadotrophin Follow-Up Necessary after Suspected Spillage of Trophoblast at the Time of Laparoscopic Surgery for Ectopic Pregnancy?. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 225-228.	1.6	12
292	Lidocaine Does Not Reduce Pain Perception during Gel Instillation Sonography or Subsequent Office Hysteroscopy: Results of a Randomized Trial. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 236-239.	1.6	20
293	A Novel Approach to Predict the Likelihood of Specific Ovarian Tumor Pathology Based on Serum CA-125: A Multicenter Observational Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2420-2428.	2.5	32
294	Reply: The performance of the risk of ovarian malignancy algorithm. <i>British Journal of Cancer</i> , 2011, 105, 187-188.	6.4	0
295	Pitfall in the diagnosis of endometrial cancer: case report of an endometrioid adenocarcinoma arising from uterine adenomyosis. <i>European Journal of Gynaecological Oncology (discontinued)</i> , 2011, 32, 431-4.	0.2	19
296	Reply: No influence of body mass index on first trimester fetal growth. <i>Human Reproduction</i> , 2010, 25, 3161-3162.	0.9	0
297	Prenatal Diagnosis of Harlequin Ichthyosis Using 3- and 4-Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 317-319.	1.7	19
298	Use of ultrasound pattern recognition by expert operators to identify borderline ovarian tumors: a study of diagnostic performance and interobserver agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 84-88.	1.7	17
299	Confidence of expert ultrasound operators in making a diagnosis of adnexal tumor: effect on diagnostic accuracy and interobserver agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 89-93.	1.7	24
300	Terms, definitions and measurements to describe the sonographic features of the endometrium and intrauterine lesions: a consensus opinion from the International Endometrial Tumor Analysis (IETA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 103-112.	1.7	212
301	Acoustic streaming cannot discriminate reliably between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 349-353.	1.7	45
302	Prospective external validation of the "ovarian crescent sign"™ as a single ultrasound parameter to distinguish between benign and malignant adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 81-87.	1.7	23
303	Accuracy of peritoneal fluid measurements by transvaginal ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 589-592.	1.7	7
304	Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 226-234.	1.7	154
305	New crown-rump length curve based on over 3500 pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 650-655.	1.7	42
306	Endometriomas: their ultrasound characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 730-740.	1.7	190

#	ARTICLE	IF	CITATIONS
307	The viability of the intrauterine pregnancies in the pregnancy of unknown location population: hCG ratio vs progesterone. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, n/a-n/a.	1.7	25
308	OC01.03: Ultrasound in diagnosis of new and recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 1-2.	1.7	7
309	OC04.02: Intra- and inter-observer reproducibility of first trimester measurements between 6 and 9 weeks gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 7-7.	1.7	2
310	OC04.03: Risk factors for tubal versus non-tubal ectopic pregnancies: a multicentre case series. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 7-7.	1.7	0
311	OC04.05: A longitudinal assessment of gestation sac growth in pregnancies subsequently shown to be viable and non-viable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 8-8.	1.7	0
312	OC05.01: Reducing the follow-up required in women with a failing pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 8-8.	1.7	0
313	OC08.01: Differentiation of uterine pathology by transvaginal elastography: preliminary results. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 14-15.	1.7	2
314	OC10.03: Is pain during and after Mirena [®] insertion related to the flexion of the uterus and the final position of the Mirena [®] ?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 18-19.	1.7	0
315	OC23.01: New logistic regression model to predict ovarian malignancy in cases for which simple ultrasound rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 41-42.	1.7	0
316	OC23.04: Which adnexal masses are difficult to classify as benign or malignant with prediction models?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 42-43.	1.7	1
317	OP02.10: Prediction of pregnancy viability by means of scoring systems: towards a "risk of miscarriage"™ index. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 57-58.	1.7	0
318	OP07.02: The added value of fluid instillation sonography in women with a total endometrial thickness ≥ 5 mm at transvaginal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 71-71.	1.7	0
319	OP07.04: The value of fluid instillation sonography in women under 40 years of age. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 71-71.	1.7	0
320	OP07.06: The influence of Mirena [®] position on the bleeding pattern after Mirena [®] insertion?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 72-72.	1.7	0
321	OP26.03: Transperineal ultrasound and clinical examination for pelvic organ prolapse correlate better if both are performed in a one stop clinic. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 128-128.	1.7	0
322	OP26.08: Preoperative ultrasound measurements of genital hiatus are not different between patients with and without de novo recurrence after anterior vaginal repair. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 129-130.	1.7	0
323	OP29.06: Umbilical artery PI and fetal abdominal circumference in gastroschisis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 137-138.	1.7	0
324	OP35.04: 2D and 3D ultrasound in the visualization of different levonorgestrel-releasing intrauterine systems and copper intrauterine devices. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 154-154.	1.7	0

#	ARTICLE	IF	CITATIONS
325	P07.02: The surgical removal of residual trophoblastic tissue in case of enhanced myometrial vascularity with a peak systolic velocity > 50 cm/sec. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 192-192.	1.7	0
326	P16.01: Comparing tubal and non-tubal ectopic pregnancies: a multicentre case series. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 228-228.	1.7	0
327	P16.04: The influence of symptoms, uncertainty of dates and previous miscarriage on gestation sac growth. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 229-229.	1.7	0
328	P26.06: Changes in genital hiatus after sacrocolpopexy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 271-271.	1.7	0
329	Prevalence of major levator abnormalities in symptomatic patients with an underactive pelvic floor contraction. <i>International Urogynecology Journal</i> , 2010, 21, 861-867.	1.4	56
330	Polytomous diagnosis of ovarian tumors as benign, borderline, primary invasive or metastatic: development and validation of standard and kernel-based risk prediction models. <i>BMC Medical Research Methodology</i> , 2010, 10, 96.	3.1	27
331	The relationship between first trimester fetal growth, pregnancy-associated plasma protein A levels and birthweight. <i>Prenatal Diagnosis</i> , 2010, 30, 873-878.	2.3	18
332	Evaluation of Imputation Methods in Ovarian Tumor Diagnostic Models Using Generalized Linear Models and Support Vector Machines. <i>Medical Decision Making</i> , 2010, 30, 123-131.	2.4	1
333	Ultrasound Experience Substantially Impacts on Diagnostic Performance and Confidence when Adnexal Masses Are Classified Using Pattern Recognition. <i>Gynecologic and Obstetric Investigation</i> , 2010, 69, 160-168.	1.6	54
334	No influence of body mass index on first trimester fetal growth. <i>Human Reproduction</i> , 2010, 25, 1895-1899.	0.9	14
335	Does a prediction model for pregnancy of unknown location developed in the UK validate on a US population?. <i>Human Reproduction</i> , 2010, 25, 2434-2440.	0.9	30
336	Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ: British Medical Journal</i> , 2010, 341, c6839-c6839.	2.3	336
337	Reply of the Authors: Endometriosis: is laparoscopy justified without previous ultrasonogram and magnetic resonance imaging (MRI)? & High prevalence of endometriosis in infertile women with normal ovulation and normospermic partners. <i>Fertility and Sterility</i> , 2010, 93, e12.	1.0	0
338	Functional linear discriminant analysis: a new longitudinal approach to the assessment of embryonic growth. <i>Human Reproduction</i> , 2009, 24, 278-283.	0.9	32
339	Assessing first trimester growth: the influence of ethnic background and maternal age. <i>Human Reproduction</i> , 2009, 24, 284-290.	0.9	55
340	The use of serum inhibin A and activin A levels in predicting the outcome of 'pregnancies of unknown location'. <i>Human Reproduction</i> , 2009, 24, 2451-2456.	0.9	32
341	The optimal timing of an ultrasound scan to assess the location and viability of an early pregnancy. <i>Human Reproduction</i> , 2009, 24, 1811-1817.	0.9	74
342	Prospective Internal Validation of Mathematical Models to Predict Malignancy in Adnexal Masses: Results from the International Ovarian Tumor Analysis Study. <i>Clinical Cancer Research</i> , 2009, 15, 684-691.	7.0	97

#	ARTICLE	IF	CITATIONS
343	Application of proteomics in ovarian cancer: Which sample should be used?. <i>Gynecologic Oncology</i> , 2009, 115, 497-503.	1.4	13
344	An application of methods for the probabilistic three-class classification of pregnancies of unknown location. <i>Artificial Intelligence in Medicine</i> , 2009, 46, 139-154.	6.5	14
345	Prospective assessment of the endometrium in postmenopausal breast cancer patients treated with fulvestrant. <i>Breast Cancer Research and Treatment</i> , 2009, 117, 77-81.	2.5	7
346	Axillary lymph node status of operable breast cancers by combined steroid receptor and HER-2 status: triple positive tumours are more likely lymph node positive. <i>Breast Cancer Research and Treatment</i> , 2009, 113, 181-187.	2.5	76
347	Prevalent breast cancer patients with a homozygous mutant status for CYP2D6*4: response and biomarkers in tamoxifen users. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 531-538.	2.5	14
348	The value of laparoscopic skills courses. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009, 49, 312-315.	1.0	11
349	A scoring system to differentiate malignant from benign masses in specific ultrasound-based subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 92-101.	1.7	36
350	Sonographic determination of the position of a levonorgestrel intrauterine device. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 121-124.	1.7	7
351	Hyperreactio luteinalis in a spontaneously conceived singleton pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 371-373.	1.7	39
352	Removal of focal intracavitary lesions results in cessation of abnormal uterine bleeding in the vast majority of women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 612-613.	1.7	5
353	Imaging in gynecological disease (5): clinical and ultrasound characteristics in fibroma and fibrothecoma of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 188-195.	1.7	76
354	Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 345-354.	1.7	57
355	Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 454-461.	1.7	34
356	Diagnostic accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 462-470.	1.7	156
357	OC01.04: A practical approach to preoperatively assess ovarian pathology: combining pattern recognition and mathematical models. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 2-2.	1.7	0
358	OC05.01: Predicting ovarian malignancy if simple rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 7-7.	1.7	0
359	OC05.05: External validation of old and new mathematical models to distinguish between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 8-8.	1.7	0
360	OC07.01: A new crown-rump length curve based on over 3500 pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 11-12.	1.7	0

#	ARTICLE	IF	CITATIONS
361	OC11.01: Comparison of gel instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity lesions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-19.	1.7	0
362	OC11.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-19.	1.7	0
363	OC11.03: Saline infusion versus gel instillation sonography: a prospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 19-20.	1.7	19
364	OC11.07: Endometrial thickness measurement with and without fluid contrast ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 21-21.	1.7	0
365	OC13.02: Ultrasound in the detection of rectal- and distal sigmoid involvement of deep endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 24-24.	1.7	0
366	OC21.02: Adnexal masses difficult to classify as benign or malignant using subjective evaluation of ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 38-38.	1.7	0
367	OC25.01 Unilocular solid adnexal masses with papillary projections but no other solid components: is there a logistic regression model that can help?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 48-48.	1.7	0
368	OC25.02: Intercenter variability in ultrasound features of malignant and benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 48-49.	1.7	0
369	OC25.05: Adjusting prediction models for ovarian tumor classification to new clinical settings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 49-50.	1.7	0
370	OC25.07: Ovarian cancer arising in endometrioma: ultrasound findings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 50-50.	1.7	0
371	OP08.02: Crown-rump length in genetically abnormal pregnancies compared to a CRL curve for normal pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 85-85.	1.7	0
372	OP24.06: Elastography in gynecology: preliminary experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 140-140.	1.7	1
373	OP27.07: The relationship between abdominal circumference and umbilical artery Doppler z-scores in severe early onset fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 151-151.	1.7	0
374	OP30.01: Interobserver agreement on reporting uterine intracavity lesions at gel infusion sonography (GIS). <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 158-158.	1.7	0
375	OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 160-160.	1.7	0
376	OP30.09: VOCAL in the evaluation of the endometrium: a pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 160-160.	1.7	0
377	P20.02: The relationship between abdominal circumference and middle cerebral artery Doppler z-scores in severe early onset fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 257-257.	1.7	0
378	Dynamic and interactive gynecological ultrasound examination. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 225-229.	1.7	30

#	ARTICLE	IF	CITATIONS
379	Gel infusion sonography in the evaluation of the uterine cavity. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 711-714.	1.7	29
380	Intravenous contrast ultrasound examination using contrast-enhanced imaging (CnTI ₂) and the contrast medium SonoVue [®] for discrimination between benign and malignant adnexal masses with solid components. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 699-710.	1.7	50
381	High prevalence of endometriosis in infertile women with normal ovulation and normospermic partners. <i>Fertility and Sterility</i> , 2009, 92, 68-74.	1.0	445
382	Screening for ovarian carcinoma: not quite there yet. <i>Lancet Oncology</i> , The, 2009, 10, 308-309.	10.7	11
383	Clinical management of uterine sarcomas. <i>Lancet Oncology</i> , The, 2009, 10, 1188-1198.	10.7	374
384	What Determines the Need to Morcellate the Uterus during Total Laparoscopic Hysterectomy?. <i>Journal of Minimally Invasive Gynecology</i> , 2009, 16, 52-55.	0.6	21
385	Imaging in gynaecology: How good are we in identifying endometriomas?. <i>Facts, Views & Vision in ObGyn</i> , 2009, 1, 7-17.	1.1	8
386	Building decision trees for diagnosing intracavitary uterine pathology. <i>Facts, Views & Vision in ObGyn</i> , 2009, 1, 182-8.	1.1	1
387	Age interacts with the expression of steroid and HER-2 receptors in operable invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2008, 110, 153-159.	2.5	11
388	Using Bayesian neural networks with ARD input selection to detect malignant ovarian masses prior to surgery. <i>Neural Computing and Applications</i> , 2008, 17, 489-500.	5.6	9
389	Chlamydia trachomatis infection in patients attending an Early Pregnancy Unit: Prevalence, symptoms, pregnancy location and viability. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 601-607.	2.8	9
390	Why are some ectopic pregnancies characterized as pregnancies of unknown location at the initial transvaginal ultrasound examination?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1150-1154.	2.8	75
391	Imaging of gynecological disease (2): clinical and ultrasound characteristics of Sertoli cell tumors, Sertoli-Leydig cell tumors and Leydig cell tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 85-91.	1.7	72
392	Pain experienced during transvaginal ultrasound, saline contrast sonohysterography, hysteroscopy and office sampling: a comparative study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 346-351.	1.7	46
393	Imaging of gynecological disease (3): clinical and ultrasound characteristics of granulosa cell tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 450-456.	1.7	71
394	Simple ultrasound-based rules for the diagnosis of ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 681-690.	1.7	435
395	Imaging of gynecological disease (4): clinical and ultrasound characteristics of struma ovarii. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 210-219.	1.7	60
396	OC001: Prospective assessment of simple rules to distinguish between malignant and benign adnexal masses prior to surgery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 243-243.	1.7	0

#	ARTICLE	IF	CITATIONS
397	OC046: The addition of lidocaine to the gel used for gel infusion sonography (GIS): Effect on pain perception during GIS and subsequent hysteroscopy and endometrial sampling. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 257-258.	1.7	2
398	OC047: Removal of focal intracavity lesions results in cessation of abnormal uterine bleeding in the vast majority of women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 258-258.	1.7	0
399	OC091: Can high definition transvaginal ultrasound result in a reduction in the number of women characterised as having a pregnancy of unknown location?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 272-273.	1.7	0
400	OC092: The appearance and behaviour of ectopic pregnancies in the "pregnancy of unknown location"™ population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 273-273.	1.7	0
401	OC094: The timing of serum human chorionic gonadotrophin measurements to predict the outcome of pregnancies of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 273-274.	1.7	0
402	OC096: How important is measuring endometrial thickness in women with pregnancies of unknown location?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 274-274.	1.7	1
403	OC097: Pregnancy location and viability in women with chlamydia trachomatis infection. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 274-274.	1.7	0
404	OC107: Growth delay in the first trimester: Sensitivity and specificity of using serial measurements of embryonic growth for the prediction of early pregnancy loss. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 278-278.	1.7	0
405	OC112: Determination of outcome in very early intrauterine pregnancies of uncertain viability. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 279-279.	1.7	0
406	OC145: Ultrasound scoring system to differentiate benign from malignant masses in specific subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 290-290.	1.7	1
407	OC152: Prevalence of cancer and optimal cut-off levels for mathematical models to distinguish between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 292-293.	1.7	0
408	OP05.07: Just images on sono-endoscopic findings of adnexal torsion: A retrospective multicenter study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 327-327.	1.7	0
409	OP09.02: A cross-sectional analysis of embryonic growth in normal and genetically abnormal pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 337-337.	1.7	0
410	OP12.06: Optimal timing of transvaginal ultrasound to confirm early pregnancy viability. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 349-349.	1.7	0
411	OP14.01: Assessing early first trimester growth with ultrasonography: The influence of ethnic background. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 354-354.	1.7	0
412	OP14.02: The influence of maternal age on early first trimester growth assessed by ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 355-355.	1.7	0
413	OP17.01: Prospective comparison of one-step and two-step models for the classification of adnexal masses as benign or malignant. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 368-368.	1.7	0
414	Real-time ultrasound vs. evaluation of static images in the preoperative assessment of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 828-831.	1.7	30

#	ARTICLE	IF	CITATIONS
415	The use of transvaginal ultrasonography to diagnose bladder carcinoma in women presenting with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 959-960.	1.7	11
416	Expression profiling to predict the clinical behaviour of ovarian cancer fails independent evaluation. <i>BMC Cancer</i> , 2008, 8, 18.	2.6	13
417	Towards a Clinical Decision Support System for Pregnancies of Unknown Location. , 2008, , .		2
418	Anti-TNF- α treatment for deep endometriosis-associated pain: a randomized placebo-controlled trial. <i>Human Reproduction</i> , 2008, 23, 2017-2023.	0.9	138
419	The hCG ratio can predict the ultimate viability of the intrauterine pregnancies of uncertain viability in the pregnancy of unknown location population. <i>Human Reproduction</i> , 2008, 23, 1964-1967.	0.9	29
420	Multi-class AUC metrics and weighted alternatives. , 2008, , .		12
421	Prospective Study to Assess Short-Term Intra-Articular and Tenosynovial Changes in the Aromatase Inhibitor-Associated Arthralgia Syndrome. <i>Journal of Clinical Oncology</i> , 2008, 26, 3147-3152.	1.6	130
422	Occurrence and Outcome of Residual Trophoblastic Tissue. <i>Journal of Ultrasound in Medicine</i> , 2008, 27, 357-361.	1.7	100
423	External Validation of Mathematical Models to Distinguish Between Benign and Malignant Adnexal Tumors: A Multicenter Study by the International Ovarian Tumor Analysis Group. <i>Clinical Cancer Research</i> , 2007, 13, 4440-4447.	7.0	65
424	Discrimination Between Benign and Malignant Adnexal Masses by Specialist Ultrasound Examination Versus Serum CA-125. <i>Journal of the National Cancer Institute</i> , 2007, 99, 1706-1714.	6.3	184
425	Prospective cross-validation of three methods of predicting failing pregnancies of unknown location. <i>Human Reproduction</i> , 2007, 22, 1156-1160.	0.9	26
426	Rationalizing the follow-up of pregnancies of unknown location. <i>Human Reproduction</i> , 2007, 22, 1744-1750.	0.9	67
427	Inclusion of CA-125 Does Not Improve Mathematical Models Developed to Distinguish Between Benign and Malignant Adnexal Tumors. <i>Journal of Clinical Oncology</i> , 2007, 25, 4194-4200.	1.6	75
428	A validation of the most commonly used protocol to predict the success of single-dose methotrexate in the treatment of ectopic pregnancy. <i>Human Reproduction</i> , 2007, 22, 858-863.	0.9	46
429	Preoperative prediction of malignancy of ovarian tumours using modified sequential non-uniform procedure. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 5403-6.	0.5	0
430	Treatment modalities in endometrial cancer. <i>Current Opinion in Oncology</i> , 2007, 19, 479-485.	2.4	40
431	Clinical information does not improve the performance of mathematical models in predicting the outcome of pregnancies of unknown location. <i>Fertility and Sterility</i> , 2007, 88, 572-580.	1.0	48
432	To the Editor. <i>International Journal of Gynecological Cancer</i> , 2007, 17, 543-543.	2.5	0

#	ARTICLE	IF	CITATIONS
433	P32 Axillary lymph node involvement in breast cancer decreases with age but increases again after age 70 mainly in small tumors. <i>Breast</i> , 2007, 16, S21.	2.2	0
434	P54 Triple positive (ER+/PR+/HER-2+) breast carcinomas occur at a younger age than all other ER/PR/HER-2 breast cancer phenotypes. <i>Breast</i> , 2007, 16, S27-S28.	2.2	35
435	A New Method for Modeling Preoperative Diagnosis of Ovarian Tumors. <i>IEEE Transactions on Biomedical Engineering</i> , 2007, 54, 2064-2072.	4.2	1
436	The Bayesian approach: a natural framework for statistical modeling. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 485-488.	1.7	4
437	Preoperative diagnosis of ovarian tumors using Bayesian kernel-based methods. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 496-504.	1.7	36
438	The role of CnTI-SonoVue in the diagnosis of ovarian masses with papillary projections: a preliminary study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 512-516.	1.7	40
439	Prediction of ectopic pregnancy in women with a pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 680-687.	1.7	78
440	Imaging in gynecological disease (1): ultrasound features of metastases in the ovaries differ depending on the origin of the primary tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 505-511.	1.7	102
441	Imaging in gynecological disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 483-484.	1.7	7
442	A thin and regular endometrium on ultrasound is very unlikely in patients with endometrial malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 674-679.	1.7	43
443	OC48: Development of a model to predict ability of ultrasound to make a diagnosis at first assessment in the unselected early pregnancy population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 382-382.	1.7	0
444	OC69: Ability to make a diagnosis at first early pregnancy ultrasound assessment according to gestational age. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 388-388.	1.7	2
445	OC147: Mathematical decision trees vs. clinician-based algorithms in the diagnosis of endometrial disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 412-412.	1.7	4
446	OC150: The use of gel instillation hysterosonography in a single examiner setting. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 413-413.	1.7	1
447	OC153: Logistic regression models to distinguish between benign, primary invasive, borderline malignant and metastatic ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 414-414.	1.7	1
448	OC154: Accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 414-414.	1.7	0
449	OC204: Analysis of sonographic and Doppler features of struma ovarii: insights into a diagnostic dilemma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 430-430.	1.7	0
450	Ovarian torsion in a premenarcheal girl: MRI findings. <i>Abdominal Imaging</i> , 2007, 32, 424-427.	2.0	16

#	ARTICLE	IF	CITATIONS
451	Debilitating musculoskeletal pain and stiffness with letrozole and exemestane: associated tenosynovial changes on magnetic resonance imaging. Breast Cancer Research and Treatment, 2007, 104, 87-91.	2.5	111
452	Body mass index and HER-2 overexpression in breast cancer patients over 50 years of age. Breast Cancer Research and Treatment, 2007, 106, 127-133.	2.5	19
453	Comparing Analytical Decision Support Models Through Boolean Rule Extraction: A Case Study of Ovarian Tumour Malignancy. Lecture Notes in Computer Science, 2007, , 1177-1186.	1.3	6
454	Comparing Methods for Multi-class Probabilities in Medical Decision Making Using LS-SVMs and Kernel Logistic Regression. Lecture Notes in Computer Science, 2007, , 139-148.	1.3	3
455	Adenomyosis. , 2007, , 86-92.		0
456	Assessment of measurement validity. Fertility and Sterility, 2006, 85, 268.	1.0	0
457	There is no role for uterine curettage in the contemporary diagnostic workup of women with a pregnancy of unknown location. Human Reproduction, 2006, 21, 2706-2710.	0.9	52
458	The use of ultrasound-based 'soft markers' for the prediction of pelvic pathology in women with chronic pelvic pain-can we reduce the need for laparoscopy?. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 251-256.	2.3	139
459	General obstetrics: Failing pregnancies of unknown location: a prospective evaluation of the human chorionic gonadotrophin ratio. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 521-527.	2.3	64
460	Predicting the clinical behavior of ovarian cancer from gene expression profiles. International Journal of Gynecological Cancer, 2006, 16, 147-151.	2.5	23
461	Endometrial safety of third generation aromatase inhibitors versus tamoxifen in breast cancer patients. International Journal of Gynecological Cancer, 2006, 16, 515-517.	2.5	18
462	Acquired uterine vascular malformations: radiological and clinical outcome after transcatheter embolotherapy. European Radiology, 2006, 16, 299-306.	4.5	73
463	The practical application of a mathematical model to predict the outcome of pregnancies of unknown location. Ultrasound in Obstetrics and Gynecology, 2006, 27, 311-315.	1.7	38
464	Which extrauterine pelvic masses are difficult to correctly classify as benign or malignant on the basis of ultrasound findings and is there a way of making a correct diagnosis?. Ultrasound in Obstetrics and Gynecology, 2006, 27, 438-444.	1.7	144
465	Impact of the availability of sonography in the acute gynecology unit. Ultrasound in Obstetrics and Gynecology, 2006, 28, 207-213.	1.7	39
466	New models to predict depth of infiltration in endometrial carcinoma based on transvaginal sonography. Ultrasound in Obstetrics and Gynecology, 2006, 27, 664-671.	1.7	42
467	Pregnancies of unknown location: consensus statement. Ultrasound in Obstetrics and Gynecology, 2006, 28, 121-122.	1.7	120
468	OC17: Ultrasound and not biochemistry determines the ultimate viability of intra-uterine pregnancies in the PUL population. Ultrasound in Obstetrics and Gynecology, 2006, 28, 364-364.	1.7	0

#	ARTICLE	IF	CITATIONS
469	OC18: What is the optimal approach to classifying viable intra-uterine pregnancies in the PUL population?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 364-364.	1.7	0
470	OC19: Using a mathematical model in the management of pregnancies of unknown location: a prospective interventional study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 364-364.	1.7	0
471	OC20: Validation of a logistic regression model to predict the outcome of pregnancies of unknown location in a new patient population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 365-365.	1.7	0
472	Ultrasound characteristics of different types of adnexal malignancies. <i>Gynecologic Oncology</i> , 2006, 102, 41-48.	1.4	106
473	Molecular profiling of platinum resistant ovarian cancer: Use of the model in clinical practice. <i>International Journal of Cancer</i> , 2006, 119, 1511-1511.	5.1	1
474	Classifying ovarian tumors using Bayesian Multi-Layer Perceptrons and Automatic Relevance Determination: A multi-center study. , 2006, 2006, 5342-5.		8
475	Predicting the prognosis of breast cancer by integrating clinical and microarray data with Bayesian networks. <i>Bioinformatics</i> , 2006, 22, e184-e190.	4.1	308
476	Predicting the outcome of pregnancies of unknown location: Bayesian networks with expert prior information compared to logistic regression. <i>Human Reproduction</i> , 2006, 21, 1824-1831.	0.9	45
477	Aromatase Inhibitors and Postmenopausal Breast Cancer Patients with Tamoxifen-Induced Endometrial Pathology. <i>Clinical Cancer Research</i> , 2006, 12, 5603-5603.	7.0	2
478	Classifying ovarian tumors using Bayesian Multi-Layer Perceptrons and Automatic Relevance Determination: A multi-center study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006, , .	0.5	1
479	The Use of Contrast Transvaginal Sonography in the Diagnosis of Gynecologic Diseases. <i>Journal of Ultrasound in Medicine</i> , 2005, 24, 1267-1278.	1.7	72
480	Ultrasound examination of the endometrium before and after Pipelle endometrial sampling. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 283-286.	1.7	14
481	OC28.01: The role of contrast media in the diagnosis and management of ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 354-354.	1.7	0
482	OC31.08: What is the optimal approach to accurately classifying failing pregnancies of unknown location (PULs)?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 363-363.	1.7	0
483	OC37.01: Is it safe to perform uterine curettage in women with no signs of an intra-uterine pregnancy on transvaginal ultrasound?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 373-373.	1.7	0
484	P12.03: Can we improve the performance of logistic regression analysis for predicting the outcome of pregnancies of unknown location (PULs)?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 455-455.	1.7	1
485	Ultrasound features of different histopathological subtypes of borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 644-650.	1.7	56
486	Diagnostic accuracy of varying discriminatory zones for the prediction of ectopic pregnancy in women with a pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 26, 770-775.	1.7	128

#	ARTICLE	IF	CITATIONS
487	Acoustic streaming in two endometriomas: the exception to the rule?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 27, 89-90.	1.7	3
488	Reply to the Letter to the Editor on "Third generation aromatase inhibitors may prevent endometrial growth and reverse tamoxifen-induced uterine changes in postmenopausal breast cancer patients" by I. Cohen <i>Ann Oncol</i> 2005; 16: 1399. <i>Annals of Oncology</i> , 2005, 16, 1402-1403.	1.2	0
489	The accuracy of transvaginal ultrasonography for the diagnosis of ectopic pregnancy prior to surgery. <i>Human Reproduction</i> , 2005, 20, 1404-1409.	0.9	267
490	Independent Test Set Performance in the Prediction of Early Relapse in Ovarian Cancer with Gene Expression Profiles. <i>Clinical Cancer Research</i> , 2005, 11, 7958-7959.	7.0	2
491	Third generation aromatase inhibitors may prevent endometrial growth and reverse tamoxifen-induced uterine changes in postmenopausal breast cancer patients. <i>Annals of Oncology</i> , 2005, 16, 70-74.	1.2	50
492	Predictive Models for Long Term Survival after Premature Rupture of Membranes. , 2005, 2005, 4622-5.		1
493	Logistic Regression Model to Distinguish Between the Benign and Malignant Adnexal Mass Before Surgery: A Multicenter Study by the International Ovarian Tumor Analysis Group. <i>Journal of Clinical Oncology</i> , 2005, 23, 8794-8801.	1.6	396
494	Do levels of serum cancer antigen 125 and creatine kinase predict the outcome in pregnancies of unknown location?. <i>Human Reproduction</i> , 2005, 20, 3348-3354.	0.9	37
495	A prospective evaluation of a single-visit strategy to manage pregnancies of unknown location. <i>Human Reproduction</i> , 2005, 20, 1398-1403.	0.9	61
496	Endometrial cancer. <i>Lancet, The</i> , 2005, 366, 491-505.	13.7	1,368
497	Diagnostic strategies in endometrial cancer. <i>International Congress Series</i> , 2005, 1279, 141-148.	0.2	1
498	Intravenous contrast ultrasound in gynecology. <i>International Congress Series</i> , 2005, 1279, 174-178.	0.2	0
499	Viable cervical pregnancy with levonorgestrel containing intrauterine device, treated successfully with methotrexate and mifepristone. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 120, 233-235.	1.1	8
500	The use of a new logistic regression model for predicting the outcome of pregnancies of unknown location. <i>Human Reproduction</i> , 2004, 19, 1900-1910.	0.9	116
501	Balancing false positives and false negatives for the detection of differential expression in malignancies. <i>British Journal of Cancer</i> , 2004, 91, 1160-1165.	6.4	18
502	Using literature and data to learn Bayesian networks as clinical models of ovarian tumors. <i>Artificial Intelligence in Medicine</i> , 2004, 30, 257-281.	6.5	57
503	The use of mathematical models to evaluate pelvic masses; can they beat an expert operator?. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2004, 18, 91-104.	2.8	79
504	Prospective evaluation of blood flow in the myometrium and uterine arteries in the puerperium. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004, 23, 378-381.	1.7	57

#	ARTICLE	IF	CITATIONS
505	Human chorionic gonadotrophin and progesterone levels in pregnancies of unknown location. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 86, 351-357.	2.3	76
506	Acute effects of tamoxifen and third-generation aromatase inhibitors on menopausal symptoms of breast cancer patients. <i>Anti-Cancer Drugs</i> , 2004, 15, 753-760.	1.4	116
507	Color Doppler imaging is a valuable tool for the diagnosis and management of uterine vascular malformations. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 21, 570-577.	1.7	219
508	The pedicle artery sign based on sonography with color Doppler imaging can replace secondâ€stage tests in women with abnormal vaginal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 166-171.	1.7	149
509	Uterine intramural bone after mid-trimester termination of pregnancy may not affect fertility: a case report. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 407-408.	1.7	8
510	Ultrasound visualization of fetal membrane detachment at the uterine cervix: the â€moon signâ€™. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 431-432.	1.7	14
511	OC065: Negative predictive value of transvaginal ultrasound in women with chronic pelvic pain. Can we reduce the number of laparoscopies?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 18-18.	1.7	1
512	P284: The occurrence of echogenic intrauterine spots after pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 146-147.	1.7	0
513	Preoperative prediction of malignancy of ovarian tumors using least squares support vector machines. <i>Artificial Intelligence in Medicine</i> , 2003, 28, 281-306.	6.5	71
514	Bayesian applications of belief networks and multilayer perceptrons for ovarian tumor classification with rejection. <i>Artificial Intelligence in Medicine</i> , 2003, 29, 39-60.	6.5	42
515	Ultrasound assessment of endometrial thickness and endometrial polyps in women on hormonal replacement therapy. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 1249-1253.	1.3	37
516	Significance of secondary ultrasonographic endometrial thickening in postmenopausal tamoxifen-treated women. <i>Cancer</i> , 2003, 98, 431-432.	4.1	1
517	Noninvasive diagnosis of endometriosis: the role of imaging and markers. <i>Obstetrics and Gynecology Clinics of North America</i> , 2003, 30, 95-114.	1.9	50
518	Uterine adenomyosis in the infertility clinic. <i>Human Reproduction Update</i> , 2003, 9, 139-147.	10.8	177
519	Monochorionic diamniotic twins: complications and management options. <i>Current Opinion in Obstetrics and Gynecology</i> , 2003, 15, 177-194.	2.0	186
520	Postmenopausal Bleeding: Ultrasound and Hydrosonography versus Hysteroscopy. , 2003, , 55-61.		1
521	Classification of Ovarian Tumors Using Bayesian Least Squares Support Vector Machines. <i>Lecture Notes in Computer Science</i> , 2003, , 219-228.	1.3	3
522	EVALUATION OF ENDOMETRIAL PATHOLOGY IN TAMOXIFEN-TREATED BREAST CANCER PATIENTS: THE VALUE OF THE â€PEDICLE ARTERY TESTâ€™ USING TRANSVAGINAL COLOR DOPPLER IMAGING. <i>International Journal of Gynecological Cancer</i> , 2003, 13, 67.2-67.	2.5	1

#	ARTICLE	IF	CITATIONS
523	NEWS ON ULTRASONOGRAPHIC TECHNIQUES FOR PELVIC MALIGNANCIES. International Journal of Gynecological Cancer, 2003, 13, 120.2-121.	2.5	1
524	The Use of Ultrasound to Assess the Morphology of Ovarian Tumours. , 2003, , 141-152.		0
525	Ultrasound Characteristics of Endometriosis. , 2003, , 189-195.		1
526	Ultrasonographic features of the endometrium and the ovaries in women on etonogestrel implant. Ultrasound in Obstetrics and Gynecology, 2002, 20, 377-380.	1.7	16
527	Color Doppler and gray-scale ultrasound evaluation of the postpartum uterus. Ultrasound in Obstetrics and Gynecology, 2002, 20, 586-591.	1.7	62
528	Prognostic importance of degree of differentiation and cyst rupture in stage I invasive epithelial ovarian carcinoma. Lancet, The, 2001, 357, 176-182.	13.7	598
529	Cyst rupture during surgery. Lancet, The, 2001, 358, 73.	13.7	1
530	Ultrasound Determination of Chorionicity in Twin Pregnancy: Accuracy and Operator Experience. Twin Research and Human Genetics, 2001, 4, 223-226.	1.0	9
531	Ultrasound Determination of Chorionicity in Twin Pregnancy: Accuracy and Operator Experience. Twin Research and Human Genetics, 2001, 4, 223-226.	1.0	12
532	Associated malformations and chromosomal anomalies in 42 cases of prenatally diagnosed diaphragmatic hernia. American Journal of Medical Genetics Part A, 2001, 103, 278-282.	2.4	105
533	Pseudo-Meigs' Syndrome Caused by a Hydropic Degenerating Uterine Leiomyoma with Elevated CA 125. Gynecologic Oncology, 2001, 83, 153-157.	1.4	55
534	To the Editor. Gynecologic Oncology, 2001, 83, 166-167.	1.4	8
535	The influence of hormone replacement therapy on the ultrasound features of the endometrium: a prospective study. Ultrasound in Obstetrics and Gynecology, 2001, 18, CEG-17-CEG-17.	1.7	0
536	Extended Bayesian Regression Models: A Symbiotic Application of Belief Networks and Multilayer Perceptrons for the Classification of Ovarian Tumors. Lecture Notes in Computer Science, 2001, , 177-187.	1.3	3
537	F11Ultrasound evaluation of the uterus after pregnancy. Ultrasound in Obstetrics and Gynecology, 2000, 16, 37-37.	1.7	0
538	Lack of standardization in gynecological ultrasonography. Ultrasound in Obstetrics and Gynecology, 2000, 16, 395-398.	1.7	26
539	Terms, definitions and measurements to describe the sonographic features of adnexal tumors: a consensus opinion from the International Ovarian Tumor Analysis (IOTA) group. Ultrasound in Obstetrics and Gynecology, 2000, 16, 500-505.	1.7	747
540	Vascular malformations in the uterus: ultrasonographic diagnosis and conservative management. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2000, 92, 171-178.	1.1	149

#	ARTICLE	IF	CITATIONS
541	Absence of correlation between risk factors for endometrial cancer and the presence of tamoxifen-associated endometrial polyps in postmenopausal patients with breast cancer. <i>European Journal of Cancer</i> , 2000, 36, 40-42.	2.8	6
542	Psychological impact of endometrial monitoring in tamoxifen-treated postmenopausal breast cancer patients. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2000, 21, 225-233.	2.1	2
543	Misoprostol compared with methylergometrine for the prevention of postpartum haemorrhage: a double-blind randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 1066-1070.	2.3	61
544	A comparison of methods for preoperative discrimination between malignant and benign adnexal masses: The development of a new logistic regression model. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 57-65.	1.3	149
545	Subjective assessment of adnexal masses with the use of ultrasonography: an analysis of interobserver variability and experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999, 13, 11-16.	1.7	216
546	Artificial neural network models for the preoperative discrimination between malignant and benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999, 13, 17-25.	1.7	112
547	A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 62-70.	1.3	149
548	III.2 Saline infusion sonography (SIS) or office hysteroscopy: Which one is the best? A prospective randomised study. <i>European Journal of Cancer</i> , 1998, 34, S32-S33.	2.8	1
549	III.6 Tamoxifen-induced changes of the uterus: MRI features. <i>European Journal of Cancer</i> , 1998, 34, S36-S37.	2.8	1
550	Genomic changes in endometrial polyps associated with tamoxifen show no evidence for its action as an external carcinogen. <i>Cancer Research</i> , 1998, 58, 2278-81.	0.9	23
551	Tamoxifen-Induced Endometrial Polyp. <i>New England Journal of Medicine</i> , 1996, 335, 1650-1650.	27.0	5
552	Meigsâ€™ Syndrome with Elevated Serum CA 125 Levels: Two Case Reports and Review of the Literature. <i>Gynecologic Oncology</i> , 1995, 59, 405-408.	1.4	98
553	Bayesian networks in ovarian cancer diagnosis: potentials and limitations. , 0, , .		16
554	Using artificial neural networks to predict malignancy of ovarian tumors. , 0, , .		7
555	Domain knowledge based information retrieval language: an application of annotated Bayesian networks in ovarian cancer domain. , 0, , .		3
556	Web-based data collection for uterine adnexal tumors: a case study. , 0, , .		1