Christine Lebrun-frenay

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4173563/publications.pdf

Version: 2024-02-01

170 papers 9,174 citations

44069 48 h-index 89 g-index

231 all docs

231 docs citations

times ranked

231

9731 citing authors

#	Article	IF	CITATIONS
1	Analysis of immune-related loci identifies 48 new susceptibility variants for multiple sclerosis. Nature Genetics, 2013, 45, 1353-1360.	21.4	1,213
2	Natural History of Multiple Sclerosis with Childhood Onset. New England Journal of Medicine, 2007, 356, 2603-2613.	27.0	631
3	Clinical spectrum and prognostic value of CNS MOG autoimmunity in adults. Neurology, 2018, 90, e1858-e1869.	1.1	401
4	Clinical Characteristics and Outcomes in Patients With Coronavirus Disease 2019 and Multiple Sclerosis. JAMA Neurology, 2020, 77, 1079.	9.0	357
5	Radiologically Isolated Syndrome: 5-Year Risk for an Initial Clinical Event. PLoS ONE, 2014, 9, e90509.	2.5	254
6	MD1003 (high-dose biotin) for the treatment of progressive multiple sclerosis: A randomised, double-blind, placebo-controlled study. Multiple Sclerosis Journal, 2016, 22, 1719-1731.	3.0	249
7	Association Between Clinical Conversion to Multiple Sclerosis in Radiologically Isolated Syndrome and Magnetic Resonance Imaging, Cerebrospinal Fluid, and Visual Evoked Potential. Archives of Neurology, 2009, 66, 841.	4.5	191
8	High doses of biotin in chronic progressive multiple sclerosis: A pilot study. Multiple Sclerosis and Related Disorders, 2015, 4, 159-169.	2.0	191
9	Immunosuppressive therapy is more effective than interferon in neuromyelitis optica. Multiple Sclerosis Journal, 2007, 13, 256-259.	3.0	190
10	Idiopathic acute transverse myelitis: Application of the recent diagnostic criteria. Neurology, 2005, 65, 1950-1953.	1.1	149
11	Acute Fulminant Demyelinating Disease. Archives of Neurology, 2007, 64, 1426.	4.5	148
12	Oral versus intravenous high-dose methylprednisolone for treatment of relapses in patients with multiple sclerosis (COPOUSEP): a randomised, controlled, double-blind, non-inferiority trial. Lancet, The, 2015, 386, 974-981.	13.7	144
13	<scp>I</scp> -Selectin is a possible biomarker for individual PML risk in natalizumab-treated MS patients. Neurology, 2013, 81, 865-871.	1.1	140
14	Switching From Natalizumab to Fingolimod in Multiple Sclerosis. JAMA Neurology, 2014, 71, 436.	9.0	133
15	Is Devic's neuromyelitis optica a separate disease? A comparative study with multiple sclerosis. Multiple Sclerosis Journal, 2003, 9, 521-525.	3.0	131
16	Primary <scp>P</scp> rogressive <scp>M</scp> ultiple <scp>S</scp> clerosis <scp>E</scp> volving <scp>F</scp> rom <scp>R</scp> adiologically <scp>I</scp> solated <scp>S</scp> yndrome. Annals of Neurology, 2016, 79, 288-294.	5.3	130
17	Interferon- \hat{l}^2 treatment in patients with childhood-onset multiple sclerosis. Journal of Pediatrics, 2001, 139, 443-446.	1.8	116
18	Cognitive function in radiologically isolated syndrome. Multiple Sclerosis Journal, 2010, 16, 919-925.	3.0	116

#	Article	IF	CITATIONS
19	Unexpected multiple sclerosis: follow-up of 30 patients with magnetic resonance imaging and clinical conversion profile. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 195-198.	1.9	112
20	Long-term safety and efficacy of teriflunomide. Neurology, 2016, 86, 920-930.	1.1	108
21	Temozolomide treatment can improve overall survival in aggressive pituitary tumors and pituitary carcinomas. European Journal of Endocrinology, 2017, 176, 769-777.	3.7	107
22	Nonconvulsive status epilepticus of frontal origin. Neurology, 1999, 52, 1174-1174.	1.1	107
23	Increased risk of multiple sclerosis relapse after in vitro fertilisation. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 796-802.	1.9	102
24	Cancer risk and impact of disease-modifying treatments in patients with multiple sclerosis. Multiple Sclerosis Journal, 2008, 14, 399-405.	3.0	101
25	Nitroso-urea–cisplatin-based chemotherapy associated with valproate: Increase of haematologic toxicity. Annals of Oncology, 2001, 12, 217-220.	1.2	100
26	Successful treatment of refractory generalized myasthenia gravis with rituximab. European Journal of Neurology, 2009, 16, 246-250.	3.3	100
27	Cognitive Functions in Neuromyelitis Optica. Archives of Neurology, 2008, 65, 84-8.	4.5	98
28	Tyrosine kinase 2 variant influences T lymphocyte polarization and multiple sclerosis susceptibility. Brain, 2011, 134, 693-703.	7.6	96
29	Radiologically Isolated Syndrome: <scp>10â€Year</scp> Risk Estimate of a Clinical Event. Annals of Neurology, 2020, 88, 407-417.	5.3	95
30	Rituximab as first-line therapy in neuromyelitis optica: efficiency and tolerability. Journal of Neurology, 2015, 262, 2329-2335.	3.6	86
31	Long-term outcome of oligodendrogliomas. Neurology, 2004, 62, 1783-1787.	1.1	80
32	Comparative efficacy of fingolimod vs natalizumab. Neurology, 2016, 86, 771-778.	1.1	71
33	Cancer Risk in Patients with Multiple Sclerosis: Potential Impact of Disease-Modifying Drugs. CNS Drugs, 2018, 32, 939-949.	5.9	69
34	Risk of autoimmune diseases and human papilloma virus (HPV) vaccines: Six years of case-referent surveillance. Journal of Autoimmunity, 2017, 79, 84-90.	6.5	67
35	Treatment of progressive forms of multiple sclerosis by cyclophosphamide: a cohort study of 490 patients. Journal of the Neurological Sciences, 2004, 218, 73-77.	0.6	63
36	Rituximab in refractory and nonâ€refractory myasthenia: A retrospective multicenter study. Muscle and Nerve, 2012, 46, 687-691.	2.2	63

#	Article	IF	Citations
37	Acute aphasia in multiple sclerosis. Neurology, 2004, 62, 974-977.	1.1	61
38	Treatment of newly diagnosed symptomatic pure low-grade oligodendrogliomas with PCV chemotherapy. European Journal of Neurology, 2007, 14, 391-398.	3.3	58
39	Adult-onset genetic leukoencephalopathies: A MRI pattern-based approach in a comprehensive study of 154 patients. Brain, 2015, 138, 284-292.	7.6	58
40	Monitoring CD27 + memory B-cells in neuromyelitis optica spectrum disorders patients treated with rituximab: Results from a bicentric study. Journal of the Neurological Sciences, 2017, 373, 335-338.	0.6	58
41	More severe disability of North Africans vs Europeans with multiple sclerosis in France. Neurology, 2007, 68, 29-32.	1.1	57
42	Cervical spinal cord atrophy. Neurology: Neuroimmunology and NeuroInflammation, 2018, 5, e435.	6.0	57
43	Can high central nervous system penetrating antiretroviral regimens protect against the onset of HIV-associated neurocognitive disorders?. Aids, 2014, 28, 493-501.	2.2	55
44	International consensus on quality standards for brain health-focused care in multiple sclerosis. Multiple Sclerosis Journal, 2019, 25, 1809-1818.	3.0	55
45	A Benign Form of Neuromyelitis Optica. Archives of Neurology, 2011, 68, 918.	4.5	54
46	Impact of pregnancy on conversion to clinically isolated syndrome in a radiologically isolated syndrome cohort. Multiple Sclerosis Journal, 2012, 18, 1297-1302.	3.0	53
47	Cancer and multiple sclerosis in the era of disease-modifying treatments. Journal of Neurology, 2011, 258, 1304-1311.	3.6	52
48	CLIPPERS and its mimics: evaluation of new criteria for the diagnosis of CLIPPERS. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 1027-1038.	1.9	51
49	Characteristics in limbic encephalitis with anti–adenylate kinase 5 autoantibodies. Neurology, 2017, 88, 514-524.	1.1	49
50	Excess Mortality in Patients with Multiple Sclerosis Starts at 20 Years from Clinical Onset: Data from a Large-Scale French Observational Study. PLoS ONE, 2015, 10, e0132033.	2.5	48
51	First-line nitrosourea-based chemotherapy in symptomatic non-resectable supratentorial pure low-grade astrocytomas. European Journal of Neurology, 2005, 12, 685-690.	3.3	45
52	Comparison of Simoa TM and Ella TM to assess serum neurofilamentâ€light chain in multiple sclerosis. Annals of Clinical and Translational Neurology, 2021, 8, 1141-1150.	3.7	45
53	Immunization and multiple sclerosis: Recommendations from the French multiple sclerosis society. Multiple Sclerosis and Related Disorders, 2019, 31, 173-188.	2.0	44
54	Tear analysis in clinically isolated syndrome as new multiple sclerosis criterion. Multiple Sclerosis Journal, 2010, 16, 87-92.	3.0	43

#	Article	IF	CITATIONS
55	Therapeutic target of memory B cells depletion helps to tailor administration frequency of rituximab in myasthenia gravis. Journal of Neuroimmunology, 2016, 298, 79-81.	2.3	42
56	Efficacy and safety profile of memantine in patients with cognitive impairment in multiple sclerosis: A randomized, placebo-controlled study. Journal of the Neurological Sciences, 2016, 363, 69-76.	0.6	42
57	Levocarnitine administration in multiple sclerosis patients with immunosuppressive therapy-induced fatigue. Multiple Sclerosis Journal, 2006, 12, 321-324.	3.0	41
58	Radiologically isolated syndrome in children. Neurology: Neuroimmunology and NeuroInflammation, 2017, 4, e395.	6.0	41
59	Immunoglobulin G4-related hypertrophic pachymeningitis. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e568.	6.0	41
60	Up-front chemotherapy with fotemustine (F)/cisplatin (CDDP)/etoposide (VP16) regimen in the treatment of 33 non-removable glioblastomas. European Journal of Cancer, 2000, 36, 1026-1031.	2.8	38
61	Comparative effectiveness of teriflunomide vs dimethyl fumarate in multiple sclerosis. Neurology, 2019, 93, e635-e646.	1.1	36
62	Progressive Multifocal Leukoencephalopathy Incidence and Risk Stratification Among Natalizumab Users in France. JAMA Neurology, 2020, 77, 94.	9.0	36
63	Risk Factors and Time to Clinical Symptoms of Multiple Sclerosis Among Patients With Radiologically Isolated Syndrome. JAMA Network Open, 2021, 4, e2128271.	5.9	32
64	Only Follow-Up of Memory B Cells Helps Monitor Rituximab Administration to Patients with Neuromyelitis Optica Spectrum Disorders. Neurology and Therapy, 2018, 7, 373-383.	3.2	31
65	Treatment regimens for neuromyelitis optica spectrum disorder attacks: a retrospective cohort study. Journal of Neuroinflammation, 2022, 19, 62.	7.2	30
66	Relevance of lipopolysaccharide levels in HIV-associated neurocognitive impairment: the Neuradapt study. Journal of NeuroVirology, 2013, 19, 376-382.	2.1	29
67	Inaugural tumor-like multiple sclerosis: clinical presentation and medium-term outcome in 87 patients. Journal of Neurology, 2018, 265, 2251-2259.	3.6	29
68	Cerebrospinal fluid chitinase-3-like protein 1 level is not an independent predictive factor for the risk of clinical conversion in radiologically isolated syndrome. Multiple Sclerosis Journal, 2019, 25, 669-677.	3.0	28
69	MD1003 (High-Dose Pharmaceutical-Grade Biotin) for the Treatment of Chronic Visual Loss Related to Optic Neuritis in Multiple Sclerosis: A Randomized, Double-Blind, Placebo-Controlled Study. CNS Drugs, 2018, 32, 661-672.	5.9	26
70	Imaging spectrum of Bing–Neel syndrome: how can a radiologist recognise this rare neurological complication of Waldenstr¶m's macroglobulinemia?. European Radiology, 2019, 29, 102-114.	4.5	26
71	Double-Blind Controlled Randomized Trial of Cyclophosphamide versus Methylprednisolone in Secondary Progressive Multiple Sclerosis. PLoS ONE, 2017, 12, e0168834.	2.5	25
72	Longitudinal follow-up of vision in a neuromyelitis optica cohort. Multiple Sclerosis Journal, 2013, 19, 1320-1322.	3.0	24

#	Article	IF	CITATIONS
73	Decreased prevalence of cancer in patients with multiple sclerosis: A case-control study. PLoS ONE, 2017, 12, e0188120.	2.5	24
74	Tear analysis as a tool to detect oligoclonal bands in radiologically isolated syndrome. Revue Neurologique, 2015, 171, 390-393.	1.5	23
75	New insights into the burden and costs of multiple sclerosis in Europe: Results for France. Multiple Sclerosis Journal, 2017, 23, 65-77.	3.0	23
76	Oligoclonal bands increase the specificity of MRI criteria to predict multiple sclerosis in children with radiologically isolated syndrome. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2019, 5, 205521731983666.	1.0	23
77	Pregnancy with multiple sclerosis. Revue Neurologique, 2021, 177, 180-194.	1.5	23
78	Vaccinations in multiple sclerosis patients receiving disease-modifying drugs. Current Opinion in Neurology, 2021, 34, 322-328.	3.6	23
79	From the prodromal stage of multiple sclerosis to disease prevention. Nature Reviews Neurology, 2022, 18, 559-572.	10.1	23
80	A Prospective Study of Patients with Brain MRI Showing Incidental T2 Hyperintensities Addressed as Multiple Sclerosis: a Lot of Work to do Before Treating. Neurology and Therapy, 2014, 3, 123-132.	3.2	22
81	Evolution of Nevi During Treatment With Natalizumab. Archives of Dermatology, 2010, 147, 72.	1.4	21
82	EGFR immunolabeling pattern may discriminate low-grade gliomas from gliosis. Journal of Neuro-Oncology, 2011, 102, 171-178.	2.9	21
83	The radiologically isolated syndrome. Revue Neurologique, 2015, 171, 698-706.	1.5	21
84	Milder multiple sclerosis course in patients with concomitant inflammatory bowel disease. Multiple Sclerosis Journal, 2014, 20, 1135-1139.	3.0	20
85	Evaluation of quality of life and fatigue in radiologically isolated syndrome. Revue Neurologique, 2016, 172, 392-395.	1.5	20
86	A decreasing CD4/CD8 ratio over time and lower CSF-penetrating antiretroviral regimens are associated with a higher risk of neurocognitive deterioration, independently of viral replication. Journal of NeuroVirology, 2017, 23, 216-225.	2.1	19
87	CD62L test at 2 years of natalizumab predicts progressive multifocal leukoencephalopathy. Neurology, 2016, 87, 2491-2494.	1.1	18
88	Cerebellar volume loss in radiologically isolated syndrome. Multiple Sclerosis Journal, 2021, 27, 130-133.	3.0	18
89	Turcot syndrome confirmed with molecular analysis. European Journal of Neurology, 2007, 14, 470-472.	3.3	17
90	Interleukin 17 alone is not a discriminant biomarker in early demyelinating spectrum disorders. Journal of the Neurological Sciences, 2016, 368, 334-336.	0.6	17

#	Article	IF	CITATIONS
91	HMGB1/anti-HMGB1 antibodies define a molecular signature of early stages of HIV-Associated Neurocognitive Disorders (HAND). Heliyon, 2017, 3, e00245.	3.2	17
92	Association of Immunosuppression and Viral Load With Subcortical Brain Volume in an International Sample of People Living With HIV. JAMA Network Open, 2021, 4, e2031190.	5.9	16
93	The risk of infections for multiple sclerosis and neuromyelitis optica spectrum disorder disease-modifying treatments: Eighth European Committee for Treatment and Research in Multiple Sclerosis Focused Workshop Review. April 2021. Multiple Sclerosis Journal, 2022, 28, 1424-1456.	3.0	16
94	Anomalies Characteristic of Central Nervous System Demyelination. Neurologic Clinics, 2018, 36, 59-68.	1.8	15
95	Immunization and multiple sclerosis: Recommendations from the French Multiple Sclerosis Society. Revue Neurologique, 2019, 175, 341-357.	1.5	15
96	Matrix metalloproteinase 9 is decreased in natalizumabâ€treated multiple sclerosis patients at risk for progressive multifocal leukoencephalopathy. Annals of Neurology, 2017, 82, 186-195.	5.3	14
97	Cerebrospinal Fluid IL-17A Could Predict Acute Disease Severity in Non-NMDA-Receptor Autoimmune Encephalitis. Frontiers in Immunology, 2021, 12, 673021.	4.8	14
98	Risk for Nevus Transformation and Melanoma Proliferation and Invasion During Natalizumab Treatment. JAMA Dermatology, 2014, 150, 901.	4.1	13
99	False positivity of anti aquaporin-4 antibodies in natalizumab-treated patients. Multiple Sclerosis Journal, 2016, 22, 1231-1234.	3.0	13
100	Prospective validation of the PML risk biomarker l-selectin and influence of natalizumab extended intervals. Neurology, 2019, 93, 550-554.	1.1	13
101	Neuraxial analgesia is not associated with an increased risk of post-partum relapses in MS. Multiple Sclerosis Journal, 2019, 25, 591-600.	3.0	13
102	Outcome and risk of recurrence in a large cohort of idiopathic longitudinally extensive transverse myelitis without AQP4/MOG antibodies. Journal of Neuroinflammation, 2020, 17, 128.	7.2	13
103	Hemophagocytic Lymphohistiocytosis Gene Mutations in Adult Patients Presenting With CLIPPERS-Like Syndrome. Neurology: Neuroimmunology and NeuroInflammation, 2021, 8, .	6.0	13
104	How to switch disease-modifying treatments in multiple sclerosis: Guidelines from the French Multiple Sclerosis Society (SFSEP). Multiple Sclerosis and Related Disorders, 2021, 53, 103076.	2.0	13
105	Progressive spastic paraparesis revealing primary hyperparathyroidism. Neurology, 1994, 44, 178-178.	1.1	13
106	Cutaneous Side-effects of Immunomodulators in MS. International MS Journal, 2011, 17, 88-94.	0.3	13
107	A longitudinal observational study of a cohort of patients with relapsing–remitting multiple sclerosis treated with glatiramer acetate. European Journal of Neurology, 2007, 14, 1266-1274.	3.3	12
108	Natalizumab-PML survivors with subsequent MS treatment. Neurology: Neuroimmunology and NeuroInflammation, 2017, 4, e346.	6.0	12

#	Article	IF	Citations
109	A Case Report of Solitary Sclerosis: This is Really Multiple Sclerosis. Neurology and Therapy, 2017, 6, 259-263.	3.2	12
110	Serum Neurofilament Levels and PML Risk in Patients With Multiple Sclerosis Treated With Natalizumab. Neurology: Neuroimmunology and NeuroInflammation, 2021, 8, .	6.0	12
111	Leukoencephalopathy in multiple myeloma: Two case reports. Annals of Oncology, 1999, 10, 1515-1517.	1.2	11
112	Solitary sclerosis: Experience from three French tertiary care centres. Multiple Sclerosis Journal, 2015, 21, 1216-1216.	3.0	11
113	Solitary meningeal plasmacytomas. Annals of Oncology, 1997, 8, 791-795.	1.2	10
114	Should a psychotic or manic episode be considered an early manifestation of Multiple Sclerosis? A multiple case study. Multiple Sclerosis and Related Disorders, 2016, 6, 93-96.	2.0	10
115	Gender Inequities in the Multiple Sclerosis Community: A Call for Action. Annals of Neurology, 2018, 84, 958-959.	5.3	10
116	CCR5 Blockade in Inflammatory PML and PML-IRIS Associated With Chronic Inflammatory Diseases' Treatments. Neurology: Neuroimmunology and NeuroInflammation, 2022, 9, .	6.0	10
117	GIANT URTICARIA AND PERSISTENT NEUTRALIZING ANTIBODIES AFTER THE FIRST NATALIZUMAB INFUSION. Neurology, 2010, 74, 1394-1395.	1.1	9
118	Treat patients with radiologically isolated syndrome when the MRI brain scan shows dissemination in time: Yes. Multiple Sclerosis Journal, 2012, 18, 1531-1532.	3.0	9
119	Multiple sclerosis with atypical MRI presentation: Results of a nationwide multicenter study in 57 consecutive cases. Multiple Sclerosis and Related Disorders, 2019, 28, 109-116.	2.0	9
120	BEST-MS: A prospective head-to-head comparative study of natalizumab and fingolimod in active relapsing MS. Multiple Sclerosis Journal, 2021, 27, 1556-1563.	3.0	9
121	Covid-19, the pandemic war: Implication for neurologists. Revue Neurologique, 2020, 176, 223-224.	1.5	9
122	Memory B Cells Predict Relapse in Rituximab-Treated Myasthenia Gravis. Neurotherapeutics, 2021, 18, 938-948.	4.4	9
123	Multiple sclerosis: Is there a risk of worsening after yellow fever vaccination?. Multiple Sclerosis Journal, 2021, 27, 2280-2283.	3.0	9
124	Five-year outcome in the copaxone observatory: a nationwide cohort of patients with multiple sclerosis starting treatment with glatiramer acetate in France. Journal of Neurology, 2019, 266, 888-901.	3.6	8
125	Oral nomegestrol acetate and transdermal 17-beta-estradiol for preventing post-partum relapses in multiple sclerosis: The POPARTMUS study. Multiple Sclerosis Journal, 2021, 27, 1458-1463.	3.0	8
126	Video-oculography in multiple sclerosis: Links between oculomotor disorders and brain magnetic resonance imaging (MRI). Multiple Sclerosis and Related Disorders, 2020, 40, 101969.	2.0	8

#	Article	IF	CITATIONS
127	Untreated patients with multiple sclerosis: A study of French expert centers. European Journal of Neurology, 2021, 28, 2026-2036.	3.3	8
128	The effectiveness of natalizumab vs fingolimod–A comparison of international registry studies. Multiple Sclerosis and Related Disorders, 2021, 53, 103012.	2.0	8
129	Recurrent bowel occlusion with oral ondansetron with no side effects of the intravenous route: A previously unknown adverse event. Annals of Oncology, 1997, 8, 919-920.	1.2	7
130	Endermology: A treatment for injection-induced lipoatrophy in multiple sclerosis patients treated with sub cutaneous glatiramer acetate. Clinical Neurology and Neurosurgery, 2011, 113, 721-724.	1.4	7
131	Multiple immune disorders after natalizumab discontinuation: After the CIRIS, the SIRIS?. Revue Neurologique, 2017, 173, 222-224.	1.5	7
132	Effects on Melanoma Cell Lines Suggest No Significant Risk of Melanoma Under Cladribine Treatment. Neurology and Therapy, 2020, 9, 599-604.	3.2	7
133	Alexithymia in multiple sclerosis: Clinical and radiological correlations. Revue Neurologique, 2021, 177, 302-311.	1.5	7
134	The HV3 Score: A New Simple Tool to Suspect Cognitive Impairment in Multiple Sclerosis in Clinical Practice. Neurology and Therapy, 2014, 3, 113-122.	3.2	6
135	Demonstration of a lexical access deficit in relapsing-remitting and secondary progressive forms of multiple sclerosis. Revue Neurologique, 2014, 170, 527-530.	1.5	6
136	Radiologically isolated syndrome should be treated with disease-modifying therapy – Commentary. Multiple Sclerosis Journal, 2017, 23, 1821-1823.	3.0	6
137	Impact of disease-modifying treatments in North African migrants with multiple sclerosis in France. Multiple Sclerosis Journal, 2008, 14, 933-939.	3.0	5
138	RECURRENT PERICARDITIS DUE TO NATALIZUMAB TREATMENT. Neurology, 2009, 72, 1616-1617.	1.1	5
139	Atypical myelitis in patients with multiple sclerosis: Characterization and comparison with typical multiple sclerosis and neuromyelitis optica spectrum disorders. Multiple Sclerosis Journal, 2021, 27, 232-238.	3.0	5
140	Digital biomarkers can highlight subtle clinical differences in radiologically isolated syndrome compared to healthy controls. Journal of Neurology, 2021, 268, 1316-1322.	3.6	5
141	Relapses in Patients Treated with High-Dose Biotin for Progressive Multiple Sclerosis. Neurotherapeutics, 2021, 18, 378-386.	4.4	5
142	The multiple sclerosis prodrome is just unspecific symptoms in radiologically isolated syndrome patients – No. Multiple Sclerosis Journal, 2021, 27, 1824-1826.	3.0	5
143	Comparative Effectiveness of Natalizumab Versus Anti-CD20 in Highly Active Relapsing–Remitting Multiple Sclerosis After Fingolimod Withdrawal. Neurotherapeutics, 2022, 19, 476-490.	4.4	5
144	Kappa Free Light Chains, Soluble Interleukin-2 Receptor, and Interleukin-6 Help Explore Patients Presenting With Brain White Matter Hyperintensities. Frontiers in Immunology, 2022, 13, 864133.	4.8	5

#	Article	IF	CITATIONS
145	Cognition and quality of life in clinically isolated syndrome patients starting a disease modifying therapy in the QUALICIS study may not predict treatment response at one year. Journal of the Neurological Sciences, 2017, 382, 73-78.	0.6	4
146	Impact of executive dysfunction on naming ability in multiple sclerosis. Revue Neurologique, 2019, 175, 552-559.	1.5	4
147	De novo convulsive status epilepticus in patients with multiple sclerosis treated with dalfampridine. Multiple Sclerosis Journal, 2019, 25, 618-621.	3.0	4
148	Treating asymptomatic bacteriuria before immunosuppressive therapy during multiple sclerosis: Should we do it?. Multiple Sclerosis and Related Disorders, 2017, 18, 161-163.	2.0	3
149	Digestive side-effects with teriflunomide: Thoughts on lactose. Revue Neurologique, 2018, 174, 722-725.	1.5	3
150	Bevacizumab: Is the lower the better for glioblastoma patients in progression?. Bulletin Du Cancer, 2018, 105, 1135-1146.	1.6	3
151	Validation of a rapid and easy-to-perform screening test for neurocognitive impairment in HIV+ patients. Journal of the Neurological Sciences, 2020, 410, 116664.	0.6	3
152	Determinants of therapeutic lag in multiple sclerosis. Multiple Sclerosis Journal, 2021, 27, 1838-1851.	3.0	3
153	Long-Term Effectiveness, Safety and Tolerability of Fingolimod in Patients with Multiple Sclerosis in Real-World Treatment Settings in France: The VIRGILE Study. Neurology and Therapy, 2022, 11, 633-658.	3.2	3
154	Moving to Fingolimod From Natalizumab in Multiple Sclerosis—Reply. JAMA Neurology, 2014, 71, 925.	9.0	2
155	Should we treat patients with radiologically isolated syndrome (RIS)? Comments. Revue Neurologique, 2018, 174, 696-698.	1.5	2
156	Carnitine serum levels and levocarnitine administration in multiple sclerosis patients treated with natalizumab. European Journal of Neurology, 2011, 18, e63-e64.	3.3	1
157	Investigating the Effect of Teriflunomide on Diffuse Brain Tissue Damage in the Phase 3 TEMSO Study. Multiple Sclerosis and Related Disorders, 2018, 26, 258-259.	2.0	1
158	MRI findings in blinded trials should be available to treating physicians – Yes. Multiple Sclerosis Journal, 2021, 27, 812-813.	3.0	1
159	Les syndromes radiologiquement isolés. Neurologie Com, 2010, 2, 139-141.	0.0	0
160	Les traitements de première ligne dans la sclérose en plaques. Pratique Neurologique - FMC, 2012, 3, 73-89.	0.1	0
161	Uncommon foreign body reaction caused by derivation drain mimicking high grade CNS tumor. Journal of the Neurological Sciences, 2014, 340, 237-238.	0.6	0
162	Country break-out session highlights. Neurodegenerative Disease Management, 2015, 5, 31-37.	2.2	0

#	Article	IF	Citations
163	Multiple sclerosis treatments and the anti-JCV antibody index. Revue Neurologique, 2017, 173, e1.	1.5	O
164	Hypertension intracrânienne idiopathique dans le cadre d'une obésité ou d'un surpoids : étude observationnelle. Diabetes and Metabolism, 2017, 43, A100.	2.9	0
165	Signes et symptà mes de la sclérose en plaques. , 2017, , 3-78.		O
166	Demyelinating diseases. Revue Neurologique, 2018, 174, 355.	1.5	0
167	Cost-utility of oral methylprednisolone in the treatment of multiple sclerosis relapses: Results from the COPOUSEP trial. Revue Neurologique, 2021, , .	1.5	О
168	Association of cancer and stroke: A population-based study. Journal of Clinical Oncology, 2008, 26, 20672-20672.	1.6	0
169	Diagnostic positif de la sclérose en plaques. , 2017, , 79-111.		О
170	Common Brain Volume Signatures Associated with Immunosuppression and Viral Load in Over 1000 Adults Living with HIV Across 5 Continents: Findings from the ENIGMA-HIV Working Group. SSRN Electronic Journal, 0, , .	0.4	0