

Nurullah Akko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4175877/publications.pdf>

Version: 2024-02-01

152
papers

9,724
citations

94433

37
h-index

40979

93
g-index

155
all docs

155
docs citations

155
times ranked

8187
citing authors

#	ARTICLE	IF	CITATIONS
1	The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part II): validation and final selection. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 777-783.	0.9	2,713
2	The Assessment of SpondyloArthritis international Society classification criteria for peripheral spondyloarthritis and for spondyloarthritis in general. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 25-31.	0.9	1,302
3	Familial Mediterranean Fever (FMF) in Turkey. <i>Medicine (United States)</i> , 2005, 84, 1-11.	1.0	651
4	Familial Mediterranean Fever. <i>Medicine (United States)</i> , 2012, 91, 131-136.	1.0	568
5	AGPAT2 is mutated in congenital generalized lipodystrophy linked to chromosome 9q34. <i>Nature Genetics</i> , 2002, 31, 21-23.	21.4	475
6	A Turkish version of the Bath Ankylosing Spondylitis Disease Activity Index: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 280-284.	3.0	195
7	Guidance on Noncorticosteroid Systemic Immunomodulatory Therapy in Noninfectious Uveitis. <i>Ophthalmology</i> , 2018, 125, 757-773.	5.2	178
8	Impaired endothelial function in patients with ankylosing spondylitis. <i>Rheumatology</i> , 2006, 45, 283-286.	1.9	155
9	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.	6.2	143
10	The pathogenetic role of HLA-B27 and its subtypes. <i>Autoimmunity Reviews</i> , 2007, 6, 183-189.	5.8	124
11	Epidemiology of Takayasu arteritis. <i>Presse Medicale</i> , 2017, 46, e197-e203.	1.9	113
12	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.	1.9	97
13	Measurement properties of the ASAS Health Index: results of a global study in patients with axial and peripheral spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1311-1317.	0.9	85
14	Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> , and <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368.	5.6	79
15	Biomarkers and cytokines of bone turnover: extensive evaluation in a cohort of patients with ankylosing spondylitis. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 191.	1.9	77
16	The Turkish versions of the Bath Ankylosing Spondylitis and Dougados Functional Indices: reliability and validity. <i>Rheumatology International</i> , 2005, 25, 612-618.	3.0	73
17	Comparison of group-based exercise versus home-based exercise in patients with ankylosing spondylitis: effects on Bath Ankylosing Spondylitis Indices, quality of life and depression. <i>Clinical Rheumatology</i> , 2008, 27, 695-700.	2.2	71
18	Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2007, 26, 1427-1432.	2.2	65

#	ARTICLE	IF	CITATIONS
19	High prevalence of spondyloarthritis and ankylosing spondylitis among familial Mediterranean fever patients and their first-degree relatives: further evidence for the connection. <i>Arthritis Research and Therapy</i> , 2013, 15, R21.	3.5	63
20	Efficacy of Interleukin-1 Targeting Treatments in Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2015, 38, 27-31.	3.8	62
21	Response rate of initial conventional treatments, disease course, and related factors of patients with adult-onset Still's disease: Data from a large multicenter cohort. <i>Journal of Autoimmunity</i> , 2016, 69, 59-63.	6.5	62
22	Prevalence of ankylosing spondylitis and related spondyloarthritides in an urban area of Izmir, Turkey. <i>Journal of Rheumatology</i> , 2008, 35, 305-9.	2.0	62
23	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	3.5	60
24	Development of ASAS quality standards to improve the quality of health and care services for patients with axial spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 193-201.	0.9	59
25	Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2007, 26, 1467-1473.	2.2	58
26	Are spondyloarthropathies as common as rheumatoid arthritis worldwide? A review. <i>Current Rheumatology Reports</i> , 2008, 10, 371-378.	4.7	57
27	Overestimation of the prevalence of ankylosing spondylitis in the Berlin study: Comment on the article by Braun et al. <i>Arthritis and Rheumatism</i> , 2005, 52, 4048-4049.	6.7	54
28	Prevalence of primary Sjogren's syndrome in Turkey: a population-based epidemiological study. <i>International Journal of Clinical Practice</i> , 2009, 63, 954-961.	1.7	53
29	Predictive validity of the ASAS classification criteria for axial and peripheral spondyloarthritis after follow-up in the ASAS cohort: a final analysis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1034-1042.	0.9	53
30	An Assessment in SpondyloArthritis International Society (ASAS)-endorsed definition of clinically important worsening in axial spondyloarthritis based on ASDAS. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 124-127.	0.9	51
31	Irritable Bowel Syndrome in Persons Who Acquired Trichinellosis. <i>American Journal of Gastroenterology</i> , 2007, 102, 1064-1069.	0.4	50
32	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1168-1174.	0.9	49
33	Cytomegalovirus colitis in a patient with Behcet's disease receiving tumor necrosis factor alpha inhibitory treatment. <i>World Journal of Gastroenterology</i> , 2008, 14, 2912.	3.3	45
34	Behcet's disease with pulmonary involvement, superior vena cava syndrome, chyloptysis and chylous ascites. <i>Respiratory Medicine</i> , 1996, 90, 429-431.	2.9	44
35	Ankylosing spondylitis and symptom-modifying vs disease-modifying therapy. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006, 20, 539-557.	3.3	44
36	A Large-Scale Outbreak of Trichinellosis Caused by <i>Trichinella britovi</i> in Turkey. <i>Zoonoses and Public Health</i> , 2009, 56, 65-70.	2.2	44

#	ARTICLE	IF	CITATIONS
37	Increased prevalence of M694V in patients with ankylosing spondylitis: Additional evidence for a link with familial mediterranean fever. <i>Arthritis and Rheumatism</i> , 2010, 62, 3059-3063.	6.7	43
38	The prevalence and clinical characteristics of nonradiographic axial spondyloarthritis among patients with inflammatory back pain in rheumatology practices: a multinational, multicenter study. <i>Arthritis Research and Therapy</i> , 2016, 18, 132.	3.5	42
39	Genome-wide association study in Turkish and Iranian populations identify rare familial Mediterranean fever gene (MEFV) polymorphisms associated with ankylosing spondylitis. <i>PLoS Genetics</i> , 2019, 15, e1008038.	3.5	41
40	Hyperuricemia and its related factors in an urban population, Izmir, Turkey. <i>Rheumatology International</i> , 2009, 29, 869-874.	3.0	40
41	Familial Mediterranean Fever and Seronegative Arthritis. <i>Current Rheumatology Reports</i> , 2011, 13, 388-394.	4.7	39
42	The ASAS Criteria for Axial Spondyloarthritis: Strengths, Weaknesses, and Proposals for a Way Forward. <i>Current Rheumatology Reports</i> , 2015, 17, 62.	4.7	39
43	Ankylosing Spondylitis: HLA-B*27-Positive Versus HLA-B*27-Negative Disease. <i>Current Rheumatology Reports</i> , 2017, 19, 26.	4.7	37
44	Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.	2.2	36
45	Initial Diagnosis of Lumbar Disc Herniation Is Associated with a Delay in Diagnosis of Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 1996-1999.	2.0	35
46	Update on the epidemiology, risk factors and disease outcomes of Behçet's disease. <i>Best Practice and Research in Clinical Rheumatology</i> , 2018, 32, 261-270.	3.3	34
47	Circulated Activated Platelets and Increased Platelet Reactivity in Patients With Behçet's Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 451-457.	1.7	30
48	Evaluation of inflammation and oxidative stress in ankylosing spondylitis: a role for macrophage migration inhibitory factor. <i>Modern Rheumatology</i> , 2010, 20, 34-39.	1.8	30
49	ASAS classification criteria for axial spondyloarthritis: time to modify. <i>Clinical Rheumatology</i> , 2016, 35, 1415-1423.	2.2	29
50	Epidemiology of Ankylosing Spondylitis and Related Spondyloarthropathies. , 1998, , 117-131.		28
51	Coexistence of Chronic Neutrophilic Leukemia with Light Chain Myeloma. <i>Acta Haematologica</i> , 1994, 91, 32-34.	1.4	27
52	The significance of paired MEFV mutations in individuals without symptoms of familial Mediterranean fever. <i>European Journal of Human Genetics</i> , 2002, 10, 786-789.	2.8	27
53	Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. <i>Rheumatology International</i> , 2009, 29, 955-957.	3.0	27
54	Markers of endothelial damage and repair in Takayasu arteritis: Are they associated with disease activity?. <i>Rheumatology International</i> , 2014, 34, 1129-1138.	3.0	27

#	ARTICLE	IF	CITATIONS
55	Oxidative stress and related factors in patients with ankylosing spondylitis. <i>European Journal of Rheumatology</i> , 2016, 3, 20-24.	0.6	27
56	Cross-phenotype analysis of ImmunoChip data identifies <i>KDM4C</i> as a relevant locus for the development of systemic vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 589-595.	0.9	27
57	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021, 108, 84-99.	6.2	26
58	Acute Trichinellosis in Children Compared With Adults. <i>Pediatric Infectious Disease Journal</i> , 2005, 24, 897-900.	2.0	25
59	Evaluation of the T helper 17 axis in ankylosing spondylitis. <i>Rheumatology International</i> , 2012, 32, 2511-2515.	3.0	25
60	Ventricular Diastolic Functions of Ankylosing Spondylitis Patients by Using Conventional Pulsed-Wave Doppler, Myocardial Performance Index, and Tissue Doppler Imaging. <i>Echocardiography</i> , 2007, 25, 070619173248003-???	0.9	24
61	Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. <i>Rheumatology International</i> , 2013, 33, 2617-2623.	3.0	24
62	Articular, B-cell, non-Hodgkin's lymphoma mimicking rheumatoid arthritis: synovial involvement in a small hand joint. <i>Rheumatology International</i> , 2004, 24, 169-172.	3.0	23
63	Gemcitabine-induced vasculitis in advanced transitional cell carcinoma of the bladder. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 122-125.	2.5	22
64	The Effect of Regular Colchicine Treatment on Biomarkers Related with Vascular Injury in Newly Diagnosed Patients with Familial Mediterranean Fever. <i>Inflammation</i> , 2012, 35, 1191-1197.	3.8	22
65	Performance of different criteria sets for inflammatory back pain in patients with axial spondyloarthritis with and without radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2014, 33, 1475-1479.	2.2	22
66	Treatment of ankylosing spondylitis. <i>Turkish Journal of Medical Sciences</i> , 2015, 45, 416-430.	0.9	22
67	The challenge of the definition of early symptomatic knee osteoarthritis: a proposal of criteria and red flags from an international initiative promoted by the Italian Society for Rheumatology. <i>Rheumatology International</i> , 2017, 37, 1227-1236.	3.0	22
68	Thyrotoxic Periodic Paralysis in a Turkish Male; The Recurrence of the Attack after Radioiodine Treatment. <i>Endocrine Journal</i> , 2005, 52, 149-151.	1.6	21
69	A Case of Adult-Onset Still's Disease Complicated with Diffuse Alveolar Hemorrhage. <i>Journal of Korean Medical Science</i> , 2009, 24, 155.	2.5	21
70	Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. <i>Clinics</i> , 2014, 69, 688-693.	1.5	21
71	Evaluation of left ventricular diastolic dysfunction with conventional and current Doppler techniques in Behçet's disease. <i>Clinical Rheumatology</i> , 2006, 25, 873-876.	2.2	20
72	Axial sarcoidosis mimicking radiographic sacroiliitis. <i>Rheumatology International</i> , 2009, 29, 343-345.	3.0	20

#	ARTICLE	IF	CITATIONS
73	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. <i>Journal of Rheumatology</i> , 2015, 42, 1443-1447.	2.0	19
74	Flow Cytometric Analysis of Circadian Changes in Platelet Activation Using Anti-Gmp-140 Monoclonal Antibody. <i>Chronobiology International</i> , 1999, 16, 335-342.	2.0	18
75	Evaluation of Circulating Endothelial and Platelet Microparticles in Men with Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2012, 39, 594-599.	2.0	18
76	Thrombosis and priapism in a patient with Henoch-Schonlein purpura. <i>Rheumatology International</i> , 2005, 25, 472-474.	3.0	16
77	Maintenance of remission with combination etanercept+DMARD therapy versus DMARDs alone in active rheumatoid arthritis: results of an international treat-to-target study conducted in regions with limited biologic access. <i>Rheumatology International</i> , 2017, 37, 1469-1479.	3.0	16
78	Long-Term Follow-Up of Endovascular Repair in the Management of Arterial Stenosis Caused by Takayasu's Arteritis. <i>Annals of Vascular Surgery</i> , 2017, 42, 93-100.	0.9	16
79	Epidemiology of Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S33-9.	0.8	16
80	Genetic diagnostic profiling in axial spondyloarthritis: a real world study. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 229-233.	0.8	16
81	Etiopathogenic role of HLA-B27 alleles in ankylosing spondylitis. <i>APLAR Journal of Rheumatology</i> , 2005, 8, 146-153.	0.2	15
82	Ghrelin and adipokines as circulating markers of disease activity in patients with Takayasu arteritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R272.	3.5	15
83	JAK Inhibitors for Axial Spondyloarthritis: What does the Future Hold?. <i>Current Rheumatology Reports</i> , 2021, 23, 34.	4.7	15
84	A case of familial Mediterranean fever and polyarteritis nodosa complicated by spontaneous perirenal and subcapsular hepatic hemorrhage requiring multiple arterial embolizations. <i>Rheumatology International</i> , 2005, 25, 60-64.	3.0	14
85	Fetuin-A and interleukin-18 levels in ankylosing spondylitis. <i>International Journal of Rheumatic Diseases</i> , 2010, 13, 75-81.	1.9	14
86	Looking Into the New ASAS Classification Criteria for Axial Spondyloarthritis Through the Other Side of the Glass. <i>Current Rheumatology Reports</i> , 2015, 17, 515.	4.7	14
87	Platelet activation in congenital heart diseases. <i>Pediatrics International</i> , 1997, 39, 566-569.	0.5	13
88	Cross-cultural adaptation and validation of the Turkish version of the pain catastrophizing scale among patients with ankylosing spondylitis. <i>Journal of Physical Therapy Science</i> , 2016, 28, 298-303.	0.6	13
89	Paradoxical increase in uric acid level with allopurinol use in pyrazinamide-induced hyperuricaemia. <i>Singapore Medical Journal</i> , 2013, 54, e125-e126.	0.6	13
90	Atypical infectious mononucleosis in a patient receiving tumor necrosis factor alpha inhibitory treatment. <i>Rheumatology International</i> , 2009, 29, 825-826.	3.0	12

#	ARTICLE	IF	CITATIONS
91	Direct and indirect costs associated with ankylosing spondylitis and related disease activity scores in Turkey. <i>Rheumatology International</i> , 2015, 35, 1473-1478.	3.0	12
92	Assessing rheumatologists' attitudes and utilization of classification criteria for ankylosing spondylitis and axial spondyloarthritis: a global effort. <i>Clinical Rheumatology</i> , 2021, 40, 949-954.	2.2	12
93	High frequency of inflammatory back pain and other features of spondyloarthritis in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2013, 33, 1289-1293.	3.0	11
94	Development and implementation of the AIDA International Registry for patients with Behçet's disease. <i>Internal and Emergency Medicine</i> , 2022, 17, 1977-1986.	2.0	11
95	Platelet Activation during the Early Neonatal Period. <i>Neonatology</i> , 1998, 73, 166-171.	2.0	10
96	Thymic enlargement in a patient with juvenile idiopathic arthritis during etanercept therapy. <i>Rheumatology International</i> , 2009, 29, 591-593.	3.0	10
97	Seroprevalence of <i>Borrelia burgdorferi</i> in patients with Behçet's disease. <i>Rheumatology International</i> , 2003, 23, 289-293.	3.0	9
98	Epidemiology of Rheumatoid Arthritis in Turkey. <i>Clinical Rheumatology</i> , 2006, 25, 560-561.	2.2	9
99	FREQUENCY AND SEVERITY OF MUSCULOSKELETAL SYMPTOMS IN HUMANS DURING AN OUTBREAK OF TRICHINELLOSIS CAUSED BY TRICHINELLA BRITTOVI. <i>Journal of Parasitology</i> , 2007, 93, 341-344.	0.7	8
100	Evaluation of various endothelial biomarkers in ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2012, 31, 23-28.	2.2	8
101	Do major histocompatibility complex tag single nucleotide polymorphisms accurately identify HLA-B*27 in the Turkish population?. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 2035-2039.	1.9	8
102	Therapies of Early, Advanced, and Late Onset Forms of Axial Spondyloarthritis, and the Need for Treat to Target Strategies. <i>Current Rheumatology Reports</i> , 2017, 19, 8.	4.7	8
103	Body composition in patients with rheumatoid arthritis is not different than healthy subjects. <i>European Journal of Rheumatology</i> , 2014, 1, 106-110.	0.6	8
104	Intramolecular specificity of anti-HLA alloantibodies. <i>Human Immunology</i> , 1991, 30, 91-98.	2.4	7
105	Nasal Septal Perforation in a Patient with Takayasu's Arteritis; a Rare Association. <i>Internal Medicine</i> , 2009, 48, 1551-1554.	0.7	7
106	Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. <i>Journal of Rheumatology</i> , 2015, 42, 1647-1651.	2.0	7
107	Increased Frequency of Hand Osteoarthritis in Patients with Primary Sjögren Syndrome Compared with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2016, 43, 1068-1071.	2.0	7
108	Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. <i>European Journal of Rheumatology</i> , 2018, 5, 249-253.	0.6	7

#	ARTICLE	IF	CITATIONS
109	European bio-naïve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. <i>Rheumatology</i> , 2022, 61, 3799-3807.	1.9	7
110	A case with recurrent calf pain and swelling: recurrent spontaneous calf haematoma. <i>Rheumatology International</i> , 2002, 21, 247-249.	3.0	6
111	The role of HLA-DRB1 shared epitope alleles in predicting short-term response to leflunomide in rheumatoid arthritis. <i>Rheumatology</i> , 2007, 46, 1842-1844.	1.9	6
112	Ankylosing spondylitis and spondylarthropathy presenting with a clinical picture of adult onset Still's disease: case series. <i>Rheumatology</i> , 2008, 47, 1436-1437.	1.9	6
113	M694V mutation may have a role in susceptibility to ankylosing spondylitis. <i>Rheumatology International</i> , 2009, 29, 1259-1260.	3.0	6
114	Comment on the article by Durmus et al. "Clinical significance of MEFV mutations in ankylosing spondylitis". <i>Joint Bone Spine</i> , 2010, 77, 281.	1.6	6
115	Papilledema Caused by Cerebral Venous Sinus Thrombosis in a Patient With Behçet Disease. <i>Journal of Clinical Rheumatology</i> , 2013, 19, 52.	0.9	6
116	A multicenter report of biologic agents for the treatment of secondary amyloidosis in Turkish rheumatoid arthritis and ankylosing spondylitis patients. <i>Rheumatology International</i> , 2016, 36, 945-953.	3.0	6
117	The validity and reliability study of the University of California, Los Angeles Scleroderma Clinical Trial Consortium Gastrointestinal Tract (UCLA SCTC GIT) 2.0 questionnaire for the Turkish society. <i>Turkish Journal of Gastroenterology</i> , 2019, 30, 234-241.	1.1	6
118	The impact of a csDMARD in combination with a TNF inhibitor on drug retention and clinical remission in axial spondyloarthritis. <i>Rheumatology</i> , 2022, 61, 4741-4751.	1.9	6
119	HLA EPITOPE MATCHING. <i>Transplantation</i> , 1991, 52, 903-907.	1.0	5
120	Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.	3.0	5
121	Epidemiology of Axial Spondyloarthritis. , 2019, , 31-56.		5
122	Is Axial Spondyloarthritis More Common Than Rheumatoid Arthritis?. <i>Current Rheumatology Reports</i> , 2020, 22, 54.	4.7	5
123	The prevalence of Sjögren's syndrome and sicca symptoms in patients with systemic sclerosis and alpha-smooth muscle actin expression in biopsy specimens from minor salivary glands. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1875-1882.	0.9	5
124	Current antiviral practice and course of Hepatitis B virus infection in inflammatory arthritis: a multicentric observational study (A + HBV study). <i>European Journal of Rheumatology</i> , 2015, 2, 149-154.	0.6	5
125	Oncogenous Osteomalacia-Report of a Case. <i>Acta Oncologica</i> , 1994, 33, 975-976.	1.8	4
126	A case of recurrent pancreatitis due to hyperlipidemia misdiagnosed as familial Mediterranean fever. <i>Clinical Rheumatology</i> , 2004, 23, 559-561.	2.2	4

#	ARTICLE	IF	CITATIONS
127	Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. <i>Rheumatology International</i> , 2012, 32, 2819-2822.	3.0	4
128	Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. <i>Clinical Rheumatology</i> , 2013, 32, 1511-1517.	2.2	4
129	PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S11-4.	0.8	4
130	The effect of non-steroidal anti-inflammatory drugs on the endothelial function of patients with osteoarthritis in short term. <i>International Journal of Rheumatic Diseases</i> , 2012, 15, 207-211.	1.9	3
131	Treatment of Patients With Nonradiographic Axial Spondyloarthritis Who Have Negative Magnetic Resonance Imaging Results and Normal C-reactive Protein Levels at Baseline: Comment on the Article by Ward et al. <i>Arthritis and Rheumatology</i> , 2016, 68, 1563-1563.	5.6	2
132	Is there a relationship between endothelial nitric oxide synthase gene polymorphisms and ankylosing spondylitis?. <i>Clinics</i> , 2013, 68, 305-309.	1.5	2
133	Mesalazine-associated acute tubulointerstitial nephritis in a patient with spondylarthropathy. <i>New Zealand Medical Journal</i> , 2005, 118, U1662.	0.5	2
134	Efficacy of leucocyte filters during transfusions in preventing the development of anti-HLA antibodies. <i>Indian Journal of Pediatrics</i> , 1998, 65, 729-734.	0.8	1
135	Comparison of Glucocorticoid and Nonsteroidal Anti-Inflammatory Drug Requirement Before and After Tumor Necrosis Factor Inhibitor Treatment in Patients With Rheumatoid Arthritis. <i>Archives of Rheumatology</i> , 2015, 30, 206-213.	0.9	1
136	Telephone interview strategy can be used for screening inflammatory back pain in the community. <i>International Journal of Rheumatic Diseases</i> , 2017, 20, 33-38.	1.9	1
137	Personalized Axial Spondyloarthritis Care. <i>Current Treatment Options in Rheumatology</i> , 2018, 4, 158-173.	1.4	1
138	FRIO416...THE EFFICACY AND SAFETY OF ANTI-TNF A TREATMENT IN ANKYLOSING SPONDYLITIS PATIENTS WITH LATE ONSET COMPARED TO THOSE WITH ADULT ONSET; THE DATA FROM TURKBIO REGISTRY., 2019, , .		1
139	Prevalence of Spondyloarthritis Among Patients Who Underwent Lumbar Disc Herniation Surgery. <i>Archives of Rheumatology</i> , 2020, 35, 189-195.	0.9	1
140	Rheumatology patients pay the price for the flawed clinical trials on the treatment of COVID-19. <i>Ulusal Romatoloji Dergisi</i> , 2020, 12, 88-95.	0.0	1
141	Pseudoscience at the expense of rheumatic disease patients during the Coronavirus disease 2019 pandemic. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 128, 5-7.	0.8	1
142	Ten key recommendations for the management of ankylosing spondylitis. <i>Nature Clinical Practice Rheumatology</i> , 2006, 2, 468-469.	3.2	0
143	Impaired endothelial function in patients with ankylosing spondylitis: reply. <i>Rheumatology</i> , 2006, 45, 1319-1320.	1.9	0
144	Standardization is essential for a more rigorous comparison of rates: comment on the reply by Gilgil, Kacar, and Tuncer. <i>Clinical Rheumatology</i> , 2007, 26, 136-136.	2.2	0

#	ARTICLE	IF	CITATIONS
145	Prevalence of spondyloarthropathy in Lithuania: comment on the article by Adomaviciute et al. Scandinavian Journal of Rheumatology, 2009, 38, 75-76.	1.1	0
146	PMS37 Productivity Loss of Ankylosing Spondylitis Patients in Turkey Due to Sick Leave. Value in Health, 2012, 15, A40.	0.3	0
147	THU0358â€¦...DEVELOPMENT OF A SET OF ASAS QUALITY STANDARDS FOR ADULTS WITH AXIAL SPONDYLOARTHRITIS. , 2019, , .		0
148	AB1366-HPRâ€¦...THE EFFECTS OF LAND AND WATER BASED MULTIDIMENSIONAL FUNCTIONAL MOBILITY EXERCISES ON PULMONARY FUNCTIONS IN ANKYLOSING SPONDYLITIS PATIENTS. , 2019, , .		0
149	Bilateral Paraneoplastic Vitritis: Report of a Case. Beyoglu Eye Journal, 2021, 6, 140-144.	0.2	0
150	The adaptation of the Turkish version of the Assessment of Knowledge in Ankylosing Spondylitis Patients by a Self-Administered Questionnaire. Turkish Journal of Physical Medicine and Rehabilitation, 2020, 66, 299-306.	0.9	0
151	The adaptation of the Turkish version of the Assessment of Knowledge in Ankylosing Spondylitis Patients by a Self-Administered Questionnaire. Turkish Journal of Physical Medicine and Rehabilitation, 2020, 66, 299-306.	1.1	0
152	Radiographic axial spondyloarthritis versus ankylosing spondylitis. Clinical and Experimental Rheumatology, 2016, 34, S7.	0.8	0