## Gillian L Schauer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4176637/publications.pdf

Version: 2024-02-01

361413 223800 2,210 47 20 46 citations h-index g-index papers 48 48 48 2414 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	National Estimates of Marijuana Use and Related Indicators — National Survey on Drug Use and Health, United States, 2002–2014. MMWR Surveillance Summaries, 2016, 65, 1-28.	34.6	323
2	Perceived Harm, Addictiveness, and Social Acceptability of Tobacco Products and Marijuana Among Young Adults: Marijuana, Hookah, and Electronic Cigarettes Win. Substance Use and Misuse, 2015, 50, 79-89.	1.4	299
3	Toking, Vaping, and Eating for Health or Fun. American Journal of Preventive Medicine, 2016, 50, 1-8.	3.0	281
4	Assessing the overlap between tobacco and marijuana: Trends in patterns of co-use of tobacco and marijuana in adults from 2003–2012. Addictive Behaviors, 2015, 49, 26-32.	3.0	192
5	Marijuana and tobacco co-administration in blunts, spliffs, and mulled cigarettes: A systematic literature review. Addictive Behaviors, 2017, 64, 200-211.	3.0	114
6	Differences in Tobacco Product Use Among Past Month Adult Marijuana Users and Nonusers: Findings From the 2003–2012 National Survey on Drug Use and Health. Nicotine and Tobacco Research, 2016, 18, 281-288.	2.6	82
7	Correlates and trends in youth co-use of marijuana and tobacco in the United States, 2005–2014. Drug and Alcohol Dependence, 2018, 185, 238-244.	3.2	65
8	Marijuana and tobacco co-use among a nationally representative sample of US pregnant and non-pregnant women: 2005–2014 National Survey on Drug Use and Health findings. Drug and Alcohol Dependence, 2017, 177, 130-135.	3.2	62
9	Does marijuana "blunt―smoking contribute to nicotine exposure?: Preliminary product testing of nicotine content in wrappers of cigars commonly used for blunt smoking. Drug and Alcohol Dependence, 2016, 168, 119-122.	3.2	60
10	Reasons for Marijuana and Tobacco Co-use Among Young Adults: A Mixed Methods Scale Development Study. Substance Use and Misuse, 2018, 53, 357-369.	1.4	53
11	Modes of marijuana use – smoking, vaping, eating, and dabbing: Results from the 2016 BRFSS in 12 States. Drug and Alcohol Dependence, 2020, 209, 107900.	3.2	53
12	Use and Perceptions of Cannabidiol Products in Canada and in the United States. Cannabis and Cannabinoid Research, 2022, 7, 355-364.	2.9	50
13	Prevalence, correlates, and trends in tobacco use and cessation among current, former, and never adult marijuana users with a history of tobacco use, 2005–2014. Addictive Behaviors, 2017, 73, 165-171.	3.0	41
14	Differences in the relationship of marijuana and tobacco by frequency of use: A qualitative study with adults aged 18–34 years Psychology of Addictive Behaviors, 2016, 30, 406-414.	2.1	35
15	Sex differences in psychosocial correlates of concurrent substance use among heterosexual, homosexual and bisexual college students. American Journal of Drug and Alcohol Abuse, 2013, 39, 252-258.	2.1	33
16	Trends in the use of cannabis products in Canada and the USA, 2018 – 2020: Findings from the International Cannabis Policy Study. International Journal of Drug Policy, 2022, 105, 103716.	3.3	33
17	Differences in Smoking and Cessation Characteristics Among Adult Nondaily Smokers in the United States: Findings From the 2009-2010 National Adult Tobacco Survey. Nicotine and Tobacco Research, 2014, 16, 58-68.	2.6	30
18	Smoking Prevalence and Cessation Characteristics among U.S. Adults With and Without COPD: Findings from the 2011 Behavioral Risk Factor Surveillance System. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2014, 11, 697-704.	1.6	29

#	Article	IF	CITATIONS
19	Health Care Provider Advice for Adolescent Tobacco Use: Results From the 2011 National Youth Tobacco Survey. Pediatrics, 2014, 134, 446-455.	2.1	28
20	Health-care Provider Screening and Advice for Smoking Cessation Among Smokers With and Without COPD. Chest, 2016, 149, 676-684.	0.8	25
21	Cannabis sales increases during COVID-19: Findings from Alaska, Colorado, Oregon, and Washington. International Journal of Drug Policy, 2021, 98, 103384.	3.3	22
22	Reasons for Electronic Nicotine Delivery System use and smoking abstinence at 6â€months: a descriptive study of callers to employer and health plan-sponsored quitlines. Tobacco Control, 2017, 26, 126-134.	3.2	21
23	Substances used in electronic vapor products among adults in the United States, 2017. Addictive Behaviors Reports, 2019, 10, 100222.	1.9	20
24	Comparison of Medical Cannabis Use Reported on a Confidential Survey vs Documented in the Electronic Health Record Among Primary Care Patients. JAMA Network Open, 2022, 5, e2211677.	5.9	19
25	Use and Effectiveness of Quitlines for Smokers With Diabetes: Cessation and Weight Outcomes, Washington State Tobacco Quit Line, 2008. Preventing Chronic Disease, 2013, 10, E105.	3.4	17
26	A qualitative inquiry about weight counseling practices in community health centers. Patient Education and Counseling, 2014, 97, 82-87.	2.2	16
27	Modes of ever marijuana use among adult tobacco users and non-tobacco users— <i>Styles</i> Journal of Substance Use, 2016, 21, 631-635.	0.7	16
28	Trends in the Average Age of Quitting Among U.S. Adult Cigarette Smokers. American Journal of Preventive Medicine, 2015, 49, 939-944.	3.0	15
29	The development and pilot testing of the marijuana retail surveillance tool (MRST): assessing marketing and point-of-sale practices among recreational marijuana retailers. Health Education Research, 2017, 32, 465-472.	1.9	15
30	National Trends in Frequency and Amount of Nondaily Smoking, and Relation to Quit Attempts, 2000–2012. Nicotine and Tobacco Research, 2016, 18, 1539-1544.	2.6	14
31	Past Year Quit Attempts and Use of Cessation Resources Among Cigarette-Only Smokers and Cigarette Smokers Who Use Other Tobacco Products. Nicotine and Tobacco Research, 2016, 18, ntv038.	2.6	13
32	Cannabis Policy in the United States: Implications for Public Health. Journal of the National Cancer Institute Monographs, 2021, 2021, 39-52.	2.1	13
33	Health professional advice for smoking and weight in adults with and without diabetes: findings from BRFSS. Journal of Behavioral Medicine, 2013, 36, 10-19.	2.1	12
34	Electronic nicotine delivery system (ENDS) use during smoking cessation: a qualitative study of 40 Oklahoma quitline callers. BMJ Open, 2017, 7, e013079.	1.9	12
35	Cessation Behaviors and Treatment Use Among U.S. Smokers by Insurance Status, 2000–2015. American Journal of Preventive Medicine, 2019, 57, 478-486.	3.0	12
36	Selfâ€reported exposure to, perceptions about, and attitudes about public marijuana smoking among US adults, 2018. Addiction, 2020, 115, 1320-1329.	3.3	12

#	Article	IF	CITATIONS
37	Barriers to weight loss among community health center patients: qualitative insights from primary care providers. BMC Obesity, 2016, 3, 43.	3.1	11
38	Prevalence and Correlates of Switching to Another Tobacco Product to Quit Smoking Cigarettes. Nicotine and Tobacco Research, 2015, 17, 622-627.	2.6	10
39	Trends in and characteristics of marijuana and menthol cigarette use among current cigarette smokers, 2005-2014. Nicotine and Tobacco Research, 2018, 20, ntw394.	2.6	10
40	Adolescent Marijuana Use and Related Risk Behaviors, National Findings From 2015 to 2017. American Journal of Preventive Medicine, 2020, 59, 714-724.	3.0	9
41	Current marijuana use among women of reproductive age. Drug and Alcohol Dependence, 2020, 214, 108161.	3.2	9
42	Clinician Beliefs and Practices Related to Cannabis. Cannabis and Cannabinoid Research, 2022, 7, 508-515.	2.9	7
43	Gradual Reduction of Cigarette Consumption as a Cessation Strategy: Prevalence, Correlates, and Relationship With Quitting. Nicotine and Tobacco Research, 2015, 17, 530-538.	2.6	6
44	Marijuana Use and Adherence to Smoking Cessation Treatment Among Callers to Tobacco Quitlines. Preventing Chronic Disease, 2020, 17, E102.	3.4	4
45	Self-Reported Medical and Nonmedical Cannabis Use: Results from the 2018 Behavioral Risk Factor Surveillance System in 14 States. Journal of Community Health, 2022, 47, 641-649.	3.8	4
46	How Tobacco Quitline Callers in 38 US States Reported Hearing About Quitline Services, 2010–2013. Preventing Chronic Disease, 2016, 13, E17.	3.4	2
47	Applying the Chronic Care Model to an Employee Benefits Program. Journal of Occupational and Environmental Medicine, 2013, 55, 1456-1462.	1.7	1