Sean P Kennelly

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4177233/publications.pdf

Version: 2024-02-01

236925 197818 2,701 105 25 49 citations h-index g-index papers 108 108 108 4633 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Autoantibodies neutralizing type I IFNs are present in \sim 4% of uninfected individuals over 70 years old and account for \sim 20% of COVID-19 deaths. Science Immunology, 2021, 6, .	11.9	357
2	Drug treatments in Alzheimer's disease. Clinical Medicine, 2016, 16, 247-253.	1.9	344
3	Blood pressure and the risk for dementia—A double edged sword. Ageing Research Reviews, 2009, 8, 61-70.	10.9	152
4	Review: Blood pressure and dementia — a comprehensive review. Therapeutic Advances in Neurological Disorders, 2009, 2, 241-260.	3.5	133
5	Nilvadipine in mild to moderate Alzheimer disease: A randomised controlled trial. PLoS Medicine, 2018, 15, e1002660.	8.4	131
6	COVID-19 in nursing homes. QJM - Monthly Journal of the Association of Physicians, 2020, 113, 391-392.	0.5	111
7	The risk of COVID-19 death is much greater and age dependent with type I IFN autoantibodies. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2200413119.	7.1	110
8	Validation of the 8-item Centre for Epidemiological Studies Depression Scale in a cohort of community-dwelling older people: data from The Irish Longitudinal Study on Ageing (TILDA). European Geriatric Medicine, 2018, 9, 121-126.	2.8	88
9	Acute hospital dementia care: results from a national audit. BMC Geriatrics, 2016, 16, 113.	2.7	72
10	Nursing home residents attending the emergency department: clinical characteristics and outcomes. QJM - Monthly Journal of the Association of Physicians, 2013, 106, 803-808.	0.5	70
11	Nursing Home Design and COVID-19: Balancing Infection Control, Quality of Life, and Resilience. Journal of the American Medical Directors Association, 2020, 21, 1519-1524.	2.5	62
12	NILVAD protocol: a European multicentre double-blind placebo-controlled trial of nilvadipine in mild-to-moderate Alzheimer's disease. BMJ Open, 2014, 4, e006364.	1.9	47
13	Walking the Cognitive "Minefield―Between High and Low Blood Pressure. Journal of Alzheimer's Disease, 2012, 32, 609-621.	2.6	45
14	Acute care of older patients in the emergency department: strategies to improve patient outcomes. Open Access Emergency Medicine, 2015, 7, 45.	1.3	42
15	Does baseline depression increase the risk of unexplained and accidental falls in a cohort of communityâ€dwelling older people? Data from The Irish Longitudinal Study on Ageing (TILDA). International Journal of Geriatric Psychiatry, 2018, 33, e205-e211.	2.7	40
16	Longitudinal Association Between Orthostatic Hypotension at 30 Seconds Post-Standing and Late-Life Depression. Hypertension, 2018, 71, 946-954.	2.7	37
17	Knowledge, skills and attitudes of doctors towards assessing cognition in older patients in the emergency department. Postgraduate Medical Journal, 2013, 89, 137-141.	1.8	36
18	A Comparison of Beers and STOPP Criteria in Assessing Potentially Inappropriate Medications in Nursing Home Residents Attending the Emergency Department. Journal of the American Medical Directors Association, 2014, 15, 830-834.	2.5	36

#	Article	IF	Citations
19	Demonstration of safety in Alzheimer's patients for intervention with an antiâ€hypertensive drug Nilvadipine: results from a 6â€week open label study. International Journal of Geriatric Psychiatry, 2011, 26, 1038-1045.	2.7	35
20	Asymptomatic carriage rates and case fatality of SARS-CoV-2 infection in residents and staff in Irish nursing homes. Age and Ageing, 2021, 50, 49-54.	1.6	34
21	Apolipoprotein E genotypeâ€specific shortâ€term cognitive benefits of treatment with the antihypertensive nilvadipine in Alzheimer's patientsâ€"an open″abel trial. International Journal of Geriatric Psychiatry, 2012, 27, 415-422.	2.7	33
22	Managing delirium in everyday practice: towards cognitive-friendly hospitals. Advances in Psychiatric Treatment, 2014, 20, 380-389.	0.5	33
23	What is the prevalence of untreated depression and death ideation in older people? Data from the Irish Longitudinal Study on Aging. International Psychogeriatrics, 2018, 30, 1393-1401.	1.0	30
24	Understanding the aetiology of fear of falling from the perspective of a fear-avoidance model $\hat{a}\in$ A narrative review. Clinical Psychology Review, 2020, 79, 101862.	11.4	30
25	Characteristics and outcomes of older persons attending the emergency department: a retrospective cohort study. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 977-987.	0.5	29
26	Acute hospital care: how much activity is attributable to caring for patients with dementia?. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 41-44.	0.5	26
27	Is Fear of Falling Associated With Decline in Global Cognitive Functioning in Older Adults: Findings From the Irish Longitudinal Study on Ageing. Journal of the American Medical Directors Association, 2018, 19, 248-254.e3.	2.5	24
28	Previous SARS-CoV-2 Infection, Age, and Frailty Are Associated With 6-Month Vaccine-Induced Anti-Spike Antibody Titer in Nursing Home Residents. Journal of the American Medical Directors Association, 2022, 23, 434-439.	2.5	24
29	Social networks in mild-to-moderate Alzheimer disease: longitudinal relationships with dementia severity, cognitive function, and adverse events. Aging and Mental Health, 2021, 25, 1923-1929.	2.8	23
30	Gait speed, cognition and falls in people living with mild-to-moderate Alzheimer disease: data from NILVAD. BMC Geriatrics, 2020, 20, 117.	2.7	23
31	European multicentre double-blind placebo-controlled trial of Nilvadipine in mild-to-moderate Alzheimer's diseaseâ€"the substudy protocols: NILVAD frailty; NILVAD blood and genetic biomarkers; NILVAD cerebrospinal fluid biomarkers; NILVAD cerebral blood flow. BMJ Open, 2016, 6, e011584.	1.9	21
32	Cognitive assessment of older adults in general practice: the collateral history. Irish Journal of Medical Science, 2018, 187, 683-687.	1.5	21
33	Cognitive Outcomes of Long-term Benzodiazepine and Related Drug (BDZR) Use in People Living With Mild to Moderate Alzheimer's Disease: Results From NILVAD. Journal of the American Medical Directors Association, 2020, 21, 194-200.	2.5	21
34	Peripheral Inflammation and Cognitive Performance in Middle-Aged Adults With and Without Type 2 Diabetes: Results From the ENBIND Study. Frontiers in Aging Neuroscience, 2020, 12, 605878.	3.4	21
35	What is the Longitudinal Relationship between Gait Abnormalities and Depression in a Cohort of Community-Dwelling Older People? Data From the Irish Longitudinal Study on Ageing (TILDA). American Journal of Geriatric Psychiatry, 2018, 26, 75-86.	1.2	20
36	Do Differences in Spatiotemporal Gait Parameters Predict the Risk of Developing Depression in Later Life?. Journal of the American Geriatrics Society, 2019, 67, 1050-1056.	2.6	20

#	Article	IF	Citations
37	Frequent inaccuracies in ABCD2 scoring in non-stroke specialists' referrals to a daily Rapid Access Stroke Prevention service. Journal of the Neurological Sciences, 2013, 332, 30-34.	0.6	18
38	The Abbreviated Mental Test 4 for cognitive screening of older adults presenting to the Emergency Department. European Journal of Emergency Medicine, 2017, 24, 417-422.	1.1	18
39	The association between frontal lobe perfusion and depressive symptoms in later life. British Journal of Psychiatry, 2019, 214, 230-236.	2.8	17
40	Antipsychotic prescription amongst hospitalized patients with dementia. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 589-593.	0.5	16
41	Screening for frailty in older emergency department patients: the utility of the Survey of Health, Ageing and Retirement in Europe Frailty Instrument. QJM - Monthly Journal of the Association of Physicians, 2018, 111, 151-154.	0.5	16
42	Cognitive assessment of older adults at the acute care interface: the informant history. Postgraduate Medical Journal, 2016, 92, 255-259.	1.8	15
43	Is Ongoing Anticholinergic Burden Associated With Greater Cognitive Decline and Dementia Severity in Mild to Moderate Alzheimer's Disease?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 987-994.	3.6	15
44	Systematic Review: The Association between Late Life Depression and Hypotension. Journal of the American Medical Directors Association, 2016, 17, 1076-1088.	2.5	14
45	Fear of falling: A manifestation of executive dysfunction?. International Journal of Geriatric Psychiatry, 2019, 34, 1275-1282.	2.7	14
46	Non-pharmacological interventions for cognition in patients with Type 2 diabetes mellitus: a systematic review. QJM - Monthly Journal of the Association of Physicians, 2020, 113, 155-161.	0.5	14
47	The Influence of Baseline Alzheimer's Disease Severity on Cognitive Decline and CSF Biomarkers in the NILVAD Trial. Frontiers in Neurology, 2020, 11, 149.	2.4	14
48	Does baseline hypotension predict incident depression in a cohort of community-dwelling older people? Data from The Irish Longitudinal Study on Ageing (TILDA). Age and Ageing, 2017, 46, 648-653.	1.6	13
49	Implementation of geriatric care models in Europe (imAGE.eu): a cross-sectional survey in eight countries. European Geriatric Medicine, 2018, 9, 771-782.	2.8	13
50	Non-pharmacological interventions for cognitive impairment in women with breast cancer post-chemotherapy: A systematic review. Journal of Geriatric Oncology, 2021, 12, 173-181.	1.0	11
51	No relationship between fornix and cingulum degradation and within-network decreases in functional connectivity in prodromal Alzheimer's disease. PLoS ONE, 2019, 14, e0222977.	2.5	10
52	Potentially inappropriate medication use in older adults with mild-moderate Alzheimer's disease: prevalence and associations with adverse events. Age and Ageing, 2020, 49, 580-587.	1.6	10
53	Limitations to the identification of <scp>HIV</scp> â€associated neurocognitive disorders in clinical practice. HIV Medicine, 2013, 14, 497-502.	2.2	9
54	Symptom Assessment for a Palliative Care Approach in People With Dementia Admitted to Acute Hospitals. Journal of Geriatric Psychiatry and Neurology, 2015, 28, 255-259.	2.3	8

#	Article	IF	CITATIONS
55	Cognitive performance in midlife type 2 diabetes: results from the ENBIND study. Diabetic Medicine, 2021, 38, e14412.	2.3	8
56	Does admission to a specialist geriatric medicine ward lead to improvements in aspects of acute medical care for older patients with dementia?. International Journal of Geriatric Psychiatry, 2017, 32, 624-632.	2.7	7
57	Cognitive dysfunction: an important extrahepatic manifestation of hepatitis C infection?. Postgraduate Medical Journal, 2013, 89, 431-432.	1.8	6
58	Developing a guidance resource for managing delirium in patients with COVID-19. Irish Journal of Psychological Medicine, 2020, 38, 1-6.	1.0	6
59	Personal Electronic Records of Medications (PERMs) for medication reconciliation at care transitions: a rapid realist review. BMC Medical Informatics and Decision Making, 2021, 21, 307.	3.0	6
60	Embedding audiological screening within memory clinic care pathway for individuals at risk of cognitive declineâ€"patient perspectives. BMC Geriatrics, 2021, 21, 691.	2.7	6
61	Elder abuse in residential care. Lancet, The, 2011, 377, 1076.	13.7	5
62	Antidepressant use and orthostatic hypotension in older adults living with m ildâ€toâ€moderate Alzheimer disease. International Journal of Geriatric Psychiatry, 2020, 35, 1367-1375.	2.7	5
63	Sedative Load in Community-Dwelling Older Adults with Mild–Moderate Alzheimer's Disease: Longitudinal Relationships with Adverse Events, Delirium and Falls. Drugs and Aging, 2020, 37, 829-837.	2.7	5
64	Frailty in emergency departments. Lancet, The, 2016, 387, 1720.	13.7	3
65	Longâ€term antipsychotic use and cognitive decline in communityâ€dwelling older adults with mild–moderate Alzheimer disease: Data from NILVAD. International Journal of Geriatric Psychiatry, 2021, 36, 1708-1721.	2.7	3
66	012 INVESTIGATING COGNITIVE IMPAIRMENT IN THE EMERGENCY DEPARTMENT: THE ROLE OF THE INFORMANT HISTORY. Age and Ageing, 2016, 45, ii1-ii12.	1.6	2
67	288 Hearing Loss as a Potentially Modifiable Risk Factor in People with Mild Cognitive Symptoms Attending a Specialist Memory Service. Age and Ageing, 2019, 48, iii17-iii65.	1.6	2
68	Prescribing cascades in community-dwelling adults: protocol for a systematic review. HRB Open Research, 2021, 4, 72.	0.6	2
69	An integrated approach of multi-objective optimization model for evaluating new supporting program in Irish hospitals. , 2016 , , .		1
70	166Dementia Friendly Hospitals from a Universal Design Approach: Research and Guidelines to Support People with Dementia, Accompanying Persons and Visitors. Age and Ageing, 2018, 47, v1-v12.	1.6	1
71	Cognition and Health Ageing. , 2019, , 169-180.		1
72	Awareness of atrial fibrillationâ€"effectiveness of a pilot national awareness campaign. Irish Journal of Medical Science, 2020, 189, 149-153.	1.5	1

#	Article	IF	CITATIONS
73	Repurposing nilvadipine for treatment of dementia: An overview. Drugs of the Future, 2017, 42, 0281.	0.1	1
74	Falls and mobility limitations in older people: Measures of higher cerebral integration are also important. American Journal of Medicine, 2004, 117, 971.	1.5	0
7 5	Management of patients with dysphagia and aspiration pneumonia $\hat{a} \in \text{``an Irish perspective. European Geriatric Medicine, 2012, 3, 323-325.}$	2.8	O
76	[P1–247]: DIAGNOSTIC UTILITY OF CEREBROSPINAL FLUID BIOMARKERS IN IRISH SUBJECTS WITH COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2017, 13, P341.	0.8	0
77	012The Informant History in the Cognitive Assessment of Older Adults in General Practice. Age and Ageing, 2017, 46, iii13-iii59.	1.6	O
78	131Developing the Physiotherapist's Role on an Integrated Care Team for Older Persons. Age and Ageing, 2017, 46, iii13-iii59.	1.6	0
79	234Midlife Gait Abnormalities in People with Type 2 Diabetesâ€"Data from TILDA. Age and Ageing, 2017, 46, iii13-iii59.	1.6	O
80	148Urinary Catheter Use and Care in the Acute Hospital Setting: A Point Prevalence Study. Age and Ageing, 2017, 46, iii13-iii59.	1.6	0
81	159Determining Knowledge and Degree of Engagement of Hospital Estates Management and Technical Services Departments for Provision of Dementia Friendly Hospitals. Age and Ageing, 2018, 47, v13-v60.	1.6	O
82	25A Hospital Wide Point Prevalence of Adult Urinary Incontinence and Audit of Continence Care. Age and Ageing, 2018, 47, v13-v60.	1.6	0
83	289Bone Health in OrthoRehab - Room to Improve or a Bone of Contention?. Age and Ageing, 2018, 47, v13-v60.	1.6	O
84	249Incorporating a Pathological Scheme for Diagnosing Alzheimer's Disease (AD) and Neurodegeneration in a Tertiary Memory Clinic Setting. Age and Ageing, 2018, 47, v1-v12.	1.6	0
85	11Gait and Cognition in the Clinic – A Pilot Study of Patients with Type 2 Diabetes Mellitus. Age and Ageing, 2018, 47, v13-v60.	1.6	O
86	97 Potentially Inappropriate Medications in Patients with Alzheimer's Disease: Data from NILVAD. Age and Ageing, 2019, 48, iii1-iii16.	1.6	0
87	197 Role of a Dietitian in a Specialist Memory Assessment and Support Service - Improving Brain Health. Age and Ageing, 2019, 48, iii17-iii65.	1.6	O
88	200 Evaluation of Nutrition Service Provision in a Day Hospital Setting. Age and Ageing, 2019, 48, iii17-iii65.	1.6	0
89	210 Nursing Home Residents in Acute Hospital – a Targeted ANPc Program to Improve Care. Age and Ageing, 2019, 48, iii17-iii65.	1.6	O
90	270 Tackling Chronic Disease Burden and Building Resilience in Frail Community Populations in an Integrated Model- the ExWell Project. Age and Ageing, 2019, 48, iii17-iii65.	1.6	0

#	Article	IF	CITATIONS
91	218 Swallowing/Communication Screening in Older Adults Attending the Emergency Department and Association with Clinical Frailty Scale Scores. Age and Ageing, 2019, 48, iii17-iii65.	1.6	0
92	264 Incorporating Neurolinguistics and the Role of Speech and Language Therapy in a Specialist Memory Service. Age and Ageing, 2019, 48, iii17-iii65.	1.6	0
93	330 Insights into Dementia- An Integrated Care Approach to Family Support. Age and Ageing, 2019, 48, iii17-iii65.	1.6	O
94	24 Stroke Risk Factors, Aetiology, and Outcomes in a Multi-ethnic Irish Stroke Population. Age and Ageing, 2019, 48, iii17-iii65.	1.6	0
95	98 Use of Drgs with Anticholinergic Properties in People Living with Alzheimer's Disease: Data from NILVAD. Age and Ageing, 2019, 48, iii17-iii65.	1.6	0
96	${\sf A\hat{l}^2}$ 42 mediated activation of the NLRP3 inflammasome predicts cognitive and gait performance in midlife type 2 diabetes mellitus (T2DM). Alzheimer's and Dementia, 2020, 16, e042147.	0.8	0
97	Dualâ€task gait and cognitive performance in midlife type 2 diabetes mellitus (T2DM): Baseline data from ENBIND. Alzheimer's and Dementia, 2020, 16, e042152.	0.8	0
98	Long-term proton-pump inhibitor use in older adults with mild-to-moderate Alzheimer's disease: Are there cognitive consequences?. European Journal of Internal Medicine, 2020, 79, 114-117.	2.2	0
99	Sexual dimorphism in the association of APOE ε4 genotype with cognitive decline and dementia progression in mildâ€toâ€moderate Alzheimer disease. International Journal of Geriatric Psychiatry, 2020, 35, 683-686.	2.7	O
100	Caring for people with dementia in the acute hospital. , 2020, , 665-680.		0
101	Title is missing!. , 2019, 14, e0222977.		0
102	Title is missing!. , 2019, 14, e0222977.		0
103	Title is missing!. , 2019, 14, e0222977.		0
104	Title is missing!. , 2019, 14, e0222977.		0
105	Title is missing!. , 2019, 14, e0222977.		O