

Sean P Kennelly

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4177233/publications.pdf>

Version: 2024-02-01

105
papers

2,701
citations

236925

25
h-index

197818

49
g-index

108
all docs

108
docs citations

108
times ranked

4633
citing authors

#	ARTICLE	IF	CITATIONS
1	Previous SARS-CoV-2 Infection, Age, and Frailty Are Associated With 6-Month Vaccine-Induced Anti-Spike Antibody Titer in Nursing Home Residents. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 434-439.	2.5	24
2	The risk of COVID-19 death is much greater and age dependent with type I IFN autoantibodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2200413119.	7.1	110
3	Social networks in mild-to-moderate Alzheimer disease: longitudinal relationships with dementia severity, cognitive function, and adverse events. <i>Aging and Mental Health</i> , 2021, 25, 1923-1929.	2.8	23
4	Non-pharmacological interventions for cognitive impairment in women with breast cancer post-chemotherapy: A systematic review. <i>Journal of Geriatric Oncology</i> , 2021, 12, 173-181.	1.0	11
5	Asymptomatic carriage rates and case fatality of SARS-CoV-2 infection in residents and staff in Irish nursing homes. <i>Age and Ageing</i> , 2021, 50, 49-54.	1.6	34
6	Cognitive performance in midlife type 2 diabetes: results from the ENBIND study. <i>Diabetic Medicine</i> , 2021, 38, e14412.	2.3	8
7	Long-term antipsychotic use and cognitive decline in community-dwelling older adults with mild-to-moderate Alzheimer disease: Data from NILVAD. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1708-1721.	2.7	3
8	Prescribing cascades in community-dwelling adults: protocol for a systematic review. <i>HRB Open Research</i> , 2021, 4, 72.	0.6	2
9	Autoantibodies neutralizing type I IFNs are present in ~4% of uninfected individuals over 70 years old and account for ~20% of COVID-19 deaths. <i>Science Immunology</i> , 2021, 6, .	11.9	357
10	Personal Electronic Records of Medications (PERMs) for medication reconciliation at care transitions: a rapid realist review. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 307.	3.0	6
11	Embedding audiological screening within memory clinic care pathway for individuals at risk of cognitive decline – patient perspectives. <i>BMC Geriatrics</i> , 2021, 21, 691.	2.7	6
12	Non-pharmacological interventions for cognition in patients with Type 2 diabetes mellitus: a systematic review. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020, 113, 155-161.	0.5	14
13	Cognitive Outcomes of Long-term Benzodiazepine and Related Drug (BDZR) Use in People Living With Mild to Moderate Alzheimer's Disease: Results From NILVAD. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 194-200.	2.5	21
14	Is Ongoing Anticholinergic Burden Associated With Greater Cognitive Decline and Dementia Severity in Mild to Moderate Alzheimer's Disease?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 987-994.	3.6	15
15	Awareness of atrial fibrillation – effectiveness of a pilot national awareness campaign. <i>Irish Journal of Medical Science</i> , 2020, 189, 149-153.	1.5	1
16	Antidepressant use and orthostatic hypotension in older adults living with mild-to-moderate Alzheimer disease. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1367-1375.	2.7	5
17	Sedative Load in Community-Dwelling Older Adults with Mild-to-Moderate Alzheimer's Disease: Longitudinal Relationships with Adverse Events, Delirium and Falls. <i>Drugs and Aging</i> , 2020, 37, 829-837.	2.7	5
18	Peripheral Inflammation and Cognitive Performance in Middle-Aged Adults With and Without Type 2 Diabetes: Results From the ENBIND Study. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 605878.	3.4	21

#	ARTICLE	IF	CITATIONS
19	A β 42 mediated activation of the NLRP3 inflammasome predicts cognitive and gait performance in midlife type 2 diabetes mellitus (T2DM). <i>Alzheimer's and Dementia</i> , 2020, 16, e042147.	0.8	0
20	Dual-task gait and cognitive performance in midlife type 2 diabetes mellitus (T2DM): Baseline data from ENBIND. <i>Alzheimer's and Dementia</i> , 2020, 16, e042152.	0.8	0
21	Nursing Home Design and COVID-19: Balancing Infection Control, Quality of Life, and Resilience. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1519-1524.	2.5	62
22	Potentially inappropriate medication use in older adults with mild-moderate Alzheimer's disease: prevalence and associations with adverse events. <i>Age and Ageing</i> , 2020, 49, 580-587.	1.6	10
23	Long-term proton-pump inhibitor use in older adults with mild-to-moderate Alzheimer's disease: Are there cognitive consequences?. <i>European Journal of Internal Medicine</i> , 2020, 79, 114-117.	2.2	0
24	Developing a guidance resource for managing delirium in patients with COVID-19. <i>Irish Journal of Psychological Medicine</i> , 2020, 38, 1-6.	1.0	6
25	The Influence of Baseline Alzheimer's Disease Severity on Cognitive Decline and CSF Biomarkers in the NILVAD Trial. <i>Frontiers in Neurology</i> , 2020, 11, 149.	2.4	14
26	Sexual dimorphism in the association of APOE ϵ 4 genotype with cognitive decline and dementia progression in mild-to-moderate Alzheimer disease. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 683-686.	2.7	0
27	COVID-19 in nursing homes. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020, 113, 391-392.	0.5	111
28	Gait speed, cognition and falls in people living with mild-to-moderate Alzheimer disease: data from NILVAD. <i>BMC Geriatrics</i> , 2020, 20, 117.	2.7	23
29	Understanding the aetiology of fear of falling from the perspective of a fear-avoidance model – A narrative review. <i>Clinical Psychology Review</i> , 2020, 79, 101862.	11.4	30
30	Caring for people with dementia in the acute hospital. , 2020, , 665-680.		0
31	97 Potentially Inappropriate Medications in Patients with Alzheimer's Disease: Data from NILVAD. <i>Age and Ageing</i> , 2019, 48, iii1-iii16.	1.6	0
32	197 Role of a Dietitian in a Specialist Memory Assessment and Support Service - Improving Brain Health. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
33	200 Evaluation of Nutrition Service Provision in a Day Hospital Setting. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
34	210 Nursing Home Residents in Acute Hospital – a Targeted ANPc Program to Improve Care. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
35	270 Tackling Chronic Disease Burden and Building Resilience in Frail Community Populations in an Integrated Model- the ExWell Project. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
36	288 Hearing Loss as a Potentially Modifiable Risk Factor in People with Mild Cognitive Symptoms Attending a Specialist Memory Service. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	2

#	ARTICLE	IF	CITATIONS
37	218 Swallowing/Communication Screening in Older Adults Attending the Emergency Department and Association with Clinical Frailty Scale Scores. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
38	264 Incorporating Neurolinguistics and the Role of Speech and Language Therapy in a Specialist Memory Service. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
39	330 Insights into Dementia- An Integrated Care Approach to Family Support. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
40	24 Stroke Risk Factors, Aetiology, and Outcomes in a Multi-ethnic Irish Stroke Population. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
41	98 Use of Drgs with Anticholinergic Properties in People Living with Alzheimerâ€™s Disease: Data from NILVAD. <i>Age and Ageing</i> , 2019, 48, iii17-iii65.	1.6	0
42	No relationship between fornix and cingulum degradation and within-network decreases in functional connectivity in prodromal Alzheimerâ€™s disease. <i>PLoS ONE</i> , 2019, 14, e0222977.	2.5	10
43	Fear of falling: A manifestation of executive dysfunction?. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1275-1282.	2.7	14
44	Cognition and Health Ageing. , 2019, , 169-180.		1
45	Do Differences in Spatiotemporal Gait Parameters Predict the Risk of Developing Depression in Later Life?. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 1050-1056.	2.6	20
46	The association between frontal lobe perfusion and depressive symptoms in later life. <i>British Journal of Psychiatry</i> , 2019, 214, 230-236.	2.8	17
47	Title is missing!. , 2019, 14, e0222977.		0
48	Title is missing!. , 2019, 14, e0222977.		0
49	Title is missing!. , 2019, 14, e0222977.		0
50	Title is missing!. , 2019, 14, e0222977.		0
51	Title is missing!. , 2019, 14, e0222977.		0
52	Cognitive assessment of older adults in general practice: the collateral history. <i>Irish Journal of Medical Science</i> , 2018, 187, 683-687.	1.5	21
53	Validation of the 8-item Centre for Epidemiological Studies Depression Scale in a cohort of community-dwelling older people: data from The Irish Longitudinal Study on Ageing (TILDA). <i>European Geriatric Medicine</i> , 2018, 9, 121-126.	2.8	88
54	Longitudinal Association Between Orthostatic Hypotension at 30 Seconds Post-Standing and Late-Life Depression. <i>Hypertension</i> , 2018, 71, 946-954.	2.7	37

#	ARTICLE	IF	CITATIONS
55	What is the prevalence of untreated depression and death ideation in older people? Data from the Irish Longitudinal Study on Aging. <i>International Psychogeriatrics</i> , 2018, 30, 1393-1401.	1.0	30
56	Screening for frailty in older emergency department patients: the utility of the Survey of Health, Ageing and Retirement in Europe Frailty Instrument. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018, 111, 151-154.	0.5	16
57	Is Fear of Falling Associated With Decline in Global Cognitive Functioning in Older Adults: Findings From the Irish Longitudinal Study on Ageing. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 248-254.e3.	2.5	24
58	Does baseline depression increase the risk of unexplained and accidental falls in a cohort of community-dwelling older people? Data from The Irish Longitudinal Study on Ageing (TILDA). <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e205-e211.	2.7	40
59	159Determining Knowledge and Degree of Engagement of Hospital Estates Management and Technical Services Departments for Provision of Dementia Friendly Hospitals. <i>Age and Ageing</i> , 2018, 47, v13-v60.	1.6	0
60	25A Hospital Wide Point Prevalence of Adult Urinary Incontinence and Audit of Continence Care. <i>Age and Ageing</i> , 2018, 47, v13-v60.	1.6	0
61	289Bone Health in OrthoRehab - Room to Improve or a Bone of Contention?. <i>Age and Ageing</i> , 2018, 47, v13-v60.	1.6	0
62	166Dementia Friendly Hospitals from a Universal Design Approach: Research and Guidelines to Support People with Dementia, Accompanying Persons and Visitors. <i>Age and Ageing</i> , 2018, 47, v1-v12.	1.6	1
63	249Incorporating a Pathological Scheme for Diagnosing Alzheimer's Disease (AD) and Neurodegeneration in a Tertiary Memory Clinic Setting. <i>Age and Ageing</i> , 2018, 47, v1-v12.	1.6	0
64	11Gait and Cognition in the Clinic - A Pilot Study of Patients with Type 2 Diabetes Mellitus. <i>Age and Ageing</i> , 2018, 47, v13-v60.	1.6	0
65	Nilvadipine in mild to moderate Alzheimer disease: A randomised controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002660.	8.4	131
66	Implementation of geriatric care models in Europe (imAGE.eu): a cross-sectional survey in eight countries. <i>European Geriatric Medicine</i> , 2018, 9, 771-782.	2.8	13
67	What is the Longitudinal Relationship between Gait Abnormalities and Depression in a Cohort of Community-Dwelling Older People? Data From the Irish Longitudinal Study on Ageing (TILDA). <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 75-86.	1.2	20
68	Does admission to a specialist geriatric medicine ward lead to improvements in aspects of acute medical care for older patients with dementia?. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 624-632.	2.7	7
69	The Abbreviated Mental Test 4 for cognitive screening of older adults presenting to the Emergency Department. <i>European Journal of Emergency Medicine</i> , 2017, 24, 417-422.	1.1	18
70	Does baseline hypotension predict incident depression in a cohort of community-dwelling older people? Data from The Irish Longitudinal Study on Ageing (TILDA). <i>Age and Ageing</i> , 2017, 46, 648-653.	1.6	13
71	[P1-247]: DIAGNOSTIC UTILITY OF CEREBROSPINAL FLUID BIOMARKERS IN IRISH SUBJECTS WITH COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2017, 13, P341.	0.8	0
72	012The Informant History in the Cognitive Assessment of Older Adults in General Practice. <i>Age and Ageing</i> , 2017, 46, iii13-iii59.	1.6	0

#	ARTICLE	IF	CITATIONS
73	131Developing the Physiotherapist's Role on an Integrated Care Team for Older Persons. Age and Ageing, 2017, 46, iii13-iii59.	1.6	0
74	234Midlife Gait Abnormalities in People with Type 2 Diabetes—Data from TILDA. Age and Ageing, 2017, 46, iii13-iii59.	1.6	0
75	148Urinary Catheter Use and Care in the Acute Hospital Setting: A Point Prevalence Study. Age and Ageing, 2017, 46, iii13-iii59.	1.6	0
76	Repurposing nilvadipine for treatment of dementia: An overview. Drugs of the Future, 2017, 42, 0281.	0.1	1
77	012 INVESTIGATING COGNITIVE IMPAIRMENT IN THE EMERGENCY DEPARTMENT: THE ROLE OF THE INFORMANT HISTORY. Age and Ageing, 2016, 45, ii1-ii12.	1.6	2
78	Cognitive assessment of older adults at the acute care interface: the informant history. Postgraduate Medical Journal, 2016, 92, 255-259.	1.8	15
79	An integrated approach of multi-objective optimization model for evaluating new supporting program in Irish hospitals. , 2016, , .		1
80	Acute hospital dementia care: results from a national audit. BMC Geriatrics, 2016, 16, 113.	2.7	72
81	Frailty in emergency departments. Lancet, The, 2016, 387, 1720.	13.7	3
82	Systematic Review: The Association between Late Life Depression and Hypotension. Journal of the American Medical Directors Association, 2016, 17, 1076-1088.	2.5	14
83	Drug treatments in Alzheimer's disease. Clinical Medicine, 2016, 16, 247-253.	1.9	344
84	European multicentre double-blind placebo-controlled trial of Nilvadipine in mild-to-moderate Alzheimer's disease—the substudy protocols: NILVAD frailty; NILVAD blood and genetic biomarkers; NILVAD cerebrospinal fluid biomarkers; NILVAD cerebral blood flow. BMJ Open, 2016, 6, e011584.	1.9	21
85	Acute hospital care: how much activity is attributable to caring for patients with dementia?. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 41-44.	0.5	26
86	Antipsychotic prescription amongst hospitalized patients with dementia. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 589-593.	0.5	16
87	Acute care of older patients in the emergency department: strategies to improve patient outcomes. Open Access Emergency Medicine, 2015, 7, 45.	1.3	42
88	Symptom Assessment for a Palliative Care Approach in People With Dementia Admitted to Acute Hospitals. Journal of Geriatric Psychiatry and Neurology, 2015, 28, 255-259.	2.3	8
89	Characteristics and outcomes of older persons attending the emergency department: a retrospective cohort study. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 977-987.	0.5	29
90	Managing delirium in everyday practice: towards cognitive-friendly hospitals. Advances in Psychiatric Treatment, 2014, 20, 380-389.	0.5	33

#	ARTICLE	IF	CITATIONS
91	A Comparison of Beers and STOPP Criteria in Assessing Potentially Inappropriate Medications in Nursing Home Residents Attending the Emergency Department. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 830-834.	2.5	36
92	NILVAD protocol: a European multicentre double-blind placebo-controlled trial of nilvadipine in mild-to-moderate Alzheimer's disease. <i>BMJ Open</i> , 2014, 4, e006364.	1.9	47
93	Frequent inaccuracies in ABCD2 scoring in non-stroke specialists' referrals to a daily Rapid Access Stroke Prevention service. <i>Journal of the Neurological Sciences</i> , 2013, 332, 30-34.	0.6	18
94	Knowledge, skills and attitudes of doctors towards assessing cognition in older patients in the emergency department. <i>Postgraduate Medical Journal</i> , 2013, 89, 137-141.	1.8	36
95	Nursing home residents attending the emergency department: clinical characteristics and outcomes. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2013, 106, 803-808.	0.5	70
96	Cognitive dysfunction: an important extrahepatic manifestation of hepatitis C infection?. <i>Postgraduate Medical Journal</i> , 2013, 89, 431-432.	1.8	6
97	Limitations to the identification of <sc>HIV</sc>-associated neurocognitive disorders in clinical practice. <i>HIV Medicine</i> , 2013, 14, 497-502.	2.2	9
98	Apolipoprotein E genotype-specific short-term cognitive benefits of treatment with the antihypertensive nilvadipine in Alzheimer's patients: an open-label trial. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 415-422.	2.7	33
99	Management of patients with dysphagia and aspiration pneumonia - an Irish perspective. <i>European Geriatric Medicine</i> , 2012, 3, 323-325.	2.8	0
100	Walking the Cognitive "Minefield" Between High and Low Blood Pressure. <i>Journal of Alzheimer's Disease</i> , 2012, 32, 609-621.	2.6	45
101	Elder abuse in residential care. <i>Lancet</i> , The, 2011, 377, 1076.	13.7	5
102	Demonstration of safety in Alzheimer's patients for intervention with an anti-hypertensive drug Nilvadipine: results from a 6-week open label study. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 1038-1045.	2.7	35
103	Review: Blood pressure and dementia - a comprehensive review. <i>Therapeutic Advances in Neurological Disorders</i> , 2009, 2, 241-260.	3.5	133
104	Blood pressure and the risk for dementia - A double edged sword. <i>Ageing Research Reviews</i> , 2009, 8, 61-70.	10.9	152
105	Falls and mobility limitations in older people: Measures of higher cerebral integration are also important. <i>American Journal of Medicine</i> , 2004, 117, 971.	1.5	0