

Fumihito Sanada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4180845/publications.pdf>

Version: 2024-02-01

21
papers

1,018
citations

471509

17
h-index

713466

21
g-index

21
all docs

21
docs citations

21
times ranked

1797
citing authors

#	ARTICLE	IF	CITATIONS
1	Periostin Short Fragment with Exon 17 via Aberrant Alternative Splicing Is Required for Breast Cancer Growth and Metastasis. <i>Cells</i> , 2021, 10, 892.	4.1	6
2	Periostin Exon-21 Antibody Neutralization of Triple-Negative Breast Cancer Cell-Derived Periostin Regulates Tumor-Associated Macrophage Polarization and Angiogenesis. <i>Cancers</i> , 2021, 13, 5072.	3.7	3
3	Progress of Gene Therapy in Cardiovascular Disease. <i>Hypertension</i> , 2020, 76, 1038-1044.	2.7	16
4	Therapeutic Angiogenesis Using HGF Plasmid. <i>Annals of Vascular Diseases</i> , 2020, 13, 109-115.	0.5	14
5	Periostin blockade overcomes chemoresistance via restricting the expansion of mesenchymal tumor subpopulations in breast cancer. <i>Scientific Reports</i> , 2018, 8, 4013.	3.3	26
6	Source of Chronic Inflammation in Aging. <i>Frontiers in Cardiovascular Medicine</i> , 2018, 5, 12.	2.4	267
7	IGF Binding Protein-5 Induces Cell Senescence. <i>Frontiers in Endocrinology</i> , 2018, 9, 53.	3.5	33
8	Hepatocyte Growth Factor Prevented High-Fat Diet-Induced Obesity and Improved Insulin Resistance in Mice. <i>Scientific Reports</i> , 2017, 7, 130.	3.3	28
9	Local Production of Activated Factor X in Atherosclerotic Plaque Induced Vascular Smooth Muscle Cell Senescence. <i>Scientific Reports</i> , 2017, 7, 17172.	3.3	35
10	Activated Factor X Induces Endothelial Cell Senescence Through IGFBP-5. <i>Scientific Reports</i> , 2016, 6, 35580.	3.3	24
11	Induction of Angiogenesis by a Type III Phosphodiesterase Inhibitor, Cilostazol, Through Activation of Peroxisome Proliferator-Activated Receptor- β and cAMP Pathways in Vascular Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 545-552.	2.4	31
12	Selective Blockade of Periostin Exon 17 Preserves Cardiac Performance in Acute Myocardial Infarction. <i>Hypertension</i> , 2016, 67, 356-361.	2.7	56
13	Hepatocyte Growth Factor Inhibits Lipopolysaccharide-Induced Oxidative Stress via Epithelial Growth Factor Receptor Degradation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 2687-2693.	2.4	26
14	Hepatocyte Growth Factor Reduces Cardiac Fibrosis by Inhibiting Endothelial-Mesenchymal Transition. <i>Hypertension</i> , 2012, 59, 958-965.	2.7	85
15	Telmisartan Exerts Renoprotective Actions via Peroxisome Proliferator-Activated Receptor- β /Hepatocyte Growth Factor Pathway Independent of Angiotensin II Type 1 Receptor Blockade. <i>Hypertension</i> , 2012, 59, 308-316.	2.7	44
16	Role of periostin in cancer progression and metastasis: Inhibition of breast cancer progression and metastasis by anti-periostin antibody in a murine model. <i>International Journal of Molecular Medicine</i> , 2011, 28, 181-6.	4.0	84
17	Hepatocyte Growth Factor Attenuates Transforming Growth Factor- β 2-Angiotensin II Crosstalk Through Inhibition of the PTEN/Akt Pathway. <i>Hypertension</i> , 2011, 58, 190-196.	2.7	26
18	Hepatocyte growth factor attenuates renal fibrosis through TGF- β 1 suppression by apoptosis of myofibroblasts. <i>Journal of Hypertension</i> , 2010, 28, 2454-2461.	0.5	53

#	ARTICLE	IF	CITATIONS
19	Negative Action of Hepatocyte Growth Factor/c-Met System on Angiotensin II Signaling via Ligand-Dependent Epithelial Growth Factor Receptor Degradation Mechanism in Vascular Smooth Muscle Cells. <i>Circulation Research</i> , 2009, 105, 667-675.	4.5	41
20	Hepatocyte Growth Factor, but not Vascular Endothelial Growth Factor, Attenuates Angiotensin II-Induced Endothelial Progenitor Cell Senescence. <i>Hypertension</i> , 2009, 53, 77-82.	2.7	56
21	Novel Mechanisms of Valsartan on the Treatment of Acute Myocardial Infarction Through Inhibition of the Antiadhesion Molecule Periostin. <i>Hypertension</i> , 2007, 49, 1409-1414.	2.7	64