

Alexander Yu Nikitin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4181428/publications.pdf>

Version: 2024-02-01

21
papers

1,956
citations

687363

13
h-index

713466

21
g-index

26
all docs

26
docs citations

26
times ranked

3143
citing authors

#	ARTICLE	IF	CITATIONS
1	Gastric squamous-columnar junction contains a large pool of cancer-prone immature osteopontin responsive Lgr5 ⁺ CD44 ⁺ cells. <i>Nature Communications</i> , 2020, 11, 84.	12.8	15
2	Cells expressing PAX8 are the main source of homeostatic regeneration of adult endometrial epithelium and give rise to serous endometrial carcinoma. <i>DMM Disease Models and Mechanisms</i> , 2020, 13, .	2.4	24
3	Most Commonly Mutated Genes in High-Grade Serous Ovarian Carcinoma Are Nonessential for Ovarian Surface Epithelial Stem Cell Transformation. <i>Cell Reports</i> , 2020, 32, 108086.	6.4	16
4	WNT and inflammatory signaling distinguish human Fallopian tube epithelial cell populations. <i>Scientific Reports</i> , 2020, 10, 9837.	3.3	13
5	Membrane metalloendopeptidase suppresses prostate carcinogenesis by attenuating effects of gastrin-releasing peptide on stem/progenitor cells. <i>Oncogenesis</i> , 2020, 9, 38.	4.9	14
6	Stem Cell Pathology. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2018, 13, 71-92.	22.4	15
7	CAMKK2 Promotes Prostate Cancer Independently of AMPK via Increased Lipogenesis. <i>Cancer Research</i> , 2018, 78, 6747-6761.	0.9	49
8	Training mouse pathologists: 16th annual workshop on the pathology of mouse models of human disease. <i>Lab Animal</i> , 2018, 47, 38-40.	0.4	2
9	LEF1 is preferentially expressed in the tubal-peritoneal junctions and is a reliable marker of tubal intraepithelial lesions. <i>Modern Pathology</i> , 2017, 30, 1241-1250.	5.5	23
10	Transplantation Into the Mouse Ovarian Fat Pad. <i>Journal of Visualized Experiments</i> , 2016, , .	0.3	2
11	A Quest for Better Mouse Models of Breast and Ovarian Cancers. <i>EBioMedicine</i> , 2015, 2, 1268-1269.	6.1	4
12	Role of the stem cell niche in the pathogenesis of epithelial ovarian cancers. <i>Molecular and Cellular Oncology</i> , 2014, 1, e963435.	0.7	13
13	miR-34 Cooperates with p53 in Suppression of Prostate Cancer by Joint Regulation of Stem Cell Compartment. <i>Cell Reports</i> , 2014, 6, 1000-1007.	6.4	93
14	Ovarian surface epithelium at the junction area contains a cancer-prone stem cell niche. <i>Nature</i> , 2013, 495, 241-245.	27.8	307
15	Detection and Organ-Specific Ablation of Neuroendocrine Cells by Synaptophysin Locus-Based BAC Cassette in Transgenic Mice. <i>PLoS ONE</i> , 2013, 8, e60905.	2.5	10
16	Challenges in pre-clinical testing of anti-cancer drugs in cell culture and in animal models. <i>Journal of Controlled Release</i> , 2012, 164, 183-186.	9.9	60
17	<i>MicroRNA-34b</i> and <i>MicroRNA-34c</i> Are Targets of p53 and Cooperate in Control of Cell Proliferation and Adhesion-Independent Growth. <i>Cancer Research</i> , 2007, 67, 8433-8438.	0.9	624
18	Prostate Cancer Associated with p53 and Rb Deficiency Arises from the Stem/Progenitor Cell-Enriched Proximal Region of Prostatic Ducts. <i>Cancer Research</i> , 2007, 67, 5683-5690.	0.9	89

#	ARTICLE	IF	CITATIONS
19	Mouse Models of Prostate Adenocarcinoma with the Capacity to Monitor Spontaneous Carcinogenesis by Bioluminescence or Fluorescence. <i>Cancer Research</i> , 2007, 67, 7525-7533.	0.9	76
20	Synergy of p53 and Rb Deficiency in a Conditional Mouse Model for Metastatic Prostate Cancer. <i>Cancer Research</i> , 2006, 66, 7889-7898.	0.9	276
21	Induction of carcinogenesis by concurrent inactivation of p53 and Rb1 in the mouse ovarian surface epithelium. <i>Cancer Research</i> , 2003, 63, 3459-63.	0.9	229