## Barbara Conradt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4182218/publications.pdf

Version: 2024-02-01

172457 133252 3,775 70 29 59 citations h-index g-index papers 91 91 91 3733 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	The C. elegans Protein EGL-1 Is Required for Programmed Cell Death and Interacts with the Bcl-2–like Protein CED-9. Cell, 1998, 93, 519-529.	28.9	579
2	DRP-1-mediated mitochondrial fragmentation during EGL-1-induced cell death in C. elegans. Nature, 2005, 433, 754-760.	27.8	290
3	Translocation of C. elegans CED-4 to Nuclear Membranes During Programmed Cell Death. Science, 2000, 287, 1485-1489.	12.6	221
4	The TRA-1A Sex Determination Protein of C. elegans Regulates Sexually Dimorphic Cell Deaths by Repressing the egl-1 Cell Death Activator Gene. Cell, 1999, 98, 317-327.	28.9	209
5	G-protein ligands inhibit in vitro reactions of vacuole inheritance Journal of Cell Biology, 1994, 126, 87-97.	5.2	168
6	C. elegans ced-13 can promote apoptosis and is induced in response to DNA damage. Cell Death and Differentiation, 2005, 12, 153-161.	11.2	162
7	Genetic Control of Programmed Cell Death During Animal Development. Annual Review of Genetics, 2009, 43, 493-523.	7.6	136
8	In vitro reactions of vacuole inheritance in Saccharomyces cerevisiae Journal of Cell Biology, 1992, 119, 1469-1479.	5.2	121
9	Compromised Mitochondrial Protein Import Acts as a Signal for UPRmt. Cell Reports, 2019, 28, 1659-1669.e5.	6.4	118
10	A Conserved RhoGAP Limits M Phase Contractility and Coordinates with Microtubule Asters to Confine RhoA during Cytokinesis. Developmental Cell, 2013, 26, 496-510.	7.0	97
11	Age-dependent changes in mitochondrial morphology and volume are not predictors of lifespan. Aging, 2014, 6, 118-130.	3.1	95
12	The Snail-like CES-1 protein of C. elegans can block the expression of the BH3-only cell-death activator gene egl-1 by antagonizing the function of bHLH proteins. Development (Cambridge), 2003, 130, 4057-4071.	2.5	94
13	The BCL-2–like protein CED-9 of <i>C. elegans</i> promotes FZO-1/Mfn1,2– and EAT-3/Opa1–dependent mitochondrial fusion. Journal of Cell Biology, 2009, 186, 525-540.	5.2	89
14	Programmed Cell Death During < i>Caenorhabditis elegans < / i>Development. Genetics, 2016, 203, 1533-1562.	2.9	88
15	Determination of four biochemically distinct, sequential stages during vacuole inheritance in vitro Journal of Cell Biology, 1994, 126, 99-110.	5.2	80
16	Programmed cell death. WormBook, 2005, , 1-13.	5.3	77
17	Control of Apoptosis by Asymmetric Cell Division. PLoS Biology, 2008, 6, e84.	5.6	74
18	New role of the BCL2 family of proteins in the regulation of mitochondrial dynamics. Current Opinion in Cell Biology, 2010, 22, 852-858.	5.4	72

#	Article	IF	CITATIONS
19	Impaired complex IV activity in response to loss of LRPPRC function can be compensated by mitochondrial hyperfusion. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E2967-76.	7.1	63
20	<i>C. elegans</i> orthologs of components of the RB tumor suppressor complex have distinct pro-apoptotic functions. Development (Cambridge), 2007, 134, 3691-3701.	2.5	56
21	The FLYWCH transcription factors FLH-1, FLH-2, and FLH-3 repress embryonic expression of microRNA genes in <i>C. elegans</i> . Genes and Development, 2008, 22, 2520-2534.	5.9	50
22	Mitochondrial involvement in cell death of non-mammalian eukaryotes. Biochimica Et Biophysica Acta - Molecular Cell Research, 2011, 1813, 597-607.	4.1	46
23	The Caenorhabditis elegans F-box protein SEL-10 promotes female development and may target FEM-1 and FEM-3 for degradation by the proteasome. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 12549-12554.	7.1	44
24	MitoSegNet: Easy-to-use Deep Learning Segmentation for Analyzing Mitochondrial Morphology. IScience, 2020, 23, 101601.	4.1	44
25	miRNAs cooperate in apoptosis regulation during <i>C. elegans</i> development. Genes and Development, 2017, 31, 209-222.	5.9	40
26	Phagocytic receptor signaling regulates clathrin and epsin-mediated cytoskeletal remodeling during apoptotic cell engulfment in <i>C. elegans</i>	2.5	39
27	The PLZF-like Protein TRA-4 Cooperates with the Gli-like Transcription Factor TRA-1 to Promote Female Development in C. elegans. Developmental Cell, 2006, 11, 561-573.	7.0	36
28	The C. elegans Snail homolog CES-1 can activate gene expression in vivo and share targets with bHLH transcription factors. Nucleic Acids Research, 2009, 37, 3689-3698.	14.5	36
29	A molecular switch that governs mitochondrial fusion and fission mediated by the BCL2-like protein CED-9 of <i>Caenorhabditis elegans</i> United States of America, 2011, 108, E813-22.	7.1	36
30	Engulfment pathways promote programmed cell death by enhancing the unequal segregation of apoptotic potential. Nature Communications, 2015, 6, 10126.	12.8	34
31	Msp1 cooperates with the proteasome for extraction of arrested mitochondrial import intermediates. Molecular Biology of the Cell, 2020, 31, 753-767.	2.1	32
32	Tunable light and drug induced depletion of target proteins. Nature Communications, 2020, 11, 304.	12.8	29
33	With a little help from your friends: cells don't die alone. Nature Cell Biology, 2002, 4, E139-E143.	10.3	28
34	eor-1 and eor-2 are required for cell-specific apoptotic death in C. elegans. Developmental Biology, 2004, 274, 125-138.	2.0	26
35	<i>Caenorhabditis elegans num-<math>1</math></i> Negatively Regulates Endocytic Recycling. Genetics, 2008, 179, 375-387.	2.9	26
36	PCMD-1 Organizes Centrosome Matrix Assembly in C.Âelegans. Current Biology, 2019, 29, 1324-1336.e6.	3.9	26

#	Article	lF	CITATIONS
37	HLH-3 is a C. elegans Achaete/Scute protein required for differentiation of the hermaphrodite-specific motor neurons. Mechanisms of Development, 2008, 125, 883-893.	1.7	25
38	The loss of LRPPRC function induces the mitochondrial unfolded protein response. Aging, 2015, 7, 701-712.	3.1	23
39	Autophagy compensates for defects in mitochondrial dynamics. PLoS Genetics, 2020, 16, e1008638.	3.5	22
40	Transcriptional upregulation of both egl-1 BH3-only and ced-3 caspase is required for the death of the male-specific CEM neurons. Cell Death and Differentiation, 2010, 17, 1266-1276.	11.2	20
41	Twenty million years of evolution: The embryogenesis of four Caenorhabditis species are indistinguishable despite extensive genome divergence. Developmental Biology, 2019, 447, 182-199.	2.0	20
42	<i>Caenorhabditis elegans ced-3</i> Caspase Is Required for Asymmetric Divisions That Generate Cells Programmed To Die. Genetics, 2018, 210, 983-998.	2.9	19
43	Mitochondrial Alkbh1 localises to mtRNA granules and its knockdown induces mitochondrial UPR in humans and <i>C. elegans</i>	2.0	19
44	The role of mitochondria in apoptosis induction in Caenorhabditis elegans: more than just innocent bystanders?. Cell Death and Differentiation, 2006, 13, 1281-1286.	11.2	16
45	Coordination of Cell Proliferation and Cell Fate Determination by CES-1 Snail. PLoS Genetics, 2013, 9, e1003884.	3.5	16
46	gem-1 Encodes an SLC16 Monocarboxylate Transporter-Related Protein That Functions in Parallel to the gon-2 TRPM Channel During Gonad Development in Caenorhabditis elegans. Genetics, 2009, 181, 581-591.	2.9	14
47	<i>Caenorhabditis elegans</i> CES-1 Snail Represses <i>pig-1</i> MELK Expression To Control Asymmetric Cell Division. Genetics, 2017, 206, 2069-2084.	2.9	13
48	CATP-6, a C. elegans Ortholog of ATP13A2 PARK9, Positively Regulates GEM-1, an SLC16A Transporter. PLoS ONE, 2013, 8, e77202.	2.5	12
49	A Complex Regulatory Network Coordinating Cell Cycles During <i>C. elegans</i> Development Is Revealed by a Genome-Wide RNAi Screen. G3: Genes, Genomes, Genetics, 2014, 4, 795-804.	1.8	12
50	Cell Engulfment, No Sooner ced Than Done. Developmental Cell, 2001, 1, 445-447.	7.0	11
51	Differential Regulation of Germline Apoptosis in Response to Meiotic Checkpoint Activation. Genetics, 2014, 198, 995-1000.	2.9	11
52	PIG-1 MELK-dependent phosphorylation of nonmuscle myosin II promotes apoptosis through CES-1 Snail partitioning. PLoS Genetics, 2020, 16, e1008912.	3.5	10
53	Recombinant Expression, Biophysical Characterization, and Cardiolipin-Induced Changes of Two Caenorhabditis elegans Cytochrome c Proteins. Biochemistry, 2013, 52, 653-666.	2.5	9
54	Deadly dowry: how engulfment pathways promote cell killing. Cell Death and Differentiation, 2016, 23, 553-554.	11.2	9

#	Article	IF	CITATIONS
55	Eukaryotic translation initiation factor 5B activity regulates larval growth rate and germline development inCaenorhabditis elegans. Genesis, 2006, 44, 412-418.	1.6	8
56	A truncated form of the Pho80 cyclin of Saccharomyces cerevisiae induces expression of a small cytosolic factor which inhibits vacuole inheritance. Journal of Bacteriology, 1996, 178, 4047-4051.	2.2	7
57	Mitochondria shape up. Nature, 2006, 443, 646-647.	27.8	5
58	Overlapping expression patterns and functions of three paralogous P5B ATPases in Caenorhabditis elegans. PLoS ONE, 2018, 13, e0194451.	2.5	5
59	Genome-wide RNAi screen for regulators of UPRmt in <i>Caenorhabditis elegans</i> mutants with defects in mitochondrial fusion. G3: Genes, Genomes, Genetics, 2021, $11$ , .	1.8	5
60	Methods to Study the Mitochondrial Unfolded Protein Response (UPRmt) in Caenorhabditis elegans. Methods in Molecular Biology, 2022, 2378, 249-259.	0.9	3
61	Partners in Crime. Developmental Cell, 2017, 41, 573-574.	7.0	0
62	Phagocytic receptor signaling regulates clathrin and epsin-mediated cytoskeletal remodeling during apoptotic cell engulfment in C. elegans. Journal of Cell Science, 2013, 126, e1-e1.	2.0	0
63	Title is missing!. , 2020, 16, e1008912.		0
64	Title is missing!. , 2020, 16, e1008912.		0
65	Title is missing!. , 2020, 16, e1008912.		0
66	Title is missing!. , 2020, 16, e1008912.		0
67	Autophagy compensates for defects in mitochondrial dynamics. , 2020, 16, e1008638.		0
68	Autophagy compensates for defects in mitochondrial dynamics. , 2020, 16, e1008638.		0
69	Autophagy compensates for defects in mitochondrial dynamics. , 2020, 16, e1008638.		0
70	Autophagy compensates for defects in mitochondrial dynamics. , 2020, 16, e1008638.		0