

Sanjin RaÄki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4184540/publications.pdf>

Version: 2024-02-01

55
papers

887
citations

516710

16
h-index

501196

28
g-index

60
all docs

60
docs citations

60
times ranked

1483
citing authors

#	ARTICLE	IF	CITATIONS
1	Everolimus with Reduced Calcineurin Inhibitor Exposure in Renal Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1979-1991.	6.1	193
2	Chronic Kidney Disease and Nonalcoholic Fatty Liver Disease Proven by Transient Elastography. <i>Kidney and Blood Pressure Research</i> , 2013, 37, 305-310.	2.0	61
3	Spontaneous Tendon Ruptures in Patients with End-Stage Renal Disease. <i>Kidney and Blood Pressure Research</i> , 2009, 32, 32-36.	2.0	57
4	Development of the Croatian model of organ donation and transplantation. <i>Croatian Medical Journal</i> , 2013, 54, 65-70.	0.7	44
5	C-reactive Protein Is a Strong Predictor of Mortality in Hemodialysis Patients. <i>Renal Failure</i> , 2006, 28, 427-433.	2.1	35
6	Transient elastography: a new noninvasive diagnostic tool for assessment of chronic allograft nephropathy. <i>International Urology and Nephrology</i> , 2014, 46, 1435-1440.	1.4	34
7	Nonalcoholic fatty liver disease (NAFLD) – a new factor that interplays between inflammation, malnutrition, and atherosclerosis in elderly hemodialysis patients. <i>Clinical Interventions in Aging</i> , 2014, 9, 1295.	2.9	27
8	Nonalcoholic fatty liver disease and the renin-angiotensin system blockers in the patients with chronic kidney disease. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 355-362.	1.9	25
9	Nonalcoholic fatty liver disease (NAFLD): A new risk factor for adverse cardiovascular events in dialysis patients. <i>Medical Hypotheses</i> , 2014, 82, 205-208.	1.5	24
10	Nonalcoholic Fatty Liver Disease (NAFLD) And Cardiovascular Risk In Renal Transplant Recipients. <i>Kidney and Blood Pressure Research</i> , 2014, 39, 308-314.	2.0	23
11	Health-related quality of life in the patients on maintenance hemodialysis: the analysis of demographic and clinical factors. <i>Collegium Antropologicum</i> , 2011, 35, 687-93.	0.2	23
12	Soluble intracellular adhesion molecule-1 and omentin-1 as potential biomarkers of subclinical atherosclerosis in hemodialysis patients. <i>International Urology and Nephrology</i> , 2016, 48, 1145-1154.	1.4	22
13	Nonalcoholic Fatty Liver Disease (NAFLD)â€™ A New Cardiovascular Risk Factor in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2016, 36, 427-432.	2.3	20
14	Serum zinc concentrations in the maintenance hemodialysis patients. <i>Collegium Antropologicum</i> , 2006, 30, 125-9.	0.2	20
15	Non-Alcoholic Fatty Liver Disease Proven by Transient Elastography in Hemodialysis Patients: Is It a New Risk Factor for Adverse Cardiovascular Events?. <i>Blood Purification</i> , 2014, 37, 259-265.	1.8	18
16	Non-alcoholic fatty liver disease; a part of the metabolic syndrome in the renal transplant recipient and possible cause of an allograft dysfunction. <i>Medical Hypotheses</i> , 2014, 82, 36-39.	1.5	18
17	Survival of chronic hemodialysis patients over 80 years of age. <i>Clinical Interventions in Aging</i> , 2014, 9, 689.	2.9	17
18	Comparison of survival between diabetic and non-diabetic patients on maintenance hemodialysis: A single-centre experience. <i>Diabetes Research and Clinical Practice</i> , 2007, 75, 169-175.	2.8	16

#	ARTICLE	IF	CITATIONS
19	Serum omentin-1 levels as a possible risk factor of mortality in patients with diabetes on haemodialysis. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, 44-50.	2.8	16
20	Body mass index: short- and long-term impact on kidney transplantation. <i>International Journal of Clinical Practice</i> , 2015, 69, 1357-1365.	1.7	15
21	Nonalcoholic Fatty Liver Disease in Renal Transplant Recipients Proven by Transient Elastography. <i>Transplantation Proceedings</i> , 2014, 46, 1347-1352.	0.6	14
22	Usefulness of liver test and controlled attenuation parameter in detection of nonalcoholic fatty liver disease in patients with chronic renal failure and coronary heart disease. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 451-458.	1.9	14
23	Peritoneal Dialysis Catheter Placement Using an Ultrasound-Guided Transversus Abdominis Plane Block. <i>Blood Purification</i> , 2015, 39, 274-280.	1.8	14
24	Nonalcoholic fatty liver disease (NAFLD) proven by transient elastography in patients with coronary heart disease. <i>Wiener Klinische Wochenschrift</i> , 2014, 126, 474-479.	1.9	13
25	Assessment of Hemodialysis Adequacy by Ionic Dialysance: Comparison to Standard Method of Urea Removal. <i>Renal Failure</i> , 2005, 27, 601-604.	2.1	12
26	Anemia is Correlated with Malnutrition and Inflammation in Croatian Peritoneal Dialysis Patients: A Multicenter Nationwide Study. <i>Peritoneal Dialysis International</i> , 2017, 37, 472-475.	2.3	9
27	Urothelial Cancer in Patients with Endemic Balkan Nephropathy (EN) after Renal Transplantation. <i>Renal Failure</i> , 2007, 29, 861-865.	2.1	8
28	BCM–body composition monitor: a new tool for the assessment of volume-dependent hypertension in patients on maintenance haemodialysis. <i>Collegium Antropologicum</i> , 2013, 37, 815-9.	0.2	8
29	Acute renal failure due to pericardial tamponade in a 60-year-old male patient. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009, 43, 509-511.	1.4	7
30	Treatment of Kidney Stone in a Kidney-Transplanted Patient with Mini-Percutaneous Laser Lithotripsy: A Case Report. <i>Case Reports in Nephrology and Dialysis</i> , 2016, 6, 26-31.	0.6	7
31	Pegylated Interferon for Treatment of Chronic Hepatitis C in Hemodialysis Patients in Croatia. <i>Kidney and Blood Pressure Research</i> , 2011, 34, 53-57.	2.0	6
32	Relationship between non-alcoholic fatty liver disease and MIA syndrome. <i>Hemodialysis International</i> , 2015, 19, 472-481.	0.9	5
33	Outcomes following renal transplantation in older renal transplant recipients: a single-center experience and "Croatian senior program". <i>International Urology and Nephrology</i> , 2015, 47, 1415-1422.	1.4	5
34	The Beginnings of Kidney Transplantation in South-East Europe. <i>Acta Clinica Croatica</i> , 2020, 59, 135-140.	0.2	5
35	Guidelines for diagnosis, therapy and follow up of Anderson-Fabry disease. <i>Acta Clinica Croatica</i> , 2013, 52, 395-405.	0.2	5
36	Left ventricle diastolic dysfunction in obese patients with newly diagnosed arterial hypertension. <i>Wiener Klinische Wochenschrift</i> , 2007, 119, 423-427.	1.9	4

#	ARTICLE	IF	CITATIONS
37	Nonalcoholic fatty liver disease (NAFLD) – Is it a new marker of hyporesponsiveness to recombinant human erythropoietin in patients that are on chronic hemodialysis?. <i>Medical Hypotheses</i> , 2014, 83, 798-801.	1.5	4
38	Peritoneal Dialysis Catheter Surgery Using Transversus Abdominis Plane Block. <i>Peritoneal Dialysis International</i> , 2017, 37, 429-433.	2.3	4
39	Kidney transplantation using a colon pouch (Mainz pouch III): a case report. <i>Croatian Medical Journal</i> , 2019, 60, 545-551.	0.7	4
40	Cardiovascular risk factors and diseases strongly predict hemodialysis treatment outcome in maintenance hemodialysis patients. <i>Croatian Medical Journal</i> , 2005, 46, 936-41.	0.7	4
41	Expression of Receptor Activator of Nuclear Factor-Kappa B Ligand in Leukocytes During Acute Kidney Rejection After Transplantation in Rats. <i>Transplantation Proceedings</i> , 2013, 45, 1766-1770.	0.6	3
42	Transurethral Incision of the Bladder Neck in a Woman with Primary Bladder Neck Obstruction after Kidney Transplantation. <i>Case Reports in Transplantation</i> , 2015, 2015, 1-4.	0.3	3
43	Severe bleeding complications and multiple kidney transplants in a patient with tuberous sclerosis complex caused by a novel TSC2 missense variant. <i>Croatian Medical Journal</i> , 2017, 58, 416-423.	0.7	3
44	Use of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in the early period after kidney transplantation. <i>Collegium Antropologicum</i> , 2013, 37, 809-14.	0.2	3
45	ACUTE RENAL FAILURE COMPLICATING NONFULMINANT HEPATITIS A IN HLA-B27 POSITIVE PATIENT. <i>Renal Failure</i> , 2000, 22, 635-640.	2.1	2
46	Attitudes of 15-year-old children toward cadaveric organ donation and transplantation. <i>Transplantation Proceedings</i> , 2001, 33, 3615-3616.	0.6	2
47	Comparison of clinical assessment and multifrequency bioimpedance analysis as methods of estimating volume status in peritoneal dialysis patients – A single-center experience. <i>Clinical Nephrology</i> , 2019, 91, 334-343.	0.7	2
48	Predictive parameters of gestational diabetes mellitus. <i>Collegium Antropologicum</i> , 2007, 31, 771-4.	0.2	2
49	Defense mechanisms in alcohol dependent patients with oral and oropharyngeal cancer. <i>Collegium Antropologicum</i> , 2011, 35, 809-16.	0.2	2
50	Case Report: Synchronous Removal and Implantation of Peritoneal Dialysis Catheter Using Bilateral Transversus Abdominis Plane Block. <i>Frontiers in Medicine</i> , 2022, 9, 828930.	2.6	1
51	Immune reactivity of renal transplant recipients receiving interleukin-2 receptor antagonists during the early posttransplant period. <i>International Urology and Nephrology</i> , 2014, 46, 191-200.	1.4	0
52	FP598NONALCOHOLIC FATTY LIVER DISEASE - A NEW CARDIOVASCULAR RISK FACTOR IN PERITONEAL DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii272-iii272.	0.7	0
53	SP860PRETRANSPLANTATION HEMODIALYSIS STRATEGY INFLUENCES EARLY GRAFT FUNCTION, SURGICAL AND INFECTIOUS COMPLICATIONS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii660-iii660.	0.7	0
54	The heart in Fabry’s disease. <i>Cardiologia Croatica</i> , 2019, 14, 64-64.	0.0	0

#	ARTICLE	IF	CITATIONS
55	Survival of patients treated with online hemodiafiltration compared to conventional hemodialysis. Collegium Antropologicum, 2013, 37, 827-32.	0.2	0