

Neil S Sheerin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4187967/publications.pdf>

Version: 2024-02-01

86
papers

4,097
citations

147801

31
h-index

118850

62
g-index

130
all docs

130
docs citations

130
times ranked

4912
citing authors

#	ARTICLE	IF	CITATIONS
1	MicroRNA antagonist therapy during normothermic machine perfusion of donor kidneys. <i>American Journal of Transplantation</i> , 2022, 22, 1088-1100.	4.7	15
2	Novel delivery of cellular therapy to reduce ischemia reperfusion injury in kidney transplantation. <i>American Journal of Transplantation</i> , 2021, 21, 1402-1414.	4.7	46
3	Cell therapy during machine perfusion. <i>Transplant International</i> , 2021, 34, 49-58.	1.6	9
4	Motion correction of free-breathing magnetic resonance renography using model-driven registration. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021, 34, 805-822.	2.0	2
5	MiR-126-3p Is Dynamically Regulated in Endothelial-to-Mesenchymal Transition during Fibrosis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8629.	4.1	13
6	c-Rel orchestrates energy-dependent epithelial and macrophage reprogramming in fibrosis. <i>Nature Metabolism</i> , 2020, 2, 1350-1367.	11.9	16
7	Obesity, Sex, Race, and Early Onset Hypertension. <i>Hypertension</i> , 2020, 76, 859-865.	2.7	10
8	Dual MicroRNA Blockade Increases Expression of Antioxidant Protective Proteins: Implications for Ischemia-Reperfusion Injury. <i>Transplantation</i> , 2020, 104, 1853-1861.	1.0	13
9	Immunosuppression-induced clonal T-cell lymphoproliferative disease causing severe diarrhoea mimicking coeliac disease following renal transplantation: a case report. <i>BMC Nephrology</i> , 2020, 21, 220.	1.8	1
10	The impact of severe acute kidney injury requiring renal replacement therapy on survival and renal function of heart transplant recipients – a UK cohort study. <i>Transplant International</i> , 2020, 33, 1650-1666.	1.6	6
11	Long-term outcomes and response to treatment in diacylglycerol kinase epsilon nephropathy. <i>Kidney International</i> , 2020, 97, 1260-1274.	5.2	31
12	Summary of the Kidney Disease: Improving Global Outcomes (KDIGO) Clinical Practice Guideline on the Evaluation and Management of Candidates for Kidney Transplantation. <i>Transplantation</i> , 2020, 104, 708-714.	1.0	73
13	KDIGO Clinical Practice Guideline on the Evaluation and Management of Candidates for Kidney Transplantation. <i>Transplantation</i> , 2020, 104, S11-S103.	1.0	306
14	The role of complement in kidney disease. <i>Clinical Medicine</i> , 2020, 20, 156-160.	1.9	26
15	Successful virtual UK Kidney Week sees record-breaking registration. <i>Journal of Kidney Care</i> , 2020, 5, 290-291.	0.1	0
16	Eculizumab prevents thrombotic microangiopathy in patients with atypical haemolytic uraemic syndrome in a long-term observational study. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 196-205.	2.9	16
17	Changing Protein Permeability with Nephron Loss: Evidence for a Human Remnant Nephron Effect. <i>American Journal of Nephrology</i> , 2019, 50, 152-159.	3.1	2
18	Comparison of the Outcome of Kidney Transplant After Pulsatile or Continuous Ex Vivo Hypothermic Machine Perfusion of Kidneys Donated After Cardiac Death: Analysis of Kidney Pairs. <i>Transplantation Proceedings</i> , 2019, 51, 1785-1790.	0.6	4

#	ARTICLE	IF	CITATIONS
19	A C-terminal CXCL8 peptide based on chemokine-glycosaminoglycan interactions reduces neutrophil adhesion and migration during inflammation. <i>Immunology</i> , 2019, 157, 173-184.	4.4	19
20	The impact of donor and recipient common clinical and genetic variation on estimated glomerular filtration rate in a European renal transplant population. <i>American Journal of Transplantation</i> , 2019, 19, 2262-2273.	4.7	13
21	A urinary microRNA panel that is an early predictive biomarker of delayed graft function following kidney transplantation. <i>Scientific Reports</i> , 2019, 9, 3584.	3.3	36
22	Outcomes in patients with atypical hemolytic uremic syndrome treated with eculizumab in a long-term observational study. <i>BMC Nephrology</i> , 2019, 20, 125.	1.8	77
23	Heparan sulfate in chronic kidney diseases: Exploring the role of 3-O-sulfation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 839-848.	2.4	9
24	Acute kidney injury electronic alerts: mixed methods Normalisation Process Theory evaluation of their implementation into secondary care in England. <i>BMJ Open</i> , 2019, 9, e032925.	1.9	8
25	Implementation of pre-clinical methodologies to study fibrosis and test anti-fibrotic therapy. <i>Current Opinion in Pharmacology</i> , 2019, 49, 95-101.	3.5	5
26	Regulation of Endothelial-to-Mesenchymal Transition by MicroRNAs in Chronic Allograft Dysfunction. <i>Transplantation</i> , 2019, 103, e64-e73.	1.0	15
27	Ischaemia reperfusion injury: mechanisms of progression to chronic graft dysfunction. <i>Pediatric Nephrology</i> , 2019, 34, 951-963.	1.7	23
28	Haemolytic uremic syndrome: diagnosis and management. <i>F1000Research</i> , 2019, 8, 1690.	1.6	23
29	The methyltransferase SET9 regulates TGF B-1 activation of renal fibroblasts via interaction with SMAD3. <i>Journal of Cell Science</i> , 2018, 131, .	2.0	18
30	Long- and short-term outcomes in renal allografts with deceased donors: A large recipient and donor genome-wide association study. <i>American Journal of Transplantation</i> , 2018, 18, 1370-1379.	4.7	47
31	Modifying Renal Gene Expression by Anti-Sense Oligonucleotide Delivery during Normothermic Machine Perfusion. <i>Transplantation</i> , 2018, 102, S728.	1.0	2
32	The NF- κ B1 is a key regulator of acute but not chronic renal injury. <i>Cell Death and Disease</i> , 2017, 8, e2883-e2883.	6.3	12
33	CCL2 nitration is a negative regulator of chemokine-mediated inflammation. <i>Scientific Reports</i> , 2017, 7, 44384.	3.3	28
34	Factor H autoantibody is associated with atypical hemolytic uremic syndrome in children in the United Kingdom and Ireland. <i>Kidney International</i> , 2017, 92, 1261-1271.	5.2	49
35	Outcomes of patients with atypical haemolytic uraemic syndrome with native and transplanted kidneys treated with eculizumab: a pooled post hoc analysis. <i>Transplant International</i> , 2017, 30, 1275-1283.	1.6	30
36	Regulation of Chemokine Function: The Roles of GAG-Binding and Post-Translational Nitration. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1692.	4.1	34

#	ARTICLE	IF	CITATIONS
37	Mutations in mitochondrial DNA causing tubulointerstitial kidney disease. PLoS Genetics, 2017, 13, e1006620.	3.5	52
38	MP178ISCHEMIA REPERFUSION INJURY INDUCES A PRO-FIBROTIC PHENOTYPE IN HUMAN PROXIMAL TUBULAR EPITHELIAL CELLS. Nephrology Dialysis Transplantation, 2016, 31, i400-i401.	0.7	0
39	Epigenetic regulators, including SETD7, as new targets for the treatment of chronic kidney disease. Lancet, The, 2016, 387, S66.	13.7	0
40	Lysosomal protease cathepsin D; a new driver of apoptosis during acute kidney injury. Scientific Reports, 2016, 6, 27112.	3.3	24
41	Inhibition of lysosomal protease cathepsin D reduces renal fibrosis in murine chronic kidney disease. Scientific Reports, 2016, 6, 20101.	3.3	58
42	Computerized clinical decision support for the early recognition and management of acute kidney injury: a qualitative evaluation of end-user experience. CKJ: Clinical Kidney Journal, 2016, 9, 57-62.	2.9	20
43	Systematic assessment of the influence of complement gene polymorphisms on kidney transplant outcome. Immunobiology, 2016, 221, 528-534.	1.9	10
44	Patient stratification and therapy in atypical haemolytic uraemic syndrome (aHUS). Immunobiology, 2016, 221, 715-718.	1.9	6
45	Mechanisms of Renal Graft Chronic Injury and Progression to Interstitial Fibrosis. Current Transplantation Reports, 2015, 2, 259-268.	2.0	2
46	Efficacy and safety of eculizumab in atypical hemolytic uremic syndrome from 2-year extensions of phase 2 studies. Kidney International, 2015, 87, 1061-1073.	5.2	342
47	An extended mini-complement factor H molecule ameliorates experimental C3 glomerulopathy. Kidney International, 2015, 88, 1314-1322.	5.2	58
48	Behaviour of transplanted tumours and role of matching in rejection. Transplant Immunology, 2015, 32, 121-125.	1.2	1
49	Ubiquitin C-terminal hydrolase 1: A novel functional marker for liver myofibroblasts and a therapeutic target in chronic liver disease. Journal of Hepatology, 2015, 63, 1421-1428.	3.7	41
50	Eculizumab Prevents Thrombotic Microangiopathy: Long-Term Follow-up Study of Patients with Atypical Hemolytic Uremic Syndrome. Blood, 2015, 126, 2252-2252.	1.4	2
51	Prognosis and management of chronic kidney disease (CKD) at the end of life. Postgraduate Medical Journal, 2014, 90, 98-105.	1.8	21
52	Orthostatic intolerance is common in chronic disease – A clinical cohort study. International Journal of Cardiology, 2014, 174, 861-863.	1.7	11
53	Biomarkers of acute injury: predicting the long-term outcome after transplantation. Kidney International, 2013, 84, 1072-1074.	5.2	8
54	Anticoagulation and kidney injury: rare observation or common problem?. Journal of Nephrology, 2013, 26, 603-605.	2.0	6

#	ARTICLE	IF	CITATIONS
55	Complement polymorphisms: Geographical distribution and relevance to disease. <i>Immunobiology</i> , 2012, 217, 265-271.	1.9	19
56	Common genetic variants in complement genes other than CFH, CD46 and the CFHRs are not associated with aHUS. <i>Molecular Immunology</i> , 2012, 49, 640-648.	2.2	37
57	Eculizumab (ECU) in Atypical Hemolytic Uremic Syndrome (aHUS) Patients with Progressing Thrombotic Microangiopathy (TMA): 2-Year Data.. <i>Blood</i> , 2012, 120, 2084-2084.	1.4	6
58	Successful Treatment of De Novo Posttransplant Thrombotic Microangiopathy With Eculizumab. <i>Transplantation</i> , 2011, 92, e42-e43.	1.0	45
59	Trajectories of Illness in Stage 5 Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1580-1590.	4.5	101
60	Eculizumab Is An Effective Long-Term Treatment In Patients with Atypical Hemolytic Uremic Syndrome (aHUS) Resistant to Plasma Exchange/Infusion (PE/PI): Results of An Extension Study. <i>Blood</i> , 2011, 118, 193-193.	1.4	4
61	Pivotal role of CD4+ T cells in renal fibrosis following ureteric obstruction. <i>Kidney International</i> , 2010, 78, 351-362.	5.2	118
62	Diabetic glomerular disease: pitfalls in diagnosis. <i>CKJ: Clinical Kidney Journal</i> , 2009, 2, 187-188.	2.9	0
63	A Novel Role for Nephritin in the Maintenance of Glomerular Structure. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1661-1663.	6.1	2
64	C3a Mediates Epithelial-to-Mesenchymal Transition in Proteinuric Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 593-603.	6.1	118
65	Synergy between type 1 fimbriae expression and C3 opsonisation increases internalisation of E. coli by human tubular epithelial cells. <i>BMC Microbiology</i> , 2009, 9, 64.	3.3	26
66	Complement Activation and Progression of Chronic Kidney Disease. <i>Hong Kong Journal of Nephrology</i> , 2009, 11, 41-46.	0.0	1
67	The classical complement pathway plays a critical role in the opsonisation of uropathogenic <i>Escherichia coli</i> . <i>Molecular Immunology</i> , 2008, 45, 954-962.	2.2	28
68	Synthesis of complement protein C3 in the kidney is an important mediator of local tissue injury. <i>FASEB Journal</i> , 2008, 22, 1065-1072.	0.5	84
69	Should Complement Activation Be a Target for Therapy in Renal Transplantation?. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 2250-2251.	6.1	1
70	Illness trajectories: an important concept in the management of kidney failure. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3746-3748.	0.7	37
71	Dialysis or not? A comparative survival study of patients over 75 years with chronic kidney disease stage 5. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1955-1962.	0.7	537
72	Mechanisms of Disease: the complement system in renal injury – new ways of looking at an old foe. <i>Nature Clinical Practice Nephrology</i> , 2007, 3, 277-286.	2.0	37

#	ARTICLE	IF	CITATIONS
73	Deficiency of C4 from Donor or Recipient Mouse Fails to Prevent Renal Allograft Rejection. American Journal of Pathology, 2006, 168, 1241-1248.	3.8	47
74	Influence of Donor C3 Allotype on Late Renal-Transplantation Outcome. New England Journal of Medicine, 2006, 354, 2014-2023.	27.0	176
75	Accumulation of Immune Complexes in Glomerular Disease Is Independent of Locally Synthesized C3. Journal of the American Society of Nephrology: JASN, 2006, 17, 686-696.	6.1	21
76	CD46 (Membrane Cofactor Protein) Acts as a Human Epithelial Cell Receptor for Internalization of Oposonized Uropathogenic Escherichia coli. Journal of Immunology, 2006, 177, 2543-2551.	0.8	54
77	Mycobacterium simiae: A Previously Undescribed Pathogen in Peritoneal Dialysis Peritonitis. American Journal of Kidney Diseases, 2005, 45, e75-e78.	1.9	7
78	Minireview: Functions of the renal tract epithelium in coordinating the innate immune response to infection. Kidney International, 2004, 66, 1334-1344.	5.2	53
79	Epithelial secretion of C3 promotes colonization of the upper urinary tract by Escherichia coli. Nature Medicine, 2001, 7, 801-806.	30.7	83
80	Late allograft loss due to recurrence of p-ANCA-associated systemic vasculitis in a patient with relapsing polycondritis. Nephrology Dialysis Transplantation, 2001, 16, 1705-1707.	0.7	6
81	Successful medical treatment of acute bilateral emphysematous pyelonephritis. American Journal of Kidney Diseases, 2000, 36, 1267-1270.	1.9	47
82	Compliments to the book on complement. Trends in Molecular Medicine, 1999, 5, 243.	2.6	0
83	Chronic Interstitial Damage in Proteinuria. Kidney and Blood Pressure Research, 1999, 22, 47-52.	2.0	18
84	Apical Proteins Stimulate Complement Synthesis by Cultured Human Proximal Tubular Epithelial Cells. Journal of the American Society of Nephrology: JASN, 1999, 10, 69-76.	6.1	108
85	TNF- α regulation of C3 gene expression and protein biosynthesis in rat glomerular endothelial cells. Kidney International, 1997, 51, 703-710.	5.2	65
86	IgA-associated renal diseases. Current Opinion in Nephrology and Hypertension, 1996, 5, 134-140.	2.0	1