
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4192676/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. Journal of Affective Disorders, 2010, 122, 86-95.	4.1	1,581
2	Prevalence of complicated grief in a representative population-based sample. Journal of Affective Disorders, 2011, 131, 339-343.	4.1	505
3	The German Version of the Satisfaction With Life Scale (SWLS). European Journal of Psychological Assessment, 2011, 27, 127-132.	3.0	332
4	Updates on the prevalence of body dysmorphic disorder: A population-based survey. Psychiatry Research, 2010, 178, 171-175.	3.3	331
5	Separating optimism and pessimism: A robust psychometric analysis of the Revised Life Orientation Test (LOT-R) Psychological Assessment, 2006, 18, 433-438.	1.5	312
6	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. BMC Public Health, 2015, 15, 691.	2.9	287
7	Sleep quality in the general population: psychometric properties of the Pittsburgh Sleep Quality Index, derived from a German community sample of 9284 people. Sleep Medicine, 2017, 30, 57-63.	1.6	274
8	Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. Journal of Affective Disorders, 2017, 210, 338-344.	4.1	248
9	Psychometric properties and populationâ€based norms of the Life Orientation Test Revised (LOTâ€R). British Journal of Health Psychology, 2012, 17, 432-445.	3.5	247
10	Maltreatment in Childhood and Adolescence. Deutsches Ärzteblatt International, 2011, 108, 287-94.	0.9	204
11	Estimated prevalence of compulsive buying in Germany and its association with sociodemographic characteristics and depressive symptoms. Psychiatry Research, 2010, 180, 137-142.	3.3	203
12	The estimated prevalence and correlates of adult ADHD in a German community sample. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 79-86.	3.2	165
13	Psychometric analysis of the brief symptom inventory 18 (BSI-18) in a representative German sample. BMC Medical Research Methodology, 2017, 17, 14.	3.1	162
14	The prevalence of compulsive hoarding and its association with compulsive buying in a German population-based sample. Behaviour Research and Therapy, 2009, 47, 705-709.	3.1	146
15	The Epidemiology of the Proposed <i>DSM-5</i> Hoarding Disorder. Journal of Clinical Psychiatry, 2011, 72, 780-786.	2.2	143
16	Posttraumatic stress disorder in fibromyalgia syndrome: Prevalence, temporal relationship between posttraumatic stress and fibromyalgia symptoms, and impact on clinical outcome. Pain, 2013, 154, 1216-1223.	4.2	132
17	Minimization of Childhood Maltreatment Is Common and Consequential: Results from a Large, Multinational Sample Using the Childhood Trauma Questionnaire. PLoS ONE, 2016, 11, e0146058.	2.5	129
18	The stigma of obesity in the general public and its implications for public health - a systematic review. BMC Public Health, 2011, 11, 661.	2.9	124

#	Article	IF	CITATIONS
19	The Association of Traumatic Experiences and Posttraumatic Stress Disorder With Physical Morbidity in Old Age. Psychosomatic Medicine, 2011, 73, 401-406.	2.0	121
20	The association of demoralization with mental disorders and suicidal ideation in patients with cancer. Cancer, 2017, 123, 3394-3401.	4.1	117
21	Assessing general side effects in clinical trials: reference data from the general population. Pharmacoepidemiology and Drug Safety, 2011, 20, 405-415.	1.9	115
22	Predicting suicidal ideation by interpersonal variables, hopelessness and depression in real-time. An ecological momentary assessment study in psychiatric inpatients with depression. European Psychiatry, 2019, 56, 43-50.	0.2	114
23	Life satisfaction, anxiety, depression and resilience across the life span of men. Aging Male, 2010, 13, 32-39.	1.9	113
24	Prevalence of internet addiction in the general population: results from a German population-based survey. Behaviour and Information Technology, 2014, 33, 757-766.	4.0	107
25	Lifetime Traumatic Experiences and Posttraumatic Stress Disorder in the German Population. Journal of Nervous and Mental Disease, 2011, 199, 934-939.	1.0	106
26	What is the General Health Questionnaire-12 assessing?. Comprehensive Psychiatry, 2013, 54, 406-413.	3.1	106
27	Traumatic experiences and post-traumatic stress disorder among elderly Germans: results of a representative population-based survey. International Psychogeriatrics, 2010, 22, 661-670.	1.0	97
28	Optimism and pessimism in the general population: Psychometric properties of the Life Orientation Test (LOT-R). International Journal of Clinical and Health Psychology, 2017, 17, 161-170.	5.1	93
29	Prevalence of post-traumatic stress disorder, depression and somatisation in recently arrived refugees in Germany: an epidemiological study. Epidemiology and Psychiatric Sciences, 2020, 29, e40.	3.9	88
30	Frequency of somatic symptoms in the general population: Normative values for the Patient Health Questionnaire-15 (PHQ-15). Journal of Psychosomatic Research, 2017, 96, 27-31.	2.6	87
31	Type D Personality and All-Cause Mortality in Cardiac Patients-Data From a German Cohort Study. Psychosomatic Medicine, 2011, 73, 548-556.	2.0	85
32	Association between Obesity and Adult Attention-Deficit/Hyperactivity Disorder in a German Community-Based Sample. Obesity Facts, 2011, 4, 204-211.	3.4	85
33	Frequency of child maltreatment in a representative sample of the German population. BMC Public Health, 2013, 13, 980.	2.9	82
34	Adjustment disorder as proposed for ICD-11: Dimensionality and symptom differentiation. Psychiatry Research, 2015, 229, 940-948.	3.3	81
35	Positive mental health moderates the association between depression and suicide ideation: A longitudinal study. International Journal of Clinical and Health Psychology, 2018, 18, 1-7.	5.1	78
36	Life satisfaction, distress, and resiliency across the life span of women. Menopause, 2009, 16, 1132-1138.	2.0	76

#	Article	IF	CITATIONS
37	Adjustment disorders: prevalence in a representative nationwide survey in Germany. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1745-1752.	3.1	74
38	Investigating the Dynamics of Suicidal Ideation. Crisis, 2018, 39, 65-69.	1.2	73
39	Assessing suicidality in real time: A psychometric evaluation of self-report items for the assessment of suicidal ideation and its proximal risk factors using ecological momentary assessments Journal of Abnormal Psychology, 2018, 127, 758-769.	1.9	72
40	Life satisfaction and health-related quality of life in immigrants and native-born Germans: the role of immigration-related factors. Quality of Life Research, 2013, 22, 1005-1013.	3.1	70
41	What is "normal―disability? An investigation of disability in the general population. Pain, 2009, 142, 36-41.	4.2	69
42	Regular and Problematic Leisure-Time Internet Use in the Community: Results from a German Population-Based Survey. Cyberpsychology, Behavior, and Social Networking, 2011, 14, 291-296.	3.9	69
43	Are Psychological Features Useful in Classifying Patients With Somatic Symptoms?. Psychosomatic Medicine, 2010, 72, 648-655.	2.0	67
44	Resilience to suicide ideation: A cross ultural test of the buffering hypothesis. Clinical Psychology and Psychotherapy, 2018, 25, e1-e9.	2.7	66
45	Alone, but protected? Effects of social support on mental health of unaccompanied refugee minors. European Child and Adolescent Psychiatry, 2019, 28, 769-780.	4.7	65
46	Impact of forced displacement during World War II on the present-day mental health of the elderly: a population-based study. International Psychogeriatrics, 2009, 21, 748-753.	1.0	63
47	A Cluster Within the Continuum of Biopsychosocial Distress Can Be Labeled "Fibromyalgia Syndrome― — Evidence from a Representative German Population Survey. Journal of Rheumatology, 2009, 36, 2806-2812.	2.0	61
48	A taxometric exploration of the latent structure of hoarding Psychological Assessment, 2013, 25, 194-203.	1.5	60
49	The relationship of modern health worries to depression, symptom reporting and quality of life in a general population survey. Journal of Psychosomatic Research, 2012, 72, 318-320.	2.6	57
50	Prevalence of Suicidal Ideation and Related Risk Factors in the German General Population. Journal of Nervous and Mental Disease, 2012, 200, 401-405.	1.0	55
51	Evaluating New Proposals for the Psychiatric Classification of Patients With Multiple Somatic Symptoms. Psychosomatic Medicine, 2011, 73, 760-768.	2.0	54
52	The German version of the Interpersonal Needs Questionnaire (INQ) – Dimensionality, psychometric properties and population-based norms. Journal of Affective Disorders, 2016, 195, 191-198.	4.1	54
53	Posttraumatic stress disorder and its comorbidity with depression and somatisation in the elderly – A German community-based study. Aging and Mental Health, 2012, 16, 403-412.	2.8	53
54	Dimensional assessment of depressive severity in the elderly general population: Psychometric evaluation of the PHQ-9 using Rasch Analysis. Journal of Affective Disorders, 2013, 148, 323-330.	4.1	53

#	Article	IF	CITATIONS
55	The Distinction Between "Medically Unexplained―and "Medically Explained―in the Context of Somatoform Disorders. International Journal of Behavioral Medicine, 2013, 20, 161-171.	1.7	52
56	Health care utilization among first and second generation immigrants and native-born Germans: a population-based study in Germany. International Journal of Public Health, 2011, 56, 541-548.	2.3	50
57	Attitudes of Health Care Professionals towards Female Obese Patients. Obesity Facts, 2013, 6, 512-522.	3.4	48
58	Psychometric properties of the Satisfaction with Life Scale (SWLS), derived from a large German community sample. Quality of Life Research, 2018, 27, 1661-1670.	3.1	48
59	The German Version of the Hopkins Symptoms Checklist-25 (HSCL-25) — Factorial structure, psychometric properties, and population-based norms. Comprehensive Psychiatry, 2014, 55, 396-403.	3.1	47
60	Medication Adherence in the General Population. PLoS ONE, 2012, 7, e50537.	2.5	46
61	Anxiety and depression in the general population in Colombia: reference values of the Hospital Anxiety and Depression Scale (HADS). Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 41-49.	3.1	46
62	Remission of suicidal thoughts: Findings from a longitudinal epidemiological study. Journal of Affective Disorders, 2016, 190, 723-725.	4.1	46
63	The type-D scale (DS14) $\hat{a} \in$ Norms and prevalence of type-D personality in a population-based representative sample in Germany. Personality and Individual Differences, 2010, 48, 935-939.	2.9	41
64	Validation of the Rasch-based Depression Screening in a large scale German general population sample. Health and Quality of Life Outcomes, 2010, 8, 105.	2.4	41
65	Positive mental health moderates the association between suicide ideation and suicide attempts. Journal of Affective Disorders, 2019, 245, 246-249.	4.1	41
66	Traumatic experiences, alexithymia, and posttraumatic symptomatology: a cross-sectional population-based study in Germany. Högre Utbildning, 2014, 5, .	3.0	40
67	Pessimism Predicts Anxiety, Depression and Quality of Life in Female Cancer Patients. Japanese Journal of Clinical Oncology, 2011, 41, 87-94.	1.3	38
68	(In)stability of Capability for Suicide in Psychiatric Inpatients: Longitudinal Assessment Using Ecological Momentary Assessments. Suicide and Life-Threatening Behavior, 2019, 49, 1560-1572.	1.9	38
69	Modelling suicide ideation from beep to beep: Application of network analysis to ecological momentary assessment data. Internet Interventions, 2019, 18, 100292.	2.7	38
70	The association of depression and multimorbidity in the elderly: implications for the assessment of depression. Psychogeriatrics, 2011, 11, 227-234.	1.2	37
71	Trends in child maltreatment in Germany: comparison of two representative population-based studies. Child and Adolescent Psychiatry and Mental Health, 2018, 12, 24.	2.5	37
72	Normative values of the Epworth Sleepiness Scale (ESS), derived from a large German sample. Sleep and Breathing, 2016, 20, 1337-1345.	1.7	36

#	Article	IF	CITATIONS
73	Latent class analysis differentiation of adjustment disorder and demoralization, more severe depressive and anxiety disorders, and somatic symptoms in patients with cancer. Psycho-Oncology, 2018, 27, 2623-2630.	2.3	36
74	Assessing childhood maltreatment on the population level in Germany: findings and methodological challenges. Child and Adolescent Psychiatry and Mental Health, 2016, 10, 15.	2.5	35
75	Defeat and entrapment: more than meets the eye? Applying network analysis to estimate dimensions of highly correlated constructs. BMC Medical Research Methodology, 2018, 18, 16.	3.1	34
76	Do suicide attempters and suicide ideators differ in capability for suicide?. Psychiatry Research, 2019, 275, 304-309.	3.3	34
77	Lower decision threshold for doctor visits as a predictor of health care use in somatoform disorders and in the general population. General Hospital Psychiatry, 2008, 30, 349-355.	2.4	33
78	Time until Institutionalization in Incident Dementia Cases – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). Neuroepidemiology, 2008, 31, 100-108.	2.3	33
79	Patterns of Childhood Abuse and Neglect in a Representative German Population Sample. PLoS ONE, 2016, 11, e0159510.	2.5	32
80	Long-Term Effects of Conflict-Related Sexual Violence Compared with Non-Sexual War Trauma in Female World War II Survivors: A Matched Pairs Study. Archives of Sexual Behavior, 2014, 43, 1059-1064.	1.9	31
81	The association of trait impulsivity and suicidal ideation and its fluctuation in the context of the Interpersonal Theory of Suicide. Comprehensive Psychiatry, 2020, 98, 152158.	3.1	31
82	Does a Reliable Decline in Mini Mental State Examination Total Score Predict Dementia?. Dementia and Geriatric Cognitive Disorders, 2009, 27, 50-58.	1.5	30
83	A controlled trial on the effect of hypnosis on dental anxiety in tooth removal patients. Patient Education and Counseling, 2015, 98, 1112-1115.	2.2	30
84	Factors predicting symptoms of somatization, depression, anxiety, post-traumatic stress disorder, self-rated mental and physical health among recently arrived refugees in Germany. Conflict and Health, 2020, 14, 44.	2.7	29
85	Base rates for depersonalization according to the 2-item version of the Cambridge Depersonalization Scale (CDS-2) and its associations with depression/anxiety in the general population. Journal of Affective Disorders, 2011, 128, 106-111.	4.1	27
86	Depression, suicidal ideation and suicide risk in German veterinarians compared with the general German population. Veterinary Record, 2020, 186, e2.	0.3	27
87	Regulation of emotions in the community: suppression and reappraisal strategies and its psychometric properties. Gms Psycho-social-medicine, 2011, 8, Doc09.	1.2	27
88	More Than 60 Years Later. Journal of Nervous and Mental Disease, 2012, 200, 911-914.	1.0	26
89	Perceived Appearance-Related Teasing in Body Dysmorphic Disorder: A Population-Based Survey. International Journal of Cognitive Therapy, 2011, 4, 342-348.	2.2	24
90	Widespread pain in older Germans is associated with posttraumatic stress disorder and lifetime employment status – Results of a cross-sectional survey with a representative population sample. Pain, 2012, 153, 2466-2472.	4.2	24

#	Article	IF	CITATIONS
91	Crossâ€cultural measurement invariance of the General Health Questionnaireâ€12 in a German and a Colombian population sample. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	23
92	Trajectories of health-related quality of life in immigrants and non-immigrants in Germany: a population-based longitudinal study. International Journal of Public Health, 2019, 64, 49-58.	2.3	23
93	The role of childhood abuse for suicidality in the context of the interpersonal theory of suicide: An investigation in German psychiatric inpatients with depression. Journal of Affective Disorders, 2019, 245, 788-797.	4.1	23
94	The impact of forced displacement in World War II on mental health disorders and health-related quality of life in late life – a German population-based study. International Psychogeriatrics, 2013, 25, 310-319.	1.0	22
95	Interpersonal theory of suicide: prospective examination. BJPsych Open, 2020, 6, e113.	0.7	22
96	Do Feelings of Defeat and Entrapment Change over Time? An Investigation of the Integrated Motivational—Volitional Model of Suicidal Behaviour Using Ecological Momentary Assessments. International Journal of Environmental Research and Public Health, 2020, 17, 4685.	2.6	21
97	The Construct Validity of Social Inhibition and the Type-D Taxonomy. Journal of Health Psychology, 2010, 15, 1103-1112.	2.3	20
98	Validating psychological classification criteria in the context of somatoform disorders: A one- and four-year follow-up Journal of Abnormal Psychology, 2015, 124, 1092-1101.	1.9	20
99	Diagnostik von Suizidalitä , 2016, , .		20
100	Continuum of sexual and gender-based violence risks among Syrian refugee women and girls in Lebanon. BMC Women's Health, 2020, 20, 176.	2.0	19
101	Endocannabinoid concentrations in hair and mental health of unaccompanied refugee minors. Psychoneuroendocrinology, 2020, 116, 104683.	2.7	19
102	Child abuse and suicidality in the context of the Interpersonal Psychological Theory of Suicide: A network analysis. British Journal of Clinical Psychology, 2021, 60, 425-442.	3.5	19
103	The German version of the Painful and Provocative Events Scale: A psychometric investigation. Psychiatry Research, 2015, 226, 264-272.	3.3	18
104	Childhood maltreatment in children born of occupation after WWII in Germany and its association with mental disorders. International Psychogeriatrics, 2017, 29, 1147-1156.	1.0	18
105	Brief reasons for living inventory: a psychometric investigation. BMC Psychiatry, 2017, 17, 358.	2.6	16
106	Depression, anxiety and quality of life in subjects with atopic eczema in a populationâ€based crossâ€sectional study in Germany. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 810-816.	2.4	16
107	Depression, Somatization, and Posttraumatic Stress Disorder in Children Born of Occupation After World War II in Comparison With a General Population. Journal of Nervous and Mental Disease, 2015, 203, 742-748.	1.0	15
108	Questions of Identity in Children Born of War—Embarking on a Search for the Unknown Soldier Father. Journal of Child and Family Studies, 2019, 28, 3220-3229.	1.3	15

#	Article	IF	CITATIONS
109	Associations Between Anxiety, Body Mass Index, and Sex Hormones in Women. Frontiers in Psychiatry, 2019, 10, 479.	2.6	15
110	Hair cortisol, lifetime traumatic experiences and psychopathology in unaccompanied refugee minors. Psychoneuroendocrinology, 2019, 104, 191-194.	2.7	15
111	Short defeat and entrapment scale: A psychometric investigation in three German samples. Comprehensive Psychiatry, 2020, 98, 152160.	3.1	15
112	Defeat, entrapment, and suicidal ideation: Twelveâ€nonth trajectories. Suicide and Life-Threatening Behavior, 2022, 52, 69-82.	1.9	15
113	The association of traumatic experiences and posttraumatic stress disorder with health care utilization in the elderly — a German population based study. General Hospital Psychiatry, 2011, 33, 177-184.	2.4	14
114	Investigating dynamics and predictors of suicidal behaviors using ambulatory assessment. Neuropsychiatrie, 2015, 29, 139-143.	2.5	14
115	Dimensionality, psychometric properties and population-based norms of the German version of the Revised Acquired Capability for Suicide Scale (ACSS-FAD). Psychiatry Research, 2016, 238, 46-52.	3.3	14
116	A Prospective Examination of Perceived Burdensomeness and Thwarted Belongingness As Risk Factors for Suicide Ideation In Adult Outpatients Receiving Cognitiveâ€Behavioral Therapy. Journal of Clinical Psychology, 2017, 73, 1393-1402.	1.9	14
117	Disagreement in Doctor's and Patient's Rating About Medically Unexplained Symptoms and Health Care Use. International Journal of Behavioral Medicine, 2013, 20, 30-37.	1.7	13
118	Perceived burdensomeness and suicide ideation in adult outpatients receiving exposure therapy for anxiety disorders. Behaviour Research and Therapy, 2016, 85, 1-5.	3.1	13
119	Evaluation of the revised sense of coherence scale in a representative German sample. PLoS ONE, 2018, 13, e0209550.	2.5	13
120	Loss and grief in elderly people: Results from the LIFE-Adult-Study. Death Studies, 2022, 46, 1621-1630.	2.7	13
121	Validation of the motivational phase of the integrated motivational–volitional model of suicidal behavior in a German high-risk sample. Journal of Affective Disorders, 2020, 274, 871-879.	4.1	13
122	Health care needs among recently arrived refugees in Germany: a cross-sectional, epidemiological study. International Journal of Public Health, 2020, 65, 811-821.	2.3	13
123	From decision to action: Suicidal history and time between decision to die and actual suicide attempt. Clinical Psychology and Psychotherapy, 2021, 28, 1427-1434.	2.7	13
124	Differences in Patient Health Questionnaire and Aachen Depression Item Bank scores between tablet versus paper-and-pencil administration. Quality of Life Research, 2015, 24, 3023-3032.	3.1	12
125	Long-term effects on adult attachment in German occupation children born after World War II in comparison with a birth-cohort-matched representative sample of the German general population. Aging and Mental Health, 2018, 22, 197-207.	2.8	12
126	Mental health among immigrants in Germany – the impact of self-attribution and attribution by others as an immigrant. BMC Public Health, 2019, 19, 1697.	2.9	12

#	Article	IF	CITATIONS
127	The Differential Roles of Trauma, Posttraumatic Stress Disorder, and Comorbid Depressive Disorders on Suicidal Ideation in the Elderly Population. Journal of Clinical Psychiatry, 2012, 73, 1141-1146.	2.2	12
128	A comparison of the clinical features of fibromyalgia syndrome in different settings. European Journal of Pain, 2011, 15, 936-941.	2.8	11
129	Persistence of Psychological Distress in Surgical Patients with Interest in Psychotherapy: Results of a 6-Month Follow-Up. PLoS ONE, 2012, 7, e51167.	2.5	11
130	Thoughts of death and suicidality among patients with cancer: Examining subtypes and their association with mental disorders. Psycho-Oncology, 2021, 30, 2023-2031.	2.3	11
131	Analyzing the link between anxiety and eating behavior as a potential pathway to eating-related health outcomes. Scientific Reports, 2021, 11, 14717.	3.3	11
132	Effects of an Innovative Psychotherapy Program for Surgical Patients. Anesthesiology, 2015, 123, 148-159.	2.5	10
133	The relationship between perceived own health state and health assessments of anchoring vignettes. International Journal of Clinical and Health Psychology, 2016, 16, 128-136.	5.1	10
134	Testing the main prediction of the Interpersonal Theory of Suicide in a representative sample of the German general population. Journal of Affective Disorders, 2017, 211, 150-152.	4.1	10
135	Predictors of posttraumatic growth among conflict-related sexual violence survivors from Bosnia and Herzegovina. Conflict and Health, 2019, 13, 23.	2.7	10
136	Testing the Four Main Predictions of the Interpersonal–Psychological Theory of Suicidal Behavior in an Inpatient Sample Admitted Due to Severe Suicidality. Behavior Therapy, 2021, 52, 626-638.	2.4	10
137	Predicting suicidal behavior by implicit associations with death? Examination of the death IAT in two inpatient samples of differing suicide risk Psychological Assessment, 2021, 33, 287-299.	1.5	10
138	Migration und Flucht als Prozess. Trauma Und Gewalt, 2016, 10, 270-286.	0.1	10
139	Challenges faced by university students during the <scp>COVID</scp> â€19: An international study in five countries during the early phase of the pandemic. International Journal of Psychology, 2022, 57, 547-558.	2.8	10
140	Depressive Symptomatology in Early Retirees Associated With Reason for Retirement—Results From the Population-Based LIFE-Adult-Study. Frontiers in Psychiatry, 2020, 11, 565442.	2.6	9
141	Is the relationship between child abuse and suicide attempts mediated by nonsuicidal selfâ€injury and pain tolerance?. Clinical Psychology and Psychotherapy, 2021, 28, 189-199.	2.7	9
142	Euthanasia Distress and Fearlessness About Death in German Veterinarians. Crisis, 2021, 42, 71-77.	1.2	9
143	Sleep disturbances predict active suicidal ideation the next day: an ecological momentary assessment study. BMC Psychiatry, 2022, 22, 65.	2.6	9
144	Gender Differences in Healthcare Utilization: The Mediating Effect of Utilization Propensity. Journal of Applied Social Psychology, 2012, 42, 1266-1279.	2.0	8

#	Article	IF	CITATIONS
145	Trauma and posttraumatic stress disorder in older adults. Cmaj, 2013, 185, 685-685.	2.0	8
146	The association of adverse childhood experiences and of resilience with chronic noncancer pain in the German adult population – A crossâ€sectional survey. European Journal of Pain, 2019, 23, 555-564.	2.8	8
147	"lf I was with my father such discrimination wouldn't exist, I could be happy like other people― a qualitative analysis of stigma among peacekeeper fathered children in the Democratic Republic of Congo. Conflict and Health, 2020, 14, 76.	2.7	8
148	Dimensional latent structure of PTSD-symptoms reporting: Is it adding by subtracting?. Psychological Assessment, 2016, 28, 1663-1673.	1.5	8
149	Subjective underchallenge at work and its impact on mental health. International Archives of Occupational and Environmental Health, 2011, 84, 655-664.	2.3	7
150	RisikoabschÃæung bei suizidalen Patienten: Geht das überhaupt?. Verhaltenstherapie, 2019, 29, 80-84.	0.4	7
151	Posttraumatic stress disorder among cancer patients—Findings from a large and representative interviewâ€based study in Germany. Psycho-Oncology, 2019, 28, 1278-1285.	2.3	7
152	Handling Missing Data in the Short Form–12 Health Survey (SF-12): Concordance of Real Patient Data and Data Estimated by Missing Data Imputation Procedures. Assessment, 2021, 28, 1785-1798.	3.1	7
153	Determinants of Willingness to Pay for Health Insurance in Germany—Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). Frontiers in Public Health, 2020, 8, 456.	2.7	7
154	The Impact of Police Behavior During Death Notifications on Mental Health of the Bereaved: A Cross-Sectional Study. Omega: Journal of Death and Dying, 2021, , 003022282110192.	1.0	7
155	Prevalence of suicidal ideation and suicide attempts among refugees: a meta-analysis. BMC Public Health, 2022, 22, 635.	2.9	7
156	An Evaluation of a Suicide Prevention E-Learning Program for Police Officers (COPS): Improvement in Knowledge and Competence. Frontiers in Psychiatry, 2021, 12, 770277.	2.6	7
157	All-or-nothing thinking: The processing of emotional expressions in traumatized post-deployment soldiers. Journal of Anxiety Disorders, 2017, 47, 69-74.	3.2	6
158	Psychometric properties of the German version of the suicide cognitions scale in two clinical samples. Psychiatry Research, 2019, 274, 254-262.	3.3	6
159	Pain persistence and lethality of suicide attempts. Clinical Psychology and Psychotherapy, 2020, 27, 542-547.	2.7	6
160	Predicting suicidal ideation in a longitudinal highâ€risk sample: Multilevel analyses and 12â€month trajectories. Journal of Clinical Psychology, 2021, 77, 2353-2369.	1.9	6
161	Sequentielle Traumatisierungsprozesse bei unbegleiteten minderjÄ ¤ rigen Geflüchteten. Trauma Und Gewalt, 2018, 12, 14-27.	0.1	6
162	Suicidal ideation among recently arrived refugees in Germany. BMC Psychiatry, 2022, 22, 183.	2.6	6

#	Article	IF	CITATIONS
163	Assessing modern health worries: Dimensionality and factorial invariance across age and sex of the Modern Health Worries Scale in a general population sample. Journal of Health Psychology, 2014, 19, 1302-1308.	2.3	5
164	Assessing age stereotypes in the German population in 1996 and 2011: socio-demographic correlates and shift over time. European Journal of Ageing, 2018, 15, 47-56.	2.8	5
165	Do They Feel the Same Way? Health-Related Quality of Life and Satisfaction With Life in Jewish Immigrants From the Former Soviet Union in Germany and Israel. Journal of Cross-Cultural Psychology, 2018, 49, 618-634.	1.6	4
166	How Is the Presence of Company Related to Thwarted Belongingness in Real Time? Taking a Closer Look at the Conceptualization of the Construct of the Interpersonal Theory of Suicide. International Journal of Environmental Research and Public Health, 2020, 17, 4873.	2.6	4
167	Psychometric evaluation of the Interpersonal Needs Questionnaire (INQ) using item analysis according to the Rasch model. PLoS ONE, 2020, 15, e0232030.	2.5	4
168	Revealing the Importance of Military Sexual Trauma and Its Consequences. Journal of Clinical Psychiatry, 2014, 75, e1188-e1189.	2.2	4
169	Should the definition of the term "children born of war― Acta Medica Academica, 2017, 46, 67-69.	0.8	4
170	The delivery of death notifications, associated stress and use of aftercare in police officers: a mixed-method approach. Police Practice and Research, 0, , 1-16.	1.5	4
171	The association between mental demands at the workplace and cognitive functioning: the role of the big five personality traits. Aging and Mental Health, 2020, 24, 1064-1070.	2.8	3
172	The role of the 5â€HTTLPR polymorphism in acquired capability for suicide. Suicide and Life-Threatening Behavior, 2020, 50, 1121-1126.	1.9	3
173	Mental Health in Children of Immigrants in Germany: The Role of Socio-Demographic and Immigration-Related Characteristics. Journal of Child and Family Studies, 2022, 31, 155-168.	1.3	3
174	Die Konsequenzen traumatischer Erfahrungen. Trauma Und Gewalt, 2020, 14, 266-276.	0.1	3
175	Association of realâ€ŧime assessed mood, affect and suicidal ideation in psychiatric inpatients with unipolar depression. Clinical Psychology and Psychotherapy, 2022, 29, 1580-1586.	2.7	3
176	Anxiety and Food Addiction in Men and Women: Results From the Longitudinal LIFE-Adult-Study. Frontiers in Psychiatry, 0, 13, .	2.6	3
177	Health-related quality of life in Jewish immigrants from the Former Soviet Union in Germany. International Journal of Migration, Health and Social Care, 2017, 13, 277-288.	0.5	2
178	Validation of the German capability for suicide questionnaire (GCSQ) in a high-risk sample of suicidal inpatients. BMC Psychiatry, 2020, 20, 412.	2.6	2
179	Association of Physical Morbidity and Health-Related Quality of Life in a Representative Sample of Older German People. European Journal of Health Psychology, 2018, 25, 140-151.	0.6	2
180	Fatigue After Liver Transplant and Combined Liver and Kidney Transplant. Experimental and Clinical Transplantation, 2017, 15, 437-444.	0.5	2

#	Article	IF	CITATIONS
181	Public Familiarity With the TermsSomatoform DisorderandFunctional Disorderin Germany. primary care companion for CNS disorders, The, 2012, 14, .	0.6	2
182	Suicidal behaviour in the social environment: Does exposure moderate the relationship between an individual's own suicidal ideation and behaviour?. Clinical Psychology and Psychotherapy, 2022, 29, 1309-1320.	2.7	2
183	Fibromyalgia or fibromyalgia syndrome? A reply to the comment of Dr. Kroenke "Comparing fibromyalgia across different clinical settings: is it apples and oranges, or oranges and tangerines?â€ European Journal of Pain, 2011, 15, 999-1000.	2.8	1
184	The views of Wilhelm Griesinger (1817–68) on suicidality or â€~self-murder'. History of Psychiatry, 2018, 29, 470-477.	0.3	1
185	Sexual violence and mental health in male and female refugees newly arrived in Germany. Deutsches Ärzteblatt International, 2021, 118, 130-131.	0.9	1
186	Sequentielle Traumatisierung bei unbegleiteten minderjĤrigen Geflļchteten. , 2021, , 137-184.		1
187	Interkulturelle psychologische Testdiagnostik bei Menschen mit Migrationshintergrund. , 2018, , 219-227.		1
188	Kultursensible klinische ÂĐiagnostik bei Geflüchteten. Trauma Und Gewalt, 2019, 13, 52-61.	0.1	1
189	Sexualisierte Gewalt gegen Mäner im Kontext von Krieg und Vertreibung. Trauma Und Gewalt, 2020, 14, 182-196.	0.1	1
190	Presence of the Absent Father: Perceptions of Family among Peacekeeper-Fathered Children in the Democratic Republic of Congo. Journal of Child and Family Studies, 0, , 1.	1.3	1
191	Suizidales Erleben und Verhalten im Kontext von Traumatisierungen und Posttraumatischen Belastungsstörungen. Trauma Und Gewalt, 2022, 16, 92-107.	0.1	1
192	From Global Health Challenges to Community-Based and Individual Psychosocial Intervention Strategies. PPmP Psychotherapie Psychosomatik Medizinische Psychologie, 2018, 68, 327-328.	0.2	0
193	Psychosoziale Arbeitsbelastung von Mitarbeitenden der stationäen Jugendhilfe für unbegleitete minderjärige ÂGeflüchtete. Trauma Und Gewalt, 2019, 13, 310-321.	0.1	0
194	Junge Menschen auf der Flucht– Möglichkeiten des Ankommens?. Trauma Und Gewalt, 2019, 13, 281-281.	0.1	0
195	Begleitete und unbegleitete minderjĤrige Geflļchtete. Trauma Und Gewalt, 2019, 13, 284-297.	0.1	0
196	Aus dem Blick geraten – blinde Flecken im Traumadiskurs. Trauma Und Gewalt, 2020, 14, 177-177.	0.1	0
197	Kommentar zum Leserbrief von Christian Wagner in Heft 4/2019 zu W. Eckart »Nous accusons! Die katholische Kirche auf der Anklagebank: Serielle Menschenrechtsverletzungen an Kindern« (HeftÂ2/2019). Trauma Und Gewalt, 2020, 14, 87-87.	0.1	0
198	A Dual-Model of Posttraumatic Stress and Posttraumatic Growth in a Community Sample of Female Conflict-Related Sexual Violence Survivors from Bosnia and Herzegovina. Journal of Human Trafficking, Enslavement and Conflict-related Sexual Violence, 2020, 1, 65-86.	0.2	0

#	Article	IF	CITATIONS
199	Zusammenhäge zwischen Optimismus, Pessimismus und PTBS-Symptomatik bei seit Kurzem in Deutschland lebenden Geflüchteten. Verhaltenstherapie, 2022, 32, 82-92.	0.4	Ο