

# Heide Glaesmer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4192676/publications.pdf>

Version: 2024-02-01

199  
papers

11,910  
citations

34105

52  
h-index

33894

99  
g-index

256  
all docs

256  
docs citations

256  
times ranked

13300  
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss and grief in elderly people: Results from the LIFE-Adult-Study. <i>Death Studies</i> , 2022, 46, 1621-1630.	2.7	13
2	Defeat, entrapment, and suicidal ideation: Twelve-month trajectories. <i>Suicide and Life-Threatening Behavior</i> , 2022, 52, 69-82.	1.9	15
3	Mental Health in Children of Immigrants in Germany: The Role of Socio-Demographic and Immigration-Related Characteristics. <i>Journal of Child and Family Studies</i> , 2022, 31, 155-168.	1.3	3
4	Suicidal behaviour in the social environment: Does exposure moderate the relationship between an individual's own suicidal ideation and behaviour?. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1309-1320.	2.7	2
5	Sleep disturbances predict active suicidal ideation the next day: an ecological momentary assessment study. <i>BMC Psychiatry</i> , 2022, 22, 65.	2.6	9
6	Suicidal ideation among recently arrived refugees in Germany. <i>BMC Psychiatry</i> , 2022, 22, 183.	2.6	6
7	Prevalence of suicidal ideation and suicide attempts among refugees: a meta-analysis. <i>BMC Public Health</i> , 2022, 22, 635.	2.9	7
8	Association of real-time assessed mood, affect and suicidal ideation in psychiatric inpatients with unipolar depression. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1580-1586.	2.7	3
9	Suizidales Erleben und Verhalten im Kontext von Traumatisierungen und Posttraumatischen Belastungsstörungen. <i>Trauma Und Gewalt</i> , 2022, 16, 92-107.	0.1	1
10	Zusammenhänge zwischen Optimismus, Pessimismus und PTBS-Symptomatik bei seit Kurzem in Deutschland lebenden Geflüchteten. <i>Verhaltenstherapie</i> , 2022, 32, 82-92.	0.4	0
11	Challenges faced by university students during the COVID-19: An international study in five countries during the early phase of the pandemic. <i>International Journal of Psychology</i> , 2022, 57, 547-558.	2.8	10
12	Handling Missing Data in the Short Form-12 Health Survey (SF-12): Concordance of Real Patient Data and Data Estimated by Missing Data Imputation Procedures. <i>Assessment</i> , 2021, 28, 1785-1798.	3.1	7
13	Testing the Four Main Predictions of the Interpersonal Psychological Theory of Suicidal Behavior in an Inpatient Sample Admitted Due to Severe Suicidality. <i>Behavior Therapy</i> , 2021, 52, 626-638.	2.4	10
14	Is the relationship between child abuse and suicide attempts mediated by nonsuicidal self-harm and pain tolerance?. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 189-199.	2.7	9
15	Euthanasia Distress and Fearlessness About Death in German Veterinarians. <i>Crisis</i> , 2021, 42, 71-77.	1.2	9
16	Sexual violence and mental health in male and female refugees newly arrived in Germany. <i>Deutsches Ärzteblatt International</i> , 2021, 118, 130-131.	0.9	1
17	From decision to action: Suicidal history and time between decision to die and actual suicide attempt. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1427-1434.	2.7	13
18	Predicting suicidal behavior by implicit associations with death? Examination of the death IAT in two inpatient samples of differing suicide risk.. <i>Psychological Assessment</i> , 2021, 33, 287-299.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Thoughts of death and suicidality among patients with cancer: Examining subtypes and their association with mental disorders. <i>Psycho-Oncology</i> , 2021, 30, 2023-2031.	2.3	11
20	The Impact of Police Behavior During Death Notifications on Mental Health of the Bereaved: A Cross-Sectional Study. <i>Omega: Journal of Death and Dying</i> , 2021, , 003022282110192.	1.0	7
21	Child abuse and suicidality in the context of the Interpersonal Psychological Theory of Suicide: A network analysis. <i>British Journal of Clinical Psychology</i> , 2021, 60, 425-442.	3.5	19
22	Predicting suicidal ideation in a longitudinal high-risk sample: Multilevel analyses and 12-month trajectories. <i>Journal of Clinical Psychology</i> , 2021, 77, 2353-2369.	1.9	6
23	Analyzing the link between anxiety and eating behavior as a potential pathway to eating-related health outcomes. <i>Scientific Reports</i> , 2021, 11, 14717.	3.3	11
24	Sequentielle Traumatisierung bei unbegleiteten minderjährigen Geflüchteten. , 2021, , 137-184.		1
25	An Evaluation of a Suicide Prevention E-Learning Program for Police Officers (COPS): Improvement in Knowledge and Competence. <i>Frontiers in Psychiatry</i> , 2021, 12, 770277.	2.6	7
26	The association between mental demands at the workplace and cognitive functioning: the role of the big five personality traits. <i>Aging and Mental Health</i> , 2020, 24, 1064-1070.	2.8	3
27	Prevalence of post-traumatic stress disorder, depression and somatisation in recently arrived refugees in Germany: an epidemiological study. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e40.	3.9	88
28	Short defeat and entrapment scale: A psychometric investigation in three German samples. <i>Comprehensive Psychiatry</i> , 2020, 98, 152160.	3.1	15
29	The association of trait impulsivity and suicidal ideation and its fluctuation in the context of the Interpersonal Theory of Suicide. <i>Comprehensive Psychiatry</i> , 2020, 98, 152158.	3.1	31
30	Depression, anxiety and quality of life in subjects with atopic eczema in a population-based cross-sectional study in Germany. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 810-816.	2.4	16
31	Depressive Symptomatology in Early Retirees Associated With Reason for Retirement—Results From the Population-Based LIFE-Adult-Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 565442.	2.6	9
32	How Is the Presence of Company Related to Thwarted Belongingness in Real Time? Taking a Closer Look at the Conceptualization of the Construct of the Interpersonal Theory of Suicide. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4873.	2.6	4
33	“If I was with my father such discrimination wouldn’t exist, I could be happy like other people”: a qualitative analysis of stigma among peacekeeper fathered children in the Democratic Republic of Congo. <i>Conflict and Health</i> , 2020, 14, 76.	2.7	8
34	Do Feelings of Defeat and Entrapment Change over Time? An Investigation of the Integrated Motivational-Volitional Model of Suicidal Behaviour Using Ecological Momentary Assessments. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4685.	2.6	21
35	The role of the 5-HTTLPR polymorphism in acquired capability for suicide. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 1121-1126.	1.9	3
36	Psychometric evaluation of the Interpersonal Needs Questionnaire (INQ) using item analysis according to the Rasch model. <i>PLoS ONE</i> , 2020, 15, e0232030.	2.5	4

#	ARTICLE	IF	CITATIONS
37	Factors predicting symptoms of somatization, depression, anxiety, post-traumatic stress disorder, self-rated mental and physical health among recently arrived refugees in Germany. <i>Conflict and Health</i> , 2020, 14, 44.	2.7	29
38	Validation of the German capability for suicide questionnaire (GCSQ) in a high-risk sample of suicidal inpatients. <i>BMC Psychiatry</i> , 2020, 20, 412.	2.6	2
39	Determinants of Willingness to Pay for Health Insurance in Germanyâ€”Results of the Population-Based Health Study of the Leipzig Research Centre for Civilization Diseases (LIFE-Adult-Study). <i>Frontiers in Public Health</i> , 2020, 8, 456.	2.7	7
40	Interpersonal theory of suicide: prospective examination. <i>BJPsych Open</i> , 2020, 6, e113.	0.7	22
41	Continuum of sexual and gender-based violence risks among Syrian refugee women and girls in Lebanon. <i>BMC Women's Health</i> , 2020, 20, 176.	2.0	19
42	Depression, suicidal ideation and suicide risk in German veterinarians compared with the general German population. <i>Veterinary Record</i> , 2020, 186, e2.	0.3	27
43	Validation of the motivational phase of the integrated motivationalâ€”volitional model of suicidal behavior in a German high-risk sample. <i>Journal of Affective Disorders</i> , 2020, 274, 871-879.	4.1	13
44	Health care needs among recently arrived refugees in Germany: a cross-sectional, epidemiological study. <i>International Journal of Public Health</i> , 2020, 65, 811-821.	2.3	13
45	Pain persistence and lethality of suicide attempts. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 542-547.	2.7	6
46	Endocannabinoid concentrations in hair and mental health of unaccompanied refugee minors. <i>Psychoneuroendocrinology</i> , 2020, 116, 104683.	2.7	19
47	Aus dem Blick geraten â€” blinde Flecken im Traumadiskurs. <i>Trauma Und Gewalt</i> , 2020, 14, 177-177.	0.1	0
48	Sexualisierte Gewalt gegen MÃnner im Kontext von Krieg und Vertreibung. <i>Trauma Und Gewalt</i> , 2020, 14, 182-196.	0.1	1
49	Kommentar zum Leserbrief von Christian Wagner in Heft 4/2019 zu W. Eckart Â»Nous accusons! Die katholische Kirche auf der Anklagebank: Serielle Menschenrechtsverletzungen an KindernÂ« (HeftÂ2/2019). <i>Trauma Und Gewalt</i> , 2020, 14, 87-87.	0.1	0
50	Die Konsequenzen traumatischer Erfahrungen. <i>Trauma Und Gewalt</i> , 2020, 14, 266-276.	0.1	3
51	A Dual-Model of Posttraumatic Stress and Posttraumatic Growth in a Community Sample of Female Conflict-Related Sexual Violence Survivors from Bosnia and Herzegovina. <i>Journal of Human Trafficking, Enslavement and Conflict-related Sexual Violence</i> , 2020, 1, 65-86.	0.2	0
52	Trajectories of health-related quality of life in immigrants and non-immigrants in Germany: a population-based longitudinal study. <i>International Journal of Public Health</i> , 2019, 64, 49-58.	2.3	23
53	Questions of Identity in Children Born of Warâ€”Embarking on a Search for the Unknown Soldier Father. <i>Journal of Child and Family Studies</i> , 2019, 28, 3220-3229.	1.3	15
54	Associations Between Anxiety, Body Mass Index, and Sex Hormones in Women. <i>Frontiers in Psychiatry</i> , 2019, 10, 479.	2.6	15

#	ARTICLE	IF	CITATIONS
55	Predictors of posttraumatic growth among conflict-related sexual violence survivors from Bosnia and Herzegovina. <i>Conflict and Health</i> , 2019, 13, 23.	2.7	10
56	(In)stability of Capability for Suicide in Psychiatric Inpatients: Longitudinal Assessment Using Ecological Momentary Assessments. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 1560-1572.	1.9	38
57	Hair cortisol, lifetime traumatic experiences and psychopathology in unaccompanied refugee minors. <i>Psychoneuroendocrinology</i> , 2019, 104, 191-194.	2.7	15
58	Risikoabschätzung bei suizidalen Patienten: Geht das überhaupt?. <i>Verhaltenstherapie</i> , 2019, 29, 80-84.	0.4	7
59	Do suicide attempters and suicide ideators differ in capability for suicide?. <i>Psychiatry Research</i> , 2019, 275, 304-309.	3.3	34
60	Posttraumatic stress disorder among cancer patients—Findings from a large and representative interview-based study in Germany. <i>Psycho-Oncology</i> , 2019, 28, 1278-1285.	2.3	7
61	Psychometric properties of the German version of the suicide cognitions scale in two clinical samples. <i>Psychiatry Research</i> , 2019, 274, 254-262.	3.3	6
62	Modelling suicide ideation from beep to beep: Application of network analysis to ecological momentary assessment data. <i>Internet Interventions</i> , 2019, 18, 100292.	2.7	38
63	Mental health among immigrants in Germany—the impact of self-attribution and attribution by others as an immigrant. <i>BMC Public Health</i> , 2019, 19, 1697.	2.9	12
64	The role of childhood abuse for suicidality in the context of the interpersonal theory of suicide: An investigation in German psychiatric inpatients with depression. <i>Journal of Affective Disorders</i> , 2019, 245, 788-797.	4.1	23
65	Positive mental health moderates the association between suicide ideation and suicide attempts. <i>Journal of Affective Disorders</i> , 2019, 245, 246-249.	4.1	41
66	Alone, but protected? Effects of social support on mental health of unaccompanied refugee minors. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 769-780.	4.7	65
67	The association of adverse childhood experiences and of resilience with chronic noncancer pain in the German adult population—A cross-sectional survey. <i>European Journal of Pain</i> , 2019, 23, 555-564.	2.8	8
68	Predicting suicidal ideation by interpersonal variables, hopelessness and depression in real-time. An ecological momentary assessment study in psychiatric inpatients with depression. <i>European Psychiatry</i> , 2019, 56, 43-50.	0.2	114
69	Kultursensible klinische Diagnostik bei Geflüchteten. <i>Trauma Und Gewalt</i> , 2019, 13, 52-61.	0.1	1
70	Psychosoziale Arbeitsbelastung von Mitarbeitenden der stationären Jugendhilfe für unbegleitete minderjährige Geflüchtete. <i>Trauma Und Gewalt</i> , 2019, 13, 310-321.	0.1	0
71	Junge Menschen auf der Flucht—Möglichkeiten des Ankommens?. <i>Trauma Und Gewalt</i> , 2019, 13, 281-281.	0.1	0
72	Begleitete und unbegleitete minderjährige Geflüchtete. <i>Trauma Und Gewalt</i> , 2019, 13, 284-297.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Do They Feel the Same Way? Health-Related Quality of Life and Satisfaction With Life in Jewish Immigrants From the Former Soviet Union in Germany and Israel. <i>Journal of Cross-Cultural Psychology</i> , 2018, 49, 618-634.	1.6	4
74	Psychometric properties of the Satisfaction with Life Scale (SWLS), derived from a large German community sample. <i>Quality of Life Research</i> , 2018, 27, 1661-1670.	3.1	48
75	Long-term effects on adult attachment in German occupation children born after World War II in comparison with a birth-cohort-matched representative sample of the German general population. <i>Aging and Mental Health</i> , 2018, 22, 197-207.	2.8	12
76	Assessing age stereotypes in the German population in 1996 and 2011: socio-demographic correlates and shift over time. <i>European Journal of Ageing</i> , 2018, 15, 47-56.	2.8	5
77	Resilience to suicide ideation: A cross-cultural test of the buffering hypothesis. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, e1-e9.	2.7	66
78	Positive mental health moderates the association between depression and suicide ideation: A longitudinal study. <i>International Journal of Clinical and Health Psychology</i> , 2018, 18, 1-7.	5.1	78
79	Evaluation of the revised sense of coherence scale in a representative German sample. <i>PLoS ONE</i> , 2018, 13, e0209550.	2.5	13
80	From Global Health Challenges to Community-Based and Individual Psychosocial Intervention Strategies. <i>PPmP Psychotherapie Psychosomatik Medizinische Psychologie</i> , 2018, 68, 327-328.	0.2	0
81	The views of Wilhelm Griesinger (1817-1868) on suicidality or "self-murder". <i>History of Psychiatry</i> , 2018, 29, 470-477.	0.3	1
82	Latent class analysis differentiation of adjustment disorder and demoralization, more severe depressive and anxiety disorders, and somatic symptoms in patients with cancer. <i>Psycho-Oncology</i> , 2018, 27, 2623-2630.	2.3	36
83	Trends in child maltreatment in Germany: comparison of two representative population-based studies. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2018, 12, 24.	2.5	37
84	Defeat and entrapment: more than meets the eye? Applying network analysis to estimate dimensions of highly correlated constructs. <i>BMC Medical Research Methodology</i> , 2018, 18, 16.	3.1	34
85	Investigating the Dynamics of Suicidal Ideation. <i>Crisis</i> , 2018, 39, 65-69.	1.2	73
86	Association of Physical Morbidity and Health-Related Quality of Life in a Representative Sample of Older German People. <i>European Journal of Health Psychology</i> , 2018, 25, 140-151.	0.6	2
87	Assessing suicidality in real time: A psychometric evaluation of self-report items for the assessment of suicidal ideation and its proximal risk factors using ecological momentary assessments. <i>Journal of Abnormal Psychology</i> , 2018, 127, 758-769.	1.9	72
88	Sequentielle Traumatisierungsprozesse bei unbegleiteten minderjährigen Geflüchteten. <i>Trauma Und Gewalt</i> , 2018, 12, 14-27.	0.1	6
89	Interkulturelle psychologische Testdiagnostik bei Menschen mit Migrationshintergrund. , 2018, , 219-227.		1
90	Sleep quality in the general population: psychometric properties of the Pittsburgh Sleep Quality Index, derived from a German community sample of 9284 people. <i>Sleep Medicine</i> , 2017, 30, 57-63.	1.6	274

#	ARTICLE	IF	CITATIONS
91	Psychometric evaluation of the Generalized Anxiety Disorder Screener GAD-7, based on a large German general population sample. <i>Journal of Affective Disorders</i> , 2017, 210, 338-344.	4.1	248
92	Cross-cultural measurement invariance of the General Health Questionnaire-12 in a German and a Colombian population sample. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	2.1	23
93	Testing the main prediction of the Interpersonal Theory of Suicide in a representative sample of the German general population. <i>Journal of Affective Disorders</i> , 2017, 211, 150-152.	4.1	10
94	A Prospective Examination of Perceived Burdensomeness and Thwarted Belongingness As Risk Factors for Suicide Ideation In Adult Outpatients Receiving Cognitive-Behavioral Therapy. <i>Journal of Clinical Psychology</i> , 2017, 73, 1393-1402.	1.9	14
95	Optimism and pessimism in the general population: Psychometric properties of the Life Orientation Test (LOT-R). <i>International Journal of Clinical and Health Psychology</i> , 2017, 17, 161-170.	5.1	93
96	The association of demoralization with mental disorders and suicidal ideation in patients with cancer. <i>Cancer</i> , 2017, 123, 3394-3401.	4.1	117
97	Childhood maltreatment in children born of occupation after WWII in Germany and its association with mental disorders. <i>International Psychogeriatrics</i> , 2017, 29, 1147-1156.	1.0	18
98	Frequency of somatic symptoms in the general population: Normative values for the Patient Health Questionnaire-15 (PHQ-15). <i>Journal of Psychosomatic Research</i> , 2017, 96, 27-31.	2.6	87
99	All-or-nothing thinking: The processing of emotional expressions in traumatized post-deployment soldiers. <i>Journal of Anxiety Disorders</i> , 2017, 47, 69-74.	3.2	6
100	Health-related quality of life in Jewish immigrants from the Former Soviet Union in Germany. <i>International Journal of Migration, Health and Social Care</i> , 2017, 13, 277-288.	0.5	2
101	Psychometric analysis of the brief symptom inventory 18 (BSI-18) in a representative German sample. <i>BMC Medical Research Methodology</i> , 2017, 17, 14.	3.1	162
102	Brief reasons for living inventory: a psychometric investigation. <i>BMC Psychiatry</i> , 2017, 17, 358.	2.6	16
103	Should the definition of the term "children born of war"? <i>Acta Medica Academica</i> , 2017, 46, 67-69.	0.8	4
104	Fatigue After Liver Transplant and Combined Liver and Kidney Transplant. <i>Experimental and Clinical Transplantation</i> , 2017, 15, 437-444.	0.5	2
105	Patterns of Childhood Abuse and Neglect in a Representative German Population Sample. <i>PLoS ONE</i> , 2016, 11, e0159510.	2.5	32
106	The German version of the Interpersonal Needs Questionnaire (INQ) – Dimensionality, psychometric properties and population-based norms. <i>Journal of Affective Disorders</i> , 2016, 195, 191-198.	4.1	54
107	Perceived burdensomeness and suicide ideation in adult outpatients receiving exposure therapy for anxiety disorders. <i>Behaviour Research and Therapy</i> , 2016, 85, 1-5.	3.1	13
108	The relationship between perceived own health state and health assessments of anchoring vignettes. <i>International Journal of Clinical and Health Psychology</i> , 2016, 16, 128-136.	5.1	10



#	ARTICLE	IF	CITATIONS
109	Normative values of the Epworth Sleepiness Scale (ESS), derived from a large German sample. <i>Sleep and Breathing</i> , 2016, 20, 1337-1345.	1.7	36
110	Assessing childhood maltreatment on the population level in Germany: findings and methodological challenges. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016, 10, 15.	2.5	35
111	Dimensionality, psychometric properties and population-based norms of the German version of the Revised Acquired Capability for Suicide Scale (ACSS-FAD). <i>Psychiatry Research</i> , 2016, 238, 46-52.	3.3	14
112	Remission of suicidal thoughts: Findings from a longitudinal epidemiological study. <i>Journal of Affective Disorders</i> , 2016, 190, 723-725.	4.1	46
113	Diagnostik von Suizidalität. , 2016, , .		20
114	Dimensional latent structure of PTSD-symptoms reporting: Is it adding by subtracting?. <i>Psychological Assessment</i> , 2016, 28, 1663-1673.	1.5	8
115	Minimization of Childhood Maltreatment Is Common and Consequential: Results from a Large, Multinational Sample Using the Childhood Trauma Questionnaire. <i>PLoS ONE</i> , 2016, 11, e0146058.	2.5	129
116	Migration und Flucht als Prozess. <i>Trauma Und Gewalt</i> , 2016, 10, 270-286.	0.1	10
117	Validating psychological classification criteria in the context of somatoform disorders: A one- and four-year follow-up.. <i>Journal of Abnormal Psychology</i> , 2015, 124, 1092-1101.	1.9	20
118	Effects of an Innovative Psychotherapy Program for Surgical Patients. <i>Anesthesiology</i> , 2015, 123, 148-159.	2.5	10
119	Depression, Somatization, and Posttraumatic Stress Disorder in Children Born of Occupation After World War II in Comparison With a General Population. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 742-748.	1.0	15
120	Adjustment disorder as proposed for ICD-11: Dimensionality and symptom differentiation. <i>Psychiatry Research</i> , 2015, 229, 940-948.	3.3	81
121	A controlled trial on the effect of hypnosis on dental anxiety in tooth removal patients. <i>Patient Education and Counseling</i> , 2015, 98, 1112-1115.	2.2	30
122	The German version of the Painful and Provocative Events Scale: A psychometric investigation. <i>Psychiatry Research</i> , 2015, 226, 264-272.	3.3	18
123	Investigating dynamics and predictors of suicidal behaviors using ambulatory assessment. <i>Neuropsychiatrie</i> , 2015, 29, 139-143.	2.5	14
124	Differences in Patient Health Questionnaire and Aachen Depression Item Bank scores between tablet versus paper-and-pencil administration. <i>Quality of Life Research</i> , 2015, 24, 3023-3032.	3.1	12
125	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. <i>BMC Public Health</i> , 2015, 15, 691.	2.9	287
126	Assessing modern health worries: Dimensionality and factorial invariance across age and sex of the Modern Health Worries Scale in a general population sample. <i>Journal of Health Psychology</i> , 2014, 19, 1302-1308.	2.3	5



#	ARTICLE	IF	CITATIONS
127	Anxiety and depression in the general population in Colombia: reference values of the Hospital Anxiety and Depression Scale (HADS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 41-49.	3.1	46
128	Prevalence of internet addiction in the general population: results from a German population-based survey. <i>Behaviour and Information Technology</i> , 2014, 33, 757-766.	4.0	107
129	Long-Term Effects of Conflict-Related Sexual Violence Compared with Non-Sexual War Trauma in Female World War II Survivors: A Matched Pairs Study. <i>Archives of Sexual Behavior</i> , 2014, 43, 1059-1064.	1.9	31
130	The German Version of the Hopkins Symptoms Checklist-25 (HSCL-25) – Factorial structure, psychometric properties, and population-based norms. <i>Comprehensive Psychiatry</i> , 2014, 55, 396-403.	3.1	47
131	Traumatic experiences, alexithymia, and posttraumatic symptomatology: a cross-sectional population-based study in Germany. <i>HÄufige Utbildning</i> , 2014, 5, .	3.0	40
132	Revealing the Importance of Military Sexual Trauma and Its Consequences. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e1188-e1189.	2.2	4
133	Life satisfaction and health-related quality of life in immigrants and native-born Germans: the role of immigration-related factors. <i>Quality of Life Research</i> , 2013, 22, 1005-1013.	3.1	70
134	The Distinction Between “Medically Unexplained” and “Medically Explained” in the Context of Somatoform Disorders. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 161-171.	1.7	52
135	Disagreement in Doctor's and Patient's Rating About Medically Unexplained Symptoms and Health Care Use. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 30-37.	1.7	13
136	Posttraumatic stress disorder in fibromyalgia syndrome: Prevalence, temporal relationship between posttraumatic stress and fibromyalgia symptoms, and impact on clinical outcome. <i>Pain</i> , 2013, 154, 1216-1223.	4.2	132
137	Frequency of child maltreatment in a representative sample of the German population. <i>BMC Public Health</i> , 2013, 13, 980.	2.9	82
138	What is the General Health Questionnaire-12 assessing?. <i>Comprehensive Psychiatry</i> , 2013, 54, 406-413.	3.1	106
139	Dimensional assessment of depressive severity in the elderly general population: Psychometric evaluation of the PHQ-9 using Rasch Analysis. <i>Journal of Affective Disorders</i> , 2013, 148, 323-330.	4.1	53
140	A taxometric exploration of the latent structure of hoarding.. <i>Psychological Assessment</i> , 2013, 25, 194-203.	1.5	60
141	Trauma and posttraumatic stress disorder in older adults. <i>Cmaj</i> , 2013, 185, 685-685.	2.0	8
142	Attitudes of Health Care Professionals towards Female Obese Patients. <i>Obesity Facts</i> , 2013, 6, 512-522.	3.4	48
143	The impact of forced displacement in World War II on mental health disorders and health-related quality of life in late life – a German population-based study. <i>International Psychogeriatrics</i> , 2013, 25, 310-319.	1.0	22
144	Posttraumatic stress disorder and its comorbidity with depression and somatisation in the elderly – A German community-based study. <i>Aging and Mental Health</i> , 2012, 16, 403-412.	2.8	53

#	ARTICLE	IF	CITATIONS
145	More Than 60 Years Later. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 911-914.	1.0	26
146	Prevalence of Suicidal Ideation and Related Risk Factors in the German General Population. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 401-405.	1.0	55
147	Adjustment disorders: prevalence in a representative nationwide survey in Germany. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1745-1752.	3.1	74
148	The relationship of modern health worries to depression, symptom reporting and quality of life in a general population survey. <i>Journal of Psychosomatic Research</i> , 2012, 72, 318-320.	2.6	57
149	Widespread pain in older Germans is associated with posttraumatic stress disorder and lifetime employment status – Results of a cross-sectional survey with a representative population sample. <i>Pain</i> , 2012, 153, 2466-2472.	4.2	24
150	Medication Adherence in the General Population. <i>PLoS ONE</i> , 2012, 7, e50537.	2.5	46
151	Persistence of Psychological Distress in Surgical Patients with Interest in Psychotherapy: Results of a 6-Month Follow-Up. <i>PLoS ONE</i> , 2012, 7, e51167.	2.5	11
152	Gender Differences in Healthcare Utilization: The Mediating Effect of Utilization Propensity. <i>Journal of Applied Social Psychology</i> , 2012, 42, 1266-1279.	2.0	8
153	Psychometric properties and population-based norms of the Life Orientation Test Revised (LOT-R). <i>British Journal of Health Psychology</i> , 2012, 17, 432-445.	3.5	247
154	The estimated prevalence and correlates of adult ADHD in a German community sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 79-86.	3.2	165
155	The Differential Roles of Trauma, Posttraumatic Stress Disorder, and Comorbid Depressive Disorders on Suicidal Ideation in the Elderly Population. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1141-1146.	2.2	12
156	Public Familiarity With the Terms Somatoform Disorder and Functional Disorder in Germany. <i>primary care companion for CNS disorders</i> , The, 2012, 14, .	0.6	2
157	A comparison of the clinical features of fibromyalgia syndrome in different settings. <i>European Journal of Pain</i> , 2011, 15, 936-941.	2.8	11
158	Fibromyalgia or fibromyalgia syndrome? A reply to the comment of Dr. Kroenke – Comparing fibromyalgia across different clinical settings: is it apples and oranges, or oranges and tangerines? <i>European Journal of Pain</i> , 2011, 15, 999-1000.	2.8	1
159	Maltreatment in Childhood and Adolescence. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2011, 108, 287-94.	0.9	204
160	The Association of Traumatic Experiences and Posttraumatic Stress Disorder With Physical Morbidity in Old Age. <i>Psychosomatic Medicine</i> , 2011, 73, 401-406.	2.0	121
161	Type D Personality and All-Cause Mortality in Cardiac Patients-Data From a German Cohort Study. <i>Psychosomatic Medicine</i> , 2011, 73, 548-556.	2.0	85
162	Lifetime Traumatic Experiences and Posttraumatic Stress Disorder in the German Population. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 934-939.	1.0	106

#	ARTICLE	IF	CITATIONS
163	Evaluating New Proposals for the Psychiatric Classification of Patients With Multiple Somatic Symptoms. <i>Psychosomatic Medicine</i> , 2011, 73, 760-768.	2.0	54
164	Perceived Appearance-Related Teasing in Body Dysmorphic Disorder: A Population-Based Survey. <i>International Journal of Cognitive Therapy</i> , 2011, 4, 342-348.	2.2	24
165	The association of depression and multimorbidity in the elderly: implications for the assessment of depression. <i>Psychogeriatrics</i> , 2011, 11, 227-234.	1.2	37
166	Base rates for depersonalization according to the 2-item version of the Cambridge Depersonalization Scale (CDS-2) and its associations with depression/anxiety in the general population. <i>Journal of Affective Disorders</i> , 2011, 128, 106-111.	4.1	27
167	Prevalence of complicated grief in a representative population-based sample. <i>Journal of Affective Disorders</i> , 2011, 131, 339-343.	4.1	505
168	The association of traumatic experiences and posttraumatic stress disorder with health care utilization in the elderly – a German population based study. <i>General Hospital Psychiatry</i> , 2011, 33, 177-184.	2.4	14
169	Subjective underchallenge at work and its impact on mental health. <i>International Archives of Occupational and Environmental Health</i> , 2011, 84, 655-664.	2.3	7
170	Health care utilization among first and second generation immigrants and native-born Germans: a population-based study in Germany. <i>International Journal of Public Health</i> , 2011, 56, 541-548.	2.3	50
171	The stigma of obesity in the general public and its implications for public health - a systematic review. <i>BMC Public Health</i> , 2011, 11, 661.	2.9	124
172	Assessing general side effects in clinical trials: reference data from the general population. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 405-415.	1.9	115
173	Pessimism Predicts Anxiety, Depression and Quality of Life in Female Cancer Patients. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 87-94.	1.3	38
174	Association between Obesity and Adult Attention-Deficit/Hyperactivity Disorder in a German Community-Based Sample. <i>Obesity Facts</i> , 2011, 4, 204-211.	3.4	85
175	Regular and Problematic Leisure-Time Internet Use in the Community: Results from a German Population-Based Survey. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2011, 14, 291-296.	3.9	69
176	The German Version of the Satisfaction With Life Scale (SWLS). <i>European Journal of Psychological Assessment</i> , 2011, 27, 127-132.	3.0	332
177	Regulation of emotions in the community: suppression and reappraisal strategies and its psychometric properties. <i>Gms Psycho-social-medicine</i> , 2011, 8, Doc09.	1.2	27
178	The Epidemiology of the Proposed DSM-5 Hoarding Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 780-786.	2.2	143
179	Traumatic experiences and post-traumatic stress disorder among elderly Germans: results of a representative population-based survey. <i>International Psychogeriatrics</i> , 2010, 22, 661-670.	1.0	97
180	Are Psychological Features Useful in Classifying Patients With Somatic Symptoms?. <i>Psychosomatic Medicine</i> , 2010, 72, 648-655.	2.0	67

#	ARTICLE	IF	CITATIONS
181	The type-D scale (DS14) – Norms and prevalence of type-D personality in a population-based representative sample in Germany. <i>Personality and Individual Differences</i> , 2010, 48, 935-939.	2.9	41
182	Validation of the Rasch-based Depression Screening in a large scale German general population sample. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 105.	2.4	41
183	A 4-item measure of depression and anxiety: Validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. <i>Journal of Affective Disorders</i> , 2010, 122, 86-95.	4.1	1,581
184	Life satisfaction, anxiety, depression and resilience across the life span of men. <i>Aging Male</i> , 2010, 13, 32-39.	1.9	113
185	Updates on the prevalence of body dysmorphic disorder: A population-based survey. <i>Psychiatry Research</i> , 2010, 178, 171-175.	3.3	331
186	Estimated prevalence of compulsive buying in Germany and its association with sociodemographic characteristics and depressive symptoms. <i>Psychiatry Research</i> , 2010, 180, 137-142.	3.3	203
187	The Construct Validity of Social Inhibition and the Type-D Taxonomy. <i>Journal of Health Psychology</i> , 2010, 15, 1103-1112.	2.3	20
188	Does a Reliable Decline in Mini Mental State Examination Total Score Predict Dementia?. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 50-58.	1.5	30
189	A Cluster Within the Continuum of Biopsychosocial Distress Can Be Labeled –Fibromyalgia Syndrome– Evidence from a Representative German Population Survey. <i>Journal of Rheumatology</i> , 2009, 36, 2806-2812.	2.0	61
190	The prevalence of compulsive hoarding and its association with compulsive buying in a German population-based sample. <i>Behaviour Research and Therapy</i> , 2009, 47, 705-709.	3.1	146
191	What is –normal–disability? An investigation of disability in the general population. <i>Pain</i> , 2009, 142, 36-41.	4.2	69
192	Life satisfaction, distress, and resiliency across the life span of women. <i>Menopause</i> , 2009, 16, 1132-1138.	2.0	76
193	Impact of forced displacement during World War II on the present-day mental health of the elderly: a population-based study. <i>International Psychogeriatrics</i> , 2009, 21, 748-753.	1.0	63
194	Lower decision threshold for doctor visits as a predictor of health care use in somatoform disorders and in the general population. <i>General Hospital Psychiatry</i> , 2008, 30, 349-355.	2.4	33
195	Time until Institutionalization in Incident Dementia Cases – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). <i>Neuroepidemiology</i> , 2008, 31, 100-108.	2.3	33
196	Separating optimism and pessimism: A robust psychometric analysis of the Revised Life Orientation Test (LOT-R).. <i>Psychological Assessment</i> , 2006, 18, 433-438.	1.5	312
197	The delivery of death notifications, associated stress and use of aftercare in police officers: a mixed-method approach. <i>Police Practice and Research</i> , 0, , 1-16.	1.5	4
198	Presence of the Absent Father: Perceptions of Family among Peacekeeper-Fathered Children in the Democratic Republic of Congo. <i>Journal of Child and Family Studies</i> , 0, , 1.	1.3	1

#	ARTICLE	IF	CITATIONS
199	Anxiety and Food Addiction in Men and Women: Results From the Longitudinal LIFE-Adult-Study. Frontiers in Psychiatry, 0, 13, .	2.6	3