

Gregory C Welch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4200384/publications.pdf>

Version: 2024-02-01

152
papers

12,245
citations

50276

46
h-index

25787

108
g-index

163
all docs

163
docs citations

163
times ranked

8833
citing authors

#	ARTICLE	IF	CITATIONS
1	Slot-Die Coated Organic UV Indicators and Filters Processed from Green Solvents. <i>Advanced Sustainable Systems</i> , 2022, 6, 2100055.	5.3	2
2	Green Solvent-Processible N-H-Functionalized Perylene Diimide Materials for Scalable Organic Photovoltaics. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 3103-3110.	8.0	8
3	Promoting photocatalytic CO ₂ reduction through facile electronic modification of N-annulated perylene diimide rhenium bipyridine dyads. <i>Chemical Science</i> , 2022, 13, 1049-1059.	7.4	10
4	Tin Oxide Electron Transport Layers for Air-/Solution-Processed Conventional Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 1568-1577.	8.0	9
5	Introduction to Organic Electronics – Ecofriendly and/or sustainable materials, processes, devices, and applications. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2869-2869.	5.5	0
6	Development of Tetrameric N-Annulated Perylene Diimides Using “Click” Chemistry. <i>ChemSusChem</i> , 2022, 15, .	6.8	3
7	3D Nanoscale Morphology Characterization of Ternary Organic Solar Cells. <i>Small Methods</i> , 2022, 6, e2100916.	8.6	9
8	Air-Processed Organic Photovoltaics for Outdoor and Indoor Use Based upon a Tin Oxide-Perylene Diimide Electron Transporting Bilayer. <i>Advanced Materials Interfaces</i> , 2022, 9, .	3.7	12
9	Thiochromenocarbazole imide: a new organic dye with first utility in large area flexible electroluminescent devices. <i>Materials Chemistry Frontiers</i> , 2022, 6, 1912-1919.	5.9	6
10	Organic light emitting diodes (OLEDs) with slot-die coated functional layers. <i>Materials Advances</i> , 2021, 2, 628-645.	5.4	15
11	An air-stable n-type bay-and-headland substituted bis-cyano N-H functionalized perylene diimide for printed electronics. <i>Journal of Materials Chemistry C</i> , 2021, 9, 13630-13634.	5.5	9
12	Perylene diimide based non-fullerene acceptors: top performers and an emerging class featuring N-annulation. <i>Journal of Materials Chemistry A</i> , 2021, 9, 6775-6789.	10.3	63
13	Improved performance of solution processed OLEDs using N-annulated perylene diimide emitters with bulky side-chains. <i>Materials Advances</i> , 2021, 2, 933-936.	5.4	20
14	Hybrid Tetrameric Perylene Diimide Assemblies. <i>ChemSusChem</i> , 2021, 14, 3511-3519.	6.8	2
15	Light manipulation using organic semiconducting materials for enhanced photosynthesis. <i>Cell Reports Physical Science</i> , 2021, 2, 100390.	5.6	9
16	Impact of Ring-Fusion on the Excited State Decay Pathways of N-Annulated Perylene Diimides. <i>Journal of Physical Chemistry C</i> , 2021, 125, 10500-10515.	3.1	3
17	Slot-Die Coating of All Organic/Polymer Layers for Large-Area Flexible OLEDs: Improved Device Performance with Interlayer Modification. <i>Advanced Materials Technologies</i> , 2021, 6, 2100264.	5.8	18
18	Lowering Electrocatalytic CO ₂ Reduction Overpotential Using N-Annulated Perylene Diimide Rhenium Bipyridine Dyads with Variable Tether Length. <i>Journal of the American Chemical Society</i> , 2021, 143, 16849-16864.	13.7	15

#	ARTICLE	IF	CITATIONS
19	Uphill and downhill charge generation from charge transfer to charge separated states in organic solar cells. <i>Journal of Materials Chemistry C</i> , 2021, 9, 14463-14489.	5.5	10
20	Zinc Oxide-Perylene Diimide Hybrid Electron Transport Layers for Air-Processed Inverted Organic Photovoltaic Devices. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 49096-49103.	8.0	18
21	Photodeposited Polyamorphous CuO Hole-Transport Layers in Organic Photovoltaics. <i>ACS Applied Energy Materials</i> , 2021, 4, 12900-12908.	5.1	5
22	Sidechain engineering of N-annulated perylene diimide molecules. <i>New Journal of Chemistry</i> , 2021, 45, 21001-21005.	2.8	8
23	Solution processed red organic light-emitting-diodes using an N-annulated perylene diimide fluorophore. <i>Journal of Materials Chemistry C</i> , 2020, 8, 2314-2319.	5.5	47
24	Interlayer Engineering of Flexible and Large-Area Red Organic-Light-Emitting Diodes Based on an N-Annulated Perylene Diimide Dimer. <i>ACS Applied Electronic Materials</i> , 2020, 2, 48-55.	4.3	19
25	A H functionalized perylene diimide with strong red-light absorption for green solvent processed organic electronics. <i>Journal of Materials Chemistry C</i> , 2020, 8, 9811-9815.	5.5	16
26	Significant Photostability Enhancement of Inverted Organic Solar Cells by Inserting an N-Annulated Perylene Diimide (PDIN-H) between the ZnO Electron Extraction Layer and the Organic Active Layer. <i>ACS Applied Energy Materials</i> , 2020, 3, 11655-11665.	5.1	20
27	Atomic Precision Graphene Model Compound for Bright Electrochemiluminescence and Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 51736-51743.	8.0	17
28	Synthesis, characterization and use of benzothioxanthene imide based dimers. <i>Chemical Communications</i> , 2020, 56, 10131-10134.	4.1	10
29	Slot-Die-Coated Ternary Organic Photovoltaics for Indoor Light Recycling. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 43684-43693.	8.0	25
30	High open-circuit voltage roll-to-roll compatible processed organic photovoltaics. <i>Journal of Materials Chemistry C</i> , 2020, 8, 13430-13438.	5.5	28
31	Sidechain engineering of perylene diimide dimers: Impact on morphology and photovoltaic performance. <i>Nano Select</i> , 2020, 1, 388-394.	3.7	8
32	Acid dyeing for green solvent processing of solvent resistant semiconducting organic thin films. <i>Materials Horizons</i> , 2020, 7, 2959-2969.	12.2	24
33	Water Compatible Direct (Hetero)arylation Polymerization of PPDT2FBT: A Pathway Towards Large-Scale Production of Organic Solar Cells. <i>Asian Journal of Organic Chemistry</i> , 2020, 9, 1318-1325.	2.7	17
34	Diketopyrrolopyrrole Derivatives Functionalized with N-Annulated PDI and Se-Annulated PDI by Direct (Hetero)Arylation Methods. <i>Asian Journal of Organic Chemistry</i> , 2020, 9, 1291-1300.	2.7	6
35	Synthesis, self-assembly, and air-stable radical anions of unconventional N-annulated perylene diimides. <i>Molecular Systems Design and Engineering</i> , 2020, 5, 1181-1185.	3.4	13
36	Indeno[1,2-b]thiophene End-capped Perylene Diimide: Should the 1,6-Regioisomers be systematically considered as a byproduct?. <i>Scientific Reports</i> , 2020, 10, 3262.	3.3	9

#	ARTICLE	IF	CITATIONS
37	Near-IR absorption and photocurrent generation using a first-of-its-kind boron difluoride formazanate non-fullerene acceptor. <i>Materials Chemistry Frontiers</i> , 2020, 4, 1643-1647.	5.9	16
38	Interfacial ZnO Modification Using a Carboxylic Acid Functionalized N-Annulated Perylene Diimide for Inverted Type Organic Photovoltaics. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1590-1596.	4.3	23
39	Boron-nitrogen substituted dihydroindeno[1,2-b]fluorene derivatives as acceptors in organic solar cells. <i>Chemical Communications</i> , 2019, 55, 11095-11098.	4.1	26
40	Screening Quinoxaline-Type Donor Polymers for Roll-to-Roll Processing Compatible Organic Photovoltaics. <i>ACS Applied Polymer Materials</i> , 2019, 1, 2168-2176.	4.4	21
41	Perylene Diimide Based Organic Photovoltaics with Slot-Die Coated Active Layers from Halogen-Free Solvents in Air at Room Temperature. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 39010-39017.	8.0	33
42	Ternary organic solar cells: using molecular donor or acceptor third components to increase open circuit voltage. <i>New Journal of Chemistry</i> , 2019, 43, 10442-10448.	2.8	33
43	Additive induced crystallization of a twisted perylene diimide dimer within a polymer matrix. <i>Soft Matter</i> , 2019, 15, 5138-5146.	2.7	11
44	Synthesis of aromatic imide tetramers relevant to organic electronics by direct (hetero)arylation. <i>New Journal of Chemistry</i> , 2019, 43, 9333-9337.	2.8	11
45	Organic Solar Cells – Special Issue. <i>Chemical Record</i> , 2019, 19, 961-961.	5.8	2
46	Electrocatalytic CO ₂ Reduction at Lower Overpotentials Using Iron(III) Tetra(meso-thienyl)porphyrins. <i>ACS Applied Energy Materials</i> , 2019, 2, 4022-4026.	5.1	28
47	A direct comparison of monomeric vs. dimeric and non-annulated vs. N-annulated perylene diimide electron acceptors for organic photovoltaics. <i>New Journal of Chemistry</i> , 2019, 43, 5187-5195.	2.8	28
48	A ring fused N-annulated PDI non-fullerene acceptor for high open circuit voltage solar cells processed from non-halogenated solvents. <i>Synthetic Metals</i> , 2019, 250, 55-62.	3.9	23
49	Ligand-centered electrochemical processes enable CO ₂ reduction with a nickel bis(triazapentadienyl) complex. <i>Sustainable Energy and Fuels</i> , 2019, 3, 1172-1181.	4.9	7
50	Development of Organic Dye-Based Molecular Materials for Use in Fullerene-Free Organic Solar Cells. <i>Chemical Record</i> , 2019, 19, 989-1007.	5.8	14
51	Indoor Photovoltaics: Photoactive Material Selection, Greener Ink Formulations, and Slot-Die Coated Active Layers. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 46017-46025.	8.0	51
52	Harnessing Direct (Hetero)Arylation in Pursuit of a Saddle-Shaped Perylene Diimide Tetramer. <i>ACS Applied Energy Materials</i> , 2019, 2, 8939-8945.	5.1	16
53	Borane Incorporation in a Non-Fullerene Acceptor To Tune Steric and Electronic Properties and Improve Organic Solar Cell Performance. <i>ACS Applied Energy Materials</i> , 2019, 2, 1229-1240.	5.1	43
54	Organic solar cells based on anthracene-containing PPE-PPVs and non-fullerene acceptors. <i>Chemical Papers</i> , 2018, 72, 1769-1778.	2.2	6

#	ARTICLE	IF	CITATIONS
55	Inverted P3HT:PC ₆₁ BM organic solar cells incorporating a π -extended squaraine dye with H- and (or) J-aggregation. <i>Canadian Journal of Chemistry</i> , 2018, 96, 703-711.	1.1	2
56	Dithienophosphole-based molecular electron acceptors constructed using direct (hetero)arylation cross-coupling methods. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2148-2154.	5.5	34
57	Bromination of the benzothioxanthene Bloc: toward new π -conjugated systems for organic electronic applications. <i>Journal of Materials Chemistry C</i> , 2018, 6, 761-766.	5.5	18
58	Combining Facile Synthetic Methods with Greener Processing for Efficient Polymer-Perylene Diimide Based Organic Solar Cells. <i>Small Methods</i> , 2018, 2, 1800081.	8.6	54
59	Exploiting direct heteroarylation polymerization homocoupling defects for the synthesis of a molecular dimer. <i>New Journal of Chemistry</i> , 2018, 42, 1617-1621.	2.8	7
60	Optoelectronic engineering with organic dyes: utilizing squaraine and perylene diimide to access an electron-deficient molecule with near-IR absorption. <i>Chemical Papers</i> , 2018, 72, 1629-1634.	2.2	3
61	Benzyl and fluorinated benzyl side chains for perylene diimide non-fullerene acceptors. <i>Materials Chemistry Frontiers</i> , 2018, 2, 2272-2276.	5.9	19
62	Exploring Slot-Die Coating for Large Area Fullerene-Free Organic Photovoltaics. , 2018, , .		0
63	Synthesis of Molecular Dyads and Triads Based Upon π -Annulated Perylene Diimide Monomers and Dimers. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 6933-6943.	2.4	15
64	A tetrameric perylene diimide non-fullerene acceptor <i>via</i> unprecedented direct (hetero)arylation cross-coupling reactions. <i>Chemical Communications</i> , 2018, 54, 11443-11446.	4.1	28
65	Toward a Universally Compatible Non-Fullerene Acceptor: Multi-Gram Synthesis, Solvent Vapor Annealing Optimization, and BDT-Based Polymer Screening. <i>Solar Rrl</i> , 2018, 2, 1800143.	5.8	29
66	Direct (Hetero)Arylation for the Synthesis of Molecular Materials: Coupling Thieno[3,4-c]pyrrole-4,6-dione with Perylene Diimide to Yield Novel Non-Fullerene Acceptors for Organic Solar Cells. <i>Molecules</i> , 2018, 23, 931.	3.8	29
67	Direct (Hetero)Arylation Polymerization of a Spirobifluorene and a Dithienyl-Diketopyrrolopyrrole Derivative: New Donor Polymers for Organic Solar Cells. <i>Molecules</i> , 2018, 23, 962.	3.8	12
68	Synthesis of a Perylene Diimide Dimer with Pyrrolic N-H Bonds and π -Functionalized Derivatives for Organic Field-Effect Transistors and Organic Solar Cells. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 4592-4599.	2.4	34
69	Donor or Acceptor? How Selection of the Rylene Imide End Cap Impacts the Polarity of π -Conjugated Molecules for Organic Electronics. <i>ACS Applied Energy Materials</i> , 2018, 1, 4906-4916.	5.1	34
70	A tetrachlorinated molecular non-fullerene acceptor for high performance near-IR absorbing organic solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 9060-9064.	5.5	17
71	Environment friendly solvent processed, fullerene-free organic solar cells with high efficiency in air. , 2018, , .		0
72	Towards upscaling of organic photovoltaics using non-fullerene acceptors. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
73	Simply Complex: The Efficient Synthesis of an Intricate Molecular Acceptor for High-Performance Air-Processed and Air-Tested Fullerene-Free Organic Solar Cells. <i>Chemistry of Materials</i> , 2017, 29, 1309-1314.	6.7	98
74	N-Annulated perylene diimide dimers: acetylene linkers as a strategy for controlling structural conformation and the impact on physical, electronic, optical and photovoltaic properties. <i>Journal of Materials Chemistry C</i> , 2017, 5, 2074-2083.	5.5	68
75	Applying direct heteroarylation synthesis to evaluate organic dyes as the core component in PDI-based molecular materials for fullerene-free organic solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 11623-11633.	10.3	64
76	Thienoisindigo end-capped molecular donors for organic photovoltaics: Effect of the central π -conjugated connector. <i>Dyes and Pigments</i> , 2017, 145, 7-11.	3.7	5
77	N-annulated perylene diimide dimers: the effect of thiophene bridges on physical, electronic, optical, and photovoltaic properties. <i>Sustainable Energy and Fuels</i> , 2017, 1, 1137-1147.	4.9	36
78	Optimized synthesis of π -extended squaraine dyes relevant to organic electronics by direct (hetero)arylation and Sonogashira coupling reactions. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 3310-3319.	2.8	22
79	Fullerene-free polymer solar cells processed from non-halogenated solvents in air with PCE of 4.8%. <i>Chemical Communications</i> , 2017, 53, 1164-1167.	4.1	57
80	An unsymmetrical non-fullerene acceptor: synthesis via direct heteroarylation, self-assembly, and utility as a low energy absorber in organic photovoltaic cells. <i>Chemical Communications</i> , 2017, 53, 10168-10171.	4.1	31
81	A non-fullerene acceptor with a diagnostic morphological handle for streamlined screening of donor materials in organic solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 16907-16913.	10.3	39
82	Spectroscopic Engineering toward Near-Infrared Absorption of Materials Containing Perylene Diimide. <i>ChemPlusChem</i> , 2017, 82, 1359-1364.	2.8	16
83	Thiophene vs thiazole: Effect of the π -connector on the properties of phthalimide end-capped diketopyrrolopyrrole based molecular acceptors for organic photovoltaics. <i>Dyes and Pigments</i> , 2017, 137, 576-583.	3.7	24
84	Perylene diimide based all small-molecule organic solar cells: Impact of branched-alkyl side chains on solubility, photophysics, self-assembly, and photovoltaic parameters. <i>Organic Electronics</i> , 2016, 35, 151-157.	2.6	50
85	Understanding the morphology of solution processed fullerene-free small molecule bulk heterojunction blends. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 12476-12485.	2.8	29
86	The Optimization of Direct Heteroarylation and Sonogashira Cross-Coupling Reactions as Efficient and Sustainable Synthetic Methods To Access π -Conjugated Materials with Near-Infrared Absorption. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 3504-3517.	6.7	31
87	Synthesis and structure-property relationships of phthalimide and naphthalimide based organic π -conjugated small molecules. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 14709-14719.	2.8	32
88	Development of low band gap molecular donors with phthalimide terminal groups for use in solution processed organic solar cells. <i>Dyes and Pigments</i> , 2016, 132, 369-377.	3.7	11
89	Effect of side chains on the electronic and photovoltaic properties of diketopyrrolopyrrole-based molecular acceptors. <i>Organic Electronics</i> , 2016, 37, 479-484.	2.6	23
90	Synthesis, Self-Assembly, and Solar Cell Performance of N-Annulated Perylene Diimide Non-Fullerene Acceptors. <i>Chemistry of Materials</i> , 2016, 28, 7098-7109.	6.7	211

#	ARTICLE	IF	CITATIONS
91	Development of simple hole-transporting materials for perovskite solar cells. <i>Canadian Journal of Chemistry</i> , 2016, 94, 352-359.	1.1	6
92	Unusual loss of electron mobility upon furan for thiophene substitution in a molecular semiconductor. <i>Organic Electronics</i> , 2015, 18, 118-125.	2.6	21
93	Utility of a heterogeneous palladium catalyst for the synthesis of a molecular semiconductor via Stille, Suzuki, and direct heteroarylation cross-coupling reactions. <i>RSC Advances</i> , 2015, 5, 26097-26106.	3.6	56
94	Phthalimide-based π -conjugated small molecules with tailored electronic energy levels for use as acceptors in organic solar cells. <i>Journal of Materials Chemistry C</i> , 2015, 3, 8904-8915.	5.5	64
95	Key components to the recent performance increases of solution processed non-fullerene small molecule acceptors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 16393-16408.	10.3	157
96	Facile synthesis of unsymmetrical and π -extended furan-diketopyrrolopyrrole derivatives through C-H direct (hetero)arylation using a heterogeneous catalyst system. <i>New Journal of Chemistry</i> , 2015, 39, 6714-6717.	2.8	25
97	A narrow band gap isoindigo based molecular donor for solution processed organic solar cells. <i>New Journal of Chemistry</i> , 2015, 39, 5075-5079.	2.8	17
98	Pivotal factors in solution-processed, non-fullerene, all small-molecule organic solar cell device optimization. <i>Organic Electronics</i> , 2015, 27, 197-201.	2.6	11
99	The structural evolution of an isoindigo-based non-fullerene acceptor for use in organic photovoltaics. <i>RSC Advances</i> , 2015, 5, 80098-80109.	3.6	42
100	Indoloquinoxaline as a terminal building block for the construction of π -conjugated small molecules relevant to organic electronics. <i>Dyes and Pigments</i> , 2015, 123, 139-146.	3.7	16
101	An Electron-Deficient Small Molecule Accessible from Sustainable Synthesis and Building Blocks for Use as a Fullerene Alternative in Organic Photovoltaics. <i>ChemPhysChem</i> , 2015, 16, 1190-1202.	2.1	43
102	High open circuit voltage organic solar cells based upon fullerene free bulk heterojunction active layers. <i>Canadian Journal of Chemistry</i> , 2014, 92, 932-939.	1.1	5
103	Design and Synthesis of Molecular Donors for Solution-Processed High-Efficiency Organic Solar Cells. <i>Accounts of Chemical Research</i> , 2014, 47, 257-270.	15.6	446
104	Recent advances of non-fullerene, small molecular acceptors for solution processed bulk heterojunction solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 1201-1213.	10.3	361
105	Synthesis of an H-aggregated thiophene- π -phthalimide based small molecule via microwave assisted direct arylation coupling reactions. <i>Dyes and Pigments</i> , 2014, 102, 204-209.	3.7	23
106	The Role of Solvent Additive Processing in High Performance Small Molecule Solar Cells. <i>Chemistry of Materials</i> , 2014, 26, 6531-6541.	6.7	58
107	Phthalimide- π -thiophene-based conjugated organic small molecules with high electron mobility. <i>Journal of Materials Chemistry C</i> , 2014, 2, 2612-2621.	5.5	26
108	Electron deficient diketopyrrolopyrrole dyes for organic electronics: synthesis by direct arylation, optoelectronic characterization, and charge carrier mobility. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4198-4207.	10.3	83

#	ARTICLE	IF	CITATIONS
109	A Combined Experimental and Theoretical Study of Conformational Preferences of Molecular Semiconductors. <i>Journal of Physical Chemistry C</i> , 2014, 118, 15610-15623.	3.1	57
110	Design and Computational Characterization of Non-Fullerene Acceptors for Use in Solution-Processable Solar Cells. <i>Journal of Physical Chemistry A</i> , 2014, 118, 7939-7951.	2.5	37
111	Towards environmentally friendly processing of molecular semiconductors. <i>Journal of Materials Chemistry A</i> , 2013, 1, 11117.	10.3	28
112	Impact of Regiochemistry and Isoelectronic Bridgehead Substitution on the Molecular Shape and Bulk Organization of Narrow Bandgap Chromophores. <i>Journal of the American Chemical Society</i> , 2013, 135, 2298-2305.	13.7	108
113	Formation of interfacial traps upon surface protonation in small molecule solution processed bulk heterojunctions probed by photoelectron spectroscopy. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6223.	5.5	31
114	Optimization of energy levels by molecular design: evaluation of bis-diketopyrrolopyrrole molecular donor materials for bulk heterojunction solar cells. <i>Energy and Environmental Science</i> , 2013, 6, 952.	30.8	113
115	Ab Initio Study of a Molecular Crystal for Photovoltaics: Light Absorption, Exciton and Charge Carrier Transport. <i>Journal of Physical Chemistry C</i> , 2013, 117, 4920-4930.	3.1	47
116	Effect of Bridging Atom Identity on the Morphological Behavior of Solution-Processed Small Molecule Bulk Heterojunction Photovoltaics. <i>Chemistry of Materials</i> , 2013, 25, 1688-1698.	6.7	49
117	Understanding the Role of Thermal Processing in High Performance Solution Processed Small Molecule Bulk Heterojunction Solar Cells. <i>Advanced Energy Materials</i> , 2013, 3, 356-363.	19.5	52
118	Photoinduced Charge Generation in a Molecular Bulk Heterojunction Material. <i>Journal of the American Chemical Society</i> , 2012, 134, 19828-19838.	13.7	143
119	Solar Cell Efficiency, Self-Assembly, and Dipole-Dipole Interactions of Isomorphous Narrow-Band-Gap Molecules. <i>Journal of the American Chemical Society</i> , 2012, 134, 16597-16606.	13.7	297
120	Ni, Pd, Pt, and Ru Complexes of Phosphine-Borate Ligands. <i>Inorganic Chemistry</i> , 2012, 51, 4711-4721.	4.0	27
121	Improvement of Interfacial Contacts for New Small-Molecule Bulk Heterojunction Organic Photovoltaics. <i>Advanced Materials</i> , 2012, 24, 5368-5373.	21.0	132
122	Solution-processed small-molecule solar cells with 6.7% efficiency. <i>Nature Materials</i> , 2012, 11, 44-48.	27.5	1,437
123	Insights into π -Conjugated Small Molecule Neat Films and Blends As Determined Through Photoconductivity. <i>ACS Nano</i> , 2012, 6, 8735-8745.	14.6	31
124	Self-vertical phase separation study of nanoparticle/polymer solar cells by introducing fluorinated small molecules. <i>Chemical Communications</i> , 2012, 48, 7250.	4.1	19
125	Influence of Processing Additives on Charge-Transfer Time Scales and Sound Velocity in Organic Bulk Heterojunction Films. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 1253-1257.	4.6	35
126	Pyridalthiadiazole-Based Narrow Band Gap Chromophores. <i>Journal of the American Chemical Society</i> , 2012, 134, 3766-3779.	13.7	160

#	ARTICLE	IF	CITATIONS
127	Role of trace impurities in the photovoltaic performance of solution processed small-molecule bulk heterojunction solar cells. <i>Chemical Science</i> , 2012, 3, 2103.	7.4	84
128	Color Tuning in Polymer Light-Emitting Diodes with Lewis Acids. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 7495-7498.	13.8	112
129	A modular molecular framework for utility in small-molecule solution-processed organic photovoltaic devices. <i>Journal of Materials Chemistry</i> , 2011, 21, 12700.	6.7	175
130	Regioregular Pyridal[2,1,3]thiadiazole π -Conjugated Copolymers. <i>Journal of the American Chemical Society</i> , 2011, 133, 18538-18541.	13.7	213
131	Lewis Acid Adducts of Narrow Band Gap Conjugated Polymers. <i>Journal of the American Chemical Society</i> , 2011, 133, 4632-4644.	13.7	207
132	Metal-Free Catalytic Hydrogenation of Polar Substrates by Frustrated Lewis Pairs. <i>Inorganic Chemistry</i> , 2011, 50, 12338-12348.	4.0	297
133	A Dithienosilole-Benzoxadiazole Donor-Acceptor Copolymer for Utility in Organic Solar Cells. <i>Small</i> , 2011, 7, 1422-1426.	10.0	23
134	Heterolytic Cleavage of Disulfides by Frustrated Lewis Pairs. <i>Inorganic Chemistry</i> , 2009, 48, 9910-9917.	4.0	86
135	Sterically hindered phosphine and phosphonium-based activators and additives for olefin polymerization. <i>Dalton Transactions</i> , 2009, , 8555.	3.3	10
136	Reactions of phosphines with electron deficient boranes. <i>Dalton Transactions</i> , 2009, , 1559.	3.3	91
137	Hafnium-phosphinimide complexes. <i>Canadian Journal of Chemistry</i> , 2009, 87, 1163-1172.	1.1	6
138	Band Gap Control in Conjugated Oligomers via Lewis Acids. <i>Journal of the American Chemical Society</i> , 2009, 131, 10802-10803.	13.7	147
139	Thermal Rearrangement of Phosphine $\text{B}(\text{C}_6\text{F}_5)_3$ Adducts. <i>Inorganic Chemistry</i> , 2008, 47, 1904-1906.	4.0	58
140	Facile Heterolytic Cleavage of Dihydrogen by Phosphines and Boranes. <i>Journal of the American Chemical Society</i> , 2007, 129, 1880-1881.	13.7	762
141	Tuning Lewis acidity using the reactivity of σ -frustrated Lewis pairs: facile formation of phosphine-boranes and cationic phosphonium-boranes. <i>Dalton Transactions</i> , 2007, , 3407.	3.3	274
142	Reactivity of σ -Frustrated Lewis Pairs: Three-Component Reactions of Phosphines, a Borane, and Olefins. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4968-4971.	13.8	410
143	Metal-Free Catalytic Hydrogenation. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 8050-8053.	13.8	573
144	Phosphonium-Borate Zwitterions, Anionic Phosphines, and Dianionic Phosphonium-Dialkoxides via Tetrahydrofuran Ring-Opening Reactions. <i>Inorganic Chemistry</i> , 2006, 45, 478-480.	4.0	110

#	ARTICLE	IF	CITATIONS
145	Reversible, Metal-Free Hydrogen Activation. <i>Science</i> , 2006, 314, 1124-1126.	12.6	1,852
146	Pyridine and phosphine reactions with [CPh ₃][B(C ₆ F ₅) ₄]. <i>Inorganica Chimica Acta</i> , 2006, 359, 3066-3071.	2.4	74
147	Neutral and Cationic Organoaluminum Complexes Utilizing a Novel Anilido-Phosphinimine Ancillary Ligand. <i>Organometallics</i> , 2004, 23, 1811-1818.	2.3	52
148	A New Chelating Anilido-Imine Donor Related to β^2 -Diketiminato Ligands for Stabilization of Organoyttrium Cations. <i>Organometallics</i> , 2003, 22, 1577-1579.	2.3	148
149	Control and Characterization of Organic Solar Cell Morphology Through Variable-Pressure Solvent Vapor Annealing. <i>ACS Applied Energy Materials</i> , 0, , .	5.1	12
150	N-Annulated perylene diimide dimers and tetramer non-fullerene acceptors: impact of solvent processing additive on their thin film formation behavior. <i>Journal of Chemical Technology and Biotechnology</i> , 0, , .	3.2	2
151	A triazatruxene-based molecular dyad for single-component organic solar cells. <i>Chemistry Squared</i> , 0, 2, 3.	0.0	4
152	Ambient Condition, Three-Layer Slot-Die Coated Organic Photovoltaics with PCE of 10%. <i>Advanced Materials Interfaces</i> , 0, , 2101418.	3.7	10