

Shafaqat Ali

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4202567/publications.pdf>

Version: 2024-02-01

523
papers

33,452
citations

3159

92
h-index

7745

150
g-index

538
all docs

538
docs citations

538
times ranked

17227
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent progress on the heavy metals ameliorating potential of engineered nanomaterials in rice paddy: a comprehensive outlook on global food safety with nanotoxicity issues. Critical Reviews in Food Science and Nutrition, 2023, 63, 2672-2686.	10.3	15
2	Salinity mitigates cadmium-induced phytotoxicity in quinoa (<i>Chenopodium quinoa</i> Willd.) by limiting the Cd uptake and improved responses to oxidative stress: implications for phytoremediation. Environmental Geochemistry and Health, 2023, 45, 171-185.	3.4	19
3	Individual and Synergic Effects of Phosphorus and Gibberellic Acid on Organic Acids Exudation Pattern, Ultra-Structure of Chloroplast and Stress Response Gene Expression in Cu-Stressed Jute (<i>Corchorus Capsularis</i> L.). Journal of Plant Growth Regulation, 2023, 42, 1186-1211.	5.1	7
4	Floating Treatment Wetlands (FTWs) is an Innovative Approach for the Remediation of Petroleum Hydrocarbons-Contaminated Water. Journal of Plant Growth Regulation, 2023, 42, 1402-1420.	5.1	10
5	Silicon Enhances Morpho-Physio-Biochemical Responses in Arsenic Stressed Spinach (<i>Spinacia</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 30 Tf 50 45	5.1	21
6	Chromium (VI)-Induced Leaf-Based Differential Physiological, Metabolic and Microstructural Changes in Two Transgenic Cotton Cultivars (J208, Z905) and Their Hybrid Line (ZD14). Journal of Plant Growth Regulation, 2022, 41, 391-403.	5.1	7
7	Choline Chloride Mediates Chromium Tolerance in Spinach (<i>Spinacia oleracea</i> L.) by Restricting its Uptake in Relation to Morpho-physio-biochemical Attributes. Journal of Plant Growth Regulation, 2022, 41, 1594-1614.	5.1	32
8	Application of bio and chemical fertilizers improves yield, and essential oil quantity and quality of Moldavian balm (<i>Dracocephalum moldavica</i> L.) intercropped with mung bean (<i>Vigna</i>) Tj ETQq0 0 0 rgBT /Overlock 30 Tf 50 45	5.1	30
9	Green molybdenum nanoparticles-mediated bio-stimulation of <i>Bacillus</i> sp. strain ZH16 improved the wheat growth by managing in planta nutrients supply, ionic homeostasis and arsenic accumulation. Journal of Hazardous Materials, 2022, 423, 127024.	12.4	27
10	Adsorption of cationic dyes onto carrageenan and itaconic acid-based superabsorbent hydrogel: Synthesis, characterization and isotherm analysis. Journal of Hazardous Materials, 2022, 421, 126729.	12.4	100
11	Foliar application of silica sol alleviates boron toxicity in rice (<i>Oryza sativa</i>) seedlings. Journal of Hazardous Materials, 2022, 423, 127175.	12.4	18
12	Heavy metal remediation and resistance mechanism of <i>Aeromonas</i> , <i>Bacillus</i> , and <i>Pseudomonas</i> : A review. Critical Reviews in Environmental Science and Technology, 2022, 52, 1868-1914.	12.8	71
13	Alleviating lead-induced phytotoxicity and enhancing the phytoremediation of castor bean (<i>Ricinus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 30 Tf 50 45 antioxidants, gas exchange and lead uptake. International Journal of Phytoremediation, 2022, 24, 933-944.	3.1	8
14	Combined application of zinc and iron-lysine and its effects on morpho-physiological traits, antioxidant capacity and chromium uptake in rapeseed (<i>Brassica napus</i> L.). PLoS ONE, 2022, 17, e0262140.	2.5	37
15	Physiological and biochemical characterization of Kalongi (<i>Nigella sativa</i>) against arsenic stress: Implications for human health risk assessment. Environmental Pollution, 2022, 298, 118829.	7.5	4
16	Silicon Fertigation Regimes Attenuates Cadmium Toxicity and Phytoremediation Potential in Two Maize (<i>Zea mays</i> L.) Cultivars by Minimizing Its Uptake and Oxidative Stress. Sustainability, 2022, 14, 1462.	3.2	35
17	<i>Bacillus mycoides</i> PM35 Reinforces Photosynthetic Efficiency, Antioxidant Defense, Expression of Stress-Responsive Genes, and Ameliorates the Effects of Salinity Stress in Maize. Life, 2022, 12, 219.	2.4	67
18	S-Fertilizer (Elemental Sulfur) Improves the Phytoextraction of Cadmium through <i>Solanum nigrum</i> L.. International Journal of Environmental Research and Public Health, 2022, 19, 1655.	2.6	14

#	ARTICLE	IF	CITATIONS
19	Phosphorus Fertilizers Enhance the Phytoextraction of Cadmium through <i>Solanum nigrum</i> L.. <i>Plants</i> , 2022, 11, 236.	3.5	6
20	PGPR-Mediated Salt Tolerance in Maize by Modulating Plant Physiology, Antioxidant Defense, Compatible Solutes Accumulation and Bio-Surfactant Producing Genes. <i>Plants</i> , 2022, 11, 345.	3.5	118
21	Improving boron use efficiency via different application techniques for optimum production of good quality potato (<i>Solanum tuberosum</i> L.) in alkaline soil. <i>PLoS ONE</i> , 2022, 17, e0259403.	2.5	7
22	Chromium-resistant <i>Staphylococcus aureus</i> alleviates chromium toxicity by developing synergistic relationships with zinc oxide nanoparticles in wheat. <i>Ecotoxicology and Environmental Safety</i> , 2022, 230, 113142.	6.0	79
23	Rice straw biochar in combination with farmyard manure mitigates bromoxynil toxicity in wheat (<i>Triticum aestivum</i> L.). <i>Chemosphere</i> , 2022, 295, 133854.	8.2	2
24	Zinc fortification and alleviation of cadmium stress by application of lysine chelated zinc on different varieties of wheat and rice in cadmium stressed soil. <i>Chemosphere</i> , 2022, 295, 133829.	8.2	27
25	Fertigation with Zn-Lysine Confers Better Photosynthetic Efficiency and Yield in Water Stressed Maize: Water Relations, Antioxidative Defense Mechanism and Nutrient Acquisition. <i>Plants</i> , 2022, 11, 404.	3.5	7
26	A new technique for reducing accumulation, transport, and toxicity of heavy metals in wheat (<i>Triticum aestivum</i> L.) by bio-filtration of river wastewater. <i>Chemosphere</i> , 2022, 294, 133642.	8.2	13
27	Water Deficit Stress Tolerance Potential of Newly Developed Wheat Genotypes for Better Yield Based on Agronomic Traits and Stress Tolerance Indices: Physio-Biochemical Responses, Lipid Peroxidation and Antioxidative Defense Mechanism. <i>Plants</i> , 2022, 11, 466.	3.5	8
28	Taurine modulates dynamics of oxidative defense, secondary metabolism, and nutrient relation to mitigate boron and chromium toxicity in <i>Triticum aestivum</i> L. plants. <i>Environmental Science and Pollution Research</i> , 2022, 29, 45527-45548.	5.3	30
29	Spatial variations in the biochemical potential of okra [<i>Abelmoschus esculentus</i> L. (Moench)] leaf and fruit under field conditions. <i>PLoS ONE</i> , 2022, 17, e0259520.	2.5	10
30	Increase in Food Scarcity, Agricultural Challenges, and Their Management: Pakistan Perspectives. , 2022, , 437-458.		4
31	Evaluation of the Efficacy, Biocompatibility, and Permeation of Bupivacaine-Loaded Poly(epsilon-caprolactone) Nano-Capsules as an Anesthetic. <i>Journal of Biomedical Nanotechnology</i> , 2022, 18, 268-276.	1.1	3
32	Exogenous Caffeine (1,3,7-Trimethylxanthine) Application Diminishes Cadmium Toxicity by Modulating Physio-Biochemical Attributes and Improving the Growth of Spinach (<i>Spinacia oleracea</i> L.). <i>Sustainability</i> , 2022, 14, 2806.	3.2	9
33	Application of Potassium along with Nitrogen under Varied Moisture Regimes Improves Performance and Nitrogen-Use Efficiency of High- and Low-Potassium Efficiency Cotton Cultivars. <i>Agronomy</i> , 2022, 12, 502.	3.0	9
34	Combined Role of Fe Nanoparticles (Fe NPs) and <i>Staphylococcus aureus</i> L. in the Alleviation of Chromium Stress in Rice Plants. <i>Life</i> , 2022, 12, 338.	2.4	17
35	Green and eco-friendly synthesis of TiO_2 nanoparticles and their application for removal of cadmium from wastewater: reaction kinetics study. <i>Zeitschrift Fur Physikalische Chemie</i> , 2022, 236, 637-657.	2.8	12
36	Variation in the Primary and Secondary Metabolites, Antioxidant and Antibacterial Potentials of Tomatoes, Grown in Soil Blended with Different Concentration of Fly Ash. <i>Plants</i> , 2022, 11, 551.	3.5	6

#	ARTICLE	IF	CITATIONS
37	Antifungal activity of Zinc nitrate derived nano Zn fungicide synthesized from <i>Trachyspermum ammi</i> to control fruit rot disease of grapefruit. <i>Ecotoxicology and Environmental Safety</i> , 2022, 233, 113311.	6.0	28
38	Robust Profiling of Cytochrome P450s (P450ome) in Notable <i>Aspergillus</i> spp.. <i>Life</i> , 2022, 12, 451.	2.4	17
39	Quantifying Temperature and Osmotic Stress Impact on Seed Germination Rate and Seedling Growth of <i>Eruca sativa</i> Mill. via Hydrothermal Time Model. <i>Life</i> , 2022, 12, 400.	2.4	9
40	Modelling Climate Uncertainty and Adaptations for Soybean-Based Cropping System. <i>International Journal of Plant Production</i> , 2022, 16, 235-250.	2.2	10
41	Calcium Oxide Nanoparticles Have the Role of Alleviating Arsenic Toxicity of Barley. <i>Frontiers in Plant Science</i> , 2022, 13, 843795.	3.6	27
42	Alleviation of drought stress by root-applied thiourea is related to elevated photosynthetic pigments, osmoprotectants, antioxidant enzymes, and tubers yield and suppressed oxidative stress in potatoes cultivars. <i>PeerJ</i> , 2022, 10, e13121.	2.0	7
43	Abandoned agriculture soil can be recultivated by promoting biological phosphorus fertility when amended with nano-rock phosphate and suitable bacterial inoculant. <i>Ecotoxicology and Environmental Safety</i> , 2022, 234, 113385.	6.0	13
44	Microbe-citric acid assisted phytoremediation of chromium by castor bean (<i>Ricinus communis</i> L.). <i>Chemosphere</i> , 2022, 296, 134065.	8.2	11
45	Combined effects of green manure and zinc oxide nanoparticles on cadmium uptake by wheat (<i>Triticum</i>) Tj ETQq1 1 0.784314 rgBT /C	8.2	15
46	Green synthesis and characterization of silver nanoparticles from <i>Acacia nilotica</i> and their anticancer, antidiabetic and antioxidant efficacy. <i>Environmental Pollution</i> , 2022, 304, 119249.	7.5	29
47	Electro-Oxidation of Metal Oxide-Fabricated Graphitic Carbon Nitride for Hydrogen Production via Water Splitting. <i>Coatings</i> , 2022, 12, 548.	2.6	4
48	A Novel Distachionate from <i>Breynia distachia</i> Treats Inflammations by Modulating COX-2 and Inflammatory Cytokines in Rat Liver Tissue. <i>Molecules</i> , 2022, 27, 2596.	3.8	19
49	Potential of nanocomposites of zero valent copper and magnetite with <i>Eleocharis dulcis</i> biochar for packed column and batch scale removal of Congo red dye. <i>Environmental Pollution</i> , 2022, 305, 119291.	7.5	11
50	Towards achieving eco-efficiency in top 10 polluted countries: The role of green technology and natural resource rents. <i>Gondwana Research</i> , 2022, 110, 114-127.	6.0	96
51	Foliar spray of silicon nanoparticles improved the growth and minimized cadmium (Cd) in wheat under combined Cd and water-limited stress. <i>Environmental Science and Pollution Research</i> , 2022, 29, 77321-77332.	5.3	16
52	Microwave Irradiation and Glutamic Acid-Assisted Phytotreatment of Textile and Surgical Industrial Wastewater by Sorghum. <i>Molecules</i> , 2022, 27, 4004.	3.8	3
53	Phytoremediation of contaminated industrial wastewater by duckweed (<i>Lemna minor</i> L.): Growth and physiological response under acetic acid application. <i>Chemosphere</i> , 2022, 304, 135262.	8.2	11
54	Photocatalytic degradation of some dyes under solar light irradiation using ZnO nanoparticles synthesized from <i>Rosmarinus officinalis</i> extract. <i>Green Chemistry Letters and Reviews</i> , 2022, 15, 460-473.	4.7	31

#	ARTICLE	IF	CITATIONS
55	Green Synthesis of Silver Nanoparticles Using <i>Thespesia populnea</i> Bark Extract for Efficient Removal of Methylene Blue (MB) Degradation via Photocatalysis with Antimicrobial Activity and for Anticancer Activity. <i>Bioinorganic Chemistry and Applications</i> , 2022, 2022, 1-12.	4.1	7
56	Effect of different seed priming agents on chromium accumulation, oxidative defense, glyoxalase system and mineral nutrition in canola (<i>Brassica napus</i> L.) cultivars. <i>Environmental Pollution</i> , 2022, 309, 119769.	7.5	15
57	Potential of Fish Scale Biochar Nanocomposite with ZnO for Effective Sequestration of Cr (VI) from Water: Modeling and Kinetics. <i>International Journal of Environmental Research</i> , 2022, 16, .	2.3	3
58	Exogenous calcium oxide nanoparticles alleviate cadmium toxicity by reducing Cd uptake and enhancing antioxidative capacity in barley seedlings. <i>Journal of Hazardous Materials</i> , 2022, 438, 129498.	12.4	29
59	Zn alleviated salt toxicity in <i>Solanum lycopersicum</i> L. seedlings by reducing Na ⁺ transfer, improving gas exchange, defense system and Zn contents. <i>Plant Physiology and Biochemistry</i> , 2022, 186, 52-63.	5.8	11
60	Temperature self-regulating flat electric heaters based on MWCNTs-modified polymers. <i>Polymer Bulletin</i> , 2021, 78, 6689-6703.	3.3	9
61	Effects of selenium on the uptake of toxic trace elements by crop plants: A review. <i>Critical Reviews in Environmental Science and Technology</i> , 2021, 51, 2531-2566.	12.8	50
62	Beneficial role of <i>Azolla</i> sp. in paddy soils and their use as bioremediators in polluted aqueous environments: implications and future perspectives. <i>Archives of Agronomy and Soil Science</i> , 2021, 67, 1242-1255.	2.6	18
63	Synthesis, characterization and application of novel MnO and CuO impregnated biochar composites to sequester arsenic (As) from water: Modeling, thermodynamics and reusability. <i>Journal of Hazardous Materials</i> , 2021, 401, 123338.	12.4	112
64	Boron supply alleviates cadmium toxicity in rice (<i>Oryza sativa</i> L.) by enhancing cadmium adsorption on cell wall and triggering antioxidant defense system in roots. <i>Chemosphere</i> , 2021, 266, 128938.	8.2	68
65	Application of abscisic acid and 6-benzylaminopurine modulated morpho-physiological and antioxidative defense responses of tomato (<i>Solanum lycopersicum</i> L.) by minimizing cobalt uptake. <i>Chemosphere</i> , 2021, 263, 128169.	8.2	88
66	Exogenous abscisic acid and jasmonic acid restrain polyethylene glycol-induced drought by improving the growth and antioxidative enzyme activities in pearl millet. <i>Physiologia Plantarum</i> , 2021, 172, 809-819.	5.2	59
67	Dopamine Alleviates Hydrocarbon Stress in <i>Brassica oleracea</i> through Modulation of Physio-Biochemical Attributes and Antioxidant Defense Systems. <i>Chemosphere</i> , 2021, 270, 128633.	8.2	27
68	Effects of 24-epibrassinolide on plant growth, antioxidants defense system, and endogenous hormones in two wheat varieties under drought stress. <i>Physiologia Plantarum</i> , 2021, 172, 696-706.	5.2	89
69	Silicon mediated improvement in the growth and ion homeostasis by decreasing Na ⁺ uptake in maize (<i>Zea mays</i> L.) cultivars exposed to salinity stress. <i>Plant Physiology and Biochemistry</i> , 2021, 158, 208-218.	5.8	93
70	Charge storage in binder-free 2D-hexagonal CoMoO ₄ nanosheets as a redox active material for pseudocapacitors. <i>Ceramics International</i> , 2021, 47, 8659-8667.	4.8	99
71	Nanocomposites of sedimentary material with ZnO and magnetite for the effective sequestration of arsenic from aqueous systems: Reusability, modeling and kinetics. <i>Environmental Technology and Innovation</i> , 2021, 21, 101298.	6.1	16
72	Critical green routing synthesis of silver NPs using jasmine flower extract for biological activities and photocatalytic degradation of methylene blue. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104877.	6.7	145

#	ARTICLE	IF	CITATIONS
73	Combined effect of <i>Bacillus fortis</i> IAGS 223 and zinc oxide nanoparticles to alleviate cadmium phytotoxicity in <i>Cucumis melo</i> . <i>Plant Physiology and Biochemistry</i> , 2021, 158, 1-12.	5.8	58
74	Facet controlled polyhedral ZIF-8 MOF nanostructures for excellent NO ₂ gas-sensing applications. <i>Materials Research Bulletin</i> , 2021, 136, 111133.	5.2	85
75	Effect of alkaline and chemically engineered biochar on soil properties and phosphorus bioavailability in maize. <i>Chemosphere</i> , 2021, 266, 128980.	8.2	19
76	Silver nanoparticles improved the plant growth and reduced the sodium and chlorine accumulation in pearl millet: a life cycle study. <i>Environmental Science and Pollution Research</i> , 2021, 28, 13712-13724.	5.3	48
77	Foliar exposure of zinc oxide nanoparticles improved the growth of wheat (<i>Triticum aestivum</i> L.) and decreased cadmium concentration in grains under simultaneous Cd and water deficient stress. <i>Ecotoxicology and Environmental Safety</i> , 2021, 208, 111627.	6.0	154
78	Efficacy of Duckweeds for Phytoremediation: Morpho-Physiological and Biochemical Alterations. , 2021, , 345-359.		0
79	Application of ferrous sulfate alleviates negative impact of cadmium in rice (<i>Oryza sativa</i> L.). <i>Biocell</i> , 2021, 45, 1631-1649.	0.7	18
80	Effect of biochar and compost on cadmium bioavailability and its uptake by wheatâ€“rice cropping system irrigated with untreated sewage water: a field study. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	1.3	19
81	A Critical Review on the Synthesis of Natural Sodium Alginate Based Composite Materials: An Innovative Biological Polymer for Biomedical Delivery Applications. <i>Processes</i> , 2021, 9, 137.	2.8	67
82	Pesticides in Drinking Waterâ€“A Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 468.	2.6	271
83	Energy Storage Applications of CdMoO ₄ Microspheres. <i>Jom</i> , 2021, 73, 1546-1551.	1.9	6
84	Metals Phytoextraction by Brassica Species. , 2021, , 361-384.		2
85	Heavy Metals Induced Physiological and Biochemical Changes in Fenugreek (<i>Trigonella</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50		1
86	Selective Removal of Hexavalent Chromium from Wastewater by Rice Husk: Kinetic, Isotherm and Spectroscopic Investigation. <i>Water (Switzerland)</i> , 2021, 13, 263.	2.7	32
87	Impact of Climate Warming on Cotton Growth and Yields in China and Pakistan: A Regional Perspective. <i>Agriculture (Switzerland)</i> , 2021, 11, 97.	3.1	29
88	Effects of Cr ₂ O ₃ Content on Microstructure and Mechanical Properties of Al ₂ O ₃ Matrix Composites. <i>Coatings</i> , 2021, 11, 234.	2.6	48
89	Elucidating Cd-mediated distinct rhizospheric and in planta ionic and physio-biochemical responses of two contrasting <i>Zea mays</i> L. cultivars. <i>Physiology and Molecular Biology of Plants</i> , 2021, 27, 297-312.	3.1	12
90	Influence of Tillage Systems and Cerealsâ€“Legume Mixture on Fodder Yield, Quality and Net Returns under Rainfed Conditions. <i>Sustainability</i> , 2021, 13, 2172.	3.2	15

#	ARTICLE	IF	CITATIONS
91	Effects of biochar, farm manure, and pressmud on mineral nutrients and cadmium availability to wheat (<i>Triticum aestivum</i> L.) in Cd-contaminated soil. <i>Physiologia Plantarum</i> , 2021, 173, 191-200.	5.2	7
92	Investigation of Lithium Application and Effect of Organic Matter on Soil Health. <i>Sustainability</i> , 2021, 13, 1705.	3.2	15
93	Effective sequestration of Congo red dye with ZnO/cotton stalks biochar nanocomposite: MODELING, reusability and stability. <i>Journal of Saudi Chemical Society</i> , 2021, 25, 101176.	5.2	44
94	Electro-Oxidation of Ammonia at Novel Ag ₂ O/PrO ₂ /Al ₂ O ₃ Catalysts. <i>Coatings</i> , 2021, 11, 257.	2.6	33
95	A manipulative interplay between positive and negative regulators of phytohormones: A way forward for improving drought tolerance in plants. <i>Physiologia Plantarum</i> , 2021, 172, 1269-1290.	5.2	61
96	Effect of potassium permanganate on morphological, structural and electro-optical properties of graphene oxide thin films. <i>Arabian Journal of Chemistry</i> , 2021, 14, 102953.	4.9	36
97	The Sewage Sludge Biochar and Its Composts Influence the Phosphate Sorption in an Alkaline-Calcareous Soil. <i>Sustainability</i> , 2021, 13, 1779.	3.2	3
98	Paclobutrazol Improves Sesame Yield by Increasing Dry Matter Accumulation and Reducing Seed Shattering Under Rainfed Conditions. <i>International Journal of Plant Production</i> , 2021, 15, 337-349.	2.2	16
99	Compact maize canopy improves radiation use efficiency and grain yield of maize/soybean relay intercropping system. <i>Environmental Science and Pollution Research</i> , 2021, 28, 41135-41148.	5.3	20
100	Synthesis and Characterization of Na-Zeolites from Textile Waste Ash and Its Application for Removal of Lead (Pb) from Wastewater. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3373.	2.6	18
101	Seed Treatment with α -Tocopherol Regulates Growth and Key Physio-Biochemical Attributes in Carrot (<i>Daucus carota</i> L.) Plants under Water Limited Regimes. <i>Agronomy</i> , 2021, 11, 469.	3.0	34
102	Performance of Spring and Summer-Sown Maize under Different Irrigation Strategies in Pakistan. <i>Sustainability</i> , 2021, 13, 2757.	3.2	1
103	Foliar application of ascorbic acid enhances salinity stress tolerance in barley (<i>Hordeum vulgare</i> L.) through modulation of morpho-physio-biochemical attributes, ions uptake, osmo-protectants and stress response genes expression. <i>Saudi Journal of Biological Sciences</i> , 2021, 28, 4276-4290.	3.8	67
104	Menadione sodium bisulfite alleviated chromium effects on wheat by regulating oxidative defense, chromium speciation, and ion homeostasis. <i>Environmental Science and Pollution Research</i> , 2021, 28, 36205-36225.	5.3	26
105	Mechanochemical Functionalization of Mesoporous Carbons for the Catalytic Transformation of <i>trans</i> -Ferulic Acid into Vanillin. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 4704-4710.	6.7	5
106	Effect of three different types of biochars on eco-physiological response of important agroforestry tree species under salt stress. <i>International Journal of Phytoremediation</i> , 2021, 23, 1412-1422.	3.1	5
107	Synthesis and Characterization of CeO ₂ /CuO Nanocomposites for Photocatalytic Degradation of Methylene Blue in Visible Light. <i>Coatings</i> , 2021, 11, 305.	2.6	29
108	Evaluating the Effects of Biochar with Farmyard Manure under Optimal Mineral Fertilizing on Tomato Growth, Soil Organic C and Biochemical Quality in a Low Fertility Soil. <i>Sustainability</i> , 2021, 13, 2652.	3.2	13

#	ARTICLE	IF	CITATIONS
109	Surface charge on chitosan/cellulose nanowhiskers composite via functionalized and untreated carbon nanotube. <i>Arabian Journal of Chemistry</i> , 2021, 14, 103022.	4.9	29
110	Silicon Application Modulates Growth, Physio-Chemicals, and Antioxidants in Wheat (<i>Triticum</i>)	1.6	17
111	Improving Water Use Efficiency through Reduced Irrigation for Sustainable Cotton Production. <i>Sustainability</i> , 2021, 13, 4044.	3.2	6
112	Phytoextraction of Lead Using a Hedge Plant [<i>Alternanthera bettzickiana</i> (Regel) G. Nicholson]: Physiological and Biochemical Alterations through Bioresource Management. <i>Sustainability</i> , 2021, 13, 5074.	3.2	13
113	Combined Citric Acid and Glutathione Augments Lead (Pb) Stress Tolerance and Phytoremediation of Castorbean through Antioxidant Machinery and Pb Uptake. <i>Sustainability</i> , 2021, 13, 4073.	3.2	20
114	TiO ₂ nanoparticles dose, application method and phosphorous levels influence genotoxicity in Rice (<i>Oryza sativa</i> L.), soil enzymatic activities and plant growth. <i>Ecotoxicology and Environmental Safety</i> , 2021, 213, 111977.	6.0	32
115	Synthesis, characterization and advanced sustainable applications of titanium dioxide nanoparticles: A review. <i>Ecotoxicology and Environmental Safety</i> , 2021, 212, 111978.	6.0	186
116	Transcriptional Responses of <i>Fusarium graminearum</i> Interacted with Soybean to Cause Root Rot. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 422.	3.5	4
117	Seed Priming with Sodium Nitroprusside and H ₂ O ₂ Confers Better Yield in Wheat Under Salinity: Water Relations, Antioxidative Defense Mechanism and Ion Homeostasis. <i>Journal of Plant Growth Regulation</i> , 2021, 40, 2433-2453.	5.1	19
118	Menadione sodium bisulphite regulates physiological and biochemical responses to lessen salinity effects on wheat (<i>Triticum aestivum</i> L.). <i>Physiology and Molecular Biology of Plants</i> , 2021, 27, 1135-1152.	3.1	11
119	Can sulphur improve the nutrient uptake, partitioning, and seed yield of sesame?. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	1.3	7
120	Weight Loss during Calcination and Sintering Process of Na _{0.5} Bi _{0.5} TiO ₃ –Bi _{1/2} (Mg _{2/3} Nb _{1/3})O ₃ Composite Lead-Free Piezoelectric Ceramics. <i>Coatings</i> , 2021, 11, 676.	2.6	3
121	Optimizing Intercropping Systems of Black Cumin (<i>Nigella sativa</i> L.) and Fenugreek (<i>Trigonella foenum-graecum</i> L.) through Inoculation with Bacteria and Mycorrhizal Fungi. <i>Advanced Sustainable Systems</i> , 2021, 5, 2000269.	5.3	16
122	Phosphate-lanthanum coated sewage sludge biochar improved the soil properties and growth of ryegrass in an alkaline soil. <i>Ecotoxicology and Environmental Safety</i> , 2021, 216, 112173.	6.0	21
123	Multi-element uptake and growth responses of Rice (<i>Oryza sativa</i> L.) to TiO ₂ nanoparticles applied in different textured soils. <i>Ecotoxicology and Environmental Safety</i> , 2021, 215, 112149.	6.0	23
124	Combined use of different nanoparticles effectively decreased cadmium (Cd) concentration in grains of wheat grown in a field contaminated with Cd. <i>Ecotoxicology and Environmental Safety</i> , 2021, 215, 112139.	6.0	46
125	Potassium ferrite nanoparticles on DAP to formulate slow release fertilizer with auxiliary nutrients. <i>Ecotoxicology and Environmental Safety</i> , 2021, 215, 112148.	6.0	18
126	Evaluating eco-efficiency in consumption and production through sustainable utilization of resources: A panel analysis of APAC by population. <i>Renewable Energy</i> , 2021, 170, 1096-1106.	8.9	12

#	ARTICLE	IF	CITATIONS
127	Utilization of Ag ₂ O-Al ₂ O ₃ -ZrO ₂ decorated onto rGO as adsorbent for the removal of Congo red from aqueous solution. <i>Environmental Research</i> , 2021, 197, 111179.	7.5	38
128	Cadmium uptake and translocation: selenium and silicon roles in Cd detoxification for the production of low Cd crops: a critical review. <i>Chemosphere</i> , 2021, 273, 129690.	8.2	116
129	Deciphering Plantago ovata Forsk Leaf Extract Mediated Distinct Germination, Growth and Physio-Biochemical Improvements under Water Stress in Maize (Zea mays L.) at Early Growth Stage. <i>Agronomy</i> , 2021, 11, 1404.	3.0	26
130	Ovalbumin and Kappa-Carrageenan Mixture Suppresses the Oxidative and Structural Changes in the Myofibrillar Proteins of Grass Carp (Ctenopharyngodon idella) during Frozen Storage. <i>Antioxidants</i> , 2021, 10, 1186.	5.1	31
131	Quantitative Determination of the Effects of He-Ne Laser Irradiation on Seed Thermodynamics, Germination Attributes and Metabolites of Safflower (Carthamus tinctorius L.) in Relation with the Activities of Germination Enzymes. <i>Agronomy</i> , 2021, 11, 1411.	3.0	17
132	Radical Scavenging and Catalytic Activity of Fe-Cu Bimetallic Nanoparticles Synthesized from Ixora finlaysoniana Extract. <i>Coatings</i> , 2021, 11, 813.	2.6	29
133	Proximate Composition and Nutritive Value of Some Leafy Vegetables from Faisalabad, Pakistan. <i>Sustainability</i> , 2021, 13, 8444.	3.2	10
134	Diethyl Aminoethyl Hexanoate Priming Ameliorates Seed Germination via Involvement in Hormonal Changes, Osmotic Adjustment, and Dehydrins Accumulation in White Clover Under Drought Stress. <i>Frontiers in Plant Science</i> , 2021, 12, 709187.	3.6	13
135	Risk Assessment of Heavy Metals in Basmati Rice: Implications for Public Health. <i>Sustainability</i> , 2021, 13, 8513.	3.2	37
136	Growth Rate, Dry Matter Accumulation, and Partitioning in Soybean (Glycine max L.) in Response to Defoliation under High-Rainfall Conditions. <i>Plants</i> , 2021, 10, 1497.	3.5	5
137	Effect of green and chemically synthesized titanium dioxide nanoparticles on cadmium accumulation in wheat grains and potential dietary health risk: A field investigation. <i>Journal of Hazardous Materials</i> , 2021, 415, 125585.	12.4	55
138	Evaluation of Compost and Biochar to Mitigate Chlorpyrifos Pollution in Soil and Their Effect on Soil Enzyme Dynamics. <i>Sustainability</i> , 2021, 13, 9695.	3.2	11
139	Quantitative Estimation of the Hydroquinone, Mercury and Total Plate Count in Skin-Lightening Creams. <i>Sustainability</i> , 2021, 13, 8786.	3.2	7
140	Extraction and Chemical Characterization of Humic Acid from Nitric Acid Treated Lignite and Bituminous Coal Samples. <i>Sustainability</i> , 2021, 13, 8969.	3.2	27
141	Combined use of zinc nanoparticles and co-composted biochar enhanced wheat growth and decreased Cd concentration in grains under Cd and drought stress: A field study. <i>Environmental Technology and Innovation</i> , 2021, 23, 101518.	6.1	29
142	Effect of gibberellic acid and titanium dioxide nanoparticles on growth, antioxidant defense system and mineral nutrient uptake in wheat. <i>Ecotoxicology and Environmental Safety</i> , 2021, 221, 112436.	6.0	24
143	Effects of nanoparticles on trace element uptake and toxicity in plants: A review. <i>Ecotoxicology and Environmental Safety</i> , 2021, 221, 112437.	6.0	57
144	Photocatalytic Dye Degradation and Biological Activities of Cu-Doped ZnSe Nanoparticles and Their Insights. <i>Water (Switzerland)</i> , 2021, 13, 2561.	2.7	17

#	ARTICLE	IF	CITATIONS
145	Heavy Metals Occurrence, Seasonal Variation and Enrichment in Urban Soils Augmented with Industrial Waste. Polish Journal of Environmental Studies, 2021, 30, 4871-4886.	1.2	2
146	Effective Removal of Cr(VI) from Wastewater Using Biochar Derived from Walnut Shell. International Journal of Environmental Research and Public Health, 2021, 18, 9670.	2.6	19
147	Silicon elevated cadmium tolerance in wheat (<i>Triticum aestivum</i> L.) by endorsing nutrients uptake and antioxidative defense mechanisms in the leaves. Plant Physiology and Biochemistry, 2021, 166, 148-159.	5.8	55
148	Biochar composite with microbes enhanced arsenic biosorption and phytoextraction by <i>Typha latifolia</i> in hybrid vertical subsurface flow constructed wetland. Environmental Pollution, 2021, 291, 118269.	7.5	21
149	Evaluation of Water Quality and Its Potential Threats Along River Chenab Using Geo Statistical Techniques. Polish Journal of Environmental Studies, 2021, 30, 5239-5254.	1.2	1
150	Biochar mitigates arsenic-induced human health risks and phytotoxicity in quinoa under saline conditions by modulating ionic and oxidative stress responses. Environmental Pollution, 2021, 287, 117348.	7.5	29
151	Interactive effects of gibberellic acid and NPK on morpho-physio-biochemical traits and organic acid exudation pattern in coriander (<i>Coriandrum sativum</i> L.) grown in soil artificially spiked with boron. Plant Physiology and Biochemistry, 2021, 167, 884-900.	5.8	41
152	Recent advances in nanoparticles associated ecological harms and their biodegradation: Global environmental safety from nano-invaders. Journal of Environmental Chemical Engineering, 2021, 9, 106093.	6.7	12
153	Green sporopollenin supported cyanocalixarene based magnetic adsorbent for pesticides removal from water: Kinetic and equilibrium studies. Environmental Research, 2021, 201, 111588.	7.5	23
154	Arsenic behavior in soil-plant system and its detoxification mechanisms in plants: A review. Environmental Pollution, 2021, 286, 117389.	7.5	66
155	Effects of silicon on heavy metal uptake at the soil-plant interphase: A review. Ecotoxicology and Environmental Safety, 2021, 222, 112510.	6.0	122
156	Boron application mitigates Cd toxicity in leaves of rice by subcellular distribution, cell wall adsorption and antioxidant system. Ecotoxicology and Environmental Safety, 2021, 222, 112540.	6.0	19
157	Biological synthesis, characterization of three metal-based nanoparticles and their anticancer activities against hepatocellular carcinoma HepG2 cells. Ecotoxicology and Environmental Safety, 2021, 223, 112575.	6.0	13
158	Environmental Factors Driving the Toxic Mobility between Soil and Vegetation in Riparian Zone Vegetation. Polish Journal of Environmental Studies, 2021, 30, 5225-5237.	1.2	0
159	Abscissic acid signaling reduced transpiration flow, regulated Na^+ homeostasis and antioxidant enzyme activities to induce salinity tolerance in wheat (<i>Triticum aestivum</i> L.) seedlings. Environmental Technology and Innovation, 2021, 24, 101808.	6.1	31
160	Efficacy of <i>Lemna minor</i> and <i>Typha latifolia</i> for the treatment of textile industry wastewater in a constructed wetland under citric acid amendment: A lab scale study. Chemosphere, 2021, 283, 131107.	8.2	7
161	Green magnesium oxide nanoparticles-based modulation of cellular oxidative repair mechanisms to reduce arsenic uptake and translocation in rice (<i>Oryza sativa</i> L.) plants. Environmental Pollution, 2021, 288, 117785.	7.5	52
162	Bioassimilation of lead and zinc in rabbits fed on spinach grown on contaminated soil. Ecotoxicology and Environmental Safety, 2021, 224, 112638.	6.0	2

#	ARTICLE	IF	CITATIONS
163	Research advances and applications of biosensing technology for the diagnosis of pathogens in sustainable agriculture. <i>Environmental Science and Pollution Research</i> , 2021, 28, 9002-9019.	5.3	45
164	Heavy Metals-Induced Morphophysiological and Biochemical Changes in <i>Mentha piperita</i> L., 2021, , 223-237.		0
165	Copper-Induced Responses in Different Plant Species. , 2021, , 259-280.		3
166	Mechanical Characteristics and Adhesion of Glass-Kevlar Hybrid Composites by Applying Different Ratios of Epoxy in Lamination. <i>Coatings</i> , 2021, 11, 94.	2.6	11
167	Evaluation and Classification Risks of Implementing Blockchain in the Drug Supply Chain with a New Hybrid Sorting Method. <i>Sustainability</i> , 2021, 13, 11466.	3.2	10
168	Alleviation of Chlorpyrifos Toxicity in Maize (<i>Zea mays</i> L.) by Reducing Its Uptake and Oxidative Stress in Response to Soil-Applied Compost and Biochar Amendments. <i>Plants</i> , 2021, 10, 2170.	3.5	12
169	Disease Severity, Resistance Analysis, and Expression Profiling of Pathogenesis-Related Protein Genes after the Inoculation of <i>Fusarium equiseti</i> in Wheat. <i>Agronomy</i> , 2021, 11, 2124.	3.0	20
170	Alleviation of Cadmium Phytotoxicity Using Silicon Fertilization in Wheat by Altering Antioxidant Metabolism and Osmotic Adjustment. <i>Sustainability</i> , 2021, 13, 11317.	3.2	35
171	Current trends and future prospective in nanoremediation of heavy metals contaminated soils: A way forward towards sustainable agriculture. <i>Ecotoxicology and Environmental Safety</i> , 2021, 227, 112888.	6.0	35
172	Influence of Different Rotations of Organic Formamidinium Molecule on Electronic and Optical Properties of FAPbBr ₃ Perovskite. <i>Coatings</i> , 2021, 11, 1341.	2.6	21
173	Phenolic Profile, Nutritional Composition, Functional Properties, and Antioxidant Activity of Newly Grown Parthenocarpic and Normal Seeded Tomato. <i>Journal of Chemistry</i> , 2021, 2021, 1-11.	1.9	2
174	Alleviating Role of Gibberellic Acid in Enhancing Plant Growth and Stimulating Phenolic Compounds in Carrot (<i>Daucus carota</i> L.) under Lead Stress. <i>Sustainability</i> , 2021, 13, 12329.	3.2	23
175	Advanced Binder-Free Electrode Based on CuCo ₂ O ₄ Nanowires Coated with Polypyrrole Layer as a High-Performance Nonenzymatic Glucose Sensing Platform. <i>Coatings</i> , 2021, 11, 1462.	2.6	1
176	Health Risk Assessment, Pore Water Chemistry, and Assessment of Trace Metals Transfer from Two Untreated Sewage Sludge Types to Tomato Crop (<i>Lycopersicon esculentum</i>) at Different Application Levels. <i>Sustainability</i> , 2021, 13, 12394.	3.2	7
177	Role of antioxidative defense system in amelioration of cadmium-induced phytotoxic effects in germinating seeds of maize (<i>Zea mays</i>). <i>Crop and Pasture Science</i> , 2021, , .	1.5	1
178	IMPACT OF ENDEMICITY OF ASCARIASIS ON DIAGNOSIS OF ACUTE APPENDICITIS. <i>Pakistan Armed Forces Medical Journal</i> , 2021, 71, 1567-70.	0.0	0
179	Combined Application of Citric Acid and Cr Resistant Microbes Improved Castor Bean Growth and Photosynthesis while It Alleviated Cr Toxicity by Reducing Cr ⁺⁶ to Cr ⁺³ . <i>Microorganisms</i> , 2021, 9, 2499.	3.6	6
180	Trace Metal Accumulation in Rice Variety Kainat Irrigated with Canal Water. <i>Sustainability</i> , 2021, 13, 13739.	3.2	9

#	ARTICLE	IF	CITATIONS
181	Detection of Virulence Genes and Biofilm Forming Capacity of Diarrheagenic E. coli Isolated from Different Water Sources. Coatings, 2021, 11, 1544.	2.6	1
182	Hydrogen sulfide alleviates chromium stress on cauliflower by restricting its uptake and enhancing antioxidative system. Physiologia Plantarum, 2020, 168, 289-300.	5.2	137
183	Approaches in Enhancing Thermotolerance in Plants: An Updated Review. Journal of Plant Growth Regulation, 2020, 39, 456-480.	5.1	67
184	Phragmites australis in combination with hydrocarbons degrading bacteria is a suitable option for remediation of diesel-contaminated water in floating wetlands. Chemosphere, 2020, 240, 124890.	8.2	62
185	Efficacy of Zea mays L. for the management of marble effluent contaminated soil under citric acid amendment; morpho-physiological and biochemical response. Chemosphere, 2020, 240, 124930.	8.2	31
186	Simultaneous mitigation of cadmium and drought stress in wheat by soil application of iron nanoparticles. Chemosphere, 2020, 238, 124681.	8.2	183
187	Seasonal variations of soil phosphorus and associated fertility indicators in wastewater-irrigated urban aridisol. Chemosphere, 2020, 239, 124725.	8.2	7
188	High sorption efficiency for As(III) and As(V) from aqueous solutions using novel almond shell biochar. Chemosphere, 2020, 243, 125330.	8.2	81
189	A review of biochar-based sorbents for separation of heavy metals from water. International Journal of Phytoremediation, 2020, 22, 111-126.	3.1	110
190	Comparing the performance of four macrophytes in bacterial assisted floating treatment wetlands for the removal of trace metals (Fe, Mn, Ni, Pb, and Cr) from polluted river water. Chemosphere, 2020, 243, 125353.	8.2	60
191	Wastes to be the source of nutrients and energy to mitigate climate change and ensure future sustainability: options and strategies. Journal of Plant Nutrition, 2020, 43, 896-920.	1.9	3
192	Potential of siltstone and its composites with biochar and magnetite nanoparticles for the removal of cadmium from contaminated aqueous solutions: Batch and column scale studies. Environmental Pollution, 2020, 259, 113938.	7.5	37
193	Effects of silicon nanoparticles on growth and physiology of wheat in cadmium contaminated soil under different soil moisture levels. Environmental Science and Pollution Research, 2020, 27, 4958-4968.	5.3	144
194	Glycinebetaine alleviates the chromium toxicity in Brassica oleracea L. by suppressing oxidative stress and modulating the plant morphology and photosynthetic attributes. Environmental Science and Pollution Research, 2020, 27, 1101-1111.	5.3	72
195	Residual effects of frequently available organic amendments on cadmium bioavailability and accumulation in wheat. Chemosphere, 2020, 244, 125548.	8.2	58
196	Efficiency of various silicon rich amendments on growth and cadmium accumulation in field grown cereals and health risk assessment. Chemosphere, 2020, 244, 125481.	8.2	46
197	Application of co-composted farm manure and biochar increased the wheat growth and decreased cadmium accumulation in plants under different water regimes. Chemosphere, 2020, 246, 125809.	8.2	65
198	Glutamic Acid-Assisted Phytomanagement of Chromium Contaminated Soil by Sunflower (Helianthus) Tj ETQq0 0 0 rgBT /Overlock 10 T 1297.	3.6	14

#	ARTICLE	IF	CITATIONS
199	Risk Assessment of Heavy Metals in Selected Marine Fish Species of Gadani Shipbreaking Area and Pakistan. <i>Animals</i> , 2020, 10, 1738.	2.3	16
200	Amelioration of salt induced toxicity in pearl millet by seed priming with silver nanoparticles (AgNPs): The oxidative damage, antioxidant enzymes and ions uptake are major determinants of salt tolerant capacity. <i>Plant Physiology and Biochemistry</i> , 2020, 156, 221-232.	5.8	190
201	Recent advancement and development of chitin and chitosan-based nanocomposite for drug delivery: Critical approach to clinical research. <i>Arabian Journal of Chemistry</i> , 2020, 13, 8935-8964.	4.9	59
202	Electrochemical Oxygen Evolution Reaction Activity of Tin Sulfide Nanostructures. <i>ChemistrySelect</i> , 2020, 5, 11703-11707.	1.5	0
203	Elucidating silicon-mediated distinct morpho-physio-biochemical attributes and organic acid exudation patterns of cadmium stressed Ajjwain (<i>Trachyspermum ammi</i> L.). <i>Plant Physiology and Biochemistry</i> , 2020, 157, 23-37.	5.8	67
204	Plant growth promoting rhizobacteria alleviates drought stress in potato in response to suppressive oxidative stress and antioxidant enzymes activities. <i>Scientific Reports</i> , 2020, 10, 16975.	3.3	179
205	Biofilm forming rhizobacteria enhance growth and salt tolerance in sunflower plants by stimulating antioxidant enzymes activity. <i>Plant Physiology and Biochemistry</i> , 2020, 156, 242-256.	5.8	61
206	<i>Bacillus siamensis</i> Reduces Cadmium Accumulation and Improves Growth and Antioxidant Defense System in Two Wheat (<i>Triticum aestivum</i> L.) Varieties. <i>Plants</i> , 2020, 9, 878.	3.5	61
207	Effects of cropping system and fertilization regime on soil phosphorous are mediated by rhizosphere-microbial processes in a semi-arid agroecosystem. <i>Journal of Environmental Management</i> , 2020, 271, 111033.	7.8	15
208	Relief Role of Lysine Chelated Zinc (Zn) on 6-Week-Old Maize Plants under Tannery Wastewater Irrigation Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5161.	2.6	15
209	Optimized planting time and co-growth duration reduce the yield difference between intercropped and sole soybean by enhancing soybean resilience toward size-asymmetric competition. <i>Food and Energy Security</i> , 2020, 9, e226.	4.3	9
210	Removing top leaves increases yield and nutrient uptake in maize plants. <i>Nutrient Cycling in Agroecosystems</i> , 2020, 118, 57-73.	2.2	5
211	Effect of Cadmium Toxicity on Growth, Oxidative Damage, Antioxidant Defense System and Cadmium Accumulation in Two Sorghum Cultivars. <i>Plants</i> , 2020, 9, 1575.	3.5	65
212	Heterogeneous Light Conditions Reduce the Assimilate Translocation Towards Maize Ears. <i>Plants</i> , 2020, 9, 987.	3.5	11
213	Role of iron-lysine on morpho-physiological traits and combating chromium toxicity in rapeseed (<i>Brassica napus</i> L.) plants irrigated with different levels of tannery wastewater. <i>Plant Physiology and Biochemistry</i> , 2020, 155, 70-84.	5.8	96
214	Glycine Betaine Accumulation, Significance and Interests for Heavy Metal Tolerance in Plants. <i>Plants</i> , 2020, 9, 896.	3.5	84
215	Implementation of Floating Treatment Wetlands for Textile Wastewater Management: A Review. <i>Sustainability</i> , 2020, 12, 5801.	3.2	38
216	Role of Microorganisms in the Remediation of Wastewater in Floating Treatment Wetlands: A Review. <i>Sustainability</i> , 2020, 12, 5559.	3.2	75

#	ARTICLE	IF	CITATIONS
217	Biochar impact on microbial population and elemental composition of red soil. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	1.3	9
218	Adsorption-reduction performance of tea waste and rice husk biochars for Cr(VI) elimination from wastewater. <i>Journal of Saudi Chemical Society</i> , 2020, 24, 799-810.	5.2	66
219	Foliar Spray of Fe-Asp Confers Better Drought Tolerance in Sunflower as Compared with FeSO ₄ : Yield Traits, Osmotic Adjustment, and Antioxidative Defense Mechanisms. <i>Biomolecules</i> , 2020, 10, 1217.	4.0	12
220	Î±-Tocopherol Foliar Spray and Translocation Mediates Growth, Photosynthetic Pigments, Nutrient Uptake, and Oxidative Defense in Maize (<i>Zea mays</i> L.) under Drought Stress. <i>Agronomy</i> , 2020, 10, 1235.	3.0	25
221	Physicochemical and Functional Potential of Hydrocolloids Extracted from Some Solanaceae Plants. <i>Journal of Chemistry</i> , 2020, 2020, 1-9.	1.9	7
222	Multifunctional Periphytic Biofilms: Polyethylene Degradation and Cd ²⁺ and Pb ²⁺ Bioremediation under High Methane Scenario. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5331.	4.1	17
223	Ameliorating the Drought Stress for Wheat Growth through Application of ACC-Deaminase Containing Rhizobacteria along with Biogas Slurry. <i>Sustainability</i> , 2020, 12, 6022.	3.2	48
224	Low Doses of <i>Cuscuta reflexa</i> Extract Act as Natural Biostimulants to Improve the Germination Vigor, Growth, and Grain Yield of Wheat Grown under Water Stress: Photosynthetic Pigments, Antioxidative Defense Mechanisms, and Nutrient Acquisition. <i>Biomolecules</i> , 2020, 10, 1212.	4.0	17
225	Physiological and Biochemical Bases of Foliar Silicon-Induced Alleviation of Cadmium Toxicity in Wheat. <i>Journal of Soil Science and Plant Nutrition</i> , 2020, 20, 2714-2730.	3.4	37
226	Zinc-lysine Supplementation Mitigates Oxidative Stress in Rapeseed (<i>Brassica napus</i> L.) by Preventing Phytotoxicity of Chromium, When Irrigated with Tannery Wastewater. <i>Plants</i> , 2020, 9, 1145.	3.5	53
227	Physiological and Biochemical Response of <i>Alternanthera bettzickiana</i> (Regel) G. Nicholson under Acetic Acid Assisted Phytoextraction of Lead. <i>Plants</i> , 2020, 9, 1084.	3.5	4
228	Influence of Metal-Resistant <i>Staphylococcus aureus</i> Strain K1 on the Alleviation of Chromium Stress in Wheat. <i>Agronomy</i> , 2020, 10, 1354.	3.0	15
229	Interactive role of zinc and iron lysine on <i>Spinacia oleracea</i> L. growth, photosynthesis and antioxidant capacity irrigated with tannery wastewater. <i>Physiology and Molecular Biology of Plants</i> , 2020, 26, 2435-2452.	3.1	41
230	Peptone-Induced Physio-Biochemical Modulations Reduce Cadmium Toxicity and Accumulation in Spinach (<i>Spinacia oleracea</i> L.). <i>Plants</i> , 2020, 9, 1806.	3.5	12
231	Integrated Nutrient Management Enhances Soil Quality and Crop Productivity in Maize-Based Cropping System. <i>Sustainability</i> , 2020, 12, 10214.	3.2	20
232	Glycinebetaine-Induced Alteration in Gaseous Exchange Capacity and Osmoprotective Phenomena in Safflower (<i>Carthamus tinctorius</i> L.) under Water Deficit Conditions. <i>Sustainability</i> , 2020, 12, 10649.	3.2	29
233	Salicylic Acid Improves Boron Toxicity Tolerance by Modulating the Physio-Biochemical Characteristics of Maize (<i>Zea mays</i> L.) at an Early Growth Stage. <i>Agronomy</i> , 2020, 10, 2013.	3.0	24
234	Plant Extract Induced Biogenic Preparation of Silver Nanoparticles and Their Potential as Catalyst for Degradation of Toxic Dyes. <i>Coatings</i> , 2020, 10, 1235.	2.6	45

#	ARTICLE	IF	CITATIONS
235	Strip-width determines competitive strengths and grain yields of intercrop species in relay intercropping system. <i>Scientific Reports</i> , 2020, 10, 21910.	3.3	23
236	Straw-based biochar mediated potassium availability and increased growth and yield of cotton (<i>Gossypium hirsutum</i> L.). <i>Journal of Saudi Chemical Society</i> , 2020, 24, 963-973.	5.2	20
237	Calcium Plays a Double-Edged Role in Modulating Cadmium Uptake and Translocation in Rice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8058.	4.1	32
238	Nutrients Supplementation through Organic Manures Influence the Growth of Weeds and Maize Productivity. <i>Molecules</i> , 2020, 25, 4924.	3.8	27
239	Indigenous Tocopherol Improves Tolerance of Oilseed Rape to Cadmium Stress. <i>Frontiers in Plant Science</i> , 2020, 11, 547133.	3.6	15
240	Effect of biochars, biogenic, and inorganic amendments on dissolution and kinetic release of phytoavailable silicon in texturally different soils under submerged conditions. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	1.3	7
241	<i>Cyperus laevigatus</i> L. Enhances Diesel Oil Remediation in Synergism with Bacterial Inoculation in Floating Treatment Wetlands. <i>Sustainability</i> , 2020, 12, 2353.	3.2	15
242	Citric acid enhanced phytoextraction of nickel (Ni) and alleviate <i>Mentha piperita</i> (L.) from Ni-induced physiological and biochemical damages. <i>Environmental Science and Pollution Research</i> , 2020, 27, 27010-27022.	5.3	27
243	Accumulation potential and tolerance response of <i>Typha latifolia</i> L. under citric acid assisted phytoextraction of lead and mercury. <i>Chemosphere</i> , 2020, 257, 127247.	8.2	38
244	Molybdenum-induced effects on leaf ultra-structure and rhizosphere phosphorus transformation in <i>Triticum aestivum</i> L. <i>Plant Physiology and Biochemistry</i> , 2020, 153, 20-29.	5.8	19
245	Effective sequestration of Cr (VI) from wastewater using nanocomposite of ZnO with cotton stalks biochar: modeling, kinetics, and reusability. <i>Environmental Science and Pollution Research</i> , 2020, 27, 33821-33834.	5.3	27
246	Effect of gibberellic acid on growth, biomass, and antioxidant defense system of wheat (<i>Triticum</i>) Tj ETQqO O O rgBT /Overlock 10 Tf 50 3 2020, 27, 33809-33820.	5.3	22
247	Green remediation of saline-sodic Pb-factored soil by growing salt-tolerant rice cultivar along with soil applied inorganic amendments. <i>Paddy and Water Environment</i> , 2020, 18, 637-649.	1.8	5
248	Uptake and utilization of nitrogen, phosphorus and potassium as related to yield advantage in maize-soybean intercropping under different row configurations. <i>Scientific Reports</i> , 2020, 10, 9504.	3.3	33
249	Physicochemical and Bacteriological Characterization of Industrial Wastewater Being Discharged to Surface Water Bodies: Significant Threat to Environmental Pollution and Human Health. <i>Journal of Chemistry</i> , 2020, 2020, 1-10.	1.9	21
250	Effect of acidified biochar on bioaccumulation of cadmium (Cd) and rice growth in contaminated soil. <i>Environmental Technology and Innovation</i> , 2020, 19, 101015.	6.1	44
251	Ethylenediaminetetraacetic Acid (EDTA) Mitigates the Toxic Effect of Excessive Copper Concentrations on Growth, Gaseous Exchange and Chloroplast Ultrastructure of <i>Corchorus capsularis</i> L. and Improves Copper Accumulation Capabilities. <i>Plants</i> , 2020, 9, 756.	3.5	57
252	N-Fertilizer (Urea) Enhances the Phytoextraction of Cadmium through <i>Solanum nigrum</i> L.. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3850.	2.6	15

#	ARTICLE	IF	CITATIONS
253	Synthesis and characterization of titanium dioxide nanoparticles by chemical and green methods and their antifungal activities against wheat rust. <i>Chemosphere</i> , 2020, 258, 127352.	8.2	110
254	Efficacy of <i>Alternanthera bettzickiana</i> to Remediate Copper and Cobalt Contaminated Soil Physiological and Biochemical Alterations. <i>International Journal of Environmental Research</i> , 2020, 14, 243-255.	2.3	20
255	Efficacy of fenugreek plant for ascorbic acid assisted phytoextraction of copper (Cu); A detailed study of Cu induced morpho-physiological and biochemical alterations. <i>Chemosphere</i> , 2020, 251, 126424.	8.2	22
256	Assessment of the antioxidant and anticancer potential of different isolated strains of cyanobacteria and microalgae from soil and agriculture drain water. <i>Environmental Science and Pollution Research</i> , 2020, 27, 18463-18474.	5.3	44
257	Citric Acid Assisted Phytoremediation of Chromium through Sunflower Plants Irrigated with Tannery Wastewater. <i>Plants</i> , 2020, 9, 380.	3.5	20
258	Optimization of plant density and nitrogen regimes to mitigate lodging risk in wheat. <i>Agronomy Journal</i> , 2020, 112, 2535-2551.	1.8	18
259	Application of Floating Aquatic Plants in Phytoremediation of Heavy Metals Polluted Water: A Review. <i>Sustainability</i> , 2020, 12, 1927.	3.2	217
260	Effects of contrasting shade treatments on the carbon production and antioxidant activities of soybean plants. <i>Functional Plant Biology</i> , 2020, 47, 342.	2.1	13
261	Comparative evaluation of wheat straw and press mud biochars for Cr(VI) elimination from contaminated aqueous solution. <i>Environmental Technology and Innovation</i> , 2020, 19, 101017.	6.1	18
262	Use of Nitric Oxide and Hydrogen Peroxide for Better Yield of Wheat (<i>Triticum aestivum</i> L.) under Water Deficit Conditions: Growth, Osmoregulation, and Antioxidative Defense Mechanism. <i>Plants</i> , 2020, 9, 285.	3.5	93
263	Jute: A Potential Candidate for Phytoremediation of Metals—A Review. <i>Plants</i> , 2020, 9, 258.	3.5	102
264	Chromium resistant microbes and melatonin reduced Cr uptake and toxicity, improved physio-biochemical traits and yield of wheat in contaminated soil. <i>Chemosphere</i> , 2020, 250, 126239.	8.2	91
265	Irrigation of Zea mays with UASB-treated textile wastewater; effect on early irrigation of Zea mays with UASB-treated textile wastewater; effect on early growth and physiology. <i>Environmental Science and Pollution Research</i> , 2020, 27, 15305-15324.	5.3	8
266	Effect of biochar modified with magnetite nanoparticles and HNO ₃ for efficient removal of Cr(VI) from contaminated water: A batch and column scale study. <i>Environmental Pollution</i> , 2020, 261, 114231.	7.5	95
267	Influence of phosphorus on copper phytoextraction via modulating cellular organelles in two jute (<i>Corchorus capsularis</i> L.) varieties grown in a copper mining soil of Hubei Province, China. <i>Chemosphere</i> , 2020, 248, 126032.	8.2	137
268	Organic chelates decrease phytotoxic effects and enhance chromium uptake by regulating chromium-speciation in castor bean (<i>Ricinus communis</i> L.). <i>Science of the Total Environment</i> , 2020, 716, 137061.	8.0	50
269	Dynamics of AB-DTPA-extractable Zn in high and low limed calcareous soils amended with biochar and farmyard and poultry manures. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	1.3	0
270	Selenium and Salt Interactions in Black Gram (<i>Vigna mungo</i> L): Ion Uptake, Antioxidant Defense System, and Photochemistry Efficiency. <i>Plants</i> , 2020, 9, 467.	3.5	36

#	ARTICLE	IF	CITATIONS
271	Flax (<i>Linum usitatissimum</i> L.): A Potential Candidate for Phytoremediation? Biological and Economical Points of View. <i>Plants</i> , 2020, 9, 496.	3.5	102
272	Antioxidant, Antibacterial, and Anticancer Activities of Bitter Gourd Fruit Extracts at Three Different Cultivation Stages. <i>Journal of Chemistry</i> , 2020, 2020, 1-10.	1.9	11
273	Mitigation of Heat Stress in <i>Solanum lycopersicum</i> L. by ACC-deaminase and Exopolysaccharide Producing <i>Bacillus cereus</i> : Effects on Biochemical Profiling. <i>Sustainability</i> , 2020, 12, 2159.	3.2	133
274	Effect of composted organic amendments and zinc oxide nanoparticles on growth and cadmium accumulation by wheat; a life cycle study. <i>Environmental Science and Pollution Research</i> , 2020, 27, 23926-23936.	5.3	37
275	Low red/far-red ratio as a signal promotes carbon assimilation of soybean seedlings by increasing the photosynthetic capacity. <i>BMC Plant Biology</i> , 2020, 20, 148.	3.6	46
276	Transcriptional Factors Regulate Plant Stress Responses Through Mediating Secondary Metabolism. <i>Genes</i> , 2020, 11, 346.	2.4	138
277	Copper Uptake and Accumulation, Ultra-Structural Alteration, and Bast Fibre Yield and Quality of Fibrous Jute (<i>Corchorus capsularis</i> L.) Plants Grown under Two Different Soils of China. <i>Plants</i> , 2020, 9, 404.	3.5	52
278	Optimum strip width increases dry matter, nutrient accumulation, and seed yield of intercrops under the relay intercropping system. <i>Food and Energy Security</i> , 2020, 9, e199.	4.3	39
279	Role of Exogenous and Endogenous Hydrogen Sulfide (H ₂ S) on Functional Traits of Plants Under Heavy Metal Stresses: A Recent Perspective. <i>Frontiers in Plant Science</i> , 2020, 11, 545453.	3.6	38
280	In Situ Phytoremediation of Metals. <i>Concepts and Strategies in Plant Sciences</i> , 2020, , 103-121.	0.5	3
281	Effect of Nanoparticles on Plant Growth and Physiology and on Soil Microbes. <i>Nanotechnology in the Life Sciences</i> , 2020, , 65-85.	0.6	2
282	Involvement of Microbes in Different Abiotic Stress Environments of Cropping Lands. , 2020, , 441-479.		1
283	Restoration of Degraded Soil for Sustainable Agriculture. , 2020, , 31-81.		15
284	Use of Phytohormones in Conferring Tolerance to Environmental Stress. , 2020, , 245-355.		6
285	Individual and combined application of EDTA and citric acid assisted phytoextraction of copper using jute (<i>Corchorus capsularis</i> L.) seedlings. <i>Environmental Technology and Innovation</i> , 2020, 19, 100895.	6.1	44
286	Determination of Pesticide Residue in Brinjal Sample Using HPTLC and Developing a Cost-Effective Method Alternative to HPLC. <i>Journal of Chemistry</i> , 2020, 2020, 1-12.	1.9	8
287	Emerging Aspects of Photo-catalysts (TiO ₂ & ZnO) Doped Zeolites and Advanced Oxidation Processes for Degradation of Azo Dyes: A Review. <i>Current Analytical Chemistry</i> , 2020, 17, 82-97.	1.2	13
288	UV-B Radiations and Secondary Metabolites. <i>Turkish Journal of Agriculture: Food Science and Technology</i> , 2020, 8, 147-157.	0.3	6

#	ARTICLE	IF	CITATIONS
289	Bacterial Augmented Floating Treatment Wetlands for Efficient Treatment of Synthetic Textile Dye Wastewater. Sustainability, 2020, 12, 3731.	3.2	29
290	Iron&Lysine Mediated Alleviation of Chromium Toxicity in Spinach (<i>Spinacia oleracea</i> L.) Plants in Relation to Morpho-Physiological Traits and Iron Uptake When Irrigated with Tannery Wastewater. Sustainability, 2020, 12, 6690.	3.2	52
291	Fertigation of Ajwain (<i>Trachyspermum ammi</i> L.) with Fe-Glutamate Confers Better Plant Performance and Drought Tolerance in Comparison with FeSO ₄ . Sustainability, 2020, 12, 7119.	3.2	10
292	Breeding Plants for Future Climates. , 2020, , 753-795.		4
293	Phytoremediation Potential of Oilseed Crops for Lead- and Nickel-Contaminated Soil. , 2020, , 801-820.		3
294	Assessing the N Cycling Ecosystem Function-Processes and the Involved Functional Guilds upon Plant Litter Amendment in Lower Himalaya. Polish Journal of Environmental Studies, 2020, 30, 917-926.	1.2	0
295	Zinc-lysine prevents chromium-induced morphological, photosynthetic, and oxidative alterations in spinach irrigated with tannery wastewater. Environmental Science and Pollution Research, 2019, 26, 28951-28961.	5.3	38
296	Cadmium immobilization in the soil and accumulation by spinach (<i>Spinacia oleracea</i>) depend on biochar types under controlled and field conditions. Arabian Journal of Geosciences, 2019, 12, 1.	1.3	8
297	Novel multimodel ensemble approach to evaluate the sole effect of elevated CO ₂ on winter wheat productivity. Scientific Reports, 2019, 9, 7813.	3.3	32
298	Phytoremediation of landfill leachate waste contaminants through floating bed technique using water hyacinth and water lettuce. International Journal of Phytoremediation, 2019, 21, 1356-1367.	3.1	37
299	Drought Tolerance of Soybean (<i>Glycine max</i> L. Merr.) by Improved Photosynthetic Characteristics and an Efficient Antioxidant Enzyme Activities Under a Split-Root System. Frontiers in Physiology, 2019, 10, 786.	2.8	99
300	Physiological and Biochemical Responses of Pearl Millet (<i>Pennisetum glaucum</i> L.) Seedlings Exposed to Silver Nitrate (AgNO ₃) and Silver Nanoparticles (AgNPs). International Journal of Environmental Research and Public Health, 2019, 16, 2261.	2.6	32
301	Spatio-temporal variations of shallow and deep well groundwater nitrate concentrations along the Indus River floodplain aquifer in Pakistan. Environmental Pollution, 2019, 253, 384-392.	7.5	18
302	Phosphate fertilizer premixing with farmyard manure enhances phosphorus availability in calcareous soil for higher wheat productivity. Environmental Science and Pollution Research, 2019, 26, 32276-32284.	5.3	7
303	Effect of gibberellic acid on growth, photosynthesis and antioxidant defense system of wheat under zinc oxide nanoparticle stress. Environmental Pollution, 2019, 254, 113109.	7.5	55
304	Investigation into arsenic retention in arid contaminated soils with biochar application. Arabian Journal of Geosciences, 2019, 12, 1.	1.3	16
305	Characterization and chromium biosorption potential of extruded polymeric substances from <i>Synechococcus mundulus</i> induced by acute dose of gamma irradiation. Environmental Science and Pollution Research, 2019, 26, 31998-32012.	5.3	30
306	Comparative effect of mesquite biochar, farmyard manure, and chemical fertilizers on soil fertility and growth of onion (<i>Allium cepa</i> L.). Arabian Journal of Geosciences, 2019, 12, 1.	1.3	8

#	ARTICLE	IF	CITATIONS
307	Maize leaf-removal: A new agronomic approach to increase dry matter, flower number and seed-yield of soybean in maize soybean relay intercropping system. Scientific Reports, 2019, 9, 13453.	3.3	25
308	Alpha-tocopherol fertigation confers growth physio-biochemical and qualitative yield enhancement in field grown water deficit wheat (<i>Triticum aestivum</i> L.). Scientific Reports, 2019, 9, 12924.	3.3	48
309	Role of mineral nutrition in alleviation of heat stress in cotton plants grown in glasshouse and field conditions. Scientific Reports, 2019, 9, 13022.	3.3	54
310	Innovative Processes and Technologies for Nutrient Recovery from Wastes: A Comprehensive Review. Sustainability, 2019, 11, 4938.	3.2	26
311	Adaptation of Crops to Warmer Climates: Morphological and Physiological Mechanisms. , 2019, , 27-50.		5
312	Morphological and Physiological Responses of Plants to Cadmium Toxicity. , 2019, , 47-72.		13
313	Cadmium Contamination in Water and Soil. , 2019, , 141-161.		17
314	Environmental Hazards of Cadmium: Past, Present, and Future. , 2019, , 163-183.		57
315	<i>Solanum nigrum</i> L.: A Novel Hyperaccumulator for the Phyto-Management of Cadmium Contaminated Soils. , 2019, , 451-477.		11
316	Comprehensive transcriptional profiling of porcine brain aging. Gene, 2019, 693, 1-9.	2.2	12
317	Foliar- and soil-applied salicylic acid and bagasse compost addition to soil reduced deleterious effects of salinity on wheat. Arabian Journal of Geosciences, 2019, 12, 1.	1.3	7
318	Seed priming with silicon nanoparticles improved the biomass and yield while reduced the oxidative stress and cadmium concentration in wheat grains. Environmental Science and Pollution Research, 2019, 26, 7579-7588.	5.3	249
319	Combined application of citric acid and 5-aminolevulinic acid improved biomass, photosynthesis and gas exchange attributes of sunflower (<i>Helianthus annuus</i> L.) grown on chromium contaminated soil. International Journal of Phytoremediation, 2019, 21, 760-767.	3.1	64
320	Lead toxicity induced phytotoxic effects on mung bean can be relegated by lead tolerant <i>Bacillus subtilis</i> (PbRB3). Chemosphere, 2019, 234, 70-80.	8.2	33
321	Potentialities of floating wetlands for the treatment of polluted water of river Ravi, Pakistan. Ecological Engineering, 2019, 133, 167-176.	3.6	46
322	Narrowâ€wideâ€row planting pattern increases the radiation use efficiency and seed yield of intercrop species in relayâ€intercropping system. Food and Energy Security, 2019, 8, e170.	4.3	56
323	The accumulation of cadmium in wheat (<i>Triticum aestivum</i>) as influenced by zinc oxide nanoparticles and soil moisture conditions. Environmental Science and Pollution Research, 2019, 26, 19859-19870.	5.3	126
324	Opportunities and challenges in the remediation of metal-contaminated soils by using tobacco (<i>Nicotiana tabacum</i> L.): a critical review. Environmental Science and Pollution Research, 2019, 26, 18053-18070.	5.3	17

#	ARTICLE	IF	CITATIONS
325	Organic Manures for Cadmium Tolerance and Remediation. , 2019, , 19-67.		8
326	Inorganic Amendments for the Remediation of Cadmium-Contaminated Soils. , 2019, , 113-141.		5
327	Plant Nutrients and Cadmium Stress Tolerance. , 2019, , 319-333.		0
328	Biotechnological Tools in the Remediation of Cadmium Toxicity. , 2019, , 497-520.		1
329	Silicon nanoparticles enhanced the growth and reduced the cadmium accumulation in grains of wheat (<i>Triticum aestivum</i> L.). <i>Plant Physiology and Biochemistry</i> , 2019, 140, 1-8.	5.8	195
330	Comparative efficiency of peanut shell and peanut shell biochar for removal of arsenic from water. <i>Environmental Science and Pollution Research</i> , 2019, 26, 18624-18635.	5.3	69
331	Influence of biochar amendment and foliar application of iron oxide nanoparticles on growth, photosynthesis, and cadmium accumulation in rice biomass. <i>Journal of Soils and Sediments</i> , 2019, 19, 3749-3759.	3.0	52
332	Effect of planting patterns on yield, nutrient accumulation and distribution in maize and soybean under Relay intercropping systems. <i>Scientific Reports</i> , 2019, 9, 4947.	3.3	69
333	A newly discovered Cd-hyperaccumulator <i>Lantana camara</i> L.. <i>Journal of Hazardous Materials</i> , 2019, 371, 233-242.	12.4	103
334	Interactive effects of drought and heat stresses on morpho-physiological attributes, yield, nutrient uptake and oxidative status in maize hybrids. <i>Scientific Reports</i> , 2019, 9, 3890.	3.3	370
335	Narrow-wide row planting pattern improves the light environment and seed yields of intercrop species in relay intercropping system. <i>PLoS ONE</i> , 2019, 14, e0212885.	2.5	55
336	Comparative effectiveness of different biochars and conventional organic materials on growth, photosynthesis and cadmium accumulation in cereals. <i>Chemosphere</i> , 2019, 227, 72-81.	8.2	80
337	Ameliorative Capability of Plant Growth Promoting Rhizobacteria (PGPR) and Arbuscular Mycorrhizal Fungi (AMF) Against Salt Stress in Plant. , 2019, , 409-448.		19
338	Split application of silicon in cadmium (Cd) spiked alkaline soil plays a vital role in decreasing Cd accumulation in rice (<i>Oryza sativa</i> L.) grains. <i>Chemosphere</i> , 2019, 226, 454-462.	8.2	93
339	Combined use of biochar and zinc oxide nanoparticle foliar spray improved the plant growth and decreased the cadmium accumulation in rice (<i>Oryza sativa</i> L.) plant. <i>Environmental Science and Pollution Research</i> , 2019, 26, 11288-11299.	5.3	166
340	Responses of wheat (<i>Triticum aestivum</i>) plants grown in a Cd contaminated soil to the application of iron oxide nanoparticles. <i>Ecotoxicology and Environmental Safety</i> , 2019, 173, 156-164.	6.0	145
341	Alleviation of cadmium accumulation in maize (<i>Zea mays</i> L.) by foliar spray of zinc oxide nanoparticles and biochar to contaminated soil. <i>Environmental Pollution</i> , 2019, 248, 358-367.	7.5	230
342	Effect of foliar applications of silicon and titanium dioxide nanoparticles on growth, oxidative stress, and cadmium accumulation by rice (<i>Oryza sativa</i>). <i>Acta Physiologiae Plantarum</i> , 2019, 41, 1.	2.1	129

#	ARTICLE	IF	CITATIONS
343	Ecophysiological response of early stage <i>Albizia lebbeck</i> to cadmium toxicity and biochar addition. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	1.3	9
344	Cerium oxide nanoparticles: Advances in synthesis, prospects and application in agro-ecosystem. <i>Comprehensive Analytical Chemistry</i> , 2019, 87, 209-250.	1.3	10
345	Assessing the Correlations between Different Traits in Copper-Sensitive and Copper-Resistant Varieties of Jute (<i>Corchorus capsularis</i> L.). <i>Plants</i> , 2019, 8, 545.	3.5	68
346	Synthesis and Application of Titanium Dioxide Nanoparticles for Removal of Cadmium from Wastewater: Kinetic and Equilibrium Study. <i>Water, Air, and Soil Pollution</i> , 2019, 230, 1.	2.4	36
347	Characterization and Pathogenicity of <i>Fusarium</i> Species Associated with Soybean Pods in Maize/Soybean Strip Intercropping. <i>Pathogens</i> , 2019, 8, 245.	2.8	17
348	Citric Acid Enhances Plant Growth, Photosynthesis, and Phytoextraction of Lead by Alleviating the Oxidative Stress in Castor Beans. <i>Plants</i> , 2019, 8, 525.	3.5	57
349	Expression, Subcellular Localization, and Interactions of CPK Family Genes in Maize. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6173.	4.1	9
350	Remediation of polluted river water by floating treatment wetlands. <i>Water Science and Technology: Water Supply</i> , 2019, 19, 967-977.	2.1	35
351	Alleviative role of exogenously applied mannitol in maize cultivars differing in chromium stress tolerance. <i>Environmental Science and Pollution Research</i> , 2019, 26, 5111-5121.	5.3	44
352	Changes in morphology, chlorophyll fluorescence performance and Rubisco activity of soybean in response to foliar application of ionic titanium under normal light and shade environment. <i>Science of the Total Environment</i> , 2019, 658, 626-637.	8.0	94
353	Biochar Is a Potential Source of Silicon Fertilizer. , 2019, , 225-238.		6
354	The Ameliorative Role of 5-Aminolevulinic Acid (ALA) Under Cr Stress in Two Maize Cultivars Showing Differential Sensitivity to Cr Stress Tolerance. <i>Journal of Plant Growth Regulation</i> , 2019, 38, 788-798.	5.1	21
355	Recent Advances in Arsenic Accumulation in Rice. , 2019, , 385-398.		10
356	A critical review on the effects of zinc at toxic levels of cadmium in plants. <i>Environmental Science and Pollution Research</i> , 2019, 26, 6279-6289.	5.3	134
357	Effect of poultry litter biochar on chromium (Cr) bioavailability and accumulation in spinach (<i>Spinacia oleracea</i>) grown in Cr-polluted soil. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	1.3	35
358	Zinc and iron oxide nanoparticles improved the plant growth and reduced the oxidative stress and cadmium concentration in wheat. <i>Chemosphere</i> , 2019, 214, 269-277.	8.2	567
359	OCCUPATIONAL HEALTH AND SAFETY CONDITIONS IN SMALL MEDIUM SIZED ENTERPRISES OF IRON FURNITURE MANUFACTURING UNITS. <i>Environmental Engineering and Management Journal</i> , 2019, 18, 545-553.	0.6	2
360	Comprehensive transcriptional profiling of aging porcine liver. <i>PeerJ</i> , 2019, 7, e6949.	2.0	6

#	ARTICLE	IF	CITATIONS
361	Growth and development of soybean under changing light environments in relay intercropping system. PeerJ, 2019, 7, e7262.	2.0	45
362	Use of a hyperaccumulator and biochar to remediate an acid soil highly contaminated with trace metals and/or oxytetracycline. Chemosphere, 2018, 204, 390-397.	8.2	31
363	Management of tannery wastewater for improving growth attributes and reducing chromium uptake in spinach through citric acid application. Environmental Science and Pollution Research, 2018, 25, 10848-10856.	5.3	55
364	Phyto-management of chromium contaminated soils through sunflower under exogenously applied 5-aminolevulinic acid. Ecotoxicology and Environmental Safety, 2018, 151, 255-265.	6.0	78
365	Farmyard manure alone and combined with immobilizing amendments reduced cadmium accumulation in wheat and rice grains grown in field irrigated with raw effluents. Chemosphere, 2018, 199, 468-476.	8.2	63
366	Biochar application increased the growth and yield and reduced cadmium in drought stressed wheat grown in an aged contaminated soil. Ecotoxicology and Environmental Safety, 2018, 148, 825-833.	6.0	235
367	Cadmium phytoremediation potential of Brassica crop species: A review. Science of the Total Environment, 2018, 631-632, 1175-1191.	8.0	275
368	Physiological and biochemical changes during drought and recovery periods at tillering and jointing stages in wheat (<i>Triticum aestivum</i> L.). Scientific Reports, 2018, 8, 4615.	3.3	317
369	Effect of biochar on alleviation of cadmium toxicity in wheat (<i>Triticum aestivum</i> L.) grown on Cd-contaminated saline soil. Environmental Science and Pollution Research, 2018, 25, 25668-25680.	5.3	180
370	Prevailing trends of climatic extremes across Indus-Delta of Sindh-Pakistan. Theoretical and Applied Climatology, 2018, 131, 1101-1117.	2.8	38
371	Efficiency of biogas slurry and Burkholderia phytofirmans PsJN to improve growth, physiology, and antioxidant activity of Brassica napus L. in chromium-contaminated soil. Environmental Science and Pollution Research, 2018, 25, 6387-6397.	5.3	25
372	Residual effects of biochar on growth, photosynthesis and cadmium uptake in rice (<i>Oryza sativa</i> L.) under Cd stress with different water conditions. Journal of Environmental Management, 2018, 206, 676-683.	7.8	166
373	Responses of Soybean Dry Matter Production, Phosphorus Accumulation, and Seed Yield to Sowing Time under Relay Intercropping with Maize. Agronomy, 2018, 8, 282.	3.0	34
374	Potential of Duckweed (<i>Lemna minor</i>) for the Phytoremediation of Landfill Leachate. Journal of Chemistry, 2018, 2018, 1-9.	1.9	35
375	Cadmium (Cd) concentration in wheat (<i>Triticum aestivum</i>) grown in Cd-spiked soil varies with the doses and biochar feedstock. Arabian Journal of Geosciences, 2018, 11, 1.	1.3	5
376	Biochar for sustainable soil and environment: a comprehensive review. Arabian Journal of Geosciences, 2018, 11, 1.	1.3	20
377	Exogenously applied growth regulators protect the cotton crop from heat-induced injury by modulating plant defense mechanism. Scientific Reports, 2018, 8, 17086.	3.3	58
378	Sugarcane waste straw biochar and its effects on calcareous soil and agronomic traits of okra. Arabian Journal of Geosciences, 2018, 11, 1.	1.3	11

#	ARTICLE	IF	CITATIONS
379	A field study investigating the potential use of phosphorus combined with organic amendments on cadmium accumulation by wheat and subsequent rice. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	1.3	14
380	Tea waste as a potential biowaste for removal of hexavalent chromium from wastewater: equilibrium and kinetic studies. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	1.3	27
381	5-Aminolevulinic Acid-Induced Heavy Metal Stress Tolerance and Underlying Mechanisms in Plants. <i>Journal of Plant Growth Regulation</i> , 2018, 37, 1423-1436.	5.1	22
382	Residual impact of biochar on cadmium uptake by rice (<i>Oryza sativa</i> L.) grown in Cd-contaminated soil. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	1.3	16
383	Synthesis of biochar from sugarcane filter-cake and its impacts on physiological performance of lettuce (<i>Lettuce sativa</i>) grown on cadmium contaminated soil. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	1.3	1
384	Effect of Sulphur Application on Photosynthesis and Biomass Accumulation of Sesame Varieties under Rainfed Conditions. <i>Agronomy</i> , 2018, 8, 149.	3.0	39
385	Fulvic Acid Prevents Chromium-induced Morphological, Photosynthetic, and Oxidative Alterations in Wheat Irrigated with Tannery Waste Water. <i>Journal of Plant Growth Regulation</i> , 2018, 37, 1357-1367.	5.1	22
386	Effects of biochar on growth, photosynthesis, and chromium (Cr) uptake in <i>Brassica rapa</i> L. under Cr stress. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	1.3	30
387	Effect of biochar and quicklime on growth of wheat and physicochemical properties of Ultisols. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	1.3	28
388	Patterns of Climate Extremes in the Coastal and Highland Regions of Balochistan, Pakistan. <i>Earth Interactions</i> , 2018, 22, 1-23.	1.5	17
389	Efficiency of various sewage sludges and their biochars in improving selected soil properties and growth of wheat (<i>Triticum aestivum</i>). <i>Journal of Environmental Management</i> , 2018, 223, 607-613.	7.8	56
390	Glutamic acid assisted phyto-management of silver-contaminated soils through sunflower; physiological and biochemical response. <i>Environmental Science and Pollution Research</i> , 2018, 25, 25390-25400.	5.3	32
391	Effect of shading and light recovery on the growth, leaf structure, and photosynthetic performance of soybean in a maize-soybean relay-strip intercropping system. <i>PLoS ONE</i> , 2018, 13, e0198159.	2.5	99
392	Beryllium Stress-Induced Modifications in Antioxidant Machinery and Plant Ultrastructure in the Seedlings of Black and Yellow Seeded Oilseed Rape. <i>BioMed Research International</i> , 2018, 2018, 1-14.	1.9	16
393	Review of Upflow Anaerobic Sludge Blanket Reactor Technology: Effect of Different Parameters and Developments for Domestic Wastewater Treatment. <i>Journal of Chemistry</i> , 2018, 2018, 1-13.	1.9	79
394	Responses of Plants to Iron Oxide Nanoparticles. , 2018, , 221-238.		19
395	Role of Zinc and Lysine on Growth and Chromium Uptake in Rice Plants under Cr Stress. <i>Journal of Plant Growth Regulation</i> , 2018, 37, 1413-1422.	5.1	73
396	Use of various biomarkers to explore the effects of GSM and GSM-like radiations on flowering plants. <i>Environmental Science and Pollution Research</i> , 2018, 25, 24611-24628.	5.3	5

#	ARTICLE	IF	CITATIONS
397	Effect of foliar-applied iron complexed with lysine on growth and cadmium (Cd) uptake in rice under Cd stress. <i>Environmental Science and Pollution Research</i> , 2018, 25, 20691-20699.	5.3	76
398	Floating Wetlands: A Sustainable Tool for Wastewater Treatment. <i>Clean - Soil, Air, Water</i> , 2018, 46, 1800120.	1.1	85
399	Zinc oxide nanoparticles alter the wheat physiological response and reduce the cadmium uptake by plants. <i>Environmental Pollution</i> , 2018, 242, 1518-1526.	7.5	304
400	A critical review of mechanisms involved in the adsorption of organic and inorganic contaminants through biochar. <i>Arabian Journal of Geosciences</i> , 2018, 11, 1.	1.3	123
401	Role of Mineral Nutrients in Plant Growth Under Extreme Temperatures. , 2018, , 499-524.		6
402	Trace Elements in Abiotic Stress Tolerance. , 2018, , 137-151.		9
403	Lead Toxicity in Cereals and Its Management Strategies: a Critical Review. <i>Water, Air, and Soil Pollution</i> , 2018, 229, 1.	2.4	45
404	Alleviation of cadmium (Cd) toxicity and minimizing its uptake in wheat (<i>Triticum aestivum</i>) by using organic carbon sources in Cd-spiked soil. <i>Environmental Pollution</i> , 2018, 241, 557-565.	7.5	106
405	The Influence of Light Intensity and Leaf Movement on Photosynthesis Characteristics and Carbon Balance of Soybean. <i>Frontiers in Plant Science</i> , 2018, 9, 1952.	3.6	154
406	Comprehensive transcriptional landscape of porcine cardiac and skeletal muscles reveals differences of aging. <i>Oncotarget</i> , 2018, 9, 1524-1541.	1.8	41
407	Effect of metal and metal oxide nanoparticles on growth and physiology of globally important food crops: A critical review. <i>Journal of Hazardous Materials</i> , 2017, 322, 2-16.	12.4	408
408	Use of Maize (<i>Zea mays</i> L.) for phytomanagement of Cd-contaminated soils: a critical review. <i>Environmental Geochemistry and Health</i> , 2017, 39, 259-277.	3.4	116
409	Air pollution tolerance index of plants around brick kilns in Rawalpindi, Pakistan. <i>Journal of Environmental Management</i> , 2017, 190, 252-258.	7.8	68
410	Residual effects of monoammonium phosphate, gypsum and elemental sulfur on cadmium phytoavailability and translocation from soil to wheat in an effluent irrigated field. <i>Chemosphere</i> , 2017, 174, 515-523.	8.2	128
411	Promotive role of 5-aminolevulinic acid on chromium-induced morphological, photosynthetic, and oxidative changes in cauliflower (<i>Brassica oleracea botrytis</i> L.). <i>Environmental Science and Pollution Research</i> , 2017, 24, 8814-8824.	5.3	54
412	Effect of biochar on cadmium bioavailability and uptake in wheat (<i>Triticum aestivum</i> L.) grown in a soil with aged contamination. <i>Ecotoxicology and Environmental Safety</i> , 2017, 140, 37-47.	6.0	360
413	Interactive effect of salinity and silver nanoparticles on photosynthetic and biochemical parameters of wheat. <i>Archives of Agronomy and Soil Science</i> , 2017, 63, 1736-1747.	2.6	166
414	Textile Wastewater Treatment Options: A Critical Review. , 2017, , 183-207.		63

#	ARTICLE	IF	CITATIONS
415	Effect of limestone, lignite and biochar applied alone and combined on cadmium uptake in wheat and rice under rotation in an effluent irrigated field. <i>Environmental Pollution</i> , 2017, 227, 560-568.	7.5	194
416	A critical review on effects, tolerance mechanisms and management of cadmium in vegetables. <i>Chemosphere</i> , 2017, 182, 90-105.	8.2	352
417	Citric acid enhanced the antioxidant defense system and chromium uptake by <i>Lemna minor</i> L. grown in hydroponics under Cr stress. <i>Environmental Science and Pollution Research</i> , 2017, 24, 17669-17678.	5.3	76
418	Remediation of heavy metal contaminated soils by using <i>Solanum nigrum</i> : A review. <i>Ecotoxicology and Environmental Safety</i> , 2017, 143, 236-248.	6.0	118
419	Human health implications, risk assessment and remediation of As-contaminated water: A critical review. <i>Science of the Total Environment</i> , 2017, 601-602, 756-769.	8.0	170
420	Phyto-management of Cr-contaminated soils by sunflower hybrids: physiological and biochemical response and metal extractability under Cr stress. <i>Environmental Science and Pollution Research</i> , 2017, 24, 16845-16859.	5.3	48
421	Biochar soil amendment on alleviation of drought and salt stress in plants: a critical review. <i>Environmental Science and Pollution Research</i> , 2017, 24, 12700-12712.	5.3	352
422	Photosynthesis and growth response of maize (<i>Zea mays</i> L.) hybrids exposed to cadmium stress. <i>Environmental Science and Pollution Research</i> , 2017, 24, 5521-5529.	5.3	60
423	Role of Bioremediation Agents (Bacteria, Fungi, and Algae) in Alleviating Heavy Metal Toxicity. , 2017, , 517-537.		25
424	Contrasting Effects of Organic and Inorganic Amendments on Reducing Lead Toxicity in Wheat. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2017, 99, 642-647.	2.7	24
425	Microwave irradiation and citric acid assisted seed germination and phytoextraction of nickel (Ni) by <i>Brassica napus</i> L.: morpho-physiological and biochemical alterations under Ni stress. <i>Environmental Science and Pollution Research</i> , 2017, 24, 21050-21064.	5.3	30
426	Citric acid assisted phytoextraction of chromium by sunflower; morpho-physiological and biochemical alterations in plants. <i>Ecotoxicology and Environmental Safety</i> , 2017, 145, 90-102.	6.0	131
427	Foliar application of aspartic acid lowers cadmium uptake and Cd-induced oxidative stress in rice under Cd stress. <i>Environmental Science and Pollution Research</i> , 2017, 24, 21938-21947.	5.3	65
428	Role of Iron in Alleviating Heavy Metal Stress. , 2017, , 335-350.		6
429	Effect of zinc-lysine on growth, yield and cadmium uptake in wheat (<i>Triticum aestivum</i> L.) and health risk assessment. <i>Chemosphere</i> , 2017, 187, 35-42.	8.2	175
430	Seed priming by sodium nitroprusside improves salt tolerance in wheat (<i>Triticum aestivum</i> L.) by enhancing physiological and biochemical parameters. <i>Plant Physiology and Biochemistry</i> , 2017, 119, 50-58.	5.8	134
431	Phosphorus-Mobilizing Rhizobacterial Strain <i>Bacillus cereus</i> GS6 Improves Symbiotic Efficiency of Soybean on an Aridisol Amended with Phosphorus-Enriched Compost. <i>Pedosphere</i> , 2017, 27, 1049-1061.	4.0	24
432	Role of Zinc in Alleviating Heavy Metal Stress. , 2017, , 351-366.		15

#	ARTICLE	IF	CITATIONS
433	Cost-effective enhanced iron bioavailability in rice grain grown on calcareous soil by sulfur mediation and its effect on heavy metals mineralization. Environmental Science and Pollution Research, 2017, 24, 1219-1228.	5.3	16
434	Biomass production for bioenergy using marginal lands. Sustainable Production and Consumption, 2017, 9, 3-21.	11.0	161
435	Drinking Water Quality Status and Contamination in Pakistan. BioMed Research International, 2017, 2017, 1-18.	1.9	245
436	Leaf Senescence, Root Morphology, and Seed Yield of Winter Oilseed Rape (<i>Brassica napus</i> L.) at Varying Plant Densities. BioMed Research International, 2017, 2017, 1-16.	1.9	7
437	Comparative transcriptome profiling of two <i>Brassica napus</i> cultivars under chromium toxicity and its alleviation by reduced glutathione. BMC Genomics, 2016, 17, 885.	2.8	69
438	Gaseous pollutants from brick kiln industry decreased the growth, photosynthesis, and yield of wheat (<i>Triticum aestivum</i> L.). Environmental Monitoring and Assessment, 2016, 188, 267.	2.7	18
439	Combined herbicide and saline stress differentially modulates hormonal regulation and antioxidant defense system in <i>Oryza sativa</i> cultivars. Plant Physiology and Biochemistry, 2016, 107, 82-95.	5.8	54
440	Cadmium minimization in wheat: A critical review. Ecotoxicology and Environmental Safety, 2016, 130, 43-53.	6.0	436
441	Role of Biochar in Remediating Heavy Metals in Soil. , 2016, , 421-437.		13
442	Degraded Soils: Origin, Types and Management. , 2016, , 23-65.		9
443	Uptake and distribution of minerals and heavy metals in commonly grown leafy vegetable species irrigated with sewage water. Environmental Monitoring and Assessment, 2016, 188, 541.	2.7	66
444	Contrasting effects of biochar, compost and farm manure on alleviation of nickel toxicity in maize (<i>Zea mays</i> L.) in relation to plant growth, photosynthesis and metal uptake. Ecotoxicology and Environmental Safety, 2016, 133, 218-225.	6.0	178
445	Strain selection, growth productivity and biomass characterization of novel microalgae isolated from fresh and wastewaters of upper Punjab, Pakistan. Frontiers in Life Science: Frontiers of Interdisciplinary Research in the Life Sciences, 2016, 9, 190-200.	1.1	26
446	Phytomanagement of heavy metals in contaminated soils using sunflower: A review. Critical Reviews in Environmental Science and Technology, 2016, 46, 1498-1528.	12.8	105
447	Physiological and biochemical mechanisms of silicon-induced copper stress tolerance in cotton (<i>Gossypium hirsutum</i> L.). Acta Physiologiae Plantarum, 2016, 38, 1.	2.1	50
448	Organic chelants-mediated enhanced lead (Pb) uptake and accumulation is associated with higher activity of enzymatic antioxidants in spinach (<i>Spinacea oleracea</i> L.). Journal of Hazardous Materials, 2016, 317, 352-361.	12.4	66
449	Effect of different amendments on rice (<i>Oryza sativa</i> L.) growth, yield, nutrient uptake and grain quality in Ni-contaminated soil. Environmental Science and Pollution Research, 2016, 23, 18585-18595.	5.3	51
450	Subcellular distribution, modulation of antioxidant and stress-related genes response to arsenic in <i>Brassica napus</i> L.. Ecotoxicology, 2016, 25, 350-366.	2.4	74

#	ARTICLE	IF	CITATIONS
451	Cadmium stress in rice: toxic effects, tolerance mechanisms, and management: a critical review. <i>Environmental Science and Pollution Research</i> , 2016, 23, 17859-17879.	5.3	529
452	Cadmium stress in cotton seedlings: Physiological, photosynthesis and oxidative damages alleviated by glycinebetaine. <i>South African Journal of Botany</i> , 2016, 104, 61-68.	2.5	176
453	Phytoremediation of heavy metals by <i>Alternanthera bettzickiana</i> : Growth and physiological response. <i>Ecotoxicology and Environmental Safety</i> , 2016, 126, 138-146.	6.0	209
454	Effects of ambient gaseous pollutants on photosynthesis, growth, yield and grain quality of selected crops grown at different sites varying in pollution levels. <i>Archives of Agronomy and Soil Science</i> , 2016, 62, 1195-1207.	2.6	7
455	Plant growth promoting bacteria confer salt tolerance in <i>Vigna radiata</i> by up-regulating antioxidant defense and biological soil fertility. <i>Plant Growth Regulation</i> , 2016, 80, 23-36.	3.4	202
456	Remediation of arsenic-contaminated water using agricultural wastes as biosorbents. <i>Critical Reviews in Environmental Science and Technology</i> , 2016, 46, 467-499.	12.8	161
457	Arsenic(V) biosorption by charred orange peel in aqueous environments. <i>International Journal of Phytoremediation</i> , 2016, 18, 442-449.	3.1	90
458	Mechanisms of biochar-mediated alleviation of toxicity of trace elements in plants: a critical review. <i>Environmental Science and Pollution Research</i> , 2016, 23, 2230-2248.	5.3	366
459	Copper-resistant bacteria reduces oxidative stress and uptake of copper in lentil plants: potential for bacterial bioremediation. <i>Environmental Science and Pollution Research</i> , 2016, 23, 220-233.	5.3	83
460	Glycinebetaine mediates chromium tolerance in mung bean through lowering of Cr uptake and improved antioxidant system. <i>Archives of Agronomy and Soil Science</i> , 2016, 62, 648-662.	2.6	97
461	Phosphorus amendment decreased cadmium (Cd) uptake and ameliorates chlorophyll contents, gas exchange attributes, antioxidants, and mineral nutrients in wheat (<i>Triticum aestivum</i> L.) under Cd stress. <i>Archives of Agronomy and Soil Science</i> , 2016, 62, 533-546.	2.6	135
462	Silicon alleviates nickel toxicity in cotton seedlings through enhancing growth, photosynthesis, and suppressing Ni uptake and oxidative stress. <i>Archives of Agronomy and Soil Science</i> , 2016, 62, 633-647.	2.6	95
463	Salt stress manifestation on plants, mechanism of salt tolerance and potassium role in alleviating it: a review. <i>Zemdirbyste</i> , 2016, 103, 229-238.	0.8	109
464	Foliar application of ascorbate enhances the physiological and biochemical attributes of maize (<i>Zea mays</i> L.) cultivars under drought stress. <i>Archives of Agronomy and Soil Science</i> , 2015, 61, 1659-1672.	2.6	93
465	Mechanisms of silicon-mediated alleviation of heavy metal toxicity in plants: A review. <i>Ecotoxicology and Environmental Safety</i> , 2015, 119, 186-197.	6.0	641
466	Pretreatment with salicylic acid and ascorbic acid significantly mitigate oxidative stress induced by copper in cotton genotypes. <i>Environmental Science and Pollution Research</i> , 2015, 22, 9922-9931.	5.3	40
467	Oxidative injury and antioxidant enzymes regulation in arsenic-exposed seedlings of four <i>Brassica napus</i> L. cultivars. <i>Environmental Science and Pollution Research</i> , 2015, 22, 10699-10712.	5.3	73
468	Alleviation of chromium toxicity by glycinebetaine is related to elevated antioxidant enzymes and suppressed chromium uptake and oxidative stress in wheat (<i>Triticum aestivum</i> L.). <i>Environmental Science and Pollution Research</i> , 2015, 22, 10669-10678.	5.3	159

#	ARTICLE	IF	CITATIONS
469	Fulvic acid mediates chromium (Cr) tolerance in wheat (<i>Triticum aestivum</i> L.) through lowering of Cr uptake and improved antioxidant defense system. <i>Environmental Science and Pollution Research</i> , 2015, 22, 10601-10609.	5.3	145
470	Citric acid assisted phytoremediation of copper by <i>Brassica napus</i> L.. <i>Ecotoxicology and Environmental Safety</i> , 2015, 120, 310-317.	6.0	191
471	Mannitol alleviates chromium toxicity in wheat plants in relation to growth, yield, stimulation of anti-oxidative enzymes, oxidative stress and Cr uptake in sand and soil media. <i>Ecotoxicology and Environmental Safety</i> , 2015, 122, 1-8.	6.0	92
472	Effect of inorganic amendments for in situ stabilization of cadmium in contaminated soils and its phyto-availability to wheat and rice under rotation. <i>Environmental Science and Pollution Research</i> , 2015, 22, 16897-16906.	5.3	212
473	Priming-induced antioxidative responses in two wheat cultivars under saline stress. <i>Acta Physiologiae Plantarum</i> , 2015, 37, 1.	2.1	75
474	Effects of Potassium Sulfate on Adaptability of Sugarcane Cultivars to Salt Stress under Hydroponic Conditions. <i>Journal of Plant Nutrition</i> , 2015, 38, 2126-2138.	1.9	8
475	Exogenous application of ethylenediaminetetraacetic acid enhanced phytoremediation of cadmium by <i>Brassica napus</i> L.. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 3981-3992.	3.5	43
476	Potassium application mitigates salt stress differentially at different growth stages in tolerant and sensitive maize hybrids. <i>Plant Growth Regulation</i> , 2015, 76, 111-125.	3.4	73
477	Citric acid enhances the phytoextraction of chromium, plant growth, and photosynthesis by alleviating the oxidative damages in <i>Brassica napus</i> L.. <i>Environmental Science and Pollution Research</i> , 2015, 22, 11679-11689.	5.3	176
478	The effect of excess copper on growth and physiology of important food crops: a review. <i>Environmental Science and Pollution Research</i> , 2015, 22, 8148-8162.	5.3	539
479	Mechanisms of silicon-mediated alleviation of drought and salt stress in plants: a review. <i>Environmental Science and Pollution Research</i> , 2015, 22, 15416-15431.	5.3	322
480	Silicon (Si) alleviates cotton (<i>Gossypium hirsutum</i> L.) from zinc (Zn) toxicity stress by limiting Zn uptake and oxidative damage. <i>Environmental Science and Pollution Research</i> , 2015, 22, 3441-3450.	5.3	112
481	Chromium-induced physio-chemical and ultrastructural changes in four cultivars of <i>Brassica napus</i> L.. <i>Chemosphere</i> , 2015, 120, 154-164.	8.2	305
482	Isolating, screening and applying chromium reducing bacteria to promote growth and yield of okra (<i>Hibiscus esculentus</i> L.) in chromium contaminated soils. <i>Ecotoxicology and Environmental Safety</i> , 2015, 114, 343-349.	6.0	63
483	EDTA enhanced plant growth, antioxidant defense system, and phytoextraction of copper by <i>Brassica napus</i> L.. <i>Environmental Science and Pollution Research</i> , 2015, 22, 1534-1544.	5.3	217
484	Start-up of UASB reactors treating municipal wastewater and effect of temperature/sludge age and hydraulic retention time (HRT) on its performance. <i>Arabian Journal of Chemistry</i> , 2015, 8, 780-786.	4.9	90
485	Morpho-physiological and micrographic characterization of maize hybrids under NaCl and Cd stress. <i>Plant Growth Regulation</i> , 2015, 75, 115-122.	3.4	37
486	Regulation of Cadmium-Induced Proteomic and Metabolic Changes by 5-Aminolevulinic Acid in Leaves of <i>Brassica napus</i> L.. <i>PLoS ONE</i> , 2015, 10, e0123328.	2.5	130

#	ARTICLE	IF	CITATIONS
487	Chromium (VI) Uptake and Tolerance Potential in Cotton Cultivars: Effect on Their Root Physiology, Ultramorphology, and Oxidative Metabolism. <i>BioMed Research International</i> , 2014, 2014, 1-12.	1.9	44
488	Alleviation of Lead Toxicity by 5-Aminolevulinic Acid Is Related to Elevated Growth, Photosynthesis, and Suppressed Ultrastructural Damages in Oilseed Rape. <i>BioMed Research International</i> , 2014, 2014, 1-11.	1.9	41
489	Glycine betaine-induced lead toxicity tolerance related to elevated photosynthesis, antioxidant enzymes suppressed lead uptake and oxidative stress in cotton. <i>Turkish Journal of Botany</i> , 2014, 38, 281-292.	1.2	76
490	Changes in precipitation extremes over arid to semiarid and subhumid Punjab, Pakistan. <i>Theoretical and Applied Climatology</i> , 2014, 116, 671-680.	2.8	66
491	Hydrogen sulfide ameliorates lead-induced morphological, photosynthetic, oxidative damages and biochemical changes in cotton. <i>Environmental Science and Pollution Research</i> , 2014, 21, 717-731.	5.3	79
492	Promotive role of 5-aminolevulinic acid on mineral nutrients and antioxidative defense system under lead toxicity in <i>Brassica napus</i> . <i>Industrial Crops and Products</i> , 2014, 52, 617-626.	5.2	119
493	Influence of <i>Pseudomonas aeruginosa</i> as PGPR on oxidative stress tolerance in wheat under Zn stress. <i>Ecotoxicology and Environmental Safety</i> , 2014, 104, 285-293.	6.0	223
494	Improvement of element uptake and antioxidative defense in <i>Brassica napus</i> under lead stress by application of hydrogen sulfide. <i>Plant Growth Regulation</i> , 2014, 74, 261-273.	3.4	82
495	EDTA ameliorates phytoextraction of lead and plant growth by reducing morphological and biochemical injuries in <i>Brassica napus</i> L. under lead stress. <i>Environmental Science and Pollution Research</i> , 2014, 21, 9899-9910.	5.3	79
496	Citric acid improves lead (pb) phytoextraction in <i>brassica napus</i> L. by mitigating pb-induced morphological and biochemical damages. <i>Ecotoxicology and Environmental Safety</i> , 2014, 109, 38-47.	6.0	145
497	Hydrogen sulfide alleviates cadmium-induced morpho-physiological and ultrastructural changes in <i>Brassica napus</i> . <i>Ecotoxicology and Environmental Safety</i> , 2014, 110, 197-207.	6.0	124
498	<i>Proteus mirabilis</i> alleviates zinc toxicity by preventing oxidative stress in maize (<i>Zea mays</i>) plants. <i>Ecotoxicology and Environmental Safety</i> , 2014, 110, 143-152.	6.0	84
499	Citric acid assisted phytoremediation of cadmium by <i>Brassica napus</i> L. <i>Ecotoxicology and Environmental Safety</i> , 2014, 106, 164-172.	6.0	302
500	Alleviation of cadmium toxicity by silicon is related to elevated photosynthesis, antioxidant enzymes; suppressed cadmium uptake and oxidative stress in cotton. <i>Ecotoxicology and Environmental Safety</i> , 2013, 96, 242-249.	6.0	301
501	5-Aminolevulinic acid mitigates the cadmium-induced changes in <i>Brassica napus</i> as revealed by the biochemical and ultra-structural evaluation of roots. <i>Ecotoxicology and Environmental Safety</i> , 2013, 92, 271-280.	6.0	134
502	Biodecolorization of reactive black-5 by a metal and salt tolerant bacterial strain <i>Pseudomonas</i> sp. RA20 isolated from Paharang drain effluents in Pakistan. <i>Ecotoxicology and Environmental Safety</i> , 2013, 98, 331-338.	6.0	59
503	The influence of silicon on barley growth, photosynthesis and ultra-structure under chromium stress. <i>Ecotoxicology and Environmental Safety</i> , 2013, 89, 66-72.	6.0	194
504	Differential physiological, ultramorphological and metabolic responses of cotton cultivars under cadmium stress. <i>Chemosphere</i> , 2013, 93, 2593-2602.	8.2	66

#	ARTICLE	IF	CITATIONS
505	5-Aminolevulinic acid ameliorates cadmium-induced morphological, biochemical, and ultrastructural changes in seedlings of oilseed rape. <i>Environmental Science and Pollution Research</i> , 2013, 20, 7256-7267.	5.3	97
506	5-Aminolevulinic Acid Ameliorates the Growth, Photosynthetic Gas Exchange Capacity, and Ultrastructural Changes Under Cadmium Stress in <i>Brassica napus</i> L.. <i>Journal of Plant Growth Regulation</i> , 2013, 32, 604-614.	5.1	165
507	Alleviation of chromium toxicity by hydrogen sulfide in barley. <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 2234-2239.	4.3	67
508	EFFECT OF SALINITY AND HEXAVALENT CHROMIUM STRESSES ON UPTAKE AND ACCUMULATION OF MINERAL ELEMENTS IN BARLEY GENOTYPES DIFFERING IN SALT TOLERANCE. <i>Journal of Plant Nutrition</i> , 2012, 35, 827-839.	1.9	24
509	Significance of arbuscular mycorrhizal and bacterial symbionts in a tripartite association with <i>Vigna radiata</i> . <i>Acta Physiologiae Plantarum</i> , 2012, 34, 1519-1528.	2.1	22
510	Subcellular distribution and chemical forms of chromium in rice plants suffering from different levels of chromium toxicity. <i>Journal of Plant Nutrition and Soil Science</i> , 2011, 174, 249-256.	1.9	89
511	The ecotoxicological and interactive effects of chromium and aluminum on growth, oxidative damage and antioxidant enzymes on two barley genotypes differing in Al tolerance. <i>Environmental and Experimental Botany</i> , 2011, 70, 185-191.	4.2	84
512	The influence of pH and organic matter content in paddy soil on heavy metal availability and their uptake by rice plants. <i>Environmental Pollution</i> , 2011, 159, 84-91.	7.5	970
513	QTL mapping for chromium-induced growth and zinc, and chromium distribution in seedlings of a rice DH population. <i>Euphytica</i> , 2011, 181, 429.	1.2	6
514	Evaluation of salinity tolerance and analysis of allelic function of HvHKT1 and HvHKT2 in Tibetan wild barley. <i>Theoretical and Applied Genetics</i> , 2011, 122, 695-703.	3.6	123
515	Insights into cadmium induced physiological and ultra-structural disorders in <i>Juncus effusus</i> L. and its remediation through exogenous citric acid. <i>Journal of Hazardous Materials</i> , 2011, 186, 565-574.	12.4	232
516	Interactive effects of aluminum and chromium stresses on the uptake of nutrients and the metals in barley. <i>Soil Science and Plant Nutrition</i> , 2011, 57, 68-79.	1.9	17
517	Identification of Cr-tolerant lines in a rice (<i>Oryza sativa</i>) DH population. <i>Euphytica</i> , 2010, 174, 199-207.	1.2	11
518	GENOTYPIC DIFFERENCES IN NUTRIENT UPTAKE AND ACCUMULATION IN RICE UNDER CHROMIUM STRESS. <i>Journal of Plant Nutrition</i> , 2010, 33, 518-528.	1.9	31
519	Effects of chromium stress on the subcellular distribution and chemical form of Ca, Mg, Fe, and Zn in two rice genotypes. <i>Journal of Plant Nutrition and Soil Science</i> , 2010, 173, 135-148.	1.9	27
520	Enhancement of phenanthrene and pyrene degradation in rhizosphere of tall fescue (<i>Festuca</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142	12.4	101
521	Cadmium-induced ultramorphological and physiological changes in leaves of two transgenic cotton cultivars and their wild relative. <i>Journal of Hazardous Materials</i> , 2009, 168, 614-625.	12.4	69
522	Citric acid enhances the phytoextraction of manganese and plant growth by alleviating the ultrastructural damages in <i>Juncus effusus</i> L.. <i>Journal of Hazardous Materials</i> , 2009, 170, 1156-1163.	12.4	129

#	ARTICLE	IF	CITATIONS
523	Whole Farm Modeling: A Systems Approach to Understanding and Managing Livestock for Greenhouse Gas Mitigation, Economic Viability and Environmental Quality. ASA Special Publication, 0, , 345-371.	0.8	20