

Luis Gabriel Navar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4204608/publications.pdf>

Version: 2024-02-01

127
papers

6,400
citations

41344

49
h-index

69250

77
g-index

128
all docs

128
docs citations

128
times ranked

3516
citing authors

#	ARTICLE	IF	CITATIONS
1	Multi-Omics Approach Profiling Metabolic Remodeling in Early Systolic Dysfunction and in Overt Systolic Heart Failure. <i>International Journal of Molecular Sciences</i> , 2022, 23, 235.	4.1	5
2	Immunosuppression by Mycophenolate Mofetil Mitigates Intrarenal Angiotensinogen Augmentation in Angiotensin II-Dependent Hypertension. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7680.	4.1	4
3	The evolving complexity of the collecting duct renin-angiotensin system in hypertension. <i>Nature Reviews Nephrology</i> , 2021, 17, 481-492.	9.6	28
4	Exercise-Induced Modulation of Angiotensin II Responses in Femoral Veins From 2-Kidney-1-Clip Hypertensive Rats. <i>Frontiers in Physiology</i> , 2021, 12, 620438.	2.8	1
5	A Novel Model of Renal Autoregulation Demonstrates Dynamic Modulatory Interactions between TGF and Myogenic Mechanisms. <i>FASEB Journal</i> , 2021, 35, .	0.5	0
6	Simulations of increased glomerular capillary wall strain in the 5/6-nephrectomized rat. <i>Microcirculation</i> , 2021, 28, e12721.	1.8	3
7	Angiotensin II-induced renal angiotensinogen formation is enhanced in mice lacking tumor necrosis factor- α type 1 receptor. <i>Physiological Reports</i> , 2021, 9, e14990.	1.7	3
8	Blockade of sodium-glucose cotransporter 2 suppresses high glucose-induced angiotensinogen augmentation in renal proximal tubular cells. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F67-F75.	2.7	30
9	Simulations of Glomerular Shear and Hoop Stresses in Diabetes, Hypertension, and Reduced Renal Mass using a Network Model of a Rat Glomerulus. <i>Physiological Reports</i> , 2020, 8, e14577.	1.7	4
10	The Role of P2X7 Purinergic Receptors in the Renal Inflammation Associated with Angiotensin II-Induced Hypertension. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4041.	4.1	16
11	Purinergic P2X ₁ receptor, purinergic P2X ₇ receptor, and angiotensin II type 1 receptor interactions in the regulation of renal afferent arterioles in angiotensin II-dependent hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F1400-F1408.	2.7	6
12	A Rat Model of Pressure Overload Induced Moderate Remodeling and Systolic Dysfunction as Opposed to Overt Systolic Heart Failure. <i>Journal of Visualized Experiments</i> , 2020, , .	0.3	2
13	Sex Differences in Urinary Angiotensinogen (uAGT) Excretion, Renal Function, and Systolic Blood Pressure in 2-Kidney, 1-Clip Hypertensive Rats. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0
14	Integration of purinergic and angiotensin II receptor function in renal vascular responses and renal injury in angiotensin II-dependent hypertension. <i>Purinergic Signalling</i> , 2019, 15, 277-285.	2.2	8
15	Defective Renal Angiotensin III and AT ₂ Receptor Signaling in Prehypertensive Spontaneously Hypertensive Rats. <i>Journal of the American Heart Association</i> , 2019, 8, e012016.	3.7	23
16	Canagliflozin Prevents Intrarenal Angiotensinogen Augmentation and Mitigates Kidney Injury and Hypertension in Mouse Model of Type 2 Diabetes Mellitus. <i>American Journal of Nephrology</i> , 2019, 49, 331-342.	3.1	95
17	Edward D. Frohlich, MD. <i>Hypertension</i> , 2019, 74, 1229-1231.	2.7	0
18	Advanced Glycation End Products Stimulate Angiotensinogen Production in Renal Proximal Tubular Cells. <i>American Journal of the Medical Sciences</i> , 2019, 357, 57-66.	1.1	18

#	ARTICLE	IF	CITATIONS
19	Glomerular Capillary Hypertrophy in the Diabetic Rat Normalizes Wall Shear Stress: A Modeling Study. <i>FASEB Journal</i> , 2019, 33, 748.13.	0.5	0
20	Modulating Role of Ang1-7 in Control of Blood Pressure and Renal Function in AngII-infused Hypertensive Rats. <i>American Journal of Hypertension</i> , 2018, 31, 504-511.	2.0	13
21	Effects of serelaxin on renal microcirculation in rats under control and high-angiotensin environments. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F70-F80.	2.7	8
22	Inflammation as a Regulator of the Renin-Angiotensin System and Blood Pressure. <i>Current Hypertension Reports</i> , 2018, 20, 100.	3.5	119
23	Why until just now? Undiscovered uniqueness of the human glomerulus!. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F1345-F1346.	2.7	0
24	2-Methoxyestradiol Reduces Angiotensin II-Induced Hypertension and Renal Dysfunction in Ovariectomized Female and Intact Male Mice. <i>Hypertension</i> , 2017, 69, 1104-1112.	2.7	25
25	Physiopathological implications of P2X ₁ and P2X ₇ receptors in regulation of glomerular hemodynamics in angiotensin II-induced hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F9-F19.	2.7	24
26	PGE ₂ upregulates renin through E-prostanoid receptor 1 via PKC/cAMP/CREB pathway in M-1 cells. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F1038-F1049.	2.7	15
27	Quantification of intact plasma AGT consisting of oxidized and reduced conformations using a modified ELISA. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F1211-F1216.	2.7	7
28	2016 Young Investigator Award of the American Physiological Society Renal Section. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F805-F806.	2.7	0
29	Augmentation of angiotensinogen expression in the proximal tubule by intracellular angiotensin II via AT _{1a} /MAPK/NF- κ B signaling pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F1103-F1112.	2.7	23
30	6 β -Hydroxytestosterone, a Cytochrome P450 1B1-Testosterone Metabolite, Mediates Angiotensin II-Induced Renal Dysfunction in Male Mice. <i>Hypertension</i> , 2016, 67, 916-926.	2.7	19
31	Increased angiotensinogen expression, urinary angiotensinogen excretion, and tissue injury in nonclipped kidneys of two-kidney, one-clip hypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F278-F290.	2.7	13
32	Vasopressin/V2 receptor stimulates renin synthesis in the collecting duct. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F284-F293.	2.7	27
33	The role of IL-6 in the physiologic versus hypertensive blood pressure actions of angiotensin II. <i>Physiological Reports</i> , 2015, 3, e12595.	1.7	10
34	Urine angiotensinogen and salt-sensitivity and potassium-sensitivity of blood pressure. <i>Journal of Hypertension</i> , 2015, 33, 1394-1400.	0.5	11
35	Salt-Sensitive Hypertension: Perspectives on Intrarenal Mechanisms. <i>Current Hypertension Reviews</i> , 2015, 11, 38-48.	0.9	53
36	ROCK/NF- κ B axis-dependent augmentation of angiotensinogen by angiotensin II in primary-cultured preglomerular vascular smooth muscle cells. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F608-F618.	2.7	14

#	ARTICLE	IF	CITATIONS
37	Intrarenal renin-angiotensin system in regulation of glomerular function. <i>Current Opinion in Nephrology and Hypertension</i> , 2014, 23, 38-45.	2.0	63
38	Renal medullary cyclooxygenase-2 and (pro)renin receptor expression during angiotensin II-dependent hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F962-F970.	2.7	33
39	Activation of the renin-angiotensin system by a low-salt diet does not augment intratubular angiotensinogen and angiotensin II in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, F505-F514.	2.7	47
40	Chronic Angiotensin II Infusion Drives Extensive Aldosterone-Independent Epithelial Na ⁺ Channel Activation. <i>Hypertension</i> , 2013, 62, 1111-1122.	2.7	61
41	Translational studies on augmentation of intratubular renin-angiotensin system in hypertension. <i>Kidney International Supplements</i> , 2013, 3, 321-325.	14.2	28
42	Dissociation of vascular and natriuretic Ang1-7 actions in AngII hypertensive and normotensive rats. <i>FASEB Journal</i> , 2013, 27, 909.11.	0.5	0
43	AT ₁ receptor-mediated augmentation of angiotensinogen, oxidative stress, and inflammation in ANG II-salt hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F85-F94.	2.7	70
44	Nebivolol-induced vasodilation of renal afferent arterioles involves β_3 -adrenergic receptor and nitric oxide synthase activation. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F775-F782.	2.7	45
45	Interferon γ biphasically regulates angiotensinogen expression via a JAK-STAT pathway and suppressor of cytokine signaling 1 (SOCS1) in renal proximal tubular cells. <i>FASEB Journal</i> , 2012, 26, 1821-1830.	0.5	63
46	Increased urinary excretion of angiotensinogen is associated with risk of chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3176-3181.	0.7	63
47	Collecting Duct Renin Synthesis and Secretion are Stimulated by Angiotensin (Ang) II via Protein Kinase C (PKC) Activation and cAMP Accumulation. <i>FASEB Journal</i> , 2012, 26, 1103.3.	0.5	0
48	Physiological activation of Renin-Angiotensin System (RAS) by low salt diet does not cause kidney injury. <i>FASEB Journal</i> , 2012, 26, 1b817.	0.5	0
49	Intrarenal angiotensin II and its contribution to the genesis of chronic hypertension. <i>Current Opinion in Pharmacology</i> , 2011, 11, 180-186.	3.5	149
50	Contribution of renal purinergic receptors to renal vasoconstriction in angiotensin II-induced hypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F1301-F1309.	2.7	32
51	Angiotensin II Stimulates Renin in Inner Medullary Collecting Duct Cells via Protein Kinase C and Independent of Epithelial Sodium Channel and Mineralocorticoid Receptor Activity. <i>Hypertension</i> , 2011, 57, 594-599.	2.7	69
52	Intratubular Renin-Angiotensin System in Hypertension. <i>Hypertension</i> , 2011, 57, 355-362.	2.7	199
53	Increased renin excretion is associated with augmented urinary angiotensin II levels in chronic angiotensin II-infused hypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, F1195-F1201.	2.7	55
54	Soluble guanylyl cyclase inhibition prevents nebulolol-induced vasodilation in renal afferent arterioles. <i>FASEB Journal</i> , 2011, 25, .	0.5	0

#	ARTICLE	IF	CITATIONS
55	The Sodium-Activated Sodium Channel (Nax) present in kidney thick ascending limb and collecting duct cells is augmented during high salt intake. <i>FASEB Journal</i> , 2011, 25, 1039-30.	0.5	0
56	Urinary angiotensinogen is correlated with blood pressure in men (Bogalusa Heart Study). <i>Journal of Hypertension</i> , 2010, 28, 1422-1428.	0.5	68
57	Intrarenal mouse renin-angiotensin system during ANG II-induced hypertension and ACE inhibition. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F150-F157.	2.7	62
58	High-salt intake enhances superoxide activity in eNOS knockout mice leading to the development of salt sensitivity. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F656-F663.	2.7	40
59	Tumor necrosis factor- α suppresses angiotensinogen expression through formation of a p50/p50 homodimer in human renal proximal tubular cells. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 299, C750-C759.	4.6	37
60	Last Word on Counterpoint: Activation of the intrarenal renin-angiotensin system is the dominant contributor to systemic hypertension. <i>Journal of Applied Physiology</i> , 2010, 109, 2015-2015.	2.5	1
61	High salt intake exacerbates renal tissue oxidative stress and urinary angiotensinogen excretion during Ang II-dependent hypertension. <i>FASEB Journal</i> , 2010, 24, 1059-16.	0.5	1
62	Kidney microRNA expression profile in Ang II-dependent Hypertension. <i>FASEB Journal</i> , 2010, 24, 605-13.	0.5	0
63	Increased Urinary Renin Excretion Rate in Chronic Ang II-infused Rats Fed a High Salt Diet leads to augmented urinary Ang II levels. <i>FASEB Journal</i> , 2010, 24, 605-16.	0.5	0
64	AT1 receptor-mediated augmentation of urinary excretion of endogenous Ang II in Val5 ⁺ Ang II infused rats. <i>FASEB Journal</i> , 2010, 24, 605-11.	0.5	0
65	Blood pressure independent sexual dimorphism in proteinuric response to high salt intake in Sprague-Dawley rats. <i>FASEB Journal</i> , 2010, 24, .	0.5	1
66	Urinary Renin Excretion is augmented in Chronic Angiotensin II-infused Sprague-Dawley Hypertensive Rats. <i>FASEB Journal</i> , 2010, 24, 786-18.	0.5	0
67	Augmentation of endogenous intrarenal angiotensin II levels in Val ⁵⁺ -ANG II-infused rats. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, F1067-F1071.	2.7	55
68	Urinary Angiotensinogen as a Novel Biomarker of the Intrarenal Renin-Angiotensin System Status in Hypertensive Patients. <i>Hypertension</i> , 2009, 53, 344-350.	2.7	188
69	Intrarenal RAS expression during Ang II-infusions and ACE inhibition. <i>FASEB Journal</i> , 2009, 23, 606-11.	0.5	0
70	High Salt Exacerbates Proteinuria in Chronic Angiotensin II Infused Rats. <i>FASEB Journal</i> , 2009, 23, 1016-1.	0.5	0
71	Kidney Injury Response to Elevated Blood Pressure vs Increased Intrarenal Ang II in 2K1C Goldblatt Hypertensive Rats. <i>FASEB Journal</i> , 2009, 23, 626-21.	0.5	0
72	Purinergic receptors contribute to early mesangial cell transformation and renal vessel hypertrophy during angiotensin II-induced hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F161-F169.	2.7	45

#	ARTICLE	IF	CITATIONS
73	Collecting Duct Renin Is Upregulated in Both Kidneys of 2-Kidney, 1-Clip Goldblatt Hypertensive Rats. <i>Hypertension</i> , 2008, 51, 1590-1596.	2.7	103
74	Costimulation with angiotensin II and interleukin 6 augments angiotensinogen expression in cultured human renal proximal tubular cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, F283-F289.	2.7	62
75	The effects of nonpressor and pressor doses of nitric oxide synthase inhibitor on renal excretion and regional blood flow in rat kidneys. <i>FASEB Journal</i> , 2008, 22, 749.12.	0.5	0
76	Kidney-specific enhancement of ANG II stimulates endogenous intrarenal angiotensinogen in gene-targeted mice. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, F938-F945.	2.7	103
77	The 60th Annual Fall Conference and Scientific Sessions of the Council for High Blood Pressure Research in association with the Council on the Kidney in Cardiovascular Disease. <i>Hypertension</i> , 2007, 49, 585-586.	2.7	0
78	Acute heme oxygenase inhibition does not alter afferent arteriolar responses to angiotensin II or increases in perfusion pressure in normal kidneys. <i>FASEB Journal</i> , 2007, 21, A844.	0.5	0
79	Renal interstitial fluid ATP responses to arterial pressure and tubuloglomerular feedback activation during calcium channel blockade. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H772-H777.	3.2	27
80	AT ₁ receptor-mediated enhancement of collecting duct renin in angiotensin II-dependent hypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, F632-F637.	2.7	122
81	Renal Renin-Angiotensin System. , 2004, 143, 117-130.		57
82	Enhancement of Collecting Duct Renin in Angiotensin II-Dependent Hypertensive Rats. <i>Hypertension</i> , 2004, 44, 223-229.	2.7	210
83	The intrarenal renin-angiotensin system in hypertension. <i>Kidney International</i> , 2004, 65, 1522-1532.	5.2	78
84	Romancing the macula densa at UAB. <i>Kidney International</i> , 2004, 66, S34-S40.	5.2	9
85	Why are angiotensin concentrations so high in the kidney?. <i>Current Opinion in Nephrology and Hypertension</i> , 2004, 13, 107-115.	2.0	96
86	Intrarenal angiotensin II and hypertension. <i>Current Hypertension Reports</i> , 2003, 5, 135-143.	3.5	84
87	Enhancement of Intrarenal Angiotensinogen in Dahl Salt-Sensitive Rats on High Salt Diet. <i>Hypertension</i> , 2003, 41, 592-597.	2.7	239
88	Urinary Angiotensinogen as an Indicator of Intrarenal Angiotensin Status in Hypertension. <i>Hypertension</i> , 2003, 41, 42-49.	2.7	225
89	Proximal tubular fluid angiotensin II levels in angiotensin II-induced hypertensive rats. <i>Journal of Hypertension</i> , 2003, 21, 353-360.	0.5	58
90	Regulation of Intrarenal Angiotensin II in Hypertension. <i>Hypertension</i> , 2002, 39, 316-322.	2.7	344

#	ARTICLE	IF	CITATIONS
91	Interactions of adenosine A ₁ and A _{2a} receptors on renal microvascular reactivity. American Journal of Physiology - Renal Physiology, 2001, 280, F406-F414.	2.7	75
92	Genetic disruption of atrial natriuretic peptide receptor-A alters renin and angiotensin II levels. American Journal of Physiology - Renal Physiology, 2001, 281, F665-F673.	2.7	59
93	Nitric Oxide Dependency of Arterial Pressure-Induced Changes in Renal Interstitial Hydrostatic Pressure in Dogs. Circulation Research, 2001, 88, 347-351.	4.5	39
94	Enhancement of Angiotensinogen Expression in Angiotensin II-Dependent Hypertension. Hypertension, 2001, 37, 1329-1335.	2.7	178
95	Review: Intrarenal angiotensin II levels in normal and hypertensive states. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2001, 2, S176-S184.	1.7	56
96	Expression of Angiotensinogen mRNA and Protein in Angiotensin II-Dependent Hypertension. Journal of the American Society of Nephrology: JASN, 2001, 12, 431-439.	6.1	219
97	Dynamic interaction between myogenic and TGF mechanisms in afferent arteriolar blood flow autoregulation. American Journal of Physiology - Renal Physiology, 2000, 279, F858-F865.	2.7	70
98	Impairment of pressure-natriuresis and renal autoregulation in ANG II-infused hypertensive rats. American Journal of Physiology - Renal Physiology, 2000, 279, F319-F325.	2.7	97
99	Relation Between Renal Interstitial ATP Concentrations and Autoregulation-Mediated Changes in Renal Vascular Resistance. Circulation Research, 2000, 86, 656-662.	4.5	89
100	Inducible Nitric Oxide Synthase Attenuates Endothelium-Dependent Renal Microvascular Vasodilation. Journal of the American Society of Nephrology: JASN, 2000, 11, 1807-1812.	6.1	17
101	Increased activity and expression of Ca ²⁺ -dependent NOS in renal cortex of ANG II-infused hypertensive rats. American Journal of Physiology - Renal Physiology, 1999, 277, F797-F804.	2.7	30
102	Neuronal NOS contributes to biphasic autoregulatory response during enhanced TGF activity. American Journal of Physiology - Renal Physiology, 1999, 277, F113-F120.	2.7	37
103	Proximal Tubular Angiotensin II Levels and Renal Functional Responses to AT ₁ Receptor Blockade in Nonclipped Kidneys of Goldblatt Hypertensive Rats. Hypertension, 1999, 33, 102-107.	2.7	105
104	Regulation of Angiotensin II Type 1 Receptor mRNA and Protein in Angiotensin II-Induced Hypertension. Hypertension, 1999, 33, 340-346.	2.7	89
105	Cyclooxygenase-2 Modulates Afferent Arteriolar Responses to Increases in Pressure. Hypertension, 1999, 34, 843-847.	2.7	58
106	Neuronal Nitric Oxide Synthase-Dependent Afferent Arteriolar Function in Angiotensin II-Induced Hypertension. Hypertension, 1999, 33, 462-466.	2.7	28
107	Interactive Nitric Oxide-Angiotensin II Influences on Renal Microcirculation in Angiotensin II-Induced Hypertension. Hypertension, 1998, 31, 1255-1260.	2.7	44
108	Intrarenal Nitric Oxide Activity and Pressure Natriuresis in Anesthetized Dogs. Hypertension, 1998, 32, 266-272.	2.7	57

#	ARTICLE	IF	CITATIONS
109	Integrating multiple paracrine regulators of renal microvascular dynamics. American Journal of Physiology - Renal Physiology, 1998, 274, F433-F444.	2.7	51
110	Neuronal nitric oxide synthase modulates rat renal microvascular function. American Journal of Physiology - Renal Physiology, 1998, 274, F516-F524.	2.7	79
111	Renoprotective effects of nitric oxide in angiotensin II-induced hypertension in the rat. American Journal of Physiology - Renal Physiology, 1998, 274, F876-F882.	2.7	46
112	Cyclooxygenase-2 participates in tubular flow-dependent afferent arteriolar tone: interaction with neuronal NOS. American Journal of Physiology - Renal Physiology, 1998, 275, F605-F612.	2.7	52
113	Effects of acute AT ₁ receptor blockade by candesartan on arterial pressure and renal function in rats. American Journal of Physiology - Renal Physiology, 1998, 274, F940-F945.	2.7	28
114	Unraveling the Mystery of Goldblatt Hypertension. Physiology, 1998, 13, 170-176.	3.1	71
115	Role of Renal Nerves in Afferent Arteriolar Reactivity in Angiotensin-Induced Hypertension. Hypertension, 1997, 29, 442-449.	2.7	52
116	THE KIDNEY IN BLOOD PRESSURE REGULATION AND DEVELOPMENT OF HYPERTENSION. Medical Clinics of North America, 1997, 81, 1165-1198.	2.5	73
117	Pressure Natriuresis and Renal Medullary Blood Flow in Dogs. Hypertension, 1997, 29, 1051-1057.	2.7	32
118	EXTRACELLULAR ATP INCREASES CYTOSOLIC CALCIUM IN CULTURED RAT RENAL ARTERIAL SMOOTH MUSCLE CELLS. Clinical and Experimental Pharmacology and Physiology, 1996, 23, 503-507.	1.9	25
119	Renal Accumulation of Circulating Angiotensin II in Angiotensin II-Infused Rats. Hypertension, 1996, 27, 658-662.	2.7	100
120	Receptor-Mediated Intrarenal Angiotensin II Augmentation in Angiotensin II-Infused Rats. Hypertension, 1996, 28, 669-677.	2.7	165
121	Extracellular ATP in the regulation of renal microvascular function 1. FASEB Journal, 1994, 8, 319-318.	0.5	80
122	Renin, Angiotensinogen, and Kallikrein Gene Expression in Two-Kidney Goldblatt Hypertensive Rats. American Journal of Hypertension, 1993, 6, 914-919.	2.0	48
123	Dietary Protein Intake and the Glomerular Adaptations to Partial Nephrectomy in Dogs. Journal of Nutrition, 1991, 121, S125-S127.	2.9	32
124	Absence of glomerular injury or nephron loss in a normotensive rat remnant kidney model. Kidney International, 1990, 38, 28-38.	5.2	120
125	The Regulation of Glomerular Filtration Rate in Mammalian Kidneys. , 1986, , 637-667.		7
126	Microvascular reactivity of in vitro blood perfused juxtamedullary nephrons from rats. Kidney International, 1985, 28, 752-759.	5.2	64

#	ARTICLE	IF	CITATIONS
127	High salt induced augmentation of angiotensin II mediated hypertension is associated with differential expression of tumor necrosis factor-alpha receptors in the kidney. Exploration of Medicine, 0, , 205-218.	1.5	1