Jun He

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4206551/publications.pdf

Version: 2024-02-01

		516710	552781
75	977	16	26
papers	citations	h-index	g-index
77	77	77	1067
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Facile Synthesis of Three Types of Mesoporous Silica Microspheres as Drug Delivery Carriers and their Sustained-Release Properties. Current Drug Delivery, 2023, 20, 1337-1350.	1.6	4
2	A review of the ethnopharmacology, phytochemistry and pharmacology of Cynanchum atratum. Journal of Ethnopharmacology, 2022, 284, 114748.	4.1	9
3	A novel reverse migration micellar electrokinetic chromatography method for inâ€capillary screening and quantifying of antioxidant components in Sanyetangzhiqing using 2,2′â€Azinobisâ€(3â€ethylbenzthiazolineâ€6â€sulphonate) as oxidationâ€free radical. Electrophoresis, 2022, 1148-1160.	43;4	4
4	Temperature-responsive P(NIPAM-co-NHMA)-grafted organic-inorganic hybrid hollow mesoporous silica nanoparticles for controlled drug delivery. Journal of Drug Delivery Science and Technology, 2022, 70, 103197.	3.0	5
5	Stereoselective enrichment and determination of citalopram enantiomers by cation-selective exhaustive injection and sweeping coupled with cyclodextrin modified electrokinetic chromatography. Journal of Chromatography A, 2022, 1669, 462951.	3.7	6
6	Quantitative Comparison and Chemical Profile of Different Botanical Parts of Panax notoginseng From Different Regions. Frontiers in Nutrition, 2022, 9, 841541.	3.7	9
7	Quantitative Comparison and Chemical Profile Analysis of Different Medicinal Parts of <i>Perilla frutescens</i> (L.) Britt. from Different Varieties and Harvest Periods. Journal of Agricultural and Food Chemistry, 2022, 70, 8838-8853.	5.2	11
8	Pharmacokinetic comparison of 15 active compositions in rat plasma after oral administration of raw and honeyâ€processed <i>Aster tataricus</i> extracts. Journal of Separation Science, 2021, 44, 908-921.	2.5	8
9	A ball millâ€assisted vortexâ€enhanced matrix solidâ€phase dispersion method for the extraction and determination of five phenolic compounds from Rubi Fructus by highâ€performance liquid chromatography. Separation Science Plus, 2021, 4, 211-221.	0.6	4
10	Pharmacokinetic Study of Safrole and Methyl Eugenol after Oral Administration of the Essential Oil Extracts of Asarum in Rats by GC-MS. BioMed Research International, 2021, 2021, 1-8.	1.9	6
11	Traditional Chinese Medicine's liver yang ascendant hyperactivity pattern of essential hypertension and its treatment approaches: A narrative review. Complementary Therapies in Clinical Practice, 2021, 43, 101354.	1.7	4
12	The network pharmacology integrated with pharmacokinetics to clarify the pharmacological mechanism of absorbed components from Viticis fructus extract. Journal of Ethnopharmacology, 2021, 278, 114336.	4.1	6
13	A strategy for intelligent chemical profiling-guided precise quantitation of multi-components in traditional Chinese medicine formulae-QiangHuoShengShi decoction. Journal of Chromatography A, 2021, 1649, 462178.	3.7	23
14	Metabolomics study on the periplocinâ€induced cardiotoxicity and the compatibility of periplocin and Panax notoginseng saponins in reducing cardiotoxicity in rats by GCâ€MS. Journal of Separation Science, 2021, 44, 2785-2797.	2.5	6
15	Pharmacokinetic and Bioavailability Studies of Galgravin after Oral and Intravenous Administration to Rats Using HPLC-MS/MS Method. BioMed Research International, 2021, 2021, 1-6.	1.9	1
16	Optimization of the Purifying Process for Columbianetin- \hat{l}^2 -D-Glucopyranoside from Angelicae Pubescentis Radix and Evaluation of Its Analgesic Activity Using Hot Plate Test. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-11.	1.2	2
17	Comparison of the chemical profile differences of <i>Aster tataricus</i> between raw and processed products by metabolomics coupled with chemometrics methods. Journal of Separation Science, 2021, 44, 3883-3897.	2.5	8
18	Traditional herbal medicine: Therapeutic potential in rheumatoid arthritis. Journal of Ethnopharmacology, 2021, 279, 114368.	4.1	93

#	Article	IF	CITATIONS
19	Metabolite Profiling and Transcriptome Analyses Provide Insight Into Phenolic and Flavonoid Biosynthesis in the Nutshell of Macadamia Ternifolia. Frontiers in Genetics, 2021, 12, 809986.	2.3	2
20	Comparison of the active components of Aster tataricus from different regions and related processed products by ultraâ€high performance liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2020, 43, 865-876.	2.5	5
21	Anti-tumor activities and mechanisms of Traditional Chinese medicines formulas: A review. Biomedicine and Pharmacotherapy, 2020, 132, 110820.	5.6	43
22	UPLC-MS/MS Method for the Simultaneous Quantification of Eight Compounds in Rat Plasma and Its Application to a Pharmacokinetic Study after Oral Administration of Veratrum (Veratrum nigrum L.) Extract. BioMed Research International, 2020, 2020, 1-9.	1.9	1
23	A Rapid High Throughput Vibration and Vortex-Assisted Matrix Solid Phase Dispersion for Simultaneous Extraction of Four Isoflavones for Quality Evaluation of Semen Sojae Praeparatum. Frontiers in Pharmacology, 2020, 11, 590587.	3.5	3
24	Pharmacokinetic Study of Thirteen Ingredients after the Oral Administration of <i>Flos Chrysanthemi</i> Extract in Rats by UPLC-MS/MS. BioMed Research International, 2020, 2020, 1-10.	1.9	6
25	An environmentally friendly sodium dodecyl sulfateâ€synergistic microwaveâ€assisted extraction followed by ultraâ€highâ€performance liquid chromatography with photodiode array method for the simultaneous extraction and determination of iridoids, phenylpropanoids, and lignans from Eucommiae Cortex. Journal of Separation Science, 2020, 43, 2971-2980.	2.5	2
26	Comparative Pharmacokinetics of Geniposidic Acid, Genipin-1-Î ² -Gentiobioside, Geniposide, Genipin, and Crocetin in Rats after Oral Administration of Crude Gardeniae Fructus and Its Three Processed Products Using LC-MS/MS. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-9.	1.2	4
27	Pharmacokinetic and bioavailability studies of \hat{l}_{\pm} -viniferin after intravenous and oral administration to rats. Journal of Pharmaceutical and Biomedical Analysis, 2020, 188, 113376.	2.8	9
28	A Metabolomics Coupled With Chemometrics Strategy to Filter Combinatorial Discriminatory Quality Markers of Crude and Salt-Fired Eucommiae Cortex. Frontiers in Pharmacology, 2020, 11, 838.	3.5	12
29	HPLC-MS/MS Analysis of <i>Aconiti Lateralis Radix Praeparata</i> and Its Combination with Red Ginseng Effect on Rat CYP450 Activities Using the Cocktail Approach. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-12.	1.2	4
30	Identification and Quality Evaluation of Raw and Processed <i>Asarum</i> Species Using Microscopy, DNA Barcoding, and Gas Chromatography-Mass Spectrometry. Journal of Analytical Methods in Chemistry, 2020, 2020, 1-12.	1.6	4
31	Thrombin-based discovery strategy of bioactive-chemical quality marker combination for pollen of Typha orientalis by metabolomics coupled with chemometrics. Phytomedicine, 2020, 75, 153246.	5.3	16
32	An Established HPLC-MS/MS Method for Evaluation of the Influence of Salt Processing on Pharmacokinetics of Six Compounds in Cuscutae Semen. Molecules, 2019, 24, 2502.	3.8	10
33	Separation and Enrichment of Three Coumarins from Angelicae Pubescentis Radix by Macroporous Resin with Preparative HPLC and Evaluation of Their Anti-Inflammatory Activity. Molecules, 2019, 24, 2664.	3.8	16
34	Effect of Naoxintong Capsules on the Activities of CYP450 and Metabolism of Metoprolol Tartrate in Rats Evaluated by Probe Cocktail and Pharmacokinetic Methods. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-10.	1.2	7
35	Correlation between Quality and Geographical Origins of Cortex Periplocae, Based on the Qualitative and Quantitative Determination of Chemical Markers Combined with Chemical Pattern Recognition. Molecules, 2019, 24, 3621.	3.8	7
36	A Beta/ZSM-22 Zeolites-Based-Mixed Matrix Solid-Phase Dispersion Method for the Simultaneous Extraction and Determination of Eight Compounds with Different Polarities in Viticis Fructus by High-Performance Liquid Chromatography. Molecules, 2019, 24, 3423.	3.8	7

#	Article	IF	CITATIONS
37	A Single Standard to Determine Multi-Components Method Coupled with Chemometric Methods for the Quantification, Evaluation and Classification of Notopterygii Rhizoma et Radix from Different Regions. Molecules, 2019, 24, 3574.	3.8	3
38	A High Throughput HPLC-MS/MS Method for Antihypertensive Drugs Determination in Plasma and Its Application on Pharmacokinetic Interaction Study with Shuxuetong Injection in Rats. BioMed Research International, 2019, 2019, 1-10.	1.9	6
39	The Tissue Distribution of Four Major Coumarins after Oral Administration of Angelicae Pubescentis Radix Extract to Rats Using Ultra-High-Performance Liquid Chromatography. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-8.	1.2	7
40	Pharmacokinetic and Bioavailability Studies of Embelin after Intravenous and Oral Administration to Rats. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-6.	1.2	6
41	An LC-MS/MS Method for Simultaneous Determination of the Toxic and Active Components of <i>Cortex Periplocae < /i> in Rat Plasma and Application to a Pharmacokinetic Study. International Journal of Analytical Chemistry, 2019, 2019, 1-10.</i>	1.0	5
42	Study on Pharmacokinetic and Bioavailability of Tamarixetin after Intravenous and Oral Administration to Rats. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-7.	1.2	1
43	Development of a HPLC-MS/MS Method to Determine the 13 Elements of <i>Semen Cuscutae</i> and Application to a Pharmacokinetic Study in Rats. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-11.	1.2	10
44	Pharmacokinetics and tissue distribution study of bisabolangelone from Angelicae Pubescentis Radix in rat using LC–MS/MS. Biomedical Chromatography, 2019, 33, e4433.	1.7	4
45	Simultaneous determination of columbianetin-12- d -glucopyranoside and columbianetin in a biological sample by high-performance liquid chromatography with fluorescence detection and identification of other columbianetin-12- d -glucopyranoside metabolites by ultra high-performance liquid chromatography coupled with quadrupole-time of flight mass spectrometry. Journal of	2.8	9
46	Discovery and identification of quality markers of Chinese medicine based on pharmacokinetic analysis. Phytomedicine, 2018, 44, 182-186.	5.3	34
47	Simultaneous determination and qualitative analysis of six types of components in Naoxintong capsule by miniaturized matrix solidâ€phase dispersion extraction coupled with ultra highâ€performance liquid chromatography with photodiode array detection and quadrupole timeâ€ofâ€flight mass spectrometry. Journal of Separation Science, 2018, 41, 2064-2084.	2.5	32
48	Simultaneous Determination of Columbianadin and Its Metabolite Columbianetin in Rat Plasma by LC-MS/MS: Application to Pharmacokinetics of Columbianadin after Oral Administration. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-8.	1.2	3
49	Development of a HPLC-MS/MS Method to Determine 11 Bioactive Compounds in Tongmai Yangxin Pill and Application to a Pharmacokinetic Study in Rats. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-11.	1.2	7
50	Tissue distribution study of periplocin and its two metabolites in rats by a validated LC-MS/MS method. Biomedical Chromatography, 2018, 32, e4302.	1.7	2
51	A Validated LC-MS/MS Method for Simultaneous Determination of Six <i>Aconitum</i> Alkaloids and Seven Ginsenosides in Rat Plasma and Application to Pharmacokinetics of Shen-Fu Prescription. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-12.	1.2	4
52	Comparison of the Active Compositions between Raw and Processed Epimedium from Different Species. Molecules, 2018, 23, 1656.	3.8	15
53	Development and Validation of a HPLC-MS/MS Method for Simultaneous Determination of Twelve Bioactive Compounds in Epimedium: Application to a Pharmacokinetic Study in Rats. Molecules, 2018, 23, 1322.	3.8	16
54	Quantification of eight active ingredients in crude and processed radix polygoni multiflori applying miniaturized matrix solidâ€phase dispersion microextraction followed by UHPLC. Journal of Separation Science, 2018, 41, 3486-3495.	2.5	11

#	Article	IF	CITATIONS
55	A network pharmacology-integrated metabolomics strategy for clarifying the difference between effective compounds of raw and processed Farfarae flos by ultra high-performance liquid chromatography-quadrupole-time of flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2018, 156, 349-357.	2.8	13
56	Influence of different processing times on the quality of <i>Polygoni Multiflora Radix</i> by metabolomics based on ultra high performance liquid chromatography with quadrupole timeâ€ofâ€flight mass spectrometry. Journal of Separation Science, 2017, 40, 1928-1941.	2.5	24
57	Simultaneous Determination of 5 Flavonoids and 7 Saponins for Quality Control of Traditional Chinese Medicine Preparation Xinnaoshutong Capsule Using HPLC-VWD-ELSD. Journal of Analytical Methods in Chemistry, 2017, 2017, 1-8.	1.6	8
58	A Review on Phytochemistry and Pharmacology of Cortex Periplocae. Molecules, 2016, 21, 1702.	3.8	23
59	Protective effects of Weilikang decoction on gastric ulcers and possible mechanisms. Journal of Natural Medicines, 2016, 70, 391-403.	2.3	8
60	The pharmacokinetics, bioavailability and excretion of bergapten after oral and intravenous administration in rats using high performance liquid chromatography with fluorescence detection. Chemistry Central Journal, 2016, 10, 62.	2.6	11
61	Simultaneous determination of four phenolic acids and seven alkaloids in rat plasma after oral administration of traditional Chinese medicinal preparation Jinqi Jiangtang Tablet by LC-ESI–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2016, 117, 1-10.	2.8	29
62	An Improved LC-MS/MS Method for Simultaneous Determination of the Eleven Bioactive Constituents for Quality Control of Radix Angelicae Pubescentis and Its Related Preparations. Scientific World Journal, The, 2015, 2015, 1-10.	2.1	6
63	A validated LC–MS/MS assay for the simultaneous determination of periplocin and its two metabolites, periplocymarin and periplogenin in rat plasma: Application to a pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2015, 114, 292-295.	2.8	19
64	A validated LC–MS/MS method for determination of periplogenin in rat plasma and its application in pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 990, 80-83.	2.3	10
65	The multi-targets integrated fingerprinting for screening anti-diabetic compounds from a Chinese medicine Jinqi Jiangtang Tablet. Journal of Ethnopharmacology, 2015, 164, 210-222.	4.1	38
66	Pharmacokinetic of 5 components after oral administration of Fructus Forsythiae by HPLC-MS/MS and the effects of harvest time and administration times. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 993-994, 36-46.	2.3	18
67	The pharmacokinetics, bioavailability and excretion of columbianetin acetate and its metabolite columbianetin were analysed in rat plasma by LC-MS/MS after administration of columbianetin acetate and Angelicae pubescentis radix extract. RSC Advances, 2015, 5, 95882-95893.	3.6	7
68	Simultaneous determination of 2 aconitum alkaloids and 12 ginsenosides in Shenfu injection by ultraperformance liquid chromatography coupled with a photodiode array detector with few markers to determine multicomponents. Journal of Food and Drug Analysis, 2015, 23, 267-278.	1.9	15
69	LC–MS/MS determination and pharmacokinetic study of columbianadin in rat plasma after intravenous administration of pure columbianadin. Chemistry Central Journal, 2014, 8, 64.	2.6	6
70	Determination of swertianolin in rat plasma by LCâ€MS/MS and its application to a pharmacokinetic study. Biomedical Chromatography, 2014, 28, 1418-1422.	1.7	6
71	An activity-integrated strategy involving ultra-high-performance liquid chromatography/quadrupole-time-of-flight mass spectrometry and fraction collector for rapid screening and characterization of the α-glucosidase inhibitors in Coptis chinensis Franch. (Huanglian). lournal of Pharmaceutical and Biomedical Analysis, 2014, 100, 79-87.	2.8	32
72	Ultra high performance liquid chromatography with photodiode array detector and quadrupole timeâ€ofâ€flight tandem mass spectrometry coupled with discriminant analysis to evaluate ⟨i⟩Angelicae pubescentis radix⟨ i⟩ from different regions. Journal of Separation Science, 2014, 37, 2523-2534.	2.5	22

#	Article	IF	CITATIONS
73	The Activity-Integrated Method for Quality Assessment of Reduning Injection by On-Line DPPH-CE-DAD. PLoS ONE, 2014, 9, e106254.	2.5	19
74	A sensitive LC–MS/MS method for simultaneous determination of six flavonoids in rat plasma: Application to a pharmacokinetic study of total flavonoids from mulberry leaves. Journal of Pharmaceutical and Biomedical Analysis, 2013, 84, 189-195.	2.8	80
75	Influence of processing on pharmacokinetic of typical constituents in radix polygoni multiflori after oral administration by LC–ESI–MS/MS. Journal of Ethnopharmacology, 2013, 148, 246-253.	4.1	31