

Qingyun Cai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/420788/publications.pdf>

Version: 2024-02-01

71
papers

1,224
citations

331538

21
h-index

434063

31
g-index

71
all docs

71
docs citations

71
times ranked

1790
citing authors

#	ARTICLE	IF	CITATIONS
1	Near-infrared light-triggered $\text{NaYF}_4\text{:Yb,Tm,Gd@MIL-100(Fe)}$ nanomaterials for antibacterial applications. <i>New Journal of Chemistry</i> , 2022, 46, 4806-4813.	1.4	8
2	Alternatingly Amphiphilic Antimicrobial Oligoguanidines: Structure-Property Relationship and Usage as the Coating Material with Unprecedented Hemocompatibility. <i>Chemistry of Materials</i> , 2022, 34, 3670-3682.	3.2	6
3	Tissue-Engineered Bone Functionalized with MoS_2 Nanosheets for Enhanced Repair of Critical-Size Bone Defect in Rats. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	9
4	Nano-Coral Gold (NCG) Electrode for Electrochemical Determination of Arsenic (III) in Industrial Wastewater by Square Wave Anodic Stripping Voltammetry (SWASV). <i>Analytical Letters</i> , 2022, 55, 2639-2649.	1.0	0
5	Improving the Hemocompatibility of Antimicrobial Peptidomimetics through Amphiphilicity Masking Using a Secondary Amphiphilic Polymer. <i>Advanced Healthcare Materials</i> , 2022, 11, e2200546.	3.9	9
6	A degradable, broad-spectrum and resistance-resistant antimicrobial oligoguanidine as a disinfecting and therapeutic agent in aquaculture. <i>Polymer Chemistry</i> , 2022, 13, 3539-3551.	1.9	5
7	Potential of Vancomycin: Creating Cooperative Membrane Lysis through a "Derivatization-for-Sensitization" Approach. <i>Journal of the American Chemical Society</i> , 2022, 144, 10622-10639.	6.6	15
8	An $\text{Ag}_2\text{S@ZIF-Van}$ nanosystem for NIR-II imaging of bacterial-induced inflammation and treatment of wound bacterial infection. <i>Biomaterials Science</i> , 2022, 10, 3972-3980.	2.6	11
9	ZnCuInSe/Au/TiO_2 sandwich nanowires-based photoelectrochemical biosensor for ultrasensitive detection of kanamycin. <i>Analytica Chimica Acta</i> , 2021, 1146, 166-173.	2.6	20
10	Preparation of Sm-doped CaZrO_3 nanosheets for facile human serum exosome isolation. <i>New Journal of Chemistry</i> , 2021, 45, 11719-11726.	1.4	4
11	Preparation of a $\text{CaTiO}_3/\text{Al}_3\text{+/Pr}3\text{+/Sm}3\text{+}$ nanocomposite for enrichment of exosomes in human serum. <i>Talanta</i> , 2021, 226, 122186.	2.9	6
12	An alternatingly amphiphilic, resistance-resistant antimicrobial oligoguanidine with dual mechanisms of action. <i>Biomaterials</i> , 2021, 275, 120858.	5.7	28
13	Polymerization and isomerization cyclic amplification for nucleic acid detection with attomolar sensitivity. <i>Chemical Science</i> , 2021, 12, 4509-4518.	3.7	13
14	A polymeric approach toward resistance-resistant antimicrobial agent with dual-selective mechanisms of action. <i>Science Advances</i> , 2021, 7, .	4.7	50
15	$\text{NaGdF}_4\text{:Nd@NaGdF}_4$ Core-Shell Down-Conversion Nanoparticles as NIR-II Fluorescent Probes for Targeted Imaging of Bacteria. <i>ACS Applied Nano Materials</i> , 2021, 4, 11231-11238.	2.4	15
16	Water-soluble ZnCuInSe quantum dots for bacterial classification, detection, and imaging. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 8379-8389.	1.9	9
17	Bi, Fe, and Ti ternary co-doped ZrO_2 nanocomposites as a mass spectrometry matrix for the determination of bisphenol A and tetrabromobisphenol A in tea. <i>Mikrochimica Acta</i> , 2020, 187, 582.	2.5	7
18	Efficient photocatalytic inactivation of <i>E. coli</i> by $\text{Mn-CdS/ZnCuInSe/CuInS}_2$ quantum dots-sensitized TiO_2 nanowires. <i>Nanotechnology</i> , 2020, 31, 395602.	1.3	11

#	ARTICLE	IF	CITATIONS
19	Polymyxin Bâ€“modified upconversion nanoparticles for selective detection of Gram-negative bacteria such as <i>Escherichia coli</i> . <i>Journal of Chemical Research</i> , 2020, 44, 756-761.	0.6	7
20	$\text{NaYF}_4\text{:Yb,Er,Gd}$ nanorods@1T/2H-MoS ₂ for 980 nm NIR-triggered photocatalytic bactericidal properties. <i>New Journal of Chemistry</i> , 2020, 44, 12201-12207.	1.4	6
21	One-Step Self-Assembly of ZnPc/KMnF ₃ : Yb, Er upconversion Photodynamic Therapy System for Antibacterial Applications. <i>Nano</i> , 2020, 15, 2050075.	0.5	4
22	A visible-light-active CuInSe ₂ :Zn/g-C ₃ N ₄ /TiO ₂ nanowires for photoelectrocatalytic bactericidal effects. <i>New Journal of Chemistry</i> , 2020, 44, 2303-2311.	1.4	8
23	Reduced titania nanosheets as an effective visible-light germicide. <i>Nanotechnology</i> , 2019, 30, 405602.	1.3	10
24	Cobalt-doped nanoporous carbon as SALDI-TOF-MS adsorbent and matrix for quantification of cetyltrimethylammonium bromide, Rhodamine B and Malachite Green at sub-ppt levels. <i>Mikrochimica Acta</i> , 2019, 186, 691.	2.5	7
25	Linear-hairpin variable primer RT-qPCR for MicroRNA. <i>Chemical Science</i> , 2019, 10, 2034-2043.	3.7	25
26	Multicolor lanthanide-doped CaS and SrS near-infrared stimulated luminescent nanoparticles with bright emission: application in broad-spectrum lighting, information coding, and bio-imaging. <i>Nanoscale</i> , 2019, 11, 12497-12501.	2.8	25
27	Blue Ti ³⁺ self-doped TiO ₂ nanosheets with rich {001} facets for photocatalytic performance. <i>New Journal of Chemistry</i> , 2019, 43, 5759-5765.	1.4	7
28	Photoelectrocatalytic Hydrogen Generation Enabled by CdS Passivated ZnCuInSe Quantum Dot-Sensitized TiO ₂ Decorated with Ag Nanoparticles. <i>Nanomaterials</i> , 2019, 9, 393.	1.9	9
29	Preparation of TiO ₂ /Bi/Fe/Zr nanocomposite for the highly selective enrichment of phosphopeptides. <i>Talanta</i> , 2019, 194, 870-875.	2.9	16
30	Two-dimensional TiO ₂ nanoflakes enable rapid SALDI-TOF-MS detection of toxic small molecules (dyes) <i>Talanta</i> , 2019, 194, 870-875.	2.9	16
31	A label-free cytochrome c photoelectrochemical aptasensor based on CdS/CuInS ₂ /Au/TiO ₂ nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2019, 281, 1088-1096.	4.0	25
32	Highly-luminescent Eu,Sm,Mn-doped CaS up/down conversion nano-particles: application to ultra-sensitive latent fingerprint detection and <i>in vivo</i> bioimaging. <i>Chemical Communications</i> , 2018, 54, 591-594.	2.2	72
33	Preparation of Bi _{0.15} Fe _{0.15} TiO ₂ Nanocomposites for the Highly Selective Enrichment of Phosphopeptides. <i>Analytical Chemistry</i> , 2018, 90, 12414-12421.	3.2	23
34	Fe ³⁺ -Enhanced NIR-to-NIR upconversion nanocrystals for tumor-targeted trimodal bioimaging. <i>New Journal of Chemistry</i> , 2018, 42, 17073-17082.	1.4	9
35	Eu,Sm,Mn-Doped CaS Nanoparticles with 59.3% Upconversion-Luminescence Quantum Yield: Enabling Ultrasensitive and Facile Smartphone-Based Sulfite Detection. <i>Analytical Chemistry</i> , 2018, 90, 8658-8664.	3.2	23
36	Au nanoparticle-modified WO ₃ nanoflowers/TiO ₂ nanotubes used for the SERS detection of dyes. <i>New Journal of Chemistry</i> , 2017, 41, 13968-13973.	1.4	16

#	ARTICLE	IF	CITATIONS
37	Fabrication of layered (CdS-Mn/MoS ₂ /CdTe)-promoted TiO ₂ nanotube arrays with superior photocatalytic properties. <i>Journal of Colloid and Interface Science</i> , 2017, 486, 58-66.	5.0	32
38	Polydopamine decorated 3D nickel foam for extraction of sixteen polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 2016, 1478, 2-9.	1.8	24
39	Electrochemiluminescence aptasensor of TiO ₂ /CdS:Mn hybrids for ultrasensitive detection of cytochrome c. <i>Talanta</i> , 2016, 160, 570-576.	2.9	15
40	Towards efficient visible-light active photocatalysts: CdS/Au sensitized TiO ₂ nanotube arrays. <i>Journal of Colloid and Interface Science</i> , 2016, 483, 287-294.	5.0	31
41	CdS/ZnIn ₂ S ₄ /TiO ₂ 3D-heterostructures and their photoelectrochemical properties. <i>New Journal of Chemistry</i> , 2016, 40, 6675-6685.	1.4	17
42	Magnetic solid phase extraction and static headspace gas chromatography-mass spectrometry method for the analysis of polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 2016, 1429, 97-106.	1.8	17
43	A CdS/ZnSe/TiO ₂ nanotube array and its visible light photocatalytic activities. <i>Journal of Colloid and Interface Science</i> , 2016, 462, 389-396.	5.0	39
44	Magnetic solid phase extraction and gas chromatography-mass spectrometrical analysis of sixteen polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 2015, 1406, 40-47.	1.8	29
45	Ultrasensitive label-free detection of miRNA with asymmetric hairpin probe, exonuclease I and SYBR Green I. <i>Chemical Research in Chinese Universities</i> , 2015, 31, 244-248.	1.3	0
46	A novel VS ₂ nanosheet-based biosensor for rapid fluorescence detection of cytochrome c. <i>New Journal of Chemistry</i> , 2015, 39, 1892-1898.	1.4	41
47	A Highly Sensitive Electrochemical Immunosensor for the Rapid Detection of Tris(2,3-Dibromopropyl) Isocyanurate. <i>Analytical Letters</i> , 2014, 47, 778-794.	1.0	2
48	Development of enzyme-linked immunosorbent assay for determination of polybrominated diphenyl ether BDE-121. <i>Analytical Biochemistry</i> , 2014, 447, 49-54.	1.1	8
49	Development of a polymeric ionic liquid coating for direct-immersion solid-phase microextraction using polyhedral oligomeric silsesquioxane as cross-linker. <i>Journal of Chromatography A</i> , 2014, 1348, 80-86.	1.8	39
50	Surface molecular imprinting on dye-(NH ₂)-SiO ₂ NPs for specific recognition and direct fluorescent quantification of perfluorooctane sulfonate. <i>Sensors and Actuators B: Chemical</i> , 2014, 195, 266-273.	4.0	59
51	A highly selective and reversible fluorescent Cu ²⁺ and S ²⁻ probe under physiological conditions and in live cells. <i>RSC Advances</i> , 2014, 4, 46951-46954.	1.7	30
52	Indirect competitive enzyme-linked immunosorbent assay of tris-(2,3-dibromopropyl) isocyanurate with monoclonal antibody. <i>Talanta</i> , 2014, 128, 434-444.	2.9	8
53	Fluorescence immunoassay of octachlorostyrene based on Förster resonance energy transfer between CdTe quantum dots and rhodamine B. <i>Biosensors and Bioelectronics</i> , 2014, 60, 52-56.	5.3	31
54	Synthesis of haptens and development of an indirect enzyme-linked immunosorbent assay for tris(2,3-dibromopropyl) isocyanurate. <i>Analytical Biochemistry</i> , 2014, 447, 15-22.	1.1	3

#	ARTICLE	IF	CITATIONS
55	Highly sensitive and selective photoelectrochemical biosensor platform for polybrominated diphenyl ether detection using the quantum dots sensitized three-dimensional, macroporous ZnO nanosheet photoelectrode. <i>Biosensors and Bioelectronics</i> , 2014, 61, 209-214.	5.3	44
56	Development of a highly robust solid phase microextraction fiber based on crosslinked methyl methacrylate-polyhedral oligomeric silsesquioxane hybrid polymeric coating. <i>Analytica Chimica Acta</i> , 2013, 792, 45-51.	2.6	30
57	Development of octadecyl-functionalized-nanotubular TiO ₂ /Ti wire solid-phase microextraction fiber. <i>Analyst, The</i> , 2013, 138, 569-575.	1.7	24
58	Magnetic retrieval of an extractant: fast ultrasound-assisted emulsification liquid-liquid microextraction for the determination of polycyclic aromatic hydrocarbons in environmental water samples. <i>Analytical Methods</i> , 2013, 5, 3999.	1.3	11
59	Homogeneous electrochemiluminescence immunoassay based on tris(2,3-dibromopropyl) isocyanurate using luminol luminescence and Ti/TiO ₂ NTs electrode. <i>Analytical Methods</i> , 2013, 5, 3626.	1.3	7
60	Application of magnetic material in the determination of polycyclic aromatic hydrocarbons in tree leaves by high performance liquid chromatography. <i>Analytical Methods</i> , 2011, 3, 2909.	1.3	11
61	Effect of anodization on the graphitization of PAN-based carbon fibers of PAN-based carbon fibers. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2011, 26, 926-930.	0.4	1
62	Fabrication of CdSe Nanoparticles Sensitized Long TiO ₂ Nanotube Arrays for Photocatalytic Degradation of Anthracene-9-carboxylic Acid under Green Monochromatic Light. <i>Journal of Physical Chemistry C</i> , 2010, 114, 4783-4789.	1.5	89
63	Carbon-Nanotube-Guiding Oriented Growth of Gold Shrobs on TiO ₂ Nanotube Arrays. <i>Journal of Physical Chemistry C</i> , 2010, 114, 7694-7699.	1.5	20
64	Biocompatibility and in vitro antineoplastic drug-loaded trial of titania nanotubes prepared by anodic oxidation of a pure titanium. <i>Science in China Series B: Chemistry</i> , 2009, 52, 2161-2165.	0.8	16
65	A new method for measuring magnetoelastic sensor resonance frequency. , 2009, , .		0
66	Acid Phosphatase Assay with a Wireless Magnetoelastic Biosensor. <i>Analytical Letters</i> , 2007, 40, 471-482.	1.0	1
67	Measurement of Glucose Concentration in Blood Plasma Based on a Wireless Magnetoelastic Biosensor. <i>Analytical Letters</i> , 2007, 40, 897-906.	1.0	5
68	Acid Phosphatase Assay with a Wireless Magnetoelastic Biosensor. <i>Analytical Letters</i> , 2007, 40, 139-150.	1.0	0
69	Measurement of Serum Alkaline Phosphatase with a Surface Acoustic Wave Impedance Sensor Device.. <i>Analytical Sciences</i> , 1997, 13, 121-125.	0.8	3
70	SAW enzyme sensor applied to the determination of enzyme kinetic constants with the aid of a non-linear regression algorithm. <i>Mikrochimica Acta</i> , 1997, 126, 109-115.	2.5	1
71	Assay of NAD ⁺ -Isocitrate Dehydrogenase in Extracts of Bread Yeast with a Surface Acoustic Wave Impedance Sensor.. <i>Analytical Sciences</i> , 1996, 12, 449-453.	0.8	0