Patrick D Mcgorry

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4210206/publications.pdf

Version: 2024-02-01

956 papers 70,730 citations

130 h-index 222 g-index

998 all docs 998
docs citations

998 times ranked 29359 citing authors

#	Article	IF	CITATIONS
1	Mental health of young people: a global public-health challenge. Lancet, The, 2007, 369, 1302-1313.	13.7	2,241
2	Mapping the Onset of Psychosis: The Comprehensive Assessment of At-Risk Mental States. Australian and New Zealand Journal of Psychiatry, 2005, 39, 964-971.	2.3	1,677
3	The Psychosis High-Risk State. JAMA Psychiatry, 2013, 70, 107.	11.0	1,222
4	Neuroanatomical abnormalities before and after onset of psychosis: a cross-sectional and longitudinal MRI comparison. Lancet, The, 2003, 361, 281-288.	13.7	1,211
5	Pathways underlying neuroprogression in bipolar disorder: Focus on inflammation, oxidative stress and neurotrophic factors. Neuroscience and Biobehavioral Reviews, 2011, 35, 804-817.	6.1	1,007
6	The Prodromal Phase of First-episode Psychosis: Past and Current Conceptualizations. Schizophrenia Bulletin, 1996, 22, 353-370.	4.3	983
7	Psychosis prediction: 12-month follow up of a high-risk ("prodromalâ€) group. Schizophrenia Research, 2003, 60, 21-32.	2.0	981
8	Randomized Controlled Trial of Interventions Designed to Reduce the Risk of Progression to First-Episode Psychosis in a Clinical Sample With Subthreshold Symptoms. Archives of General Psychiatry, 2002, 59, 921.	12.3	922
9	EPPIC: An Evolving System of Early Detection and Optimal Management. Schizophrenia Bulletin, 1996, 22, 305-326.	4.3	828
10	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry,the, 2019, 6, 675-712.	7.4	815
11	Long-Chain ω-3 Fatty Acids for Indicated Prevention of Psychotic Disorders. Archives of General Psychiatry, 2010, 67, 146.	12.3	800
12	Clinical Staging of Psychiatric Disorders: A Heuristic Framework for Choosing Earlier, Safer and more Effective Interventions. Australian and New Zealand Journal of Psychiatry, 2006, 40, 616-622.	2.3	680
13	Risk factors for psychosis in an ultra high-risk group: psychopathology and clinical features. Schizophrenia Research, 2004, 67, 131-142.	2.0	673
14	Monitoring and Care of Young People at Incipient Risk of Psychosis. Schizophrenia Bulletin, 1996, 22, 283-303.	4.3	664
15	Prediction of psychosis. British Journal of Psychiatry, 1998, 172, 14-20.	2.8	637
16	The Mental Health of Elite Athletes: A Narrative Systematic Review. Sports Medicine, 2016, 46, 1333-1353.	6.5	592
17	Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the management of schizophrenia and related disorders. Australian and New Zealand Journal of Psychiatry, 2016, 50, 410-472.	2.3	571
18	Hippocampal and Amygdala Volumes According to Psychosis Stage and Diagnosis. Archives of General Psychiatry, 2006, 63, 139.	12.3	559

#	Article	IF	Citations
19	Structural Brain Imaging Evidence for Multiple Pathological Processes at Different Stages of Brain Development in Schizophrenia. Schizophrenia Bulletin, 2005, 31, 672-696.	4.3	479
20	The Initial Prodrome in Psychosis: Descriptive and Qualitative Aspects. Australian and New Zealand Journal of Psychiatry, 1996, 30, 587-599.	2.3	420
21	Altering the course of schizophrenia: progress and perspectives. Nature Reviews Drug Discovery, 2016, 15, 485-515.	46.4	410
22	People living with psychotic illness in 2010: The second Australian national survey of psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 735-752.	2.3	405
23	Early intervention in psychosis: concepts, evidence and future directions. World Psychiatry, 2008, 7, 148-156.	10.4	402
24	Preventive strategies for mental health. Lancet Psychiatry, the, 2018, 5, 591-604.	7.4	390
25	Designing youth mental health services for the 21st century: examples from Australia, Ireland and the UK. British Journal of Psychiatry, 2013, 202, s30-s35.	2.8	387
26	Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. Schizophrenia Research, 2012, 139, 116-128.	2.0	384
27	Declining Transition Rate in Ultra High Risk (Prodromal) Services: Dilution or Reduction of Risk?. Schizophrenia Bulletin, 2007, 33, 673-681.	4.3	376
28	Long-term Follow-up of a Group at Ultra High Risk ("Prodromalâ€) for Psychosis. JAMA Psychiatry, 2013, 70, 793.	11.0	373
29	Improving outcomes of firstâ€episode psychosis: an overview. World Psychiatry, 2017, 16, 251-265.	10.4	363
30	Age of onset of mental disorders and use of mental health services: needs, opportunities and obstacles. Epidemiology and Psychiatric Sciences, 2012, 21, 47-57.	3.9	361
31	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. JAMA Psychiatry, 2016, 73, 113.	11.0	354
32	Age of onset and timing of treatment for mental and substance use disorders: implications for preventive intervention strategies and models of care. Current Opinion in Psychiatry, 2011, 24, 301-306.	6.3	345
33	Memory Impairments Identified in People at Ultra-High Risk for Psychosis Who Later Develop First-Episode Psychosis. American Journal of Psychiatry, 2005, 162, 71-78.	7.2	342
34	Hippocampal Volume in First-Episode Psychoses and Chronic Schizophrenia. Archives of General Psychiatry, 1999, 56, 133.	12.3	333
35	Preventing a first episode of psychosis: Meta-analysis of randomized controlled prevention trials of 12month and longer-term follow-ups. Schizophrenia Research, 2013, 149, 56-62.	2.0	333
36	Risperidone and Haloperidol in First-Episode Psychosis: A Long-Term Randomized Trial. American Journal of Psychiatry, 2005, 162, 947-953.	7.2	331

#	Article	IF	Citations
37	Validation of "prodromal―criteria to detect individuals at ultra high risk of psychosis: 2Âyear follow-up. Schizophrenia Research, 2008, 105, 10-17.	2.0	325
38	Online, social media and mobile technologies for psychosis treatment: A systematic review on novel user-led interventions. Schizophrenia Research, 2014, 156, 96-106.	2.0	311
39	Beyond the "at risk mental state―concept: transitioning to transdiagnostic psychiatry. World Psychiatry, 2018, 17, 133-142.	10.4	311
40	Early intervention for adolescents with borderline personality disorder using cognitive analytic therapy: randomised controlled trial. British Journal of Psychiatry, 2008, 193, 477-484.	2.8	307
41	Progressive Gray Matter Reduction of the Superior Temporal Gyrus During Transition to Psychosis. Archives of General Psychiatry, 2009, 66, 366.	12.3	303
42	Childhood Trauma and Psychotic Disorders: a Systematic, Critical Review of the Evidence. Schizophrenia Bulletin, 2007, 34, 568-579.	4.3	295
43	The impact of substance use disorders on clinical outcome in 643 patients with firstâ€episode psychosis. Acta Psychiatrica Scandinavica, 2005, 112, 141-148.	4.5	293
44	Time for united action on depression: a Lancet–World Psychiatric Association Commission. Lancet, The, 2022, 399, 957-1022.	13.7	292
45	Pathways from war trauma to posttraumatic stress symptoms among Tamil asylum seekers, refugees, and immigrants. Journal of Traumatic Stress, 1999, 12, 421-435.	1.8	283
46	Progressive brain structural changes mapped as psychosis develops in â€~at risk' individuals. Schizophrenia Research, 2009, 108, 85-92.	2.0	273
47	Non-pharmacological management of antipsychotic-induced weight gain: Systematic review and meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2008, 193, 101-107.	2.8	272
48	The potential impact of COVID-19 on psychosis: A rapid review of contemporary epidemic and pandemic research. Schizophrenia Research, 2020, 222, 79-87.	2.0	272
49	Trauma exposure, postmigration stressors, and symptoms of anxiety, depression and postâ€traumatic stress in Tamil asylumâ€seekers: comparison with refugees and immigrants. Acta Psychiatrica Scandinavica, 1998, 97, 175-181.	4.5	265
50	Vocational intervention in first-episode psychosis: Individual placement and support <i>v.</i> treatment as usual. British Journal of Psychiatry, 2008, 193, 114-120.	2.8	264
51	Intervention in Individuals at Ultra-High Risk for Psychosis. Journal of Clinical Psychiatry, 2009, 70, 1206-1212.	2.2	258
52	A review of vulnerability and risks for schizophrenia: Beyond the two hit hypothesis. Neuroscience and Biobehavioral Reviews, 2016, 65, 185-194.	6.1	256
53	The "Close-in" or Ultra High-Risk Model: A Safe and Effective Strategy for Research and Clinical Intervention in Prepsychotic Mental Disorder. Schizophrenia Bulletin, 2003, 29, 771-790.	4.3	246
54	Does treatment delay in first-episode psychosis really matter?. Psychological Medicine, 2003, 33, 97-110.	4.5	246

#	Article	IF	Citations
55	Biomarkers and clinical staging in psychiatry. World Psychiatry, 2014, 13, 211-223.	10.4	243
56	Testing the Ultra High Risk (prodromal) criteria for the prediction of psychosis in a clinical sample of young people. Schizophrenia Research, 2006, 84, 57-66.	2.0	242
57	Cognitive deficits in youth with familial and clinical high risk to psychosis: a systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2014, 130, 1-15.	4.5	235
58	Outcomes of Nontransitioned Cases in a Sample at Ultra-High Risk for Psychosis. American Journal of Psychiatry, 2015, 172, 249-258.	7.2	235
59	Two-Year Stability of Personality Disorder in Older Adolescent Outpatients. Journal of Personality Disorders, 2004, 18, 526-541.	1.4	232
60	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
61	Neuroanatomical Abnormalities That Predate the Onset of Psychosis. Archives of General Psychiatry, 2011, 68, 489.	12.3	227
62	Psychotic-Like Experiences in Nonpsychotic Help-Seekers: Associations With Distress, Depression, and Disability. Schizophrenia Bulletin, 2006, 32, 352-359.	4.3	220
63	Early Intervention in Psychosis. Journal of Nervous and Mental Disease, 2015, 203, 310-318.	1.0	220
64	The Impact of Cannabis Use on Cognitive Functioning in Patients With Schizophrenia: A Meta-analysis of Existing Findings and New Data in a First-Episode Sample. Schizophrenia Bulletin, 2012, 38, 316-330.	4.3	219
65	Generalized and Specific Cognitive Performance in Clinical High-Risk Cohorts: A Review Highlighting Potential Vulnerability Markers for Psychosis. Schizophrenia Bulletin, 2005, 32, 538-555.	4.3	218
66	Moving From Static to Dynamic Models of the Onset of Mental Disorder. JAMA Psychiatry, 2017, 74, 528.	11.0	218
67	Influence of Gender on Mental Health Literacy in Young Australians. Australian and New Zealand Journal of Psychiatry, 2006, 40, 790-796.	2.3	217
68	Effect of ï‰-3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. JAMA Psychiatry, 2017, 74, 19.	11.0	216
69	Posttraumatic Stress Disorder Following Recent-Onset Psychosis An Unrecognized Postpsychotic Syndrome. Journal of Nervous and Mental Disease, 1991, 179, 253-258.	1.0	214
70	On the HORYZON: Moderated online social therapy for long-term recovery in first episode psychosis. Schizophrenia Research, 2013, 143, 143-149.	2.0	206
71	Spatial working memory ability is a marker of risk-for-psychosis. Psychological Medicine, 2003, 33, 1239-1247.	4.5	205
72	Setting the stage: from prodrome to treatment resistance in bipolar disorder. Bipolar Disorders, 2007, 9, 671-678.	1.9	204

#	Article	IF	CITATIONS
73	Clinical Staging: A Heuristic and Practical Strategy for New Research and Better Health and Social Outcomes for Psychotic and Related Mood Disorders. Canadian Journal of Psychiatry, 2010, 55, 486-497.	1.9	204
74	Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. British Journal of Psychiatry, 2013, 202, 243-245.	2.8	204
75	Pituitary Volume Predicts Future Transition to Psychosis in Individuals at Ultra-High Risk of Developing Psychosis. Biological Psychiatry, 2005, 58, 417-423.	1.3	202
76	headspace: Australia's National Youth Mental Health Foundation â€" where young minds come first. Medical Journal of Australia, 2007, 187, S68-70.	1.7	200
77	Investing in youth mental health is a best buy. Medical Journal of Australia, 2007, 187, S5.	1.7	199
78	Mapping the onset of psychosis: the Comprehensive Assessment of At-Risk Mental States. Australian and New Zealand Journal of Psychiatry, 2005, 39, 964-971.	2.3	198
79	Preventing the Second Episode: A Systematic Review and Meta-analysis of Psychosocial and Pharmacological Trials in First-Episode psychosis. Schizophrenia Bulletin, 2011, 37, 619-630.	4.3	196
80	The prevalence of prodromal features of schizophrenia in adolescence: a preliminary survey. Acta Psychiatrica Scandinavica, 1995, 92, 241-249.	4.5	192
81	Predictors of functional recovery in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. Clinical Psychology Review, 2017, 58, 59-75.	11.4	192
82	Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 2006, 40, 725-741.	2.3	186
83	Reducing the global burden of depression: a Lancet–World Psychiatric Association Commission. Lancet, The, 2019, 393, e42-e43.	13.7	186
84	Structural Brain Development and Depression Onset During Adolescence: A Prospective Longitudinal Study. American Journal of Psychiatry, 2014, 171, 564-571.	7.2	184
85	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. Schizophrenia Bulletin, 2009, 35, 909-918.	4.3	183
86	Pharmacological treatment of primary negative symptoms in schizophrenia: A systematic review. Schizophrenia Research, 2006, 88, 5-25.	2.0	180
87	Impairment of Olfactory Identification Ability in Individuals at Ultra-High Risk for Psychosis Who Later Develop Schizophrenia. American Journal of Psychiatry, 2003, 160, 1790-1794.	7.2	179
88	Redeeming diagnosis in psychiatry: timing versus specificity. Lancet, The, 2013, 381, 343-345.	13.7	177
89	headspace — Australia's innovation in youth mental health: who are the clients and why are they presenting?. Medical Journal of Australia, 2014, 200, 108-111.	1.7	177
90	Pre-treatment, baseline, and outcome differences between early-onset and adult-onset psychosis in an epidemiological cohort of 636 first-episode patients. Schizophrenia Research, 2007, 95, 1-8.	2.0	174

#	Article	IF	Citations
91	Clinical staging: a heuristic model for psychiatry and youth mental health. Medical Journal of Australia, 2007, 187, S40-2.	1.7	174
92	Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. Psychological Medicine, 2014, 44, 17-24.	4.5	174
93	The relationship between duration of untreated psychosis and outcome: An eight-year prospective study. Schizophrenia Research, 2005, 79, 85-93.	2.0	17 3
94	Applying clinical staging to young people who present for mental health care. Microbial Biotechnology, 2013, 7, 31-43.	1.7	173
95	Integrated (oneâ€stop shop) youth health care: best available evidence and future directions. Medical Journal of Australia, 2017, 207, S5-S18.	1.7	17 3
96	Early intervention in youth mental health: progress and future directions. Evidence-Based Mental Health, 2018, 21, 182-184.	4.5	170
97	Progressive Changes in the Development Toward Schizophrenia: Studies in Subjects at Increased Symptomatic Risk. Schizophrenia Bulletin, 2007, 34, 322-329.	4.3	169
98	Anatomic Abnormalities of the Anterior Cingulate Cortex Before Psychosis Onset: An MRI Study of Ultra-High-Risk Individuals. Biological Psychiatry, 2008, 64, 758-765.	1.3	169
99	Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. Psychological Medicine, 2012, 42, 595-606.	4.5	169
100	The EPPIC Follow-Up Study of First-Episode Psychosis. Journal of Clinical Psychiatry, 2010, 71, 716-728.	2.2	169
101	Pituitary volume in psychosis. British Journal of Psychiatry, 2004, 185, 5-10.	2.8	168
102	What's in a name? Is accurate recognition and labelling of mental disorders by young people associated with better help-seeking and treatment preferences?. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 244-250.	3.1	167
103	Gender differences in premorbid, entry, treatment, and outcome characteristics in a treated epidemiological sample of 661 patients with first episode psychosis. Schizophrenia Research, 2009, 114, 17-24.	2.0	167
104	Early intervention in schizophrenia. British Journal of Psychiatry, 1997, 170, 2-5.	2.8	164
105	Early and Late Neurodevelopmental Disturbances in Schizophrenia and Their Functional Consequences. Australian and New Zealand Journal of Psychiatry, 2003, 37, 399-406.	2.3	161
106	Designing and scaling up integrated youth mental health care. World Psychiatry, 2022, 21, 61-76.	10.4	161
107	Issues for DSM-V: Clinical Staging: A Heuristic Pathway to Valid Nosology and Safer, More Effective Treatment in Psychiatry. American Journal of Psychiatry, 2007, 164, 859-860.	7.2	160
108	Staging in bipolar disorder: from theoretical framework to clinical utility. World Psychiatry, 2017, 16, 236-244.	10.4	160

#	Article	IF	Citations
109	Ethics and early intervention in psychosis: keeping up the pace and staying in step. Schizophrenia Research, 2001, 51, 17-29.	2.0	158
110	Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. Schizophrenia Research, 2009, 111, 94-102.	2.0	156
111	Cultures for mental health care of young people: an Australian blueprint for reform. Lancet Psychiatry,the, 2014, 1, 559-568.	7.4	156
112	Does stage of illness impact treatment response in bipolar disorder? Empirical treatment data and their implication for the staging model and early intervention. Bipolar Disorders, 2011, 13, 87-98.	1.9	155
113	Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. Psychological Medicine, 2014, 44, 2163-2176.	4.5	155
114	Experience of trauma and conversion to psychosis in an ultraâ€highâ€risk (prodromal) group. Acta Psychiatrica Scandinavica, 2010, 121, 377-384.	4.5	154
115	Online and Social Networking Interventions for the Treatment of Depression in Young People: A Systematic Review. Journal of Medical Internet Research, 2014, 16, e206.	4.3	154
116	Non-reduction in hippocampal volume is associated with higher risk of psychosis. Schizophrenia Research, 2002, 58, 145-158.	2.0	153
117	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. World Psychiatry, 2020, 19, 233-242.	10.4	153
118	The clinical characterization of the patient with primary psychosis aimed at personalization of management. World Psychiatry, 2021, 20, 4-33.	10.4	153
119	Longer-term outcome in the prevention of psychotic disorders by the Vienna omega-3 study. Nature Communications, 2015, 6, 7934.	12.8	152
120	The dimensional structure of first episode psychosis: an exploratory factor analysis. Psychological Medicine, 1998, 28, 935-947.	4.5	149
121	Emotion Recognition in Individuals at Clinical High-Risk for Schizophrenia. Schizophrenia Bulletin, 2012, 38, 1030-1039.	4.3	149
122	Early Identification and Intervention in Depressive Disorders: Towards a Clinical Staging Model. Psychotherapy and Psychosomatics, 2008, 77, 263-270.	8.8	145
123	Why We Need a Transdiagnostic Staging Approach to Emerging Psychopathology, Early Diagnosis, and Treatment. JAMA Psychiatry, 2016, 73, 191.	11.0	144
124	Development and evaluation of a youth mental health community awareness campaign – The Compass Strategy. BMC Public Health, 2006, 6, 215.	2.9	143
125	The specialist youth mental health model: strengthening the weakest link in the public mental health system. Medical Journal of Australia, 2007, 187, S53-6.	1.7	142
126	The potential utility of a staging model as a course specifier: A bipolar disorder perspective. Journal of Affective Disorders, 2007, 100, 279-281.	4.1	140

#	Article	IF	Citations
127	Impact of duration of untreated psychosis on pre-treatment, baseline, and outcome characteristics in an epidemiological first-episode psychosis cohort. Journal of Psychiatric Research, 2008, 42, 982-990.	3.1	140
128	From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 319-326.	3.1	139
129	Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. Journal of Clinical Psychiatry, 2007, 68, 1867-1875.	2.2	139
130	Recognition of depression and psychosis by young Australians and their beliefs about treatment. Medical Journal of Australia, 2005, 183, 18-23.	1.7	138
131	Stability of Olfactory Identification Deficits in Neuroleptic-Naive Patients With First-Episode Psychosis. American Journal of Psychiatry, 2001, 158, 107-115.	7.2	137
132	Duration of untreated psychosis and cognitive deterioration in first-episode schizophrenia. Schizophrenia Research, 2002, 54, 223-230.	2.0	137
133	Randomized controlled trial of a cannabisâ€focused intervention for young people with firstâ€episode psychosis. Acta Psychiatrica Scandinavica, 2006, 114, 109-117.	4.5	136
134	A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia. Schizophrenia Research, 2001, 52, 37-46.	2.0	135
135	Royal Park Multidiagnostic Instrument for Psychosis: Part II. Development, Reliability, and Validity. Schizophrenia Bulletin, 1990, 16, 517-536.	4.3	133
136	Suicide Prevention in First Episode Psychosis: The Development of a Randomised Controlled Trial of Cognitive Therapy for Acutely Suicidal Patients With Early Psychosis. Australian and New Zealand Journal of Psychiatry, 2003, 37, 414-420.	2.3	133
137	Australia's innovation in youth mental health care: The headspace centre model. Microbial Biotechnology, 2019, 13, 159-166.	1.7	133
138	Substance misuse in first-episode psychosis: 15-month prospective follow-up study. British Journal of Psychiatry, 2006, 189, 229-234.	2.8	132
139	Stress and HPA-axis functioning in young people at ultra high risk for psychosis. Journal of Psychiatric Research, 2007, 41, 561-569.	3.1	132
140	Adolescent and Young Adult Male Mental Health: Transforming System Failures Into Proactive Models of Engagement. Journal of Adolescent Health, 2018, 62, S9-S17.	2.5	132
141	Diagnostic Stability 18 Months After Treatment Initiation for First-Episode Psychosis. Journal of Clinical Psychiatry, 2005, 66, 1239-1246.	2.2	130
142	A disturbed sense of self in the psychosis prodrome: Linking phenomenology and neurobiology. Neuroscience and Biobehavioral Reviews, 2009, 33, 807-817.	6.1	129
143	The Concept of Recovery and Secondary Prevention in Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 1992, 26, 3-17.	2.3	128
144	Morphology of the anterior cingulate cortex in young men at ultra-high risk of developing a psychotic illness. British Journal of Psychiatry, 2003, 182, 518-524.	2.8	128

#	Article	IF	CITATIONS
145	Medium term follow-up of a randomized controlled trial of interventions for young people at ultra high risk of psychosis. Schizophrenia Research, 2007, 96, 25-33.	2.0	128
146	Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2008, 163, 116-125.	1.8	128
147	Randomized Controlled Trial of Interventions for Young People at Ultra High Risk for Psychosis. Journal of Clinical Psychiatry, 2011, 72, 430-440.	2.2	128
148	Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis. Journal of Clinical Psychiatry, 2013, 74, 349-356.	2.2	128
149	Early intervention in psychotic disorders: detection and treatment of the first episode and the critical early stages. Medical Journal of Australia, 2007, 187, S8-10.	1.7	124
150	Outcome in early-onset schizophrenia revisited: Findings from the Early Psychosis Prevention and Intervention Centre long-term follow-up study. Schizophrenia Research, 2011, 131, 112-119.	2.0	124
151	Duration of untreated psychosis and 12â€month outcome in firstâ€episode psychosis: the impact of treatment approach. Acta Psychiatrica Scandinavica, 1999, 100, 96-104.	4.5	123
152	Exciting Career Opportunity Beckons! Early Intervention and Vocational Rehabilitation in First-Episode Psychosis: Employing Cautious Optimism. Australian and New Zealand Journal of Psychiatry, 2006, 40, 951-962.	2.3	123
153	Association between psychotic experiences and depression in a clinical sample over 6Âmonths. Schizophrenia Research, 2007, 91, 246-253.	2.0	122
154	The Phenomenological Critique and Self-disturbance: Implications for Ultra-High Risk ("Prodrome") Research. Schizophrenia Bulletin, 2007, 34, 381-392.	4.3	121
155	Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. Psychological Medicine, 2008, 38, 725-735.	4.5	120
156	Neuroimaging and emerging psychotic disorders: The Melbourne ultra-high risk studies. International Review of Psychiatry, 2007, 19, 371-379.	2.8	119
157	Borderline Personality Disorder in Young People and the Prospects for Prevention and Early Intervention. Current Psychiatry Reviews, 2008, 4, 48-57.	0.9	119
158	Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. Molecular Psychiatry, 2009, 14, 976-986.	7.9	117
159	Royal Park Multidiagnostic Instrument for Psychosis: Part I. Rationale and Review. Schizophrenia Bulletin, 1990, 16, 501-515.	4.3	115
160	Is phaseâ€specific, communityâ€oriented treatment of early psychosis―an economically viable method of improving outcome?. Acta Psychiatrica Scandinavica, 1999, 100, 47-55.	4.5	114
161	Proton Magnetic Resonance Spectroscopy in First Episode Psychosis and Ultra High-Risk Individuals. Schizophrenia Bulletin, 2003, 29, 831-843.	4.3	113
162	Cannabis Use is Not Associated With the Development of Psychosis in an †Ultra†High-Risk Group. Australian and New Zealand Journal of Psychiatry, 2002, 36, 800-806.	2.3	112

#	Article	IF	CITATIONS
163	Hippocampal pathology in individuals at ultra-high risk for psychosis: A multi-modal magnetic resonance study. Neurolmage, 2010, 52, 62-68.	4.2	111
164	Symptomatic and functional outcome 12 months after a first episode of psychotic mania: barriers to recovery in a catchment area sample. Bipolar Disorders, 2006, 8, 221-231.	1.9	110
165	Pretreatment and Outcome Correlates of Sexual and Physical Trauma in an Epidemiological Cohort of First-Episode Psychosis Patients. Schizophrenia Bulletin, 2010, 36, 1105-1114.	4.3	110
166	Evidence and implications for early intervention in bipolar disorder. Journal of Mental Health, 2010, 19, 113-126.	1.9	110
167	Prolonged recovery in first-episode psychosis. British Journal of Psychiatry, 1998, 172, 107-116.	2.8	108
168	Sexual Trauma Increases the Risk of Developing Psychosis in an Ultra High-Risk "Prodromal― Population. Schizophrenia Bulletin, 2014, 40, 697-706.	4.3	108
169	Surface-based morphometry of the anterior cingulate cortex in first episode schizophrenia. Human Brain Mapping, 2008, 29, 478-489.	3.6	107
170	Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. A 1H-MRS Study. Neuropsychopharmacology, 2008, 33, 2467-2473.	5.4	107
171	Medial temporal lobe glutathione concentration in first episode psychosis: A 1H-MRS investigation. Neurobiology of Disease, 2009, 33, 354-357.	4.4	107
172	Rate and predictors of service disengagement in an epidemiological first-episode psychosis cohort. Schizophrenia Research, 2010, 118, 256-263.	2.0	107
173	Decreased nervonic acid levels in erythrocyte membranes predict psychosis in help-seeking ultra-high-risk individuals. Molecular Psychiatry, 2012, 17, 1150-1152.	7.9	107
174	Recruitment and Treatment Practices for Help-Seeking "Prodromal" Patients. Schizophrenia Bulletin, 2007, 33, 715-726.	4.3	105
175	Clinical Stage Transitions in Persons Aged 12 to 25 Years Presenting to Early Intervention Mental Health Services With Anxiety, Mood, and Psychotic Disorders. JAMA Psychiatry, 2019, 76, 1167.	11.0	105
176	Early Intervention in Psychosis: An Overdue Reform. Australian and New Zealand Journal of Psychiatry, 2003, 37, 393-398.	2.3	104
177	A preliminary evaluation of the validity of at-risk criteria for bipolar disorders in help-seeking adolescents and young adults. Journal of Affective Disorders, 2010, 127, 316-320.	4.1	104
178	Changes in psychological distress and psychosocial functioning in young people visiting headspace centres for mental health problems. Medical Journal of Australia, 2015, 202, 537-542.	1.7	104
179	Identification of Young People at Risk of Psychosis: Validation of Personal Assessment and Crisis Evaluation Clinic Intake Criteria. Australian and New Zealand Journal of Psychiatry, 2000, 34, S164-S169.	2.3	103
180	White matter volume changes in people who develop psychosis. British Journal of Psychiatry, 2008, 193, 210-215.	2.8	103

#	Article	IF	CITATIONS
181	Early Intervention for Adolescents with Borderline Personality Disorder: Quasi-Experimental Comparison with Treatment as Usual. Australian and New Zealand Journal of Psychiatry, 2009, 43, 397-408.	2.3	103
182	The predictive validity of bipolar atâ€risk (prodromal) criteria in helpâ€seeking adolescents and young adults: a prospective study. Bipolar Disorders, 2014, 16, 493-504.	1.9	103
183	Earning and learning' in those with psychotic disorders: The second Australian national survey of psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 774-785.	2.3	102
184	Moderated online social therapy for depression relapse prevention in young people: pilot study of a †next generation†online intervention. Microbial Biotechnology, 2018, 12, 613-625.	1.7	102
185	Interventions to reduce symptoms of common mental disorders and suicidal ideation in physicians: a systematic review and meta-analysis. Lancet Psychiatry,the, 2019, 6, 225-234.	7.4	101
186	The Firstâ€Episode Psychosis Outcome Study: premorbid and baseline characteristics of an epidemiological cohort of 661 firstâ€episode psychosis patients. Microbial Biotechnology, 2007, 1, 191-200.	1.7	100
187	Enhancing social functioning in young people at Ultra High Risk (UHR) for psychosis: A pilot study of a novel strengths and mindfulness-based online social therapy. Schizophrenia Research, 2018, 202, 369-377.	2.0	99
188	Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. Schizophrenia Research, 2010, 119, 1-10.	2.0	97
189	Risk syndromes, clinical staging and DSM V: New diagnostic infrastructure for early intervention in psychiatry. Schizophrenia Research, 2010, 120, 49-53.	2.0	97
190	Evidence for Network-Based Cortical Thickness Reductions in Schizophrenia. American Journal of Psychiatry, 2019, 176, 552-563.	7.2	97
191	The impact of torture on post-traumatic stress symptoms in war-affected Tamil refugees and immigrants. Comprehensive Psychiatry, 2002, 43, 49-55.	3.1	95
192	Predictors of Service Disengagement in First-Admitted Adolescents With Psychosis. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 990-999.	0.5	95
193	Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. Psychological Medicine, 2013, 43, 2311-2325.	4.5	95
194	Clinical staging of psychiatric disorders: a heuristic framework for choosing earlier, safer and more effective interventions. Australian and New Zealand Journal of Psychiatry, 2006, 40, 616-622.	2.3	95
195	Enduring negative symptoms in first-episode psychosis: comparison of six methods using follow-up data. Schizophrenia Research, 1999, 40, 147-158.	2.0	94
196	The HYPE Clinic: An Early Intervention Service for Borderline Personality Disorder. Journal of Psychiatric Practice, 2009, 15, 163-172.	0.7	94
197	Neuroimaging and Treatment Evidence for Clinical Staging in Psychotic Disorders: From the At-Risk Mental State to Chronic Schizophrenia. Biological Psychiatry, 2011, 70, 619-625.	1.3	94
198	Editor's Introduction: The Empirical Status of the Ultra High-Risk (Prodromal) Research Paradigm. Schizophrenia Bulletin, 2007, 33, 661-664.	4.3	93

#	Article	IF	Citations
199	Insight in psychosis: An elusive target. Comprehensive Psychiatry, 1999, 40, 131-142.	3.1	91
200	Suicide attempt in first-episode psychosis: A 7.4year follow-up study. Schizophrenia Research, 2010, 116, 1-8.	2.0	91
201	Visuospatial memory and learning in first-episode schizophreniform psychosis and established schizophrenia: a functional correlate of hippocampal pathology?. Psychological Medicine, 2002, 32, 429-438.	4.5	90
202	The proximal prodrome to first episode mania $\hat{a} \in $ a new target for early intervention. Bipolar Disorders, 2008, 10, 555-565.	1.9	90
203	Transition to Adulthood: The Critical Period for Pre-emptive, Disease-modifying Care for Schizophrenia and Related Disorders. Schizophrenia Bulletin, 2011, 37, 524-530.	4.3	90
204	A systematic review and metaâ€analysis of prospective transition from major depression to bipolar disorder. Acta Psychiatrica Scandinavica, 2017, 135, 273-284.	4.5	90
205	Australian mental health reform: time for real outcomes. Medical Journal of Australia, 2005, 182, 401-406.	1.7	89
206	Follow-up MRI study of the insular cortex in first-episode psychosis and chronic schizophrenia. Schizophrenia Research, 2009, 108, 49-56.	2.0	89
207	Prodromal symptoms of schizophrenia in first-episode psychosis: Prevalence and specificity. Comprehensive Psychiatry, 1995, 36, 241-250.	3.1	88
208	Treated incidence of first-episode psychosis in the catchment area of EPPIC between 1997 and 2000. Acta Psychiatrica Scandinavica, 2006, 114, 337-345.	4.5	88
209	Volumetric Abnormalities Predating the Onset of Schizophrenia and Affective Psychoses: An MRI Study in Subjects at Ultrahigh Risk of Psychosis. Schizophrenia Bulletin, 2012, 38, 1083-1091.	4.3	88
210	Declining transition rates to psychotic disorder in "ultra-high risk―clients: Investigation of a dilution effect. Schizophrenia Research, 2016, 170, 130-136.	2.0	87
211	First-Episode Mania: A Neglected Priority for Early Intervention. Australian and New Zealand Journal of Psychiatry, 2002, 36, 158-172.	2.3	86
212	Whither the Attenuated Psychosis Syndrome?. Schizophrenia Bulletin, 2012, 38, 1130-1134.	4.3	85
213	Psychoeducation in First-Episode Psychosis: A Therapeutic Process. Psychiatry (New York), 1995, 58, 313-328.	0.7	84
214	Comparing correlated kappas by resampling: Is one level of agreement significantly different from another?. Journal of Psychiatric Research, 1996, 30, 483-492.	3.1	83
215	Can we predict the onset of first-episode psychosis in a high-risk group?. International Clinical Psychopharmacology, 1998, 13, S23-S30.	1.7	82
216	Prediction of psychosis: setting the stage. British Journal of Psychiatry, 2007, 191, s1-s8.	2.8	82

#	Article	IF	Citations
217	Responding to challenges for people with psychotic illness: Updated evidence from the Survey of High Impact Psychosis. Australian and New Zealand Journal of Psychiatry, 2017, 51, 124-140.	2.3	81
218	Back to the Future. Archives of General Psychiatry, 2008, 65, 25.	12.3	80
219	Anterior cingulate volume in adolescents with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2009, 172, 155-160.	1.8	80
220	A Clinical Staging Model for Early Intervention Youth Mental Health Services. Psychiatric Services, 2014, 65, 939-943.	2.0	80
221	A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients. Journal of Clinical Psychiatry, 2009, 70, 477-486.	2.2	80
222	Pretreatment and outcome correlates of past sexual and physical trauma in 118 bipolar I disorder patients with a first episode of psychotic mania. Bipolar Disorders, 2010, 12, 244-252.	1.9	79
223	Web-Based Mindfulness Interventions for Mental Health Treatment: Systematic Review and Meta-Analysis. JMIR Mental Health, 2018, 5, e10278.	3.3	79
224	Identification of young people at risk of psychosis: validation of Personal Assessment and Crisis Evaluation Clinic intake criteria. Australian and New Zealand Journal of Psychiatry, 2000, 34, S164-S169.	2.3	78
225	PACE: a specialised service for young people at risk of psychotic disorders. Medical Journal of Australia, 2007, 187, S43-6.	1.7	78
226	Omega-6 to omega-3 polyunsaturated fatty acid ratio and subsequent mood disorders in young people with at-risk mental states: a 7-year longitudinal study. Translational Psychiatry, 2017, 7, e1220-e1220.	4.8	78
227	Early-onset of symptoms predicts conversion to non-affective psychosis in ultra-high risk individuals. Schizophrenia Research, 2006, 84, 67-76.	2.0	77
228	Belief in dealing with depression alone: Results from community surveys of adolescents and adults. Journal of Affective Disorders, 2006, 96, 59-65.	4.1	77
229	Morphology of the corpus callosum at different stages of schizophrenia: Cross-sectional study in first-episode and chronic illness. British Journal of Psychiatry, 2008, 192, 429-434.	2.8	77
230	Creating headspace for integrated youth mental health care. World Psychiatry, 2019, 18, 140-141.	10.4	77
231	Analysis of the initial treatment phase in first-episode psychosis. British Journal of Psychiatry, 1998, 172, 71-76.	2.8	76
232	Broad clinical highâ€risk mental state (CHARMS): Methodology of a cohort study validating criteria for pluripotent risk. Microbial Biotechnology, 2019, 13, 379-386.	1.7	76
233	Corpus callosum shape alterations in individuals prior to the onset of psychosis. Schizophrenia Research, 2008, 103, 1-10.	2.0	7 5
234	Neuroprotection after a first episode of mania: a randomized controlled maintenance trial comparing the effects of lithium and quetiapine on grey and white matter volume. Translational Psychiatry, 2017, 7, e1011-e1011.	4.8	75

#	Article	IF	Citations
235	Prepsychotic phase of schizophrenia and related disorders: recent progress and future opportunities. British Journal of Psychiatry, 2005, 187, s33-s44.	2.8	74
236	Hippocampal and anterior cingulate morphology in subjects at ultra-high-risk for psychosis: the role of family history of psychotic illness. Schizophrenia Research, 2005, 75, 295-301.	2.0	74
237	Course of substance misuse and daily tobacco use in first-episode psychosis. Schizophrenia Research, 2006, 81, 145-150.	2.0	74
238	The prevention of schizophrenia. International Review of Psychiatry, 2007, 19, 633-646.	2.8	74
239	Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis: Study Design and Baseline Characteristics. Australian and New Zealand Journal of Psychiatry, 2009, 43, 818-829.	2.3	74
240	Prevalence and Predictors of Suicide Attempt in an Incidence Cohort of 661 Young People with First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2009, 43, 149-157.	2.3	74
241	Early intervention in psychosis: keeping faith with evidence-based health care. Psychological Medicine, 2010, 40, 399-404.	4.5	74
242	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. JAMA Psychiatry, 2021, 78, 753.	11.0	74
243	Preventing severe mental illnesses â€" new prospects and ethical challenges. Schizophrenia Research, 2001, 51, 3-15.	2.0	7 3
244	Sustained attention in young people at high risk of psychosis does not predict transition to psychosis. Schizophrenia Research, 2005, 79, 127-136.	2.0	73
245	Early intervention for depression in young people: a blind spot in mental health care. Lancet Psychiatry,the, 2019, 6, 267-272.	7.4	72
246	Depressive symptoms in first episode schizophrenia spectrum disorder. Schizophrenia Research, 2012, 134, 20-26.	2.0	71
247	Early Intervention—An Implementation Challenge for 21st Century Mental Health Care. JAMA Psychiatry, 2018, 75, 545.	11.0	71
248	Rationale and First Results of Developing At-Risk (Prodromal) Criteria for Bipolar Disorder. Current Pharmaceutical Design, 2012, 18, 358-375.	1.9	70
249	The services provided to young people through the headspace centres across Australia. Medical Journal of Australia, 2015, 202, 533-536.	1.7	70
250	PET imaging of putative microglial activation in individuals at ultra-high risk for psychosis, recently diagnosed and chronically ill with schizophrenia. Translational Psychiatry, 2017, 7, e1225-e1225.	4.8	70
251	Preventative Mental Health Care: Accessing the Target Population. Australian and New Zealand Journal of Psychiatry, 1999, 33, 912-917.	2.3	69
252	The initial prodrome to bipolar affective disorder: prospective case studies. Journal of Affective Disorders, 2003, 77, 79-85.	4.1	68

#	Article	IF	Citations
253	Early intervention in bipolar disorders: opportunities and pitfalls. Medical Journal of Australia, 2007, 187, S11-4.	1.7	68
254	Clinical classification in mental health at the cross-roads: which direction next?. BMC Medicine, 2013, 11, 125.	5.5	68
255	Overview of Violence to Self and Others During the First Episode of Psychosis. Journal of Clinical Psychiatry, 2012, 73, e580-e587.	2.2	68
256	From neuroprogression to neuroprotection: implications for clinical care. Medical Journal of Australia, 2010, 193, S36-40.	1.7	68
257	Identification of Young People at Risk of Psychosis: Validation of Personal Assessment and Crisis Evaluation Clinic Intake Criteria. Australian and New Zealand Journal of Psychiatry, 2000, 34, A164-A169.	2.3	67
258	Recovery style and outcome in first-episode psychosis. Schizophrenia Research, 2003, 62, 31-36.	2.0	67
259	A cross-sectional exploration of the clinical characteristics of disengaged (NEET) young people in primary mental healthcare. BMJ Open, 2014, 4, e006378.	1.9	67
260	Beyond Clinical Remission in First Episode Psychosis: Thoughts on Antipsychotic Maintenance vs. Guided Discontinuation in the Functional Recovery Era. CNS Drugs, 2016, 30, 357-368.	5.9	67
261	Multidiagnostic evaluation of prolactin response to haloperidol challenge in schizophrenia: Maximal blunting in Kraepelinian patients. Biological Psychiatry, 1992, 32, 426-437.	1.3	66
262	The PACE Clinic: Identification and Management of Young People at "Ultra―High Risk of Psychosis. Journal of Psychiatric Practice, 2002, 8, 255-269.	0.7	66
263	Determinants of Duration of Untreated Psychosis and the Pathway to Care in Singapore. International Journal of Social Psychiatry, 2005, 51, 55-62.	3.1	66
264	Antibodies to Infectious Agents in Individuals at Ultra-High Risk for Psychosis. Biological Psychiatry, 2007, 61, 1215-1217.	1.3	66
265	Defining, operationalizing and measuring the duration of untreated psychosis: advances, limitations and future directions. Microbial Biotechnology, 2007, 1, 236-250.	1.7	66
266	Characterisation of the prodrome to a first episode of psychotic mania: Results of a retrospective study. Journal of Affective Disorders, 2010, 124, 341-345.	4.1	66
267	Prevalence and impact of cannabis use disorders in adolescents with early onset first episode psychosis. European Psychiatry, 2012, 27, 463-469.	0.2	66
268	Lithium suppression of tau induces brain iron accumulation and neurodegeneration. Molecular Psychiatry, 2017, 22, 396-406.	7.9	66
269	"A stitch in time"… the scope for preventive strategies in early psychosis. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 22-31.	3.2	65
270	Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. Schizophrenia Research, 2011, 125, 236-246.	2.0	65

#	Article	IF	Citations
271	Early Clinical Phenotypes, Clinical Staging, and Strategic Biomarker Research: Building Blocks for Personalized Psychiatry. Biological Psychiatry, 2013, 74, 394-395.	1.3	65
272	HORYZONS trial: protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first-episode psychosis services. BMJ Open, 2019, 9, e024104.	1.9	65
273	Individual placement and support for vocational recovery in first-episode psychosis: randomised controlled trial. British Journal of Psychiatry, 2019, 214, 76-82.	2.8	65
274	The development, use, and reliability of the Brief Psychiatric Rating Scale (Nursing Modification)—An assessment procedure for the nursing team in clinical and research settings. Comprehensive Psychiatry, 1988, 29, 575-587.	3.1	64
275	Can we improve the diagnostic efficiency and predictive power of prodromal symptoms for schizophrenia?. Schizophrenia Research, 2000, 42, 91-100.	2.0	64
276	Incidental radiological findings on brain magnetic resonance imaging in first-episode psychosis and chronic schizophrenia. Acta Psychiatrica Scandinavica, 2002, 106, 331-336.	4.5	64
277	Morphology of the paracingulate sulcus and executive cognition in schizophrenia. Schizophrenia Research, 2006, 88, 192-197.	2.0	64
278	Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. Schizophrenia Research, 2009, 112, 104-113.	2.0	64
279	Public health significance of bipolar disorder: implications for early intervention and prevention. Bipolar Disorders, 2014, 16, 548-556.	1.9	64
280	Prevalence, Predictors, and Consequences of Long-Term Refusal of Antipsychotic Treatment in First-Episode Psychosis. Journal of Clinical Psychopharmacology, 2010, 30, 565-572.	1.4	63
281	Declining transition rates to psychosis: the contribution of potential changes in referral pathways to an ultra–highâ€risk service. Microbial Biotechnology, 2015, 9, 200-206.	1.7	63
282	The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): a randomised, double-blind, placebo-controlled, multicentre clinical trial. Lancet Psychiatry,the, 2019, 6, 735-744.	7.4	63
283	Incipient neurovulnerability and neuroprotection in early psychosis. Psychopharmacology Bulletin, 2003, 37, 79-101.	0.0	63
284	Spurious precision: procedural validity of diagnostic assessment in psychotic disorders. American Journal of Psychiatry, 1995, 152, 220-223.	7.2	62
285	The Horyzons project: a randomized controlled trial of a novel online social therapy to maintain treatment effects from specialist firstâ€episode psychosis services. World Psychiatry, 2021, 20, 233-243.	10.4	62
286	Cognitively oriented psychotherapy for early psychosis (COPE): A 1-year follow-up. British Journal of Clinical Psychology, 2001, 40, 57-70.	3.5	61
287	Implications of lipid biology for the pathogenesis of schizophrenia. Australian and New Zealand Journal of Psychiatry, 2002, 36, 355-366.	2.3	61
288	Internet-Based Interventions for Psychosis. Psychiatric Clinics of North America, 2012, 35, 735-747.	1.3	61

#	Article	IF	Citations
289	Family Outcomes From a Randomized Control Trial of Relapse Prevention Therapy in First-Episode Psychosis. Journal of Clinical Psychiatry, 2010, 71, 475-483.	2.2	61
290	Early intervention in first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 711-719.	3.1	60
291	Global research priorities for youth mental health. Microbial Biotechnology, 2020, 14, 3-13.	1.7	60
292	Early intervention in psychosis: a new evidence based paradigm. Epidemiology and Psychiatric Sciences, 2002, 11, 237-247.	3.9	59
293	Cognitive decline following psychosis onset. British Journal of Psychiatry, 2007, 191, s52-s57.	2.8	59
294	Anterior cingulate cortex abnormalities associated with a first psychotic episode in bipolar disorder. British Journal of Psychiatry, 2009, 194, 426-433.	2.8	59
295	The reliability and validity of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in first-episode psychosis. Addictive Behaviors, 2009, 34, 821-825.	3.0	59
296	Cortisol and dehydroepiandrosterone-sulphate levels correlate with symptom severity in first-episode psychosis. Journal of Psychiatric Research, 2011, 45, 249-255.	3.1	59
297	Antipsychotic Medication During the Critical Period Following Remission From First-Episode Psychosis. JAMA Psychiatry, 2013, 70, 898.	11.0	59
298	Differential effect of quetiapine and lithium on functional connectivity of the striatum in first episode mania. Translational Psychiatry, 2018, 8, 59.	4.8	59
299	Omega-3 fatty acid supplementation changes intracellular phospholipase A2 activity and membrane fatty acid profiles in individuals at ultra-high risk for psychosis. Molecular Psychiatry, 2014, 19, 317-324.	7.9	58
300	Using clinical information to make individualized prognostic predictions in people at ultra high risk for psychosis. Schizophrenia Research, 2017, 184, 32-38.	2.0	58
301	Is Pre-Psychotic Intervention Realistic in Schizophrenia and Related Disorders?. Australian and New Zealand Journal of Psychiatry, 1997, 31, 799-805.	2.3	57
302	Psychotic symptoms with sexual content in the "ultra high risk―for psychosis population: Frequency and association with sexual trauma. Psychiatry Research, 2010, 177, 84-91.	3.3	57
303	Facial and vocal affect perception in people at ultraâ€high risk of psychosis, firstâ€episode schizophrenia and healthy controls. Microbial Biotechnology, 2012, 6, 450-454.	1.7	57
304	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. JAMA Psychiatry, 2021, 78, 77.	11.0	57
305	Early processing deficits in object working memory in first-episode schizophreniform psychosis and established schizophrenia. Psychological Medicine, 2005, 35, 1053-1062.	4.5	56
306	Prediction of Functional Outcome 18 Months After a First Psychotic Episode. Archives of General Psychiatry, 2006, 63, 969.	12.3	56

#	Article	IF	CITATIONS
307	Superior temporal gyrus volume in antipsychotic-naive people at risk of psychosis. British Journal of Psychiatry, 2010, 196, 206-211.	2.8	56
308	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studiesâ€"PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. Schizophrenia Bulletin, 2020, 46, 432-441.	4.3	56
309	A Novel Multimodal Digital Service (Moderated Online Social Therapy+) for Help-Seeking Young People Experiencing Mental III-Health: Pilot Evaluation Within a National Youth E-Mental Health Service. Journal of Medical Internet Research, 2020, 22, e17155.	4.3	56
310	Quality of life in patients who have remitted from their first episode of psychosis. Schizophrenia Research, 2010, 121, 259-265.	2.0	55
311	Childhood trauma increases the risk of post-traumatic stress disorder in response to first-episode psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 35-39.	2.3	55
312	Omega-3 Fatty Acid Supplementation in Adolescents with Borderline Personality Disorder and Ultra-High Risk Criteria for Psychosis: A Post Hoc Subgroup Analysis of a Double—Blind, Randomized Controlled Trial. Canadian Journal of Psychiatry, 2013, 58, 402-408.	1.9	55
313	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the <scp>T</scp> ransitions <scp>S</scp> tudy. Microbial Biotechnology, 2015, 9, 487-497.	1.7	55
314	NEURAPROâ€E study protocol: a multicentre randomized controlled trial of omegaâ€3 fatty acids and cognitiveâ€behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. Microbial Biotechnology, 2017, 11, 418-428.	1.7	55
315	The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. Schizophrenia Bulletin, 2017, 43, 843-851.	4.3	55
316	At-risk studies and clinical antecedents of psychosis, bipolar disorder and depression: a scoping review in the context of clinical staging. Psychological Medicine, 2019, 49, 177-189.	4.5	55
317	Reduced awareness of illness in first-episode psychosis. Comprehensive Psychiatry, 2001, 42, 498-503.	3.1	54
318	Summary Australian and New Zealand Clinical Practice Guideline for the Treatment of Schizophrenia 2003. Australasian Psychiatry, 2003, 11, 136-147.	0.7	54
319	An MRI study of pituitary volume and parasuicidal behavior in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2008, 162, 273-277.	1.8	54
320	Differential predictors of critical comments and emotional over-involvement in first-episode psychosis. Psychological Medicine, 2010, 40, 63-72.	4.5	54
321	Neuroprotective Effects of Low-dose Lithium in Individuals at Ultra-high Risk for Psychosis. A Longitudinal MRI/MRS Study. Current Pharmaceutical Design, 2012, 18, 570-575.	1.9	54
322	The effectiveness of simple psychological and physical activity interventions for high prevalence mental health problems in young people: A factorial randomised controlled trial. Journal of Affective Disorders, 2016, 196, 200-209.	4.1	54
323	Clinical trajectories in the ultra-high risk for psychosis population. Schizophrenia Research, 2018, 197, 550-556.	2.0	54
324	Impact of Severity of Substance Use Disorder on Symptomatic and Functional Outcome in Young Individuals With First-Episode Psychosis. Journal of Clinical Psychiatry, 2007, 68, 767-774.	2.2	54

#	Article	IF	Citations
325	Corpus callosum size and shape in first-episode affective and schizophrenia-spectrum psychosis. Psychiatry Research - Neuroimaging, 2009, 173, 77-82.	1.8	53
326	Divergent effects of first-generation and second-generation antipsychotics on cortical thickness in first-episode psychosis. Psychological Medicine, 2015, 45, 515-527.	4.5	53
327	Quetiapine <i>v.</i> lithium in the maintenance phase following a first episode of mania: Randomised controlled trial. British Journal of Psychiatry, 2017, 210, 413-421.	2.8	53
328	The Pace Clinic: Development of a Clinical Service for Young People at High Risk of Psychosis. Australasian Psychiatry, 1995, 3, 345-349.	0.7	52
329	Neurobiological findings in early phase schizophrenia. Brain Research Reviews, 2000, 31, 157-165.	9.0	52
330	A 1H-MRS investigation of the medial temporal lobe in antipsychotic-na \tilde{A} -ve and early-treated first episode psychosis. Schizophrenia Research, 2008, 102, 163-170.	2.0	52
331	A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients: Outcome at 30-Month Follow-Up. Schizophrenia Bulletin, 2013, 39, 436-448.	4.3	52
332	Structural neuroimaging across early-stage psychosis: Aberrations in neurobiological trajectories and implications for the staging model. Australian and New Zealand Journal of Psychiatry, 2017, 51, 455-476.	2.3	52
333	Staged Treatment in Early Psychosis: A sequential multiple assignment randomised trial of interventions for ultra high risk of psychosis patients. Microbial Biotechnology, 2018, 12, 292-306.	1.7	52
334	Preventive interventions for individuals at ultra high risk for psychosis: An updated and extended meta-analysis. Clinical Psychology Review, 2021, 86, 102005.	11.4	52
335	Early intervention in psychotic disorders: beyond debate to solving problems. British Journal of Psychiatry, 2005, 187, s108-s110.	2.8	51
336	Increased access to evidenceâ€based primary mental health care: will the implementation match the rhetoric?. Medical Journal of Australia, 2007, 187, 100-103.	1.7	51
337	Safety and Privacy Outcomes From a Moderated Online Social Therapy for Young People With First-Episode Psychosis. Psychiatric Services, 2014, 65, 546-550.	2.0	51
338	Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. Schizophrenia Research, 2014, 153, 25-31.	2.0	51
339	Delayed sleep onset in depressed young people. BMC Psychiatry, 2014, 14, 33.	2.6	51
340	Childhood maltreatment and transition to psychotic disorder independently predict long-term functioning in young people at ultra-high risk for psychosis. Psychological Medicine, 2015, 45, 3453-3465.	4.5	51
341	Prediction of transition from ultra-high risk to first-episode psychosis using a probabilistic model combining history, clinical assessment and fatty-acid biomarkers. Translational Psychiatry, 2016, 6, e897-e897.	4.8	51
342	Clinical and demographic predictors of continuing remission or relapse following discontinuation of antipsychotic medication after a first episode of psychosis. A systematic review. Schizophrenia Research, 2018, 197, 9-18.	2.0	51

#	Article	IF	Citations
343	The neurophenomenology of early psychosis: An integrative empirical study. Consciousness and Cognition, 2020, 77, 102845.	1.5	51
344	A controlled trial of cognitively oriented psychotherapy for early psychosis (COPE) with four-year follow-up readmission data. Psychological Medicine, 2005, 35, 1295-1306.	4.5	50
345	Monitoring the Safe Use of Clozapine. CNS Drugs, 2007, 21, 117-127.	5.9	50
346	Investigating the effectiveness, safety and tolerability of quetiapine in the treatment of anorexia nervosa in young people: A pilot study. Journal of Psychiatric Research, 2010, 44, 1027-1034.	3.1	50
347	Palliative models of care for later stages of mental disorder: maximizing recovery, maintaining hope, and building morale. Australian and New Zealand Journal of Psychiatry, 2012, 46, 92-99.	2.3	50
348	Sources of clinical distress in young people at ultra high risk of psychosis. Schizophrenia Research, 2015, 165, 15-21.	2.0	50
349	Investigation of peripheral complement factors across stages of psychosis. Schizophrenia Research, 2019, 204, 30-37.	2.0	50
350	Preliminary psychometric validation of a brief screening tool for athlete mental health among male elite athletes: the Athlete Psychological Strain Questionnaire. International Journal of Sport and Exercise Psychology, 2020, 18, 850-865.	2.1	50
351	The Influence of Illness Duration on Syndrome Clarity and Stability in Functional Psychosis: Does the Diagnosis Emerge and Stabilise with Time?. Australian and New Zealand Journal of Psychiatry, 1994, 28, 607-619.	2.3	49
352	Potential use of the topical niacin skin test in early psychosisâ€"a combined approach using optical reflection spectroscopy and a descriptive rating scale. Journal of Psychiatric Research, 2003, 37, 237-247.	3.1	49
353	Clinical Neuropsychology Within Adolescent and Young-Adult Psychiatry: Conceptualizing Theory and Practice. Applied Neuropsychology: Child, 2013, 2, 47-63.	1.4	49
354	White matter connectivity disruptions in early and chronic schizophrenia. Psychological Medicine, 2017, 47, 2797-2810.	4.5	49
355	Rates and predictors of relapse following discontinuation of antipsychotic medication after a first episode of psychosis. Schizophrenia Research, 2018, 195, 231-236.	2.0	49
356	Youth Depression Alleviation with Anti-inflammatory Agents (YoDA-A): a randomised clinical trial of rosuvastatin and aspirin. BMC Medicine, 2020, 18, 16.	5.5	49
357	Recent approaches to psychological interventions for people at risk of psychosis. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 159-173.	3.2	48
358	Towards a new paradigm of care: the International Declaration on Youth Mental Health. Microbial Biotechnology, 2013, 7, 103-108.	1.7	48
359	The next stage for diagnosis: validity through utility. World Psychiatry, 2013, 12, 213-215.	10.4	48
360	Predictors of treatment response in young people at ultra-high risk for psychosis who received long-chain omega-3 fatty acids. Translational Psychiatry, 2015, 5, e495-e495.	4.8	48

#	Article	IF	CITATIONS
361	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. Biological Psychiatry, 2020, 87, 243-252.	1.3	48
362	Neuroharmony: A new tool for harmonizing volumetric MRI data from unseen scanners. NeuroImage, 2020, 220, 117127.	4.2	48
363	The reliability of DSMâ€III prodromal symptoms in firstâ€episode psychotic patients. Acta Psychiatrica Scandinavica, 1994, 90, 375-378.	4.5	47
364	Prediction and prevention of transition to psychosis in young people at incipient risk for schizophrenia. American Journal of Medical Genetics Part A, 2002, 114, 929-937.	2.4	47
365	Agreeableness and Neuroticism as Predictors of Relapse After First-Episode Psychosis. Journal of Nervous and Mental Disease, 2005, 193, 160-169.	1.0	47
366	In vivo evidence for early neurodevelopmental anomaly of the anterior cingulate cortex in bipolar disorder. Acta Psychiatrica Scandinavica, 2007, 116, 467-472.	4.5	47
367	HPA axis functioning associated with transition to psychosis: Combined DEX/CRH test. Journal of Psychiatric Research, 2007, 41, 446-450.	3.1	47
368	Does disturbance of self underlie social cognition deficits in schizophrenia and other psychotic disorders?. Microbial Biotechnology, 2009, 3, 83-93.	1.7	47
369	Can receipt of a regular postcard reduce suicideâ€related behaviour in young help seekers? A randomized controlled trial. Microbial Biotechnology, 2012, 6, 145-152.	1.7	47
370	Prevention, innovation and implementation science in mental health: the next wave of reform. British Journal of Psychiatry, 2013, 202, s3-s4.	2.8	47
371	Clinical staging for mental disorders: a new development in diagnostic practice in mental health. Medical Journal of Australia, 2013, 198, 461-462.	1.7	47
372	Further examination of the reducing transition rate in ultra high risk for psychosis samples: The possible role of earlier intervention. Schizophrenia Research, 2016, 174, 43-49.	2.0	47
373	Relationship between expressed emotion and family burden in psychotic disorders: an exploratory study. Acta Psychiatrica Scandinavica, 1990, 82, 243-249.	4.5	46
374	Patterns and Predictors of Substance use Disorders and Daily Tobacco use in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2005, 39, 892-898.	2.3	46
375	Impact of a specialized early psychosis treatment programme on suicide. Retrospective cohort study. Microbial Biotechnology, 2008, 2, 11-21.	1.7	46
376	Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. Schizophrenia Research, 2008, 105, 236-244.	2.0	46
377	Cannabis use disorder and age at onset of psychosis — A study in first-episode patients. Schizophrenia Research, 2011, 129, 52-56.	2.0	46
378	Amygdala and insula volumes prior to illness onset in bipolar disorder: A magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2012, 201, 34-39.	1.8	46

#	Article	IF	CITATIONS
379	At the heart of an early psychosis centre: the core components of the 2014 Early Psychosis Prevention and Intervention Centre model for Australian communities. Australasian Psychiatry, 2014, 22, 228-234.	0.7	46
380	Discrete Alterations of Brain Network Structural Covariance in Individuals at Ultra-High Risk for Psychosis. Biological Psychiatry, 2015, 77, 989-996.	1.3	46
381	The case for improved care and provision of treatment for people with first-episode mania. Lancet Psychiatry,the, 2019, 6, 869-876.	7.4	46
382	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. Schizophrenia Research, 2019, 206, 67-74.	2.0	46
383	Psychiatric comorbidity in first episode psychosis: the Early Psychosis Intervention Program (EPIP) experience. Acta Psychiatrica Scandinavica, 2004, 109, 23-29.	4.5	45
384	â€Every Me and Every You': Responding to the Hidden Challenge of Mental Illness in Australia. Australasian Psychiatry, 2005, 13, 3-15.	0.7	45
385	Neuroprotection in emerging psychotic disorders. Microbial Biotechnology, 2007, 1, 114-127.	1.7	45
386	Testing a Model of the Relationship Between Childhood Sexual Abuse and Psychosis in a First-Episode Psychosis Group. Journal of Nervous and Mental Disease, 2013, 201, 941-947.	1.0	45
387	Forgotten family members: the importance of siblings in early psychosis. Microbial Biotechnology, 2014, 8, 269-275.	1.7	45
388	Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. Schizophrenia Bulletin Open, 2020, 1 , .	1.7	45
389	Does Screening High School Students for Psychological Distress, Deliberate Self-Harm, or Suicidal Ideation Cause Distress – And Is It Acceptable?. Crisis, 2011, 32, 254-263.	1.2	45
390	Prevention and early intervention for borderline personality disorder. Medical Journal of Australia, 2007, 187, S18-21.	1.7	44
391	A randomized controlled trial of vocational intervention for young people with firstâ€episode psychosis: method. Microbial Biotechnology, 2013, 7, 329-337.	1.7	44
392	Depression and suicide among medical practitioners in Australia. Internal Medicine Journal, 2018, 48, 254-258.	0.8	44
393	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. Neuropsychopharmacology, 2021, 46, 1494-1501.	5.4	44
394	Pharmacotherapy of first-episode psychosis. Expert Opinion on Pharmacotherapy, 2003, 4, 717-750.	1.8	43
395	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. Psychological Medicine, 2014, 44, 489-498.	4.5	43
396	Architecture of change: rethinking child and adolescent mental health. Lancet Psychiatry, the, 2017, 4, 656-658.	7.4	43

#	Article	IF	CITATIONS
397	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. Neurolmage, 2017, 145, 246-253.	4.2	43
398	Early Psychosis Prevention and Intervention Centre long-term follow-up study of first-episode psychosis: methodology and baseline characteristics. Microbial Biotechnology, 2007, 1, 49-60.	1.7	42
399	Predictors of Adherence to Cognitive-Behavioural Therapy in First-Episode Psychosis. Canadian Journal of Psychiatry, 2009, 54, 710-718.	1.9	42
400	Detection and treatment of at-risk mental state for developing a first psychosis: making up the balance. Lancet Psychiatry,the, 2015, 2, 825-834.	7.4	42
401	Baseline grey matter volume of non-transitioned "ultra high risk―for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. Schizophrenia Research, 2016, 173, 152-158.	2.0	42
402	A Systematic Review and Synthesis of Trauma-Informed Care Within Outpatient and Counseling Health Settings for Young People. Child Maltreatment, 2021, 26, 313-324.	3.3	42
403	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. Biological Psychiatry, 2021, 89, 288-297.	1.3	42
404	Rehab Rounds: A Service Response to Prolonged Recovery in Early Psychosis. Psychiatric Services, 2002, 53, 1067-1069.	2.0	41
405	Caudate nucleus volume in individuals at ultra-high risk of psychosis: A cross-sectional magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2010, 182, 223-230.	1.8	41
406	Neurocognitive functioning in the prodrome of maniaâ€"an exploratory study. Journal of Affective Disorders, 2013, 147, 441-445.	4.1	41
407	Perceptions of clinicians treating young people with firstâ€episode psychosis for postâ€traumatic stress disorder. Microbial Biotechnology, 2015, 9, 12-20.	1.7	41
408	Cannabis-induced attenuated psychotic symptoms: implications for prognosis in young people at ultra-high risk for psychosis. Psychological Medicine, 2017, 47, 616-626.	4.5	41
409	Substance use in youth at risk for psychosis. Schizophrenia Research, 2017, 181, 23-29.	2.0	41
410	Early Intervention in Psychosis in Young People: A Population and Public Health Perspective. American Journal of Public Health, 2019, 109, S181-S184.	2.7	41
411	Leveraging the social network for treatment of social anxiety: Pilot study of a youth-specific digital intervention with a focus on engagement of young men. Internet Interventions, 2020, 20, 100323.	2.7	41
412	Early Psychosis Prevention and Intervention: Evolution of a Comprehensive Community-Based Specialised Service. Behaviour Change, 1994, 11, 223-233.	1.3	40
413	Funding for mental health research: the gap remains. Medical Journal of Australia, 2011, 195, 681-684.	1.7	40
414	Update on Omega-3 Polyunsaturated Fatty Acids in Early-Stage Psychotic Disorders. Neuropsychopharmacology, 2012, 37, 309-310.	5.4	40

#	Article	IF	Citations
415	Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. Schizophrenia Research, 2014, 154, 93-99.	2.0	40
416	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. JAMA Psychiatry, 2021, 78, 994.	11.0	40
417	Schneiderian first rank symptoms predict poor outcome within first episode manic psychosis. Journal of Affective Disorders, 2004, 81, 259-268.	4.1	39
418	Sulcogyral patterns and morphological abnormalities of the orbitofrontal cortex in psychosis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 44, 168-177.	4.8	39
419	Persistent negative symptoms in individuals at Ultra High Risk for psychosis. Schizophrenia Research, 2019, 206, 355-361.	2.0	39
420	Exciting career opportunity beckons! Early intervention and vocational rehabilitation in first-episode psychosis: employing cautious optimism. Australian and New Zealand Journal of Psychiatry, 2006, 40, 951-962.	2.3	39
421	Early detection and treatment delay: implications for outcome in early psychosis. Current Opinion in Psychiatry, 2000, 13, 37-43.	6.3	38
422	Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 429-436.	2.3	38
423	headspace: National Youth Mental Health Foundation: Making headway with rural young people and their mental health. Australian Journal of Rural Health, 2007, 15, 77-80.	1.5	38
424	Predictors of vocational recovery among young people with first-episode psychosis: Findings from a randomized controlled trial Psychiatric Rehabilitation Journal, 2012, 35, 421-427.	1.1	38
425	White matter integrity in individuals at ultra-high risk for psychosis: a systematic review and discussion of the role of polyunsaturated fatty acids. BMC Psychiatry, 2016, 16, 287.	2.6	38
426	Pharmacological Treatment in the Early Phase of Bipolar Disorders: What Stage are we at?. Australian and New Zealand Journal of Psychiatry, 2006, 40, 199-207.	2.3	37
427	The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. Behavioural and Cognitive Psychotherapy, 2006, 34, 277-291.	1.2	37
428	Adjunctive Taurine in First-Episode Psychosis. Journal of Clinical Psychiatry, 2016, 77, e1610-e1617.	2.2	37
429	The staging model in schizophrenia, and its clinical implications. Psychiatria Danubina, 2010, 22, 211-20.	0.4	37
430	Early Psychosis Prevention and Intervention Centre. Australasian Psychiatry, 1993, 1, 32-34.	0.7	36
431	Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. Schizophrenia Research, 2011, 132, 125-130.	2.0	36
432	Ultra-high-risk paradigm: lessons learnt and new directions. Evidence-Based Mental Health, 2018, 21, 131-133.	4.5	36

#	Article	IF	Citations
433	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. Lancet Psychiatry, the, 2022, 9, 413-422.	7.4	36
434	Current concepts in functional psychosis. Schizophrenia Research, 1990, 3, 221-234.	2.0	35
435	Comparison of Olanzapine and Risperidone in 367 First-Episode Patients with Non-Affective or Affective Psychosis: Results of an Open Retrospective Medical Record Study. Pharmacopsychiatry, 2005, 38, 206-213.	3.3	35
436	Early Clinical Phenotypes and Risk for Serious Mental Disorders in Young People: Need for Care Precedes Traditional Diagnoses in Mood and Psychotic Disorders. Canadian Journal of Psychiatry, 2013, 58, 19-21.	1.9	35
437	Cognitive intervention in early psychosis â€" preserving abilities versus remediating deficits. Current Opinion in Behavioral Sciences, 2015, 4, 63-72.	3.9	35
438	Depressed mood as a risk factor for unprotected sex in young people. Australasian Psychiatry, 2006, 14, 310-312.	0.7	34
439	Cost implications of specific and nonâ€specific treatment for young persons at ultra high risk of developing a first episode of psychosis. Microbial Biotechnology, 2009, 3, 28-34.	1.7	34
440	Diagnostic specificity of the insular cortex abnormalities in first-episode psychotic disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 651-657.	4.8	34
441	Psychological needs of adolescents in the early phase of bipolar disorder: implications for early intervention. Microbial Biotechnology, 2011, 5, 100-107.	1.7	34
442	Can a targeted psychological intervention be effective for young people following a first manic episode? Results from an 18â€month pilot study. Microbial Biotechnology, 2012, 6, 380-388.	1.7	34
443	Childhood trauma and psychosis: new perspectives on aetiology and treatment. Microbial Biotechnology, 2013, 7, 1-4.	1.7	34
444	Differential expression of the inflammation marker IL12p40 in the at-risk mental state for psychosis: a predictor of transition to psychotic disorder?. BMC Psychiatry, 2016, 16, 326.	2.6	34
445	A next-generation social media-based relapse prevention intervention for youth depression: Qualitative data on user experience outcomes for social networking, safety, and clinical benefit. Internet Interventions, 2017, 9, 65-73.	2.7	34
446	The recognition and optimal management of early psychosis: an evidence-based reform. World Psychiatry, 2002, 1, 76-83.	10.4	34
447	Psychological Sequelae of Torture and Trauma in Chilean and Salvadorean Migrants: A Pilot Study. Australian and New Zealand Journal of Psychiatry, 1995, 29, 84-95.	2.3	33
448	The feasibility and effectiveness of early intervention in psychotic disorders. International Clinical Psychopharmacology, 1998, 13, S47-S52.	1.7	33
449	Enhanced cortisol suppression following administration of low-dose dexamethasone in first-episode psychosis patients. Australian and New Zealand Journal of Psychiatry, 2013, 47, 363-370.	2.3	33
450	Prospective progression from high-prevalence disorders to bipolar disorder: Exploring characteristics of pre-illness stages. Journal of Affective Disorders, 2015, 183, 45-48.	4.1	33

#	Article	IF	CITATIONS
451	Youth mental ill health and secondary school completion in Australia: time to act. Microbial Biotechnology, 2017, 11, 277-289.	1.7	33
452	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. Australian and New Zealand Journal of Psychiatry, 2000, 34, S113-S126.	2.3	32
453	Early warning signs of relapse following a first episode of psychosis. Schizophrenia Research, 2005, 80, 107-111.	2.0	32
454	Physical comorbidity, insight, quality of life and global functioning in first episode schizophrenia: A 24-month, longitudinal outcome study. Schizophrenia Research, 2006, 88, 82-89.	2.0	32
455	Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1708-1714.	4.8	32
456	Pituitary volume and early treatment response in drug-na \tilde{A} -ve first-episode psychosis patients. Schizophrenia Research, 2009, 113, 65-71.	2.0	32
457	Promoting Physical Health In Youth Mental Health Services: Ensuring Routine Monitoring of Weight and Metabolic Indices in a First Episode Psychosis Clinic. Australasian Psychiatry, 2010, 18, 451-455.	0.7	32
458	<scp>T</scp> ransitions <scp>S</scp> tudy of predictors of illness progression in young people with mental ill health: study methodology. Microbial Biotechnology, 2015, 9, 38-47.	1.7	32
459	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. Australian and New Zealand Journal of Psychiatry, 2000, 34, S113-S126.	2.3	31
460	Effect of omega-3 fatty acids for indicated prevention of young patients at risk for psychosis: When do they begin to be effective?. Schizophrenia Research, 2013, 148, 163-167.	2.0	31
461	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. Translational Psychiatry, 2013, 3, e251-e251.	4.8	31
462	Early psychosis research at Orygen, The National Centre of Excellence in Youth Mental Health. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1-13.	3.1	31
463	Impaired mismatch negativity to frequency deviants in individuals at ultra-high risk for psychosis, and preliminary evidence for further impairment with transition to psychosis. Schizophrenia Research, 2018, 191, 95-100.	2.0	31
464	Elevated ubiquitinated proteins in brain and blood of individuals with schizophrenia. Scientific Reports, 2019, 9, 2307.	3.3	31
465	Is early intervention in the major psychiatric disorders justified? Yes. BMJ: British Medical Journal, 2008, 337, a695-a695.	2.3	31
466	The influence of gender on the classification of psychotic disorders — a multidiagnostic approach. Acta Psychiatrica Scandinavica, 1990, 82, 8-12.	4.5	30
467	Predictors of functional status at service entry and discharge among young people with first episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 575-585.	3.1	30
468	Clinical high risk for psychosis in children and adolescents: A meta-analysis of transition prevalences. Schizophrenia Research, 2022, 243, 254-261.	2.0	30

#	Article	IF	CITATIONS
469	Pluripotential Risk and Clinical Staging: Theoretical Considerations and Preliminary Data From a Transdiagnostic Risk Identification Approach. Frontiers in Psychiatry, 2020, 11, 553578.	2.6	30
470	A Treatment-Relevant Classification of Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 1995, 29, 555-558.	2.3	29
471	Dysfunction of dorsolateral prefrontal cortex in antipsychotic-naÃ-ve schizophreniform psychosis. Psychiatry Research - Neuroimaging, 2006, 148, 23-31.	1.8	29
472	Pilot Study Evaluating the Effect of Massage Therapy on Stress, Anxiety and Aggression in a Young Adult Psychiatric Inpatient Unit. Australian and New Zealand Journal of Psychiatry, 2008, 42, 414-422.	2.3	29
473	Met and unmet need in youth mental health. Journal of Mental Health, 2008, 17, 618-628.	1.9	29
474	An MRI study of the superior temporal subregions in first-episode patients with various psychotic disorders. Schizophrenia Research, 2009, 113, 158-166.	2.0	29
475	The effect of atypical antipsychotics on pituitary gland volume in patients with first-episode psychosis: A longitudinal MRI study. Schizophrenia Research, 2010, 116, 49-54.	2.0	29
476	A prospective cohort study of depression course, functional disability, and NEET status in help-seeking young adults. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1395-1404.	3.1	29
477	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. Frontiers in Psychiatry, 2019, 10, 345.	2.6	29
478	The Validity of the Assessment of Psychopathology in the Psychoses. Australian and New Zealand Journal of Psychiatry, 1989, 23, 469-482.	2.3	28
479	Service responses for youth onset mental disorders. Current Opinion in Psychiatry, 2007, 20, 319-324.	6.3	28
480	Anterior cingulate activation in antipsychotic-na \tilde{A} ve first-episode schizophrenia. Acta Psychiatrica Scandinavica, 2007, 115, 155-158.	4.5	28
481	Neuroprotective effects of ethyl-eicosapentaenoic acid in first episode psychosis: A longitudinal T2 relaxometry pilot study. Psychiatry Research - Neuroimaging, 2010, 182, 180-182.	1.8	28
482	Targeted Intervention to Improve Monitoring of Antipsychotic-Induced Weight Gain and Metabolic Disturbance in First Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2011, 45, 740-748.	2.3	28
483	Toward a Twenty-First Century Approach to Youth Mental Health Care. International Journal of Mental Health, 2011, 40, 72-87.	1.3	28
484	Truth and reality in early intervention. Australian and New Zealand Journal of Psychiatry, 2012, 46, 313-316.	2.3	28
485	Treated incidence and baseline characteristics of substance induced psychosis in a Norwegian catchment area. BMC Psychiatry, 2013, 13, 319.	2.6	28
486	Polyunsaturated fatty acids in emerging psychosis: a safer alternative?. Microbial Biotechnology, 2014, 8, 199-208.	1.7	28

#	Article	IF	CITATIONS
487	Intensive case management for high-risk patients with first-episode psychosis: service model and outcomes. Lancet Psychiatry,the, 2015, 2, 29-37.	7.4	28
488	Effects of omega-3 PUFA on the vitamin E and glutathione antioxidant defense system in individuals at ultra-high risk of psychosis. Prostaglandins Leukotrienes and Essential Fatty Acids, 2015, 101, 15-21.	2.2	28
489	Erythrocyte glutathione levels as long-term predictor of transition to psychosis. Translational Psychiatry, 2017, 7, e1064-e1064.	4.8	28
490	Long-term employment among people at ultra-high risk for psychosis. Schizophrenia Research, 2017, 184, 26-31.	2.0	28
491	The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. Schizophrenia Research, 2018, 195, 543-548.	2.0	28
492	Suicide by young Australians, 2006–2015: a crossâ€sectional analysis of national coronial data. Medical Journal of Australia, 2021, 214, 133-139.	1.7	28
493	Depressed mood as a risk factor for unprotected sex in young people. Australasian Psychiatry, 2006, 14, 310-312.	0.7	28
494	Niacin Skin Sensitivity Is Increased in Adolescents at Ultra-High Risk for Psychosis. PLoS ONE, 2016, 11, e0148429.	2.5	28
495	The nosology and prognosis of puerperal psychosis: A review. Comprehensive Psychiatry, 1990, 31, 519-534.	3.1	27
496	Seasonality of symptom onset in first-episode schizophrenia. Psychological Medicine, 2003, 33, 163-167.	4.5	27
497	Managing deliberate self-harm in young people: An evaluation of a training program developed for school welfare staff using a longitudinal research design. BMC Psychiatry, 2008, 8, 75.	2.6	27
498	Insular cortex volume and impulsivity in teenagers with first-presentation borderline personality disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 1395-1400.	4.8	27
499	Grey and white matter abnormalities are associated with impaired spatial working memory ability in first-episode schizophrenia. Schizophrenia Research, 2009, 115, 163-172.	2.0	27
500	Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. Psychological Medicine, 2018, 48, 1592-1607.	4.5	27
501	Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. Schizophrenia Bulletin, 2019, 45, 1101-1111.	4.3	27
502	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. Schizophrenia Research, 2020, 226, 44-51.	2.0	27
503	Frontal delta power associated with negative symptoms in ultra-high risk individuals who transitioned to psychosis. Schizophrenia Research, 2012, 138, 206-211.	2.0	26
504	Negative Symptoms and Executive Function in Schizophrenia: Does Their Relationship Change with Illness Duration?. Psychopathology, 2013, 46, 241-248.	1.5	26

#	Article	IF	CITATIONS
505	Effectiveness of universal programmes for the prevention of suicidal ideation, behaviour and mental ill health in medical students: a systematic review and meta-analysis. Evidence-Based Mental Health, 2019, 22, 84-90.	4.5	26
506	The reality of at risk mental state services: a response to recent criticisms. Psychological Medicine, 2021, 51, 212-218.	4.5	26
507	Pituitary volume in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2007, 156, 257-261.	1.8	25
508	A single-blind, randomised controlled trial on the effects of lithium and quetiapine monotherapy on the trajectory of cognitive functioning in first episode mania: A 12-month follow-up study. European Psychiatry, 2016, 31, 20-28.	0.2	25
509	Integrating clinical staging and phenomenological psychopathology to add depth, nuance, and utility to clinical phenotyping: a heuristic challenge. Lancet Psychiatry,the, 2021, 8, 162-168.	7.4	25
510	Prevalence and correlates of comorbidity 8â€∫years after a first psychotic episode. Acta Psychiatrica Scandinavica, 2007, 116, 62-70.	4.5	24
511	Midline brain structures in teenagers with first-presentation borderline personality disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 842-846.	4.8	24
512	Pre-morbid and outcome correlates of first episode mania with psychosis: Is a distinction between schizoaffective and bipolar I disorder valid in the early phase of psychotic disorders?. Journal of Affective Disorders, 2010, 126, 88-95.	4.1	24
513	Referrers' Perceived Utility and Outcomes of Clinical Neuropsychological Assessment in an Adolescent and Young Adult Public Mental Health Service. Australian Psychologist, 2011, 46, 15-24.	1.6	24
514	Phospholipase A ₂ activity in first episode schizophrenia: Associations with symptom severity and outcome at week 12. World Journal of Biological Psychiatry, 2011, 12, 598-607.	2.6	24
515	Constructing a grounded theory of young people's recovery of musical identity in mental illness. Arts in Psychotherapy, 2014, 41, 594-603.	1.2	24
516	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. Schizophrenia Research, 2014, 153, 18-24.	2.0	24
517	The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. Psychiatry Research, 2015, 226, 128-135.	3.3	24
518	Preventing mental illness: closing the evidence-practice gap through workforce and services planning. BMC Health Services Research, 2015, 15, 283.	2.2	24
519	Olanzapine or chlorpromazine plus lithium in first episode psychotic mania: An 8-week randomised controlled trial. European Psychiatry, 2015, 30, 975-982.	0.2	24
520	Stability of retrospective selfâ€reports of childhood trauma in firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 908-913.	1.7	24
521	Incidence of treated first episode psychosis from an Australian early intervention service and its association with neighbourhood characteristics. Schizophrenia Research, 2019, 209, 206-211.	2.0	24
522	Characteristics and outcomes of young people with substance induced psychotic disorder. Schizophrenia Research, 2019, 206, 257-262.	2.0	24

#	Article	IF	Citations
523	Basal and haloperidol-stimulated prolactin in neuroleptic-free men with schizophrenia defined by 11 diagnostic systems. Biological Psychiatry, 1990, 27, 1203-1215.	1.3	23
524	Relationship between personality and course and outcome in early psychosis: A review of the literature. Clinical Psychology Review, 1996, 16, 707-727.	11.4	23
525	The dimensionality of schizophrenia concepts in first-episode psychosis. Acta Psychiatrica Scandinavica, 1998, 97, 334-342.	4.5	23
526	Psychological Treatment in Pre- and Early Psychosis. Journal of the American Academy of Psychoanalysis and Dynamic Psychiatry, 2003, 31, 229-245.	0.3	23
527	Introduction to †Early psychosis: abridge to the future'. British Journal of Psychiatry, 2005, 187, s1-s3.	2.8	23
528	Brain changes during the onset of schizophrenia: implications for neurodevelopmental theories. Medical Journal of Australia, 2009, 190, S10-3.	1.7	23
529	"Attenuated psychotic symptoms syndrome" as a risk syndrome of psychosis, diagnosis in DSM-V: The debate. Indian Journal of Psychiatry, 2011, 53, 57.	0.7	23
530	Vascular Endothelial Growth Factor and Brain-Derived Neurotrophic Factor in Quetiapine Treated First-Episode Psychosis. Schizophrenia Research and Treatment, 2014, 2014, 1-10.	1.5	23
531	Social environmental risk factors for transition to psychosis in an Ultra-High Risk population. Schizophrenia Research, 2015, 161, 150-155.	2.0	23
532	History of offending behavior in first episode psychosis patients: A marker of specific clinical needs and a call for early detection strategies among young offenders. Schizophrenia Research, 2015, 161, 163-168.	2.0	23
533	Convergence Science Arrives: How Does It Relate to Psychiatry?. Academic Psychiatry, 2017, 41, 91-99.	0.9	23
534	Effects of omega-3 PUFA on immune markers in adolescent individuals at ultra-high risk for psychosis – Results of the randomized controlled Vienna omega-3 study. Schizophrenia Research, 2017, 188, 110-117.	2.0	23
535	Rates and predictors of 18-months remission in an epidemiological cohort of 661 patients with first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1089-1099.	3.1	23
536	Clozapine use in early psychosis. Schizophrenia Research, 2018, 199, 374-379.	2.0	23
537	Deterioration of visuospatial associative memory following a first psychotic episode: a long-term follow-up study. Psychological Medicine, 2018, 48, 132-141.	4.5	23
538	Testing a neurophenomenological model of basic self disturbance inÂearly psychosis. World Psychiatry, 2019, 18, 104-105.	10.4	23
539	The Vitamins in Psychosis Study: A Randomized, Double-Blind, Placebo-Controlled Trial of the Effects of Vitamins B12, B6, and Folic Acid on Symptoms and Neurocognition in First-Episode Psychosis. Biological Psychiatry, 2019, 86, 35-44.	1.3	23
540	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. JAMA Psychiatry, 2020, 77, 190.	11.0	23

#	Article	IF	CITATIONS
541	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543.	7.9	23
542	Children of parents with psychotic disorders. Medical Journal of Australia, 1995, 163, 119-120.	1.7	22
543	Working with Survivors of Torture and Trauma: The Victorian Foundation for Survivors of Torture in Perspective. Australian and New Zealand Journal of Psychiatry, 1995, 29, 463-472.	2.3	22
544	Evaluating the Importance of Reducing the Duration of Untreated Psychosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, S145-S149.	2.3	22
545	Reductions in cannabis and other illicit substance use between treatment entry and early recovery in patients with first-episode psychosis. Microbial Biotechnology, 2007, 1, 259-266.	1.7	22
546	Youth mental health reform and early intervention: encouraging early signs. Microbial Biotechnology, 2009, 3, 161-162.	1.7	22
547	Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. Schizophrenia Research, 2012, 135, 175-180.	2.0	22
548	The impact of first episode psychosis on sibling quality of life. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1071-1081.	3.1	22
549	Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. Schizophrenia Research, 2014, 158, 39-44.	2.0	22
550	Associations of hippocampal metabolism and regional brain grey matter in neuroleptic-naìve ultra-high-risk subjects and first-episode schizophrenia. European Neuropsychopharmacology, 2015, 25, 1661-1668.	0.7	22
551	Relationship between Erythrocyte Fatty Acid Composition and Psychopathology in the Vienna Omega-3 Study. PLoS ONE, 2016, 11, e0151417.	2.5	22
552	The 2016 Royal Australian and New Zealand College of Psychiatrists guidelines for the management of schizophrenia and related disorders. Medical Journal of Australia, 2017, 206, 501-505.	1.7	22
553	Identifying attributes of care that may improve costâ€effectiveness in the youth mental health service system. Medical Journal of Australia, 2017, 207, S27-S37.	1.7	22
554	Recent Meta-Analyses in the Clinical High Risk for Psychosis Population: Clinical Interpretation of Findings and Suggestions for Future Research. Frontiers in Psychiatry, 2018, 9, 502.	2.6	22
555	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. Frontiers in Psychiatry, 2019, 10, 393.	2.6	22
556	Staging model in psychiatry: Review of the evolution of electroencephalography abnormalities in major psychiatric disorders. Microbial Biotechnology, 2019, 13, 1319-1328.	1.7	22
557	The rates and determinants of disengagement and subsequent re-engagement in young people with first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 945-953.	3.1	22
558	Dosing Quetiapine in Drug-Naive First-Episode Psychosis. Journal of Clinical Psychiatry, 2008, 69, 1702-1714.	2,2	22

#	Article	IF	Citations
559	Diagnostic concordance in functional psychosis revisited: a study of inter-relationships between alternative concepts of psychotic disorder. Psychological Medicine, 1992, 22, 367-378.	4.5	21
560	The Centre for Young People's Mental Health: Blending Epidemiology and Developmental Psychiatry. Australasian Psychiatry, 1996, 4, 243-247.	0.7	21
561	Australia Needs a Mental Health Commission. Australasian Psychiatry, 2004, 12, 213-219.	0.7	21
562	Increased Prefrontal Cerebral Blood flow in First-Episode Schizophrenia Following Treatment: Longitudinal Positron Emission Tomography Study. Australian and New Zealand Journal of Psychiatry, 2007, 41, 129-135.	2.3	21
563	The EPISODE II trial of cognitive and family therapy for relapse prevention in early psychosis: Rationale and sample characteristics. Journal of Mental Health, 2008, 17, 19-32.	1.9	21
564	Depression Education and Identification in Schools: An Australian-based Study. School Mental Health, 2010, 2, 13-22.	2.1	21
565	Group programmes in early intervention services. Microbial Biotechnology, 2011, 5, 259-266.	1.7	21
566	Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. Schizophrenia Bulletin, 2016, 43, sbw086.	4.3	21
567	Risk of psychotic disorders in migrants to Australia. Psychological Medicine, 2021, 51, 1192-1200.	4.5	21
568	Mental health and <scp>COVID</scp> â€19: are we really all in this together?. Medical Journal of Australia, 2020, 213, 454-455.	1.7	21
569	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. Australian and New Zealand Journal of Psychiatry, 2000, 34, A113-A126.	2.3	20
570	Pre-Emptive Intervention in Psychosis: Agnostic Rather than Diagnostic. Australian and New Zealand Journal of Psychiatry, 2011, 45, 515-519.	2.3	20
571	At Issue: Cochrane, Early Intervention, and Mental Health Reform: Analysis, Paralysis, or Evidence-Informed Progress?. Schizophrenia Bulletin, 2012, 38, 221-224.	4.3	20
572	Do affective or dissociative symptoms mediate the association between childhood sexual trauma and transition to psychosis in an ultra-high risk cohort? Psychiatry Research, 2016, 236, 182-185.	3.3	20
573	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. Psychotherapy and Psychosomatics, 2017, 86, 292-299.	8.8	20
574	Influence of gender on mental health literacy in young Australians. Australian and New Zealand Journal of Psychiatry, 2006, 40, 790-796.	2.3	20
575	Social Functioning Trajectories of Young First-Episode Psychosis Patients with and without Cannabis Misuse: A 30-Month Follow-Up Study. PLoS ONE, 2015, 10, e0122404.	2.5	20
576	Evaluating the importance of reducing the duration of untreated psychosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, S145-S149.	2.3	19

#	Article	IF	CITATIONS
577	Early Psychosis: Where we've been, where we still have to go. Epidemiologia E Psichiatria Sociale, 2007, 16, 102-108.	0.9	19
578	Olfactory sensitivity through the course of psychosis: Relationships to olfactory identification, symptomatology and the schizophrenia odour. Psychiatry Research, 2007, 149, 97-104.	3.3	19
579	Gender differences in first episode psychotic mania. BMC Psychiatry, 2013, 13, 82.	2.6	19
580	Predictors of favourable outcome in young people with a first episode psychosis without antipsychotic medication. Schizophrenia Research, 2017, 185, 130-136.	2.0	19
581	Role of the general practitioner in providing early intervention for youth mental health: a mixed methods investigation. Microbial Biotechnology, 2018, 12, 202-216.	1.7	19
582	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning $\hat{a} \in \text{``Results from the EU-GEI study. European Psychiatry, 2019, 59, 52-59.}$	0.2	19
583	Can antipsychotic dose reduction lead to better functional recovery in firstâ€episode psychosis? A randomized controlledâ€trial of antipsychotic dose reduction. The reduce trial: Study protocol. Microbial Biotechnology, 2019, 13, 1345-1356.	1.7	19
584	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for firstâ€episode psychosis with lowâ€risk of selfâ€harm or aggression. Study protocol and baseline characteristics of participants. Microbial Biotechnology, 2019, 13, 953-960.	1.7	19
585	Clinical and functional characteristics of a subsample of young people presenting for primary mental healthcare at headspace services across Australia. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1311-1323.	3.1	19
586	Intervention strategies for ultra-high risk for psychosis: Progress in delaying the onset and reducing the impact of first-episode psychosis. Schizophrenia Research, 2021, 228, 344-356.	2.0	19
587	Age and severe mental disorders in homeless and disaffiliated people in inner Melbourne. Medical Journal of Australia, 1990, 153, 197-205.	1.7	19
588	The incidence and admission rate for first-episode psychosis in young people before and during the COVID-19 pandemic in Melbourne, Australia. Australian and New Zealand Journal of Psychiatry, 2022, 56, 811-817.	2.3	19
589	Differences between first episode schizophrenia and schizoaffective disorder. Schizophrenia Research, 2013, 147, 169-174.	2.0	18
590	Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. Schizophrenia Research, 2014, 159, 70-75.	2.0	18
591	Distress in relation to attenuated psychotic symptoms in the ultraâ€highâ€risk population is not associated with increased risk of psychotic disorder. Microbial Biotechnology, 2016, 10, 258-262.	1.7	18
592	Resting-state functional brain networks in first-episode psychosis: A 12-month follow-up study. Australian and New Zealand Journal of Psychiatry, 2018, 52, 864-875.	2.3	18
593	Dynamic prediction of transition to psychosis using joint modelling. Schizophrenia Research, 2018, 202, 333-340.	2.0	18
594	Should youth mental health become a specialty in its own right? Yes. BMJ: British Medical Journal, 2009, 339, b3373-b3373.	2.3	18

#	Article	IF	CITATIONS
595	Evaluating the Importance of Reducing the Duration of Untreated Psychosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, A145-A149.	2.3	17
596	'Every me and every you': responding to the hidden challenge of mental illness in Australia. Australasian Psychiatry, 2005, 13, 3-15.	0.7	17
597	DSMâ€5 and the â€ ⁻ Psychosis Risk Syndrome': The need for a broader perspective. Psychosis, 2010, 2, 93-96.	0.8	17
598	The effectiveness of simple psychological and exercise interventions for high prevalence mental health problems in young people: a factorial randomised controlled trial. Trials, 2011, 12, 76.	1.6	17
599	Relational Memory in First Episode Psychosis: Implications for Progressive Hippocampal Dysfunction After Illness Onset. Australian and New Zealand Journal of Psychiatry, 2011, 45, 206-213.	2.3	17
600	The costs of early intervention in psychosis: Restoring the balance. Australian and New Zealand Journal of Psychiatry, 2012, 46, 808-811.	2.3	17
601	Getting mental health reform back on track: a leadership challenge for the new Australian Government. Medical Journal of Australia, 2014, 200, 445-448.	1.7	17
602	Using accountability for mental health to drive reform. Medical Journal of Australia, 2015, 203, 328-330.	1.7	17
603	Are current labeling terms suitable for people who are at risk of psychosis?. Schizophrenia Research, 2017, 188, 172-177.	2.0	17
604	Ventricular volumes across stages of schizophrenia and other psychoses. Australian and New Zealand Journal of Psychiatry, 2017, 51, 1041-1051.	2.3	17
605	Hippocampal subfields and visuospatial associative memory across stages of schizophrenia-spectrum disorder. Psychological Medicine, 2019, 49, 2452-2462.	4.5	17
606	Is this normal? Assessing mental health in young people. Australian Family Physician, 2011, 40, 94-7.	0.5	17
607	Neuroleptic Management of Schizophrenia: A Survey and Commentary on Australian Psychiatric Practice. Australian and New Zealand Journal of Psychiatry, 1998, 32, 50-58.	2.3	16
608	Consensus on Early Intervention in Schizophrenia. Schizophrenia Bulletin, 2002, 28, 543-544.	4.3	16
609	Patterns of Current Comorbidity in Young Help-Seekers: Implications for Service Planning and Delivery. Australasian Psychiatry, 2005, 13, 379-383.	0.7	16
610	A clinical trials agenda for testing interventions in earlier stages of psychotic disorders. Medical Journal of Australia, 2009, 190, S33-6.	1.7	16
611	Sudden death among young people with first-episode psychosis: An 8–10year follow-up study. Psychiatry Research, 2010, 177, 305-308.	3.3	16
612	Policy and service development implications of the second Australian National Survey of High Impact Psychosis (SHIP). Australian and New Zealand Journal of Psychiatry, 2012, 46, 708-718.	2.3	16

#	Article	IF	Citations
613	Polyunsaturated Fatty Acids in Emerging Psychosis. Current Pharmaceutical Design, 2012, 18, 576-591.	1.9	16
614	Associations of obsessive–compulsive symptoms with clinical and neurocognitive features in schizophrenia according to stage of illness. Psychiatry Research, 2015, 226, 368-375.	3.3	16
615	Youth depression alleviation: the Fish Oil Youth Depression Study (<scp>YoDA</scp> â€F): A randomized, doubleâ€blind, placeboâ€controlled treatment trial. Microbial Biotechnology, 2016, 10, 290-299.	1.7	16
616	Building the momentum and blueprint for reform in youth mental health. Lancet Psychiatry, the, 2019, 6, 459-461.	7.4	16
617	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. Behaviour Research and Therapy, 2020, 124, 103527.	3.1	16
618	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. Molecular Psychiatry, 2021, 26, 2590-2604.	7.9	16
619	The Inter-Rater and Test-Retest Reliabilities of Prodromal Symptoms in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 1996, 30, 498-504.	2.3	15
620	Early psychosis reform: too fast or too slow?. Acta Psychiatrica Scandinavica, 2002, 106, 249-251.	4.5	15
621	Very Low-Dose Risperidone in First-Episode Psychosis: A Safe and Effective Way to Initiate Treatment. Schizophrenia Research and Treatment, 2011, 2011, 1-10.	1.5	15
622	Pre-emptive psychiatric treatments: pipe dream or a realistic outcome of clinical staging models?. Neuropsychiatry, 2012, 2, 263-266.	0.4	15
623	NHMRC funding of mental health research. Medical Journal of Australia, 2016, 205, 350-351.	1.7	15
624	Youth Depression Alleviationâ€Augmentation with an antiâ€inflammatory agent (<scp>YoDAâ€A</scp>): protocol and rationale for a placeboâ€controlled randomized trial of rosuvastatin and aspirin. Microbial Biotechnology, 2018, 12, 45-54.	1.7	15
625	Migrant status and identification as ultraâ€high risk for psychosis and transitioning to a psychotic disorder. Acta Psychiatrica Scandinavica, 2020, 141, 52-59.	4.5	15
626	Brain morphology is differentially impacted by peripheral cytokines in schizophrenia-spectrum disorder. Brain, Behavior, and Immunity, 2021, 95, 299-309.	4.1	15
627	The reality of mental health care for young people, and the urgent need for solutions. Medical Journal of Australia, 2022, 216, 78-79.	1.7	15
628	The Nature of Schizophrenia: Signposts to Prevention. Australian and New Zealand Journal of Psychiatry, 2000, 34, S14-S21.	2.3	14
629	Obstetric Complications and Transition to Psychosis in an â€~Ultra' High Risk Sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 460-466.	2.3	14
630	Evidence based reform of mental health care. BMJ: British Medical Journal, 2005, 331, 586-587.	2.3	14

#	Article	IF	CITATIONS
631	What is the Scientific Evidence for the Use of Antipsychotic Medication in Anorexia Nervosa?. Eating Disorders, 2008, 16, 217-223.	3.0	14
632	Enhancing Treatment Fidelity in Psychotherapy Research: Novel Approach to Measure the Components of Cognitive Behavioural Therapy for Relapse Prevention in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2008, 42, 1013-1020.	2.3	14
633	Differentiating schizoaffective and bipolar I disorder in first-episode psychotic mania. Schizophrenia Research, 2012, 140, 31-36.	2.0	14
634	Beyond Psychosis Risk: Early Clinical Phenotypes in Mental Disorder and the Subthreshold Pathway to Safe, Timely and Effective Care. Psychopathology, 2014, 47, 285-286.	1.5	14
635	Neighbourhood characteristics and the rate of identification of young people at ultra-high risk for psychosis. Schizophrenia Research, 2015, 169, 214-216.	2.0	14
636	Instruments that prospectively predict bipolar disorder – A systematic review. Journal of Affective Disorders, 2015, 179, 65-73.	4.1	14
637	The Positive and Negative Experiences of Caregiving for Siblings of Young People with First Episode Psychosis. Frontiers in Psychology, 2017, 8, 730.	2.1	14
638	Prevalence and outcomes of young people with concurrent autism spectrum disorder and first episode of psychosis. Schizophrenia Research, 2020, 216, 310-315.	2.0	14
639	Improving treatments for psychotic disorders: beyond cognitive behaviour therapy for psychosis. Psychosis, 2021, 13, 78-84.	0.8	14
640	Toward a Paradigm for Youth Mental Health. JAMA Psychiatry, 2021, 78, 473.	11.0	14
641	Clinical Staging for Youth Mental Disorders: Progress in Reforming Diagnosis and Clinical Care. Annual Review of Developmental Psychology, 2021, 3, 15-39.	2.9	14
642	The need for early intervention for psychosis to persist throughout the COVID-19 pandemic and beyond. Irish Journal of Psychological Medicine, 2021, 38, 214-219.	1.0	14
643	Specialist community teams backed by years of quality research. The Psychiatrist, 2013, 37, 38-38.	0.3	14
644	The Clinical Boundaries of Posttraumatic Stress Disorder. Australian and New Zealand Journal of Psychiatry, 1995, 29, 385-393.	2.3	13
645	The Nature of Schizophrenia: Signposts to Prevention. Australian and New Zealand Journal of Psychiatry, 2000, 34, A14-A21.	2.3	13
646	Fractionation of Verbal Memory Impairment in Schizophrenia and Schizophreniform Psychosis. Australian and New Zealand Journal of Psychiatry, 2007, 41, 732-739.	2.3	13
647	Welcome to Early Intervention in Psychiatry. Microbial Biotechnology, 2007, 1, 1-2.	1.7	13
648	Identifying the Ultra-High Risk (Prodromal) Population: Evaluation of Training Workshops with Mental Health Services. Australian and New Zealand Journal of Psychiatry, 2008, 42, 236-243.	2.3	13

#	Article	IF	Citations
649	Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2010, 182, 73-76.	1.8	13
650	Novel biotherapies are needed in youth mental health. Australasian Psychiatry, 2017, 25, 117-120.	0.7	13
651	Early intervention for bipolar disorder – Do current treatment guidelines provide recommendations for the early stages of the disorder?. Journal of Affective Disorders, 2019, 257, 669-677.	4.1	13
652	Relationship between allostatic load and clinical outcomes in youth at ultra-high risk for psychosis in the NEURAPRO study. Schizophrenia Research, 2020, 226, 38-43.	2.0	13
653	Duration of Untreated Psychosis: Getting Both the Timing and the Sample Right. American Journal of Psychiatry, 2020, 177, 1183-1183.	7.2	13
654	Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1095-1103.	3.1	13
655	Editorial Perspective: Rethinking child and adolescent mental health care after COVIDâ€19. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 1067-1069.	5.2	13
656	Untreated Initial Psychosis. American Journal of Psychiatry, 2001, 158, 1161-a-1162.	7.2	13
657	Emerging psychosis in young people - Part 3 - key issues for prolonged recovery. Australian Family Physician, 2006, 35, 329-33.	0.5	13
658	Conditions Necessary for Best Practice in Interdisciplinary Teamwork. Australasian Psychiatry, 1998, 6, 257-259.	0.7	12
659	Australia's National Suicide Prevention Strategy: the next chapter. Australian Health Review, 2006, 30, 271.	1.1	12
660	Study protocol: the development of a randomised controlled trial testing a postcard intervention designed to reduce suicide risk among young help-seekers. BMC Psychiatry, 2009, 9, 59.	2.6	12
661	Corpus callosum morphology and relationship to orbitofrontal and lateral ventricular volume in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2010, 183, 30-37.	1.8	12
662	A controlled trial of implementing a complex mental health intervention for carers of vulnerable young people living in out-of-home care: the ripple project. BMC Psychiatry, 2016, 16, 436.	2.6	12
663	Ethical considerations in preventive interventions for bipolar disorder. Microbial Biotechnology, 2017, 11, 104-112.	1.7	12
664	Expanding the search for emerging mental ill health to safeguard student potential and vocational success in high school: A narrative review. Microbial Biotechnology, 2020, 14, 655-676.	1.7	12
665	The psychometric characteristics of the Kessler Psychological Distress Scale (K6) in help-seeking youth: What do you miss when using it as an outcome measure?. Psychiatry Research, 2021, 305, 114182.	3.3	12
666	Stress, the hippocampus and the hypothalamic-pituitary-adrenal axis: implications for the development of psychotic disorders. Australian and New Zealand Journal of Psychiatry, 2006, 40, 725-741.	2.3	12

#	Article	IF	CITATIONS
667	Why do psychiatrists doubt the value of early intervention? The power of illusion. Australasian Psychiatry, 2020, 28, 331-334.	0.7	12
668	Recommended Haloperidol and Risperidone Doses in First-Episode Psychosis. Journal of Clinical Psychiatry, 1999, 60, 794.	2.2	12
669	The Procedural Validity of Retrospective Case Note Diagnosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, 154-159.	2.3	11
670	Seasonal influences on first-episode admission in affective and non-affective psychosis. Acta Neuropsychiatrica, 2006, 18, 154-161.	2.1	11
671	The Early Psychosis Intervention Programme in Singapore: A balanced scorecard approach to quality care. Journal of Mental Health, 2008, 17, 79-91.	1.9	11
672	Family intervention in early psychosis., 0,, 305-330.		11
673	Evidence, early intervention and the tipping point. Microbial Biotechnology, 2010, 4, 1-3.	1.7	11
674	The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): study protocol for a randomised control trial. Trials, 2014, 15, 425.	1.6	11
675	Downregulation of plasma SELENBP1 protein in patients with recent-onset schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 1-6.	4.8	11
676	The prognostic significance of attenuated psychotic symptoms in help-seeking youth. Schizophrenia Research, 2020, 215, 277-283.	2.0	11
677	Clinical High Risk for Psychosis—Not Seeing the Trees for the Wood. JAMA Psychiatry, 2020, 77, 559.	11.0	11
678	Prediction of clinical outcomes beyond psychosis in the ultraâ€high risk for psychosis population. Microbial Biotechnology, 2021, 15, 642-651.	1.7	11
679	Distinguishing schizophrenia spectrum from non-spectrum disorders among young patients with first episode psychosis and at high clinical risk: The role of basic self-disturbance and neurocognition. Schizophrenia Research, 2021, 228, 19-28.	2.0	11
680	Pattern and correlates of inpatient admission during the initial acute phase of first-episode psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 429-436.	2.3	11
681	Cognitive Psychotherapy of Psychotic and Personality Disorders: Handbook of Theory and Practice. Journal of Psychiatric and Mental Health Nursing, 1999, 6, 411-412.	2.1	11
682	Proportion and characteristics of young people in a first-episode psychosis clinic who first attended an at-risk mental state service or other specialist youth mental health service. Schizophrenia Research, 2022, 241, 94-101.	2.0	11
683	Dosing quetiapine in drug-naive first-episode psychosis: a controlled, double-blind, randomized, single-center study investigating efficacy, tolerability, and safety of 200 mg/day vs. 400 mg/day of quetiapine fumarate in 141 patients aged 15 to 25 years. Journal of Clinical Psychiatry, 2008, 69, 1702-14.	2.2	11
684	The Second National Mental Health Plan: an opportunity to take stock and move forward. Medical Journal of Australia, 1998, 169, 435-437.	1.7	10

#	Article	IF	Citations
685	The nature of schizophrenia: signposts to prevention. Australian and New Zealand Journal of Psychiatry, 2000, 34, S14-S21.	2.3	10
686	Relationship between vocational status and perceived stress and daily hassles in first-episode psychosis: an exploratory study. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1045-1052.	3.1	10
687	Community Rehabilitation and Psychosocial Interventions for Psychotic Disorders in Youth. Child and Adolescent Psychiatric Clinics of North America, 2013, 22, 745-758.	1.9	10
688	Online social media: New data, new horizons in psychosis treatment. Schizophrenia Research, 2015, 166, 345-346.	2.0	10
689	Broken promises and missing steps in mental health reform. Medical Journal of Australia, 2017, 206, 487-489.	1.7	10
690	Development of an implementation guide to facilitate the rollâ€out of early intervention services for psychosis. Microbial Biotechnology, 2018, 12, 1100-1111.	1.7	10
691	Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. Psychiatry Research, 2018, 260, 60-66.	3.3	10
692	An fMRI study of theory of mind in individuals with first episode psychosis. Psychiatry Research - Neuroimaging, 2018, 281, 1-11.	1.8	10
693	Transdiagnostic psychiatry: premature closure on a crucial pathway to clinical utility for psychiatric diagnosis. World Psychiatry, 2019, 18, 359-360.	10.4	10
694	Aripiprazole compared with placebo for auditory verbal hallucinations in youth with borderline personality disorder: Protocol for the VERBATIM randomized controlled trial. Microbial Biotechnology, 2019, 13, 1373-1381.	1.7	10
695	Omegaâ€3 fatty acids and neurocognitive ability in young people at ultraâ€high risk for psychosis. Microbial Biotechnology, 2021, 15, 874-881.	1.7	10
696	Subjective cognitive functioning in relation to changes in levels of depression and anxiety in youth over 3 months of treatment. BJPsych Open, 2020, 6, e84.	0.7	10
697	Predicting individual improvement in schizophrenia symptom severity at 1â€year followâ€up: Comparison of connectomic, structural, and clinical predictors. Human Brain Mapping, 2020, 41, 3342-3357.	3.6	10
698	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. Schizophrenia Bulletin, 2021, 47, 1018-1028.	4.3	10
699	Recognition and Treatment of the Pre-psychotic Phase of Psychotic Disorders. , 2001, , 101-122.		10
700	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. Schizophrenia Research: Cognition, 2022, 28, 100222.	1.3	10
701	Prolactin response to low-dose haloperidol challenge in schizophrenic, non-schizophrenic psychotic, and control subjects. Psychoneuroendocrinology, 1990, 15, 225-231.	2.7	9
702	Response to "The Prevention of Schizophrenia: What Interventions Are Safe and Effective?". Schizophrenia Bulletin, 2002, 28, 177-180.	4.3	9

#	Article	IF	Citations
703	Norman & Malla (2001) reviewed the literature on duration of untreated psychosis (DUP) and outcome in schizophrenia Psychological Medicine, 2002, 32, 563-564.	4.5	9
704	Duration of untreated negative symptoms and duration of active negative symptoms: proof of concepts. Microbial Biotechnology, 2008, 2, 27-33.	1.7	9
705	The Impact of Smoking on Clinical Outcomes After First Episode Psychosis: Longer-Term Outcome Findings From the EPPIC 800 Follow-Up Study. Journal of Dual Diagnosis, 2010, 6, 212-234.	1.2	9
706	Early intervention, youth mental health: the value of translational research for reform and investment in mental health. Australasian Psychiatry, 2014, 22, 225-227.	0.7	9
707	Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. Behavioural and Cognitive Psychotherapy, 2015, 43, 314-327.	1.2	9
708	The relationship between stress, HPA axis functioning and brain structure in first episode psychosis over the first 12 weeks of treatment. Psychiatry Research - Neuroimaging, 2015, 231, 111-119.	1.8	9
709	Stepwise expansion of evidenceâ€based care is needed for mental health reform. Medical Journal of Australia, 2016, 204, 351-353.	1.7	9
710	Response to Jorm: Headspace – A national and international innovation with lessons for redesign of mental health care in Australia. Australian and New Zealand Journal of Psychiatry, 2016, 50, 9-10.	2.3	9
711	Social and academic premorbid adjustment domains predict different functional outcomes among youth with first episode mania. Journal of Affective Disorders, 2017, 219, 133-140.	4.1	9
712	Youth mental health services in Italy: An achievable dream?. Microbial Biotechnology, 2018, 12, 433-443.	1.7	9
713	The Prodrome of Psychotic Disorders. Child and Adolescent Psychiatric Clinics of North America, 2020, 29, 57-69.	1.9	9
714	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. Lancet Psychiatry,the, 2020, 7, 378-380.	7.4	9
715	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. Schizophrenia Research, 2020, 224, 116-125.	2.0	9
716	Cannabidiol for at risk for psychosis youth: A randomized controlled trial. Microbial Biotechnology, 2022, 16, 419-432.	1.7	9
717	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. Schizophrenia Bulletin, 2022, 48, 100-110.	4.3	9
718	Unmet Needs in Youth Mental Health: Transforming Models of Care to Improve Outcomes. , 2020, , 181-191.		9
719	Olanzapine in subjects with a first-episode psychosis non-responsive, intolerant or non-compliant to a first-line trial of risperidone. International Journal of Psychiatry in Clinical Practice, 2005, 9, 244-250.	2.4	8
720	The â€~Youth Model' in Mental Health Services. Australasian Psychiatry, 2008, 16, 136-137.	0.7	8

#	Article	IF	Citations
721	Guidelines for youth depression: time to incorporate new perspectives. Medical Journal of Australia, 2010, 193, 133-134.	1.7	8
722	The Singapore flagship programme in translational and clinical research in psychosis. Microbial Biotechnology, 2011, 5, 290-300.	1.7	8
723	Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: Testing the evidence for an endophenotypic marker. Psychiatry Research, 2012, 199, 8-11.	3.3	8
724	Arguments for transformational reform of mental health care for young people. Irish Journal of Psychological Medicine, 2015, 32, 9-11.	1.0	8
725	Community Treatment Order: Identifying the need for more evidence based justification of its use in first episode psychosis patients. Schizophrenia Research, 2017, 185, 67-72.	2.0	8
726	Youth mental health and mental wealth: reaping the rewards. Australasian Psychiatry, 2017, 25, 101-103.	0.7	8
727	Reasons for referral and findings of clinical neuropsychological assessment in youth with mental illness: A clinical file audit. Applied Neuropsychology: Child, 2018, 7, 164-174.	1.4	8
728	The association between community and service level factors and rates of disengagement in individuals with first episode psychosis. Schizophrenia Research, 2019, 210, 122-127.	2.0	8
729	Importance of Variable Selection in Multimodal Prediction Models in Patients at Clinical High Risk for Psychosis and Recent-Onset Depression. JAMA Psychiatry, 2019, 76, 339.	11.0	8
730	Where next for youth mental health services in Ireland?. Irish Journal of Psychological Medicine, 2019, 36, 163-167.	1.0	8
731	Harmonised collection of data in youth mental health: Towards large datasets. Australian and New Zealand Journal of Psychiatry, 2020, 54, 46-56.	2.3	8
732	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. Schizophrenia Research, 2020, 226, 52-60.	2.0	8
733	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. Schizophrenia Research, 2020, 216, 255-261.	2.0	8
734	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. Schizophrenia Research, 2020, 218, 48-54.	2.0	8
735	The associations between migrant status and ethnicity and the identification of individuals at ultra-high risk for psychosis and transition to psychosis: a systematic review. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1923-1941.	3.1	8
736	The Impact of First-Episode Psychosis on the Sibling Relationship. Psychiatry (New York), 2015, 78, 141-55.	0.7	8
737	The Ranzcp Vivas: A Suitable Case for Examination. Australian and New Zealand Journal of Psychiatry, 1988, 22, 432-435.	2.3	7
738	Comparison of participants and nonparticipants in a neuroendocrine investigation of psychosis. Acta Psychiatrica Scandinavica, 1991, 83, 373-376.	4. 5	7

#	Article	lF	Citations
739	Posttraumatic Stress Disorder Postpsychosis. Journal of Nervous and Mental Disease, 1993, 181, 766.	1.0	7
740	Neurobiologicalendophenotypes of psychosis and schizophrenia., 2009,, 61-80.		7
741	21St Century Mental Health Care: What It Looks Like and How to Achieve It. Australasian Psychiatry, 2011, 19, 5-11.	0.7	7
742	Early Intervention in Psychiatry: The Next Developmental Stage. Microbial Biotechnology, 2012, 6, 1-2.	1.7	7
7 43	The RANZCP guidelines for Schizophrenia: Why is our practice so far short of our recommendations, and what can we do about it?. Australian and New Zealand Journal of Psychiatry, 2017, 51, 670-674.	2.3	7
744	Does reason for referral to an ultraâ€high risk clinic predict transition to psychosis?. Microbial Biotechnology, 2019, 13, 318-321.	1.7	7
745	Residential social drift in the two years following a first episode of psychosis. Schizophrenia Research, 2019, 210, 323-325.	2.0	7
746	Can youth at high risk of illness progression be identified by measures of rumination and sleepâ€wake disturbance. Microbial Biotechnology, 2019, 13, 1214-1219.	1.7	7
747	Online interventions for cannabis use among adolescents and young adults: Systematic review and metaâ€analysis. Microbial Biotechnology, 2022, 16, 821-844.	1.7	7
748	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. ELife, $2021,10,10$	6.0	7
749	Highâ€risk sexual behaviours in young people experiencing a first episode of psychosis. Microbial Biotechnology, 2023, 17, 159-166.	1.7	7
750	Early intervention in schizophrenia: points of agreement. Epidemiology and Psychiatric Sciences, 2002, 11, 256-257.	3.9	6
751	Keeping an open mind: Investigating options for treatment of the pre-psychotic phase. Journal of Mental Health, 2003, 12, 341-343.	1.9	6
752	Patterns and predictors of substance use disorders and daily tobacco use in first-episode psychosis*. Australian and New Zealand Journal of Psychiatry, 2005, 39, 892-898.	2.3	6
753	Familial Psychopathology in the First Episode Psychosis Outcome Study. Australian and New Zealand Journal of Psychiatry, 2008, 42, 617-626.	2.3	6
754	Pathways to care and reducing treatment delay in early psychosis., 0,, 161-174.		6
755	The Independent Hospital Pricing Authority and mental health services: it is not a case of "one size fits all― Medical Journal of Australia, 2012, 196, 675-677.	1.7	6
756	Predictors of substance use reduction in an epidemiological firstâ€episode psychosis cohort. Microbial Biotechnology, 2014, 8, 358-365.	1.7	6

#	Article	IF	Citations
757	The impact of insight in a first-episode mania with psychosis population on outcome at 18 months. Journal of Affective Disorders, 2014, 167, 74-79.	4.1	6
758	Innovations in the design of mental health services for young people: an Australian perspective. Innovation and Entrepreneurship in Health, 0, , 107.	2.0	6
759	A Qualitative Study of the Prodrome to First-Episode Major Depressive Disorder in Adolescents. Psychopathology, 2015, 48, 153-161.	1.5	6
760	The 2016 RANZCP Guidelines for the Management of Schizophrenia and Related Disorders – what's next?. Australasian Psychiatry, 2017, 25, 600-602.	0.7	6
761	Predictors of longer-term outcome in the Vienna omega-3 high-risk study. Schizophrenia Research, 2018, 193, 168-172.	2.0	6
762	The relationship between childhood trauma and clinical characteristics in ultra-high risk for psychosis youth. Psychosis, 2019, 11, 28-41.	0.8	6
763	Frontal slow wave resting EEG power is higher in individuals at Ultra High Risk for psychosis than in healthy controls but is not associated with negative symptoms or functioning. Schizophrenia Research, 2019, 208, 293-299.	2.0	6
764	Rates, determinants and outcomes associated with the use of community treatment orders in young people experiencing first episode psychosis. International Journal of Law and Psychiatry, 2019, 62, 85-89.	0.9	6
765	Sex differences in psychological distress, behavioural and emotional problems, and substance use in young people in outâ€ofâ€home care. Child and Family Social Work, 2020, 25, 325-336.	1.4	6
766	Awareness of headspace youth mental health service centres across Australian communities between 2008 and 2015. Journal of Mental Health, 2020, 29, 410-417.	1.9	6
767	Physical health assistance in early recovery of psychosis: Study protocol for a randomized controlled trial. Microbial Biotechnology, 2020, 14, 587-593.	1.7	6
768	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. Schizophrenia Research, 2020, 230, 104-107.	2.0	6
769	Mental health first aid: strengthening its impact for aid recipients. Evidence-Based Mental Health, 2020, 23, 133-134.	4.5	6
770	The value of early intervention in creating the new mental health system: Response to Allison et al. Australian and New Zealand Journal of Psychiatry, 2020, 54, 667-669.	2.3	6
771	Response to Looi et al. – Tilting at windmills: A giant quest. Australian and New Zealand Journal of Psychiatry, 2020, 54, 670-672.	2.3	6
772	Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation? Psychiatry Research, 2020, 289, 112909.	3.3	6
773	The clinical and functional outcomes of a large naturalistic cohort of young people accessing national early psychosis services. Australian and New Zealand Journal of Psychiatry, 2022, 56, 1265-1276.	2.3	6
774	Reforming youth mental health. Australian Family Physician, 2006, 35, 314.	0.5	6

#	Article	IF	Citations
775	Successful implementation of cardiometabolic monitoring of patients treated with antipsychotics. Medical Journal of Australia, 2009, 191, 516-518.	1.7	5
776	Diagnosis and the staging model of psychosis. , 0, , 17-28.		5
777	Guidelines for youth depression: time to incorporate new perspectives. Medical Journal of Australia, 2010, 193, 557-558.	1.7	5
778	Commentary on †Palliative models of care for later stages of mental disorder: Maximising recovery, maintaining hope and building morale'. Australian and New Zealand Journal of Psychiatry, 2012, 46, 276-278.	2.3	5
779	Beyond DSM: Early stages of disorder pose predictable and modifiable risk for persistent disorder. Australian and New Zealand Journal of Psychiatry, 2013, 47, 880-881.	2.3	5
780	SU125. Momentum: AÂNovel Online Social Media, Mindfulness, and Strengths-Based Intervention to Promote Functional Recovery in Ultra High Risk (UHR) Patients. Schizophrenia Bulletin, 2017, 43, S206-S207.	4.3	5
781	Targeting mental health care attributes by diagnosis and clinical stage: the views of youth mental health clinicians. Medical Journal of Australia, 2017, 207, S19-S26.	1.7	5
782	Youth mental health: building beyond the brand. Medical Journal of Australia, 2017, 207, 428-429.	1.7	5
783	Pre-onset risk characteristics for mania among young people at clinical high risk for psychosis. Schizophrenia Research, 2018, 192, 345-350.	2.0	5
784	Tackling the youth mental health crisis across adolescence and young adulthood. BMJ: British Medical Journal, 2018, 362, k3704.	2.3	5
785	Clinical Staging and Its Potential to Enhance Mental Health Care. , 2019, , 12-33.		5
786	A certificate in youth psychiatry: meeting the training needs of psychiatrists. Australasian Psychiatry, 2021, 29, 97-100.	0.7	5
787	Cognitive ability and metabolic physical health in first-episode psychosis. Schizophrenia Research: Cognition, 2021, 24, 100194.	1.3	5
788	Validation of a brief tool to assess and monitor suicidal ideation: The Youth Suicide Ideation Screen (YSIS-3). Journal of Affective Disorders, 2021, 295, 235-242.	4.1	5
789	The association between migrant status and transition in an ultra-high risk for psychosis population. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 943-952.	3.1	5
790	Pharmacological treatment in the early phase of bipolar disorders: what stage are we at?. Australian and New Zealand Journal of Psychiatry, 2006, 40, 199-207.	2.3	5
791	Key Worker–Mediated Enhancement of Physical Health in First Episode Psychosis: Protocol For a Feasibility Study in Primary Care. JMIR Research Protocols, 2019, 8, e13115.	1.0	5
792	Interventions in the Early Stages of Psychosis. Psychiatric Annals, 2008, 38, .	0.1	5

#	Article	IF	Citations
793	Placement Instability Among Young People Removed from Their Original Family and the Likely Mental Health Implications. Shanghai Archives of Psychiatry, 2017, 29, 85-94.	0.7	5
794	Asylum seeking and mandatory detention. The psychological consequences. Australian Family Physician, 2002, 31, 275-8.	0.5	5
795	People at risk of schizophrenia and other psychoses: comments on the Edinburgh High-Risk Study. British Journal of Psychiatry, 1999, 175, 586-587.	2.8	4
796	Translating advances in schizophrenia treatment: a glass ceiling. Medical Journal of Australia, 2003, 178, 425-426.	1.7	4
797	Efficacy of amisulpride in treating primary negative symptoms in first-episode psychosis: a pilot study. Human Psychopharmacology, 2006, 21, 511-517.	1.5	4
798	Unhealthy scepticism: Time for a fair go for best available evidence. Australian and New Zealand Journal of Psychiatry, 2013, 47, 602-604.	2.3	4
799	Australian Early Psychosis Research Network: national collaboration, international competitive advantage. Medical Journal of Australia, 2015, 202, 170-171.	1.7	4
800	Early intervention: Mission cramp versus mission creep?. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1033-1035.	2.3	4
801	Early Detection and Intervention in Psychosis. Key Issues in Mental Health, 2016, , 179-189.	0.6	4
802	Back to the future: Schizophrenia in retrospect and prospect. Australian and New Zealand Journal of Psychiatry, 2017, 51, 431-433.	2.3	4
803	Effects of Cannabis Use in Those at Ultra-High Risk for Psychosis. , 2018, , 167-181.		4
804	Screening for the ultra-high risk state in a youth mental health service. Schizophrenia Research, 2018, 202, 401-403.	2.0	4
805	ls a higher dose of antipsychotic medication required to treat a relapse following discontinuation in first episode psychosis?. Schizophrenia Research, 2019, 204, 407-408.	2.0	4
806	The Utility of Clinical Staging in Youth Mental Health Settings. , 2019, , 81-102.		4
807	Olfactory sulcus morphology in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2019, 292, 1-4.	1.8	4
808	Early intervention for depression in young people: a blind spot in mental health care – Authors' reply. Lancet Psychiatry,the, 2019, 6, 283-284.	7.4	4
809	Reduction in the prescription of Olanzapine as a first-line treatment for first episode psychosis following the implementation of clinical practice guidelines. Schizophrenia Research, 2020, 215, 469-470.	2.0	4
810	Symptomatic, functional and service utilization outcomes of migrants with a first episode of psychosis. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1389-1397.	3.1	4

#	Article	IF	CITATIONS
811	Greater preference for eveningness is associated with negative symptoms in an <scp>ultraâ€high</scp> risk for psychosis sample. Microbial Biotechnology, 2021, 15, 1793-1798.	1.7	4
812	Temporal variation in the incidence of treated psychotic disorders in young people. Schizophrenia Research, 2021, 231, 221-226.	2.0	4
813	Psychosocial interventions in mental health disorders. Current Opinion in Psychiatry, 1997, 10, 173-177.	6.3	4
814	headspace ―Australia's innovation in youth mental health: who are the clients and why are they presenting?. Medical Journal of Australia, 2014, 200, 454-454.	1.7	4
815	Outcomes for first-episode psychosis after entry via an at-risk mental state clinic compared to direct entry to a first episode of psychosis service: A systematic review and meta-analysis. Schizophrenia Research, 2022, 240, 214-219.	2.0	4
816	Machine learning based prediction and the influence of complement $\hat{a}\in$ Coagulation pathway proteins on clinical outcome: Results from the NEURAPRO trial. Brain, Behavior, and Immunity, 2022, 103, 50-60.	4.1	4
817	Themhs Debate: Who Should be Treated? Burden vs Health Gain. Australasian Psychiatry, 1997, 5, 275-276.	0.7	3
818	Monitoring and Care of Young People at Incipient Risk of Psychosis. Focus (American Psychiatric) Tj ETQq0 0 0 r	gBT/Qver	lock 10 Tf 50
819	Obstetric complications and transition to psychosis in an 'ultra' high risk sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 460-466.	2.3	3
820	Treatment for the initial acute phase of first-episode psychosis in a real-world setting. Psychiatric Bulletin, 2006, 30, 127-131.	0.3	3
821	Amygdala Volume Status Might Reflect Dominant Mode of Emotional Information Processing—Reply. Archives of General Psychiatry, 2007, 64, 252.	12.3	3
822	Complete and incomplete recovery from first-episode psychosis. , 0, , 201-222.		3
823	Emotional and personality dysfunctions in early psychosis. , 2009, , 283-302.		3
824	Characterising novel pathways to schizophrenia. Medical Journal of Australia, 2009, 190, S5-6.	1.7	3
825	Duration of untreated psychosis., 2009, , 125-146.		3
826	Guidelines for youth depression: time to incorporate new perspectives. Medical Journal of Australia, 2010, 193, 557-558.	1.7	3
827	Early Intervention in Psychiatry: the critical period. Microbial Biotechnology, 2011, 5, 1-2.	1.7	3
828	Providing care to young people with emerging risk of psychosis: balancing potential risks and benefits. Clinical Practice (London, England), 2012, 9, 669-682.	0.1	3

#	Article	IF	Citations
829	Selective Attention to Threat is Specific to Delusions in First-Episode Psychosis. Journal of Experimental Psychopathology, 2014, 5, 191-199.	0.8	3
830	Negative Psychosis Prevention Trialsâ€"Reply. JAMA Psychiatry, 2017, 74, 652.	11.0	3
831	â€~ls "early intervention―in bipolar disorder what it claims to be?' Malhi etÂal. Bipolar Disorders, 2018, 20, 181-183.	1.9	3
832	Staging of Cognition in Psychiatric Illness. , 2019, , 140-171.		3
833	Psychosocial Interventions for Youth Mental Health. , 2019, , 241-260.		3
834	Improving Mood with Physical ACTivity (IMPACT) trial: a cluster randomised controlled trial to determine the effectiveness of a brief physical activity behaviour change intervention on depressive symptoms in young people, compared with psychoeducation, in addition to routine clinical care within youth mental health services—a protocol study. BMJ Open, 2019, 9, e034002.	1.9	3
835	Current versus recently resolved attenuated psychotic symptoms: Same level of risk for transition to psychosis?. Schizophrenia Research, 2019, 204, 450-451.	2.0	3
836	Prevalence of subthreshold positive symptoms in young people without psychotic disorders presenting to a youth mental health service. Schizophrenia Research, 2020, 215, 446-448.	2.0	3
837	Transdiagnostic early intervention, prevention, and prediction in psychiatry., 2020,, 27-37.		3
838	From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. Schizophrenia Bulletin Open, 2020, 1, .	1.7	3
839	Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. Schizophrenia Research, 2020, 220, 275-277.	2.0	3
840	Commentary: Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). Frontiers in Psychiatry, 2020, 11, 488.	2.6	3
841	The role of key workers in improving physical health in first episode psychosis: A scoping review. Microbial Biotechnology, 2021, 15, 16-33.	1.7	3
842	Physical health trajectories of young people commenced on clozapine. Irish Journal of Psychological Medicine, 2021, 38, 49-55.	1.0	3
843	The utility of a fidelity measure to monitor implementation of new early psychosis services across Australia. Microbial Biotechnology, 2021, 15, 1382-1388.	1.7	3
844	Should we be Royal?. Australasian Psychiatry, 2021, 29, 402-405.	0.7	3
845	Trajectories of change in depression symptoms and suicidal ideation over the course of evidence-based treatment for depression: Secondary analysis of a randomised controlled trial of cognitive behavioural therapy plus fluoxetine in young people. Australian and New Zealand Journal of Psychiatry, 2021, 55, 506-516.	2.3	3
846	A protocol for the first episode psychosis outcome study (<scp>FEPOS</scp>): ≥15 year followâ€up after treatment at the <scp>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</scp> . Microbial Biotechnology, 2022, 16, 715-723.	1.7	3

#	Article	IF	Citations
847	Disruptions in white matter microstructure associated with impaired visual associative memory in schizophrenia-spectrum illness. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 971-983.	3.2	3
848	Introduction: Relevance of theÂAge of Onset of Mental Disorders to Research in Psychiatry and toÂthe Organization of Services for People with Mental Illness., 2019,, 1-13.		3
849	Pathways to care for first-generation migrants with first episode psychosis in northwestern metropolitan Melbourne. Australian and New Zealand Journal of Psychiatry, 2022, , 000486742210759.	2.3	3
850	Schizophrenia: An Overview. Behaviour Change, 1985, 2, 80-93.	1.3	2
851	Precursors of schizophrenia. Current Psychosis & Therapeutics Reports, 2004, 2, 67-72.	0.1	2
852	TRAUMA IN THE ULTRA HIGH RISK ("PRODROMALâ€) POPULATION. Schizophrenia Research, 2008, 102, 156.	2.0	2
853	The topical niacin sensitivity test: An inter- and intra-rater reliability study in healthy controls. Prostaglandins Leukotrienes and Essential Fatty Acids, 2008, 79, 15-19.	2.2	2
854	Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. Psychopathology, 2008, 41, 90-95.	1.5	2
855	Suicide prevention in first-episode psychosis. , 2009, , 257-282.		2
856	The mental health of young people: a new frontier in the health and social policy of the 21st century. Microbial Biotechnology, 2011, 5, 1-3.	1.7	2
857	Review: more research needed on early intervention for psychosis. Evidence-Based Mental Health, 2012, 15, 23-23.	4.5	2
858	Parental mental illness is a family matter. Medical Journal of Australia, 2013, 199, S5.	1.7	2
859	Poster #T191 SOURCES OF CLINICAL DISTRESS IN YOUNG PEOPLE AT ULTRA HIGH RISK OF PSYCHOSIS. Schizophrenia Research, 2014, 153, S356-S357.	2.0	2
860	Response to Allison et al., â€The National Mental Health Commission Report: Evidence based or ideologically driven?'. Australian and New Zealand Journal of Psychiatry, 2016, 50, 11-12.	2.3	2
861	The associations among medical student debt, distress and resilience in the early years of medical school: an international cross-sectional study. Australasian Psychiatry, 2020, 28, 468-469.	0.7	2
862	Does guideline-concordant care predict naturalistic outcomes in youth with early stage bipolar I disorder?. Journal of Affective Disorders, 2021, 278, 23-32.	4.1	2
863	Effective Connectivity of Fronto-Striato-Thalamic Circuitry Across the Psychosis Continuum. Biological Psychiatry, 2021, 89, S356.	1.3	2
864	Sedentary behaviour in young people presenting with a first episode of psychosis before and during the covid-19 pandemic restrictions. Schizophrenia Research, 2021, 233, 31-33.	2.0	2

#	Article	IF	Citations
865	Getting mental health reform back on track: a leadership challenge for the new Australian Government. Medical Journal of Australia, 2014, 201, 323-323.	1.7	2
866	The Impact of Early Intervention in Schizophrenia. , 2010, , 299-316.		2
867	Keyworker mediated enhancement of physical health in patients with first episode psychosis: A feasibility/acceptability study. Microbial Biotechnology, 2021, , .	1.7	2
868	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. Brain, Behavior, and Immunity, 2022, 99, 147-156.	4.1	2
869	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. Schizophrenia Bulletin Open, 2022, 3, .	1.7	2
870	Schizophrenia: Transcending old world shadows. Schizophrenia Research, 2022, 242, 84-86.	2.0	2
871	The Zelig Phenomenon: A Specific form of Identity Disturbance. Australian and New Zealand Journal of Psychiatry, 1987, 21, 532-538.	2.3	1
872	Improving the community's mental health literacy as a means of facilitating early intervention. , 0, , $147-160$.		1
873	Initial assessment and initial pharmacological treatment in theacute phase. , 2009, , 177-200.		1
874	Preventive strategies in bipolar disorders: identifying targets for early intervention., 0,, 223-240.		1
875	Substance misuse in first-episode psychosis. , 0, , 243-256.		1
876	Relapse prevention in early psychosis. , 2009, , 349-364.		1
877	Enhancing work functioning in early psychosis. , 2009, , 331-348.		1
878	Using research and evaluation to inform the development of early-psychosis service models. , 2009, , 385-404.		1
879	At-risk mental state and prediction. , 0, , 83-106.		1
880	Letter to the Editor: The need for drug-naive research in first-episode psychosis: a response to Moncrieff & Dong: Leo (). Psychological Medicine, 2011, 41, 1117-1118.	4.5	1
881	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. Schizophrenia Bulletin, 2011, 37, 651-651.	4.3	1
882	Early intervention in the Asian Century. Asian Journal of Psychiatry, 2012, 5, 106-107.	2.0	1

#	Article	IF	CITATIONS
883	Embracing patient choice. British Journal of Psychiatry, 2012, 201, 493-494.	2.8	1
884	Clinical staging: a necessary step in the development of improved animal models of mood disturbance?. International Journal of Neuropsychopharmacology, 2014, 17, 491-495.	2.1	1
885	Conventional and alternative preventive treatments in the first stages of schizophrenia. European Journal of Psychiatry, 2015, 29, 135-143.	1.3	1
886	Early Intervention in Emerging Psychosis: State of the Art and Future Perspectives. Key Issues in Mental Health, 0 , , 15 - 28 .	0.6	1
887	T30. TIPPING POINTS – PREDICTING TRANSITIONS TO PSYCHOSIS IN AT-RISK YOUNG PEOPLE. Schizophrenia Bulletin, 2018, 44, S124-S125.	4.3	1
888	Early intervention for incipient insanity: early notions from the 19 th century English literature. Microbial Biotechnology, 2018, 12, 708-714.	1.7	1
889	Diagnosis without Borders. , 2019, , 1-11.		1
890	Neuroimaging and Staging., 2019, , 103-139.		1
891	A Retrospective Evaluation of a Pilot Youth Community Assessment and Treatment Service. Psychiatric Services, 2021, 72, 415-420.	2.0	1
892	The Neuropsychological Symptoms Selfâ€Report: psychometric properties in an adolescent and young adult mental health cohort. Child and Adolescent Mental Health, 2021, , .	3 . 5	1
893	Not in education, employment and training status in the early stages of bipolar I disorder with psychotic features. Microbial Biotechnology, 2021 , , .	1.7	1
894	Toxoplasma gondii, Herpesviridae and long-term risk of transition to first-episode psychosis in an ultra high-risk sample. Schizophrenia Research, 2021, 233, 24-30.	2.0	1
895	My child's future mental health: Carer's engagement with risk identification in an intervention study for youth with atâ€risk mental states. Microbial Biotechnology, 2021, , .	1.7	1
896	Patients', carers' and clinicians' attitudes towards alternative terms to describe the at-risk for psychosis state. Schizophrenia Research, 2021, 237, 69-75.	2.0	1
897	Neuroleptic management of schizophrenia: a survey and commentary on Australian psychiatric practice. Australian and New Zealand Journal of Psychiatry, 1998, 32, 50-58.	2.3	1
898	Dr McGorry and Colleagues Reply. Journal of Clinical Psychiatry, 2013, 74, 1123.	2.2	1
899	Conclusions: From theÂStudy of theÂAge of Onset to theÂDevelopment of Age-Specific Interventions in Mental Health. , 2019, , 255-261.		1
900	Prevalence and Correlates of Tobacco Use in Young People Presenting to Australian Primary Mental Health Services. Nicotine and Tobacco Research, 2023, 25, 682-691.	2.6	1

#	Article	IF	CITATIONS
901	Young migrants to Australia identified as being at ultra-high risk for psychosis: Pathways to care and clinical characteristics. Schizophrenia Research, 2022, 241, 156-160.	2.0	1
902	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders. Schizophrenia Research, 2022, 244, 1-7.	2.0	1
903	Perceptions of rural high school teachers ―on the frontline of youth suicide. Australian Journal of Rural Health, 0, , .	1.5	1
904	Foreign medical graduates. Medical Journal of Australia, 1990, 153, 629-630.	1.7	0
905	Commentary on Munczek's "Short-Term Treatment of a Central American Torture Survivor― Psychiatry (New York), 1998, 61, 330-334.	0.7	0
906	Response to †Better Mental Health Services for Young People: Responsibility, Partnerships and Projects'. Australian and New Zealand Journal of Psychiatry, 2001, 35, 392-394.	2.3	0
907	Review: depot antipsychotics are effective and safe for schizophrenia or schizophrenia like illnesses. Evidence-Based Mental Health, 2002, 5, 42-42.	4.5	0
908	Treatment of Adolescents and Young Adults Experiencing Attenuated Psychotic Symptoms. Child and Adolescent Psychopharmacology News, 2002, 7, 1-4.	0.1	0
909	The Management of Early Psychosis. , 2005, , 51-109.		0
910	Teen depression. Lancet, The, 2007, 370, 820.	13.7	0
911	Early intervention in youth mental health. Medical Journal of Australia, 2008, 188, 492-493.	1.7	O
912	MJA policy on sponsored supplements. Medical Journal of Australia, 2008, 188, 260-261.	1.7	0
913	Genetic vulnerability. , 0, , 31-46.		0
914	At-risk mental state: management. , 0, , 107-122.		0
915	Rationale for and overview of the second edition of <i>The Recognition and Management of Early Psychosis</i> ., 0,, 3-16.		0
916	Treatment resistance in first-episode psychosis. , 2009, , 365-382.		0
917	Editorial. Microbial Biotechnology, 2009, 3, 1-2.	1.7	0
918	PRE-TREATMENT, BASELINE AND TREATMENT CORRELATES OF OUTCOME IN AN EPIDEMIOLOGICAL COHORT OF FIRST EPISODE PSYCHOSIS PATIENTS. Schizophrenia Research, 2010, 117, 282-283.	2.0	0

#	Article	IF	CITATIONS
919	Evidencia de neuroimagen y de tratamiento respecto a los estadios cl $ ilde{A}$ nicos en los trastornos psic $ ilde{A}^3$ ticos: del estado mental de riesgo a la esquizofrenia cr $ ilde{A}^3$ nica. Psiquiatria Biologica, 2011, 18, 117-123.	0.1	O
920	Commentary on â€~â€~Should the diagnostic boundaries of schizophrenia be expanded?''. Cognitive Neuropsychiatry, 2011, 16, 107-112.	1.3	0
921	Long-Chain Omega-3 Fatty Acids and Psychotic Disorders. , 2013, , 149-178.		O
922	Response to the letters of Dr Amos and Dr Preti and colleagues. Schizophrenia Research, 2014, 153, 237-239.	2.0	0
923	In memory of <scp>P</scp> rof dott. <scp>A</scp> ngelo <scp>C</scp> occhi (1939–2015). Microbial Biotechnology, 2015, 9, 343-344.	1.7	0
924	Let children cry. Medical Journal of Australia, 2015, 202, 418-418.	1.7	0
925	The student safety net: a new angle for early intervention. Microbial Biotechnology, 2016, 10, 279-281.	1.7	0
926	The achievable dream of a humane psychiatry: A tribute to John S. Strauss. American Journal of Psychiatric Rehabilitation, 2016, 19, 12-16.	0.7	0
927	SA58. The First-Episode Psychosis Outcome Study: Preliminary Data on the Long-Term Follow-Up of First-Episode Psychosis Patients Who Were Treated at the Early Psychosis Prevention and Intervention Centre Between 1998 and 2000. Schizophrenia Bulletin, 2017, 43, S134-S134.	4.3	0
928	Time for a Change. , 2019, , 34-66.		0
929	A Moving Target. , 2019, , 67-80.		0
930	Neuroinflammation and Staging., 2019, , 172-190.		0
931	Bioactive and Inflammatory Markers in Emerging Psychotic Disorders. , 2019, , 191-203.		0
932	Electroencephalography and Staging. , 2019, , 204-220.		0
933	Novel Biological Treatment Strategies. , 2019, , 221-240.		0
934	Transforming Cultures to Enable Stage-Related Care of Mental Ill-Health., 2019,, 261-277.		0
935	The Quest for Clinical Utility and Construct Validity in Psychiatric Diagnosis. , 2019, , 278-283.		0
936	First episode mania: we should have intervened earlier. Lancet Psychiatry, the, 2019, 6, 807-808.	7.4	0

#	Article	IF	Citations
937	Historical perspectives on psychosis risk. , 2020, , 1-10.		0
938	New paradigms to study psychosis risk. , 2020, , 399-416.		0
939	A double-edged sword – Metabolic complications of clozapine in a rural area. Schizophrenia Research, 2021, 228, 260-261.	2.0	0
940	Response to †Diagnostic uncertainty, antipsychotic dosing, and optimal psychosocial interventions: Unanswered questions in first-episode psychosis'. Schizophrenia Research, 2021, 231, 1-2.	2.0	0
941	Longitudinal Changes in Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First Episode Psychosis: A Randomized, Triple-Blind Placebo-Controlled fMRI Study. Biological Psychiatry, 2021, 89, S174.	1.3	0
942	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1475-1485.	3.2	0
943	Clinical characteristics of first-episode schizophrenia. Medical Psychiatry, 2009, , 39-51.	0.2	0
944	Staging in Neuropsychiatry: A Heuristic Model for Understanding, Prevention and Treatment. , 2012, , 19-30.		0
945	Staging in Neuropsychiatry: A Heuristic Model for Understanding, Prevention and Treatment. , 2013, , 19-30.		0
946	Prepsychotic States and Prodromal Symptoms. , 2013, , 1-8.		0
947	Diagnostic and symptomatological assessment. , 1992, , 163-181.		0
948	Attenuated Psychosis Syndromes Among Australian Youth and Young Adults: Early Identification and Intervention., 2019,, 67-84.		0
949	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youth at Ultra-High Risk for Psychosis. SSRN Electronic Journal, 0, , .	0.4	0
950	Early Intervention and Youth Mental Health: Synergistic Paradigms to Transform Mental Health Outcomes. , 2020, , $1\text{-}11$.		0
951	Early Intervention and Youth Mental Health: Synergistic Paradigms to Transform Mental Health Outcomes., 2021,, 929-939.		0
952	Suicide by young Australians, 2006–2015: a crossâ€sectional analysis of national coronial data. Medical Journal of Australia, 2021, 216, 54.	1.7	0
953	Letter to the Editor re: "Why Do Psychiatrists Doubt the Value of Early Intervention: The Power of Illusion― Australasian Psychiatry, 2022, 30, 138-139.	0.7	O
954	Baseline data of a sequential multiple assignment randomized trial (STEP study). Microbial Biotechnology, 2022, 16, 1130-1142.	1.7	0

#	Article	IF	CITATIONS
955	The association between social deprivation and the rate of identification of individuals at Ultra-High Risk for psychosis and transition to psychosis. International Journal of Social Psychiatry, 2023, 69, 294-303.	3.1	O
956	Social and occupational outcomes for young people who attend early intervention mental health services: a longitudinal study. Medical Journal of Australia, 0, , .	1.7	0