## Patrick D Mcgorry

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4210206/publications.pdf

Version: 2024-02-01

956 papers 70,730 citations

129 h-index 222 g-index

998 all docs 998 docs citations

998 times ranked 31907 citing authors

| #  | Article   | IF       | CITATIONS |
|----|---|----------|-----------|
| 1  | Prevalence and Correlates of Tobacco Use in Young People Presenting to Australian Primary Mental Health Services. Nicotine and Tobacco Research, 2023, 25, 682-691.   | 1.4      | 1         |
| 2  | Highâ€risk sexual behaviours in young people experiencing a first episode of psychosis. Microbial Biotechnology, 2023, 17, 159-166.   | 0.9      | 7         |
| 3  | The association between social deprivation and the rate of identification of individuals at Ultra-High Risk for psychosis and transition to psychosis. International Journal of Social Psychiatry, 2023, 69, 294-303.                                       | 1.6      | 0         |
| 4  | Clinical high risk for psychosis in children and adolescents: A meta-analysis of transition prevalences. Schizophrenia Research, 2022, 243, 254-261.  | 1.1      | 30        |
| 5  | Cannabidiol for at risk for psychosis youth: A randomized controlled trial. Microbial Biotechnology, 2022, 16, 419-432.   | 0.9      | 9         |
| 6  | Online interventions for cannabis use among adolescents and young adults: Systematic review and metaâ€analysis. Microbial Biotechnology, 2022, 16, 821-844.   | 0.9      | 7         |
| 7  | Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at<br>Ultra-high Risk for Psychosis. Schizophrenia Bulletin, 2022, 48, 100-110.   | 2.3      | 9         |
| 8  | A protocol for the first episode psychosis outcome study ( <scp>FEPOS</scp> ): ≥15 year followâ€up after treatment at the <scp>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</scp> . Microbial Biotechnology, 2022, 16, 715-723. | r<br>0.9 | 3         |
| 9  | Disruptions in white matter microstructure associated with impaired visual associative memory in schizophrenia-spectrum illness. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 971-983.   | 1.8      | 3         |
| 10 | The incidence and admission rate for first-episode psychosis in young people before and during the COVID-19 pandemic in Melbourne, Australia. Australian and New Zealand Journal of Psychiatry, 2022, 56, 811-817.  | 1.3      | 19        |
| 11 | Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. Schizophrenia Research: Cognition, 2022, 28, 100222.   | 0.7      | 10        |
| 12 | The reality of mental health care for young people, and the urgent need for solutions. Medical Journal of Australia, 2022, 216, 78-79.  | 0.8      | 15        |
| 13 | The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. Brain, Behavior, and Immunity, 2022, 99, 147-156.                       | 2.0      | 2         |
| 14 | The clinical and functional outcomes of a large naturalistic cohort of young people accessing national early psychosis services. Australian and New Zealand Journal of Psychiatry, 2022, 56, 1265-1276.   | 1.3      | 6         |
| 15 | Designing and scaling up integrated youth mental health care. World Psychiatry, 2022, 21, 61-76.  | 4.8      | 161       |
| 16 | Letter to the Editor re: "Why Do Psychiatrists Doubt the Value of Early Intervention: The Power of Illusionâ€. Australasian Psychiatry, 2022, 30, 138-139.  | 0.4      | 0         |
| 17 | Baseline data of a sequential multiple assignment randomized trial (STEP study). Microbial Biotechnology, 2022, 16, 1130-1142.  | 0.9      | О         |
| 18 | Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. Schizophrenia Bulletin Open, 2022, 3, .   | 0.9      | 2         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Outcomes for first-episode psychosis after entry via an at-risk mental state clinic compared to direct entry to a first episode of psychosis service: A systematic review and meta-analysis. Schizophrenia Research, 2022, 240, 214-219. | 1.1 | 4         |
| 20 | Proportion and characteristics of young people in a first-episode psychosis clinic who first attended an at-risk mental state service or other specialist youth mental health service. Schizophrenia Research, 2022, 241, 94-101.        | 1.1 | 11        |
| 21 | Pathways to care for first-generation migrants with first episode psychosis in northwestern metropolitan Melbourne. Australian and New Zealand Journal of Psychiatry, 2022, , 000486742210759.   | 1.3 | 3         |
| 22 | Young migrants to Australia identified as being at ultra-high risk for psychosis: Pathways to care and clinical characteristics. Schizophrenia Research, 2022, 241, 156-160.   | 1.1 | 1         |
| 23 | Machine learning based prediction and the influence of complement $\hat{a} \in \text{``Coagulation pathway proteins}$ on clinical outcome: Results from the NEURAPRO trial. Brain, Behavior, and Immunity, 2022, 103, 50-60.             | 2.0 | 4         |
| 24 | Time for united action on depression: a Lancet–World Psychiatric Association Commission. Lancet, The, 2022, 399, 957-1022.   | 6.3 | 292       |
| 25 | Schizophrenia: Transcending old world shadows. Schizophrenia Research, 2022, 242, 84-86.   | 1.1 | 2         |
| 26 | Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. Lancet Psychiatry, the, 2022, 9, 413-422.                                 | 3.7 | 36        |
| 27 | Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders. Schizophrenia Research, 2022, 244, 1-7.   | 1.1 | 1         |
| 28 | Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. Molecular Psychiatry, 2021, 26, 2590-2604.   | 4.1 | 16        |
| 29 | Omegaâ€3 fatty acids and neurocognitive ability in young people at ultraâ€high risk for psychosis.<br>Microbial Biotechnology, 2021, 15, 874-881.  | 0.9 | 10        |
| 30 | A Systematic Review and Synthesis of Trauma-Informed Care Within Outpatient and Counseling Health Settings for Young People. Child Maltreatment, 2021, 26, 313-324.  | 2.0 | 42        |
| 31 | The role of key workers in improving physical health in first episode psychosis: A scoping review.<br>Microbial Biotechnology, 2021, 15, 16-33.  | 0.9 | 3         |
| 32 | Improving treatments for psychotic disorders: beyond cognitive behaviour therapy for psychosis. Psychosis, 2021, 13, 78-84.  | 0.4 | 14        |
| 33 | Prediction of clinical outcomes beyond psychosis in the ultraâ€high risk for psychosis population.<br>Microbial Biotechnology, 2021, 15, 642-651.  | 0.9 | 11        |
| 34 | Risk of psychotic disorders in migrants to Australia. Psychological Medicine, 2021, 51, 1192-1200.   | 2.7 | 21        |
| 35 | Physical health trajectories of young people commenced on clozapine. Irish Journal of Psychological Medicine, 2021, 38, 49-55.   | 0.7 | 3         |
| 36 | Dysregulated Lipid Metabolism Precedes Onset of Psychosis. Biological Psychiatry, 2021, 89, 288-297.   | 0.7 | 42        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A certificate in youth psychiatry: meeting the training needs of psychiatrists. Australasian Psychiatry, 2021, 29, 97-100.   | 0.4 | 5         |
| 38 | Does guideline-concordant care predict naturalistic outcomes in youth with early stage bipolar I disorder?. Journal of Affective Disorders, 2021, 278, 23-32.  | 2.0 | 2         |
| 39 | Suicide by young Australians, 2006–2015: a crossâ€sectional analysis of national coronial data. Medical Journal of Australia, 2021, 214, 133-139.  | 0.8 | 28        |
| 40 | Integrating clinical staging and phenomenological psychopathology to add depth, nuance, and utility to clinical phenotyping: a heuristic challenge. Lancet Psychiatry,the, 2021, 8, 162-168.   | 3.7 | 25        |
| 41 | Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. JAMA Psychiatry, 2021, 78, 77.   | 6.0 | 57        |
| 42 | The reality of at risk mental state services: a response to recent criticisms. Psychological Medicine, 2021, 51, 212-218.  | 2.7 | 26        |
| 43 | Symptomatic, functional and service utilization outcomes of migrants with a first episode of psychosis. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1389-1397.   | 1.6 | 4         |
| 44 | Clinical and functional characteristics of a subsample of young people presenting for primary mental healthcare at headspace services across Australia. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1311-1323.   | 1.6 | 19        |
| 45 | Distinguishing schizophrenia spectrum from non-spectrum disorders among young patients with first episode psychosis and at high clinical risk: The role of basic self-disturbance and neurocognition. Schizophrenia Research, 2021, 228, 19-28.  | 1.1 | 11        |
| 46 | Intervention strategies for ultra-high risk for psychosis: Progress in delaying the onset and reducing the impact of first-episode psychosis. Schizophrenia Research, 2021, 228, 344-356.  | 1.1 | 19        |
| 47 | A double-edged sword – Metabolic complications of clozapine in a rural area. Schizophrenia<br>Research, 2021, 228, 260-261.  | 1.1 | 0         |
| 48 | The utility of a fidelity measure to monitor implementation of new early psychosis services across Australia. Microbial Biotechnology, 2021, 15, 1382-1388.  | 0.9 | 3         |
| 49 | Should we be Royal?. Australasian Psychiatry, 2021, 29, 402-405.   | 0.4 | 3         |
| 50 | Greater preference for eveningness is associated with negative symptoms in an <scp>ultraâ€high</scp> risk for psychosis sample. Microbial Biotechnology, 2021, 15, 1793-1798.  | 0.9 | 4         |
| 51 | The associations between migrant status and ethnicity and the identification of individuals at ultra-high risk for psychosis and transition to psychosis: a systematic review. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1923-1941.  | 1.6 | 8         |
| 52 | Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. Schizophrenia Bulletin, 2021, 47, 1018-1028.  | 2.3 | 10        |
| 53 | Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. Neuropsychopharmacology, 2021, 46, 1494-1501.  | 2.8 | 44        |
| 54 | Trajectories of change in depression symptoms and suicidal ideation over the course of evidence-based treatment for depression: Secondary analysis of a randomised controlled trial of cognitive behavioural therapy plus fluoxetine in young people. Australian and New Zealand Journal of Psychiatry, 2021, 55, 506-516. | 1.3 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | A Retrospective Evaluation of a Pilot Youth Community Assessment and Treatment Service. Psychiatric Services, 2021, 72, 415-420.   | 1.1 | 1         |
| 56 | The Neuropsychological Symptoms Selfâ∈Report: psychometric properties in an adolescent and young adult mental health cohort. Child and Adolescent Mental Health, 2021, , .   | 1.8 | 1         |
| 57 | Temporal variation in the incidence of treated psychotic disorders in young people. Schizophrenia Research, 2021, 231, 221-226.  | 1.1 | 4         |
| 58 | Response to †Diagnostic uncertainty, antipsychotic dosing, and optimal psychosocial interventions: Unanswered questions in first-episode psychosis'. Schizophrenia Research, 2021, 231, 1-2.   | 1.1 | 0         |
| 59 | The Horyzons project: a randomized controlled trial of a novel online social therapy to maintain treatment effects from specialist firstâ€episode psychosis services. World Psychiatry, 2021, 20, 233-243.                               | 4.8 | 62        |
| 60 | Toward a Paradigm for Youth Mental Health. JAMA Psychiatry, 2021, 78, 473.   | 6.0 | 14        |
| 61 | Effective Connectivity of Fronto-Striato-Thalamic Circuitry Across the Psychosis Continuum.<br>Biological Psychiatry, 2021, 89, S356.  | 0.7 | 2         |
| 62 | Longitudinal Changes in Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First Episode Psychosis: A Randomized, Triple-Blind Placebo-Controlled fMRI Study. Biological Psychiatry, 2021, 89, S174. | 0.7 | 0         |
| 63 | Preventive interventions for individuals at ultra high risk for psychosis: An updated and extended meta-analysis. Clinical Psychology Review, 2021, 86, 102005.  | 6.0 | 52        |
| 64 | Cognitive ability and metabolic physical health in first-episode psychosis. Schizophrenia Research: Cognition, 2021, 24, 100194.   | 0.7 | 5         |
| 65 | Clinical Staging for Youth Mental Disorders: Progress in Reforming Diagnosis and Clinical Care.<br>Annual Review of Developmental Psychology, 2021, 3, 15-39.  | 1.4 | 14        |
| 66 | Brain morphology is differentially impacted by peripheral cytokines in schizophrenia-spectrum disorder. Brain, Behavior, and Immunity, 2021, 95, 299-309.  | 2.0 | 15        |
| 67 | Sedentary behaviour in young people presenting with a first episode of psychosis before and during the covid-19 pandemic restrictions. Schizophrenia Research, 2021, 233, 31-33.   | 1.1 | 2         |
| 68 | Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. JAMA Psychiatry, 2021, 78, 753.  | 6.0 | 74        |
| 69 | Not in education, employment and training status in the early stages of bipolar I disorder with psychotic features. Microbial Biotechnology, 2021, , .   | 0.9 | 1         |
| 70 | Toxoplasma gondii, Herpesviridae and long-term risk of transition to first-episode psychosis in an ultra high-risk sample. Schizophrenia Research, 2021, 233, 24-30.   | 1.1 | 1         |
| 71 | Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1475-1485.                                | 1.8 | 0         |
| 72 | My child's future mental health: Carer's engagement with risk identification in an intervention study for youth with atâ€risk mental states. Microbial Biotechnology, 2021, , .  | 0.9 | 1         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. ELife, 2021, 10, .  | 2.8 | 7         |
| 74 | Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. JAMA Psychiatry, 2021, 78, 994.   | 6.0 | 40        |
| 75 | Patients', carers' and clinicians' attitudes towards alternative terms to describe the at-risk for psychosis state. Schizophrenia Research, 2021, 237, 69-75.   | 1.1 | 1         |
| 76 | The psychometric characteristics of the Kessler Psychological Distress Scale (K6) in help-seeking youth: What do you miss when using it as an outcome measure? Psychiatry Research, 2021, 305, 114182.  | 1.7 | 12        |
| 77 | Validation of a brief tool to assess and monitor suicidal ideation: The Youth Suicide Ideation Screen (YSIS-3). Journal of Affective Disorders, 2021, 295, 235-242.   | 2.0 | 5         |
| 78 | The association between migrant status and transition in an ultra-high risk for psychosis population. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 943-952.  | 1.6 | 5         |
| 79 | The clinical characterization of the patient with primary psychosis aimed at personalization of management. World Psychiatry, 2021, 20, 4-33.   | 4.8 | 153       |
| 80 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543.   | 4.1 | 23        |
| 81 | The need for early intervention for psychosis to persist throughout the COVID-19 pandemic and beyond. Irish Journal of Psychological Medicine, 2021, 38, 214-219.   | 0.7 | 14        |
| 82 | Editorial Perspective: Rethinking child and adolescent mental health care after COVIDâ€19. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 1067-1069.  | 3.1 | 13        |
| 83 | Keyworker mediated enhancement of physical health in patients with first episode psychosis: A feasibility/acceptability study. Microbial Biotechnology, 2021, , .   | 0.9 | 2         |
| 84 | Early Intervention and Youth Mental Health: Synergistic Paradigms to Transform Mental Health Outcomes., 2021,, 929-939.   |     | 0         |
| 85 | Suicide by young Australians, 2006–2015: a crossâ€sectional analysis of national coronial data. Medical Journal of Australia, 2021, 216, 54.  | 0.8 | 0         |
| 86 | Relationship between allostatic load and clinical outcomes in youth at ultra-high risk for psychosis in the NEURAPRO study. Schizophrenia Research, 2020, 226, 38-43.   | 1.1 | 13        |
| 87 | Harmonised collection of data in youth mental health: Towards large datasets. Australian and New<br>Zealand Journal of Psychiatry, 2020, 54, 46-56.   | 1.3 | 8         |
| 88 | Preliminary psychometric validation of a brief screening tool for athlete mental health among male elite athletes: the Athlete Psychological Strain Questionnaire. International Journal of Sport and Exercise Psychology, 2020, 18, 850-865. | 1.1 | 50        |
| 89 | The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. Biological Psychiatry, 2020, 87, 243-252.   | 0.7 | 48        |
| 90 | Sex differences in psychological distress, behavioural and emotional problems, and substance use in young people in outâ€ofâ€home care. Child and Family Social Work, 2020, 25, 325-336.  | 0.6 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. Schizophrenia Research, 2020, 226, 52-60. | 1.1 | 8         |
| 92  | The prognostic significance of attenuated psychotic symptoms in help-seeking youth. Schizophrenia Research, 2020, 215, 277-283.  | 1.1 | 11        |
| 93  | Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter<br>Studies—PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice.<br>Schizophrenia Bulletin, 2020, 46, 432-441.                             | 2.3 | 56        |
| 94  | Awareness of headspace youth mental health service centres across Australian communities between 2008 and 2015. Journal of Mental Health, 2020, 29, 410-417.   | 1.0 | 6         |
| 95  | Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. Schizophrenia Research, 2020, 226, 44-51.   | 1.1 | 27        |
| 96  | Prevalence of subthreshold positive symptoms in young people without psychotic disorders presenting to a youth mental health service. Schizophrenia Research, 2020, 215, 446-448.  | 1.1 | 3         |
| 97  | The Prodrome of Psychotic Disorders. Child and Adolescent Psychiatric Clinics of North America, 2020, 29, 57-69.   | 1.0 | 9         |
| 98  | The neurophenomenology of early psychosis: An integrative empirical study. Consciousness and Cognition, 2020, 77, 102845.  | 0.8 | 51        |
| 99  | Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. JAMA Psychiatry, 2020, 77, 190.   | 6.0 | 23        |
| 100 | Physical health assistance in early recovery of psychosis: Study protocol for a randomized controlled trial. Microbial Biotechnology, 2020, 14, 587-593.   | 0.9 | 6         |
| 101 | Migrant status and identification as ultraâ€high risk for psychosis and transitioning to a psychotic disorder. Acta Psychiatrica Scandinavica, 2020, 141, 52-59.   | 2.2 | 15        |
| 102 | Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. Lancet Psychiatry,the, 2020, 7, 378-380.  | 3.7 | 9         |
| 103 | Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. Schizophrenia Research, 2020, 216, 255-261.  | 1.1 | 8         |
| 104 | Reduction in the prescription of Olanzapine as a first-line treatment for first episode psychosis following the implementation of clinical practice guidelines. Schizophrenia Research, 2020, 215, 469-470.  | 1.1 | 4         |
| 105 | Transdiagnostic early intervention, prevention, and prediction in psychiatry., 2020,, 27-37.   |     | 3         |
| 106 | Prevalence and outcomes of young people with concurrent autism spectrum disorder and first episode of psychosis. Schizophrenia Research, 2020, 216, 310-315.   | 1.1 | 14        |
| 107 | Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. Behaviour Research and Therapy, 2020, 124, 103527.  | 1.6 | 16        |
| 108 | Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. Schizophrenia Research, 2020, 230, 104-107.   | 1.1 | 6         |

7

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Duration of Untreated Psychosis: Getting Both the Timing and the Sample Right. American Journal of Psychiatry, 2020, 177, 1183-1183.  | 4.0 | 13        |
| 110 | Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1095-1103.  | 1.6 | 13        |
| 111 | The associations among medical student debt, distress and resilience in the early years of medical school: an international cross-sectional study. Australasian Psychiatry, 2020, 28, 468-469.                        | 0.4 | 2         |
| 112 | Subjective cognitive functioning in relation to changes in levels of depression and anxiety in youth over 3 months of treatment. BJPsych Open, 2020, 6, e84.  | 0.3 | 10        |
| 113 | From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. Schizophrenia Bulletin Open, 2020, 1, .   | 0.9 | 3         |
| 114 | Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. Schizophrenia Research, 2020, 224, 116-125.                           | 1.1 | 9         |
| 115 | Mental health first aid: strengthening its impact for aid recipients. Evidence-Based Mental Health, 2020, 23, 133-134.  | 2.2 | 6         |
| 116 | The potential impact of COVID-19 on psychosis: A rapid review of contemporary epidemic and pandemic research. Schizophrenia Research, 2020, 222, 79-87.   | 1.1 | 272       |
| 117 | Transdiagnostic clinical staging in youth mental health: a first international consensus statement.<br>World Psychiatry, 2020, 19, 233-242.   | 4.8 | 153       |
| 118 | The value of early intervention in creating the new mental health system: Response to Allison et al. Australian and New Zealand Journal of Psychiatry, 2020, 54, 667-669.   | 1.3 | 6         |
| 119 | Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. Schizophrenia Research, 2020, 220, 275-277.    | 1.1 | 3         |
| 120 | Leveraging the social network for treatment of social anxiety: Pilot study of a youth-specific digital intervention with a focus on engagement of young men. Internet Interventions, 2020, 20, 100323.                | 1.4 | 41        |
| 121 | Predicting individual improvement in schizophrenia symptom severity at 1â€year followâ€up: Comparison of connectomic, structural, and clinical predictors. Human Brain Mapping, 2020, 41, 3342-3357.                  | 1.9 | 10        |
| 122 | Response to Looi et al. – Tilting at windmills: A giant quest. Australian and New Zealand Journal of Psychiatry, 2020, 54, 670-672.   | 1.3 | 6         |
| 123 | Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. Schizophrenia Bulletin Open, 2020, 1, .                                   | 0.9 | 45        |
| 124 | Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. Schizophrenia Research, 2020, 218, 48-54. | 1.1 | 8         |
| 125 | Commentary: Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). Frontiers in Psychiatry, 2020, 11, 488.   | 1.3 | 3         |
| 126 | Neuroharmony: A new tool for harmonizing volumetric MRI data from unseen scanners. NeuroImage, 2020, 220, 117127.   | 2.1 | 48        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Expanding the search for emerging mental ill health to safeguard student potential and vocational success in high school: A narrative review. Microbial Biotechnology, 2020, 14, 655-676.   | 0.9 | 12        |
| 128 | Historical perspectives on psychosis risk. , 2020, , 1-10.  |     | 0         |
| 129 | New paradigms to study psychosis risk. , 2020, , 399-416.   |     | 0         |
| 130 | Youth Depression Alleviation with Anti-inflammatory Agents (YoDA-A): a randomised clinical trial of rosuvastatin and aspirin. BMC Medicine, 2020, 18, 16.   | 2.3 | 49        |
| 131 | Global research priorities for youth mental health. Microbial Biotechnology, 2020, 14, 3-13.  | 0.9 | 60        |
| 132 | Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation?. Psychiatry Research, 2020, 289, 112909.  | 1.7 | 6         |
| 133 | Clinical High Risk for Psychosis—Not Seeing the Trees for the Wood. JAMA Psychiatry, 2020, 77, 559.   | 6.0 | 11        |
| 134 | Pluripotential Risk and Clinical Staging: Theoretical Considerations and Preliminary Data From a Transdiagnostic Risk Identification Approach. Frontiers in Psychiatry, 2020, 11, 553578.   | 1.3 | 30        |
| 135 | Unmet Needs in Youth Mental Health: Transforming Models of Care to Improve Outcomes. , 2020, , 181-191.   |     | 9         |
| 136 | Why do psychiatrists doubt the value of early intervention? The power of illusion. Australasian Psychiatry, 2020, 28, 331-334.  | 0.4 | 12        |
| 137 | A Novel Multimodal Digital Service (Moderated Online Social Therapy+) for Help-Seeking Young People<br>Experiencing Mental III-Health: Pilot Evaluation Within a National Youth E-Mental Health Service.<br>Journal of Medical Internet Research, 2020, 22, e17155. | 2.1 | 56        |
| 138 | Mental health and <scp>COVID</scp> â€19: are we really all in this together?. Medical Journal of Australia, 2020, 213, 454-455.   | 0.8 | 21        |
| 139 | Early Intervention and Youth Mental Health: Synergistic Paradigms to Transform Mental Health Outcomes., 2020,, 1-11.  |     | 0         |
| 140 | Does reason for referral to an ultraâ€high risk clinic predict transition to psychosis?. Microbial Biotechnology, 2019, 13, 318-321.  | 0.9 | 7         |
| 141 | At-risk studies and clinical antecedents of psychosis, bipolar disorder and depression: a scoping review in the context of clinical staging. Psychological Medicine, 2019, 49, 177-189.   | 2.7 | 55        |
| 142 | Is a higher dose of antipsychotic medication required to treat a relapse following discontinuation in first episode psychosis?. Schizophrenia Research, 2019, 204, 407-408.   | 1.1 | 4         |
| 143 | Stability of retrospective selfâ€reports of childhood trauma in firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 908-913.   | 0.9 | 24        |
| 144 | Diagnosis without Borders. , 2019, , 1-11.  |     | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Clinical Staging and Its Potential to Enhance Mental Health Care. , 2019, , 12-33.  |     | 5         |
| 146 | Time for a Change. , 2019, , 34-66.   |     | 0         |
| 147 | A Moving Target. , 2019, , 67-80.   |     | 0         |
| 148 | The Utility of Clinical Staging in Youth Mental Health Settings. , 2019, , 81-102.  |     | 4         |
| 149 | Neuroimaging and Staging., 2019, , 103-139.   |     | 1         |
| 150 | Staging of Cognition in Psychiatric Illness. , 2019, , 140-171.   |     | 3         |
| 151 | Neuroinflammation and Staging. , 2019, , 172-190.   |     | 0         |
| 152 | Bioactive and Inflammatory Markers in Emerging Psychotic Disorders. , 2019, , 191-203.  |     | 0         |
| 153 | Electroencephalography and Staging. , 2019, , 204-220.  |     | 0         |
| 154 | Novel Biological Treatment Strategies. , 2019, , 221-240.   |     | 0         |
| 155 | Psychosocial Interventions for Youth Mental Health. , 2019, , 241-260.  |     | 3         |
| 156 | Transforming Cultures to Enable Stage-Related Care of Mental Ill-Health., 2019,, 261-277.   |     | 0         |
| 157 | The Quest for Clinical Utility and Construct Validity in Psychiatric Diagnosis. , 2019, , 278-283.  |     | 0         |
| 158 | The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry,the, 2019, 6, 675-712.  | 3.7 | 815       |
| 159 | The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): a randomised, double-blind, placebo-controlled, multicentre clinical trial. Lancet Psychiatry,the, 2019, 6, 735-744. | 3.7 | 63        |
| 160 | Olfactory sulcus morphology in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2019, 292, 1-4.   | 0.9 | 4         |
| 161 | Early intervention for bipolar disorder – Do current treatment guidelines provide recommendations for the early stages of the disorder?. Journal of Affective Disorders, 2019, 257, 669-677.                    | 2.0 | 13        |
| 162 | Early Intervention in Psychosis in Young People: A Population and Public Health Perspective. American Journal of Public Health, 2019, 109, S181-S184.   | 1.5 | 41        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 163 | Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. Frontiers in Psychiatry, 2019, 10, 393.  | 1.3 | 22        |
| 164 | The case for improved care and provision of treatment for people with first-episode mania. Lancet Psychiatry,the, 2019, 6, 869-876.   | 3.7 | 46        |
| 165 | Residential social drift in the two years following a first episode of psychosis. Schizophrenia Research, 2019, 210, 323-325.   | 1.1 | 7         |
| 166 | Transdiagnostic psychiatry: premature closure on a crucial pathway to clinical utility for psychiatric diagnosis. World Psychiatry, 2019, 18, 359-360.  | 4.8 | 10        |
| 167 | Clinical Stage Transitions in Persons Aged 12 to 25 Years Presenting to Early Intervention Mental Health Services With Anxiety, Mood, and Psychotic Disorders. JAMA Psychiatry, 2019, 76, 1167.   | 6.0 | 105       |
| 168 | First episode mania: we should have intervened earlier. Lancet Psychiatry, the, 2019, 6, 807-808.   | 3.7 | 0         |
| 169 | Aripiprazole compared with placebo for auditory verbal hallucinations in youth with borderline personality disorder: Protocol for the VERBATIM randomized controlled trial. Microbial Biotechnology, 2019, 13, 1373-1381.                                     | 0.9 | 10        |
| 170 | Staging model in psychiatry: Review of the evolution of electroencephalography abnormalities in major psychiatric disorders. Microbial Biotechnology, 2019, 13, 1319-1328.  | 0.9 | 22        |
| 171 | Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk:<br>Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data<br>Meta-Analysis. Frontiers in Psychiatry, 2019, 10, 345. | 1.3 | 29        |
| 172 | Creating headspace for integrated youth mental health care. World Psychiatry, 2019, 18, 140-141.  | 4.8 | 77        |
| 173 | Incidence of treated first episode psychosis from an Australian early intervention service and its association with neighbourhood characteristics. Schizophrenia Research, 2019, 209, 206-211.  | 1.1 | 24        |
| 174 | Evidence for Network-Based Cortical Thickness Reductions in Schizophrenia. American Journal of Psychiatry, 2019, 176, 552-563.  | 4.0 | 97        |
| 175 | The association between community and service level factors and rates of disengagement in individuals with first episode psychosis. Schizophrenia Research, 2019, 210, 122-127.   | 1.1 | 8         |
| 176 | Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning $\hat{a}\in$ Results from the EU-GEI study. European Psychiatry, 2019, 59, 52-59.  | 0.1 | 19        |
| 177 | Building the momentum and blueprint for reform in youth mental health. Lancet Psychiatry,the, 2019, 6, 459-461.   | 3.7 | 16        |
| 178 | Early intervention for depression in young people: a blind spot in mental health care – Authors' reply. Lancet Psychiatry,the, 2019, 6, 283-284.  | 3.7 | 4         |
| 179 | The relationship between childhood trauma and clinical characteristics in ultra-high risk for psychosis youth. Psychosis, 2019, 11, 28-41.  | 0.4 | 6         |
| 180 | HORYZONS trial: protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first-episode psychosis services. BMJ Open, 2019, 9, e024104.  | 0.8 | 65        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Effectiveness of universal programmes for the prevention of suicidal ideation, behaviour and mental ill health in medical students: a systematic review and meta-analysis. Evidence-Based Mental Health, 2019, 22, 84-90.   | 2.2 | 26        |
| 182 | The rates and determinants of disengagement and subsequent re-engagement in young people with first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 945-953.   | 1.6 | 22        |
| 183 | Importance of Variable Selection in Multimodal Prediction Models in Patients at Clinical High Risk for Psychosis and Recent-Onset Depression. JAMA Psychiatry, 2019, 76, 339.   | 6.0 | 8         |
| 184 | Interventions to reduce symptoms of common mental disorders and suicidal ideation in physicians: a systematic review and meta-analysis. Lancet Psychiatry,the, 2019, 6, 225-234.  | 3.7 | 101       |
| 185 | Frontal slow wave resting EEG power is higher in individuals at Ultra High Risk for psychosis than in healthy controls but is not associated with negative symptoms or functioning. Schizophrenia Research, 2019, 208, 293-299.   | 1.1 | 6         |
| 186 | Elevated ubiquitinated proteins in brain and blood of individuals with schizophrenia. Scientific Reports, 2019, 9, 2307.  | 1.6 | 31        |
| 187 | Improving Mood with Physical ACTivity (IMPACT) trial: a cluster randomised controlled trial to determine the effectiveness of a brief physical activity behaviour change intervention on depressive symptoms in young people, compared with psychoeducation, in addition to routine clinical care within youth mental health services—a protocol study. BMI Open, 2019, 9, e034002. | 0.8 | 3         |
| 188 | Investigation of peripheral complement factors across stages of psychosis. Schizophrenia Research, 2019, 204, 30-37.  | 1.1 | 50        |
| 189 | Testing a neurophenomenological model of basic self disturbance inÂearly psychosis. World Psychiatry, 2019, 18, 104-105.  | 4.8 | 23        |
| 190 | Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. Schizophrenia Research, 2019, 206, 67-74.  | 1.1 | 46        |
| 191 | Early intervention for depression in young people: a blind spot in mental health care. Lancet Psychiatry,the, 2019, 6, 267-272.   | 3.7 | 72        |
| 192 | Characteristics and outcomes of young people with substance induced psychotic disorder. Schizophrenia Research, 2019, 206, 257-262.   | 1.1 | 24        |
| 193 | The Vitamins in Psychosis Study: A Randomized, Double-Blind, Placebo-Controlled Trial of the Effects of Vitamins B12, B6, and Folic Acid on Symptoms and Neurocognition in First-Episode Psychosis. Biological Psychiatry, 2019, 86, 35-44.   | 0.7 | 23        |
| 194 | Where next for youth mental health services in Ireland?. Irish Journal of Psychological Medicine, 2019, 36, 163-167.  | 0.7 | 8         |
| 195 | Current versus recently resolved attenuated psychotic symptoms: Same level of risk for transition to psychosis?. Schizophrenia Research, 2019, 204, 450-451.  | 1.1 | 3         |
| 196 | Reducing the global burden of depression: a Lancet–World Psychiatric Association Commission. Lancet, The, 2019, 393, e42-e43.   | 6.3 | 186       |
| 197 | Persistent negative symptoms in individuals at Ultra High Risk for psychosis. Schizophrenia Research, 2019, 206, 355-361.   | 1,1 | 39        |
| 198 | Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. Schizophrenia Bulletin, 2019, 45, 1101-1111.  | 2.3 | 27        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 199 | Australia's innovation in youth mental health care: The headspace centre model. Microbial Biotechnology, 2019, 13, 159-166.   | 0.9 | 133       |
| 200 | Rates, determinants and outcomes associated with the use of community treatment orders in young people experiencing first episode psychosis. International Journal of Law and Psychiatry, 2019, 62, 85-89.  | 0.5 | 6         |
| 201 | Can antipsychotic dose reduction lead to better functional recovery in firstâ€episode psychosis? A randomized controlledâ€trial of antipsychotic dose reduction. The reduce trial: Study protocol. Microbial Biotechnology, 2019, 13, 1345-1356.  | 0.9 | 19        |
| 202 | Hippocampal subfields and visuospatial associative memory across stages of schizophrenia-spectrum disorder. Psychological Medicine, 2019, 49, 2452-2462.  | 2.7 | 17        |
| 203 | Can youth at high risk of illness progression be identified by measures of rumination and sleepâ€wake disturbance. Microbial Biotechnology, 2019, 13, 1214-1219.  | 0.9 | 7         |
| 204 | Individual placement and support for vocational recovery in first-episode psychosis: randomised controlled trial. British Journal of Psychiatry, 2019, 214, 76-82.  | 1.7 | 65        |
| 205 | Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for firstâ€episode psychosis with lowâ€risk of selfâ€harm or aggression. Study protocol and baseline characteristics of participants. Microbial Biotechnology, 2019, 13, 953-960. | 0.9 | 19        |
| 206 | Broad clinical highâ€risk mental state (CHARMS): Methodology of a cohort study validating criteria for pluripotent risk. Microbial Biotechnology, 2019, 13, 379-386.  | 0.9 | 76        |
| 207 | Introduction: Relevance of theÂAge of Onset of Mental Disorders to Research in Psychiatry and toÂthe Organization of Services for People with Mental Illness. , 2019, , 1-13.   |     | 3         |
| 208 | Key Worker–Mediated Enhancement of Physical Health in First Episode Psychosis: Protocol For a Feasibility Study in Primary Care. JMIR Research Protocols, 2019, 8, e13115.  | 0.5 | 5         |
| 209 | Conclusions: From theÂStudy of theÂAge of Onset to theÂDevelopment of Age-Specific Interventions in Mental Health. , 2019, , 255-261.   |     | 1         |
| 210 | Attenuated Psychosis Syndromes Among Australian Youth and Young Adults: Early Identification and Intervention., 2019,, 67-84.   |     | 0         |
| 211 | Differential effect of quetiapine and lithium on functional connectivity of the striatum in first episode mania. Translational Psychiatry, 2018, 8, 59.   | 2.4 | 59        |
| 212 | Adolescent and Young Adult Male Mental Health: Transforming System Failures Into Proactive Models of Engagement. Journal of Adolescent Health, 2018, 62, S9-S17.  | 1.2 | 132       |
| 213 | Depression and suicide among medical practitioners in Australia. Internal Medicine Journal, 2018, 48, 254-258.  | 0.5 | 44        |
| 214 | Clozapine use in early psychosis. Schizophrenia Research, 2018, 199, 374-379.   | 1.1 | 23        |
| 215 | T30. TIPPING POINTS – PREDICTING TRANSITIONS TO PSYCHOSIS IN AT-RISK YOUNG PEOPLE. Schizophrenia Bulletin, 2018, 44, S124-S125.   | 2.3 | 1         |
| 216 | Clinical trajectories in the ultra-high risk for psychosis population. Schizophrenia Research, 2018, 197, 550-556.  | 1.1 | 54        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Effects of Cannabis Use in Those at Ultra-High Risk for Psychosis. , 2018, , 167-181.  |     | 4         |
| 218 | Early Intervention—An Implementation Challenge for 21st Century Mental Health Care. JAMA<br>Psychiatry, 2018, 75, 545.   | 6.0 | 71        |
| 219 | Downregulation of plasma SELENBP1 protein in patients with recent-onset schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 1-6.  | 2.5 | 11        |
| 220 | Moderated online social therapy for depression relapse prevention in young people: pilot study of a $\hat{a} \in \mathbb{N}$ next generation $\hat{a} \in \mathbb{N}$ online intervention. Microbial Biotechnology, 2018, 12, 613-625.       | 0.9 | 102       |
| 221 | Role of the general practitioner in providing early intervention for youth mental health: a mixed methods investigation. Microbial Biotechnology, 2018, 12, 202-216.   | 0.9 | 19        |
| 222 | Early intervention for incipient insanity: early notions from the 19 <sup>th</sup> century English literature. Microbial Biotechnology, 2018, 12, 708-714.   | 0.9 | 1         |
| 223 | Youth mental health services in Italy: An achievable dream?. Microbial Biotechnology, 2018, 12, 433-443.   | 0.9 | 9         |
| 224 | Youth Depression Alleviationâ€Augmentation with an antiâ€inflammatory agent ( <scp>YoDAâ€A</scp> ): protocol and rationale for a placeboâ€controlled randomized trial of rosuvastatin and aspirin. Microbial Biotechnology, 2018, 12, 45-54. | 0.9 | 15        |
| 225 | Development of an implementation guide to facilitate the rollâ€out of early intervention services for psychosis. Microbial Biotechnology, 2018, 12, 1100-1111.   | 0.9 | 10        |
| 226 | Deterioration of visuospatial associative memory following a first psychotic episode: a long-term follow-up study. Psychological Medicine, 2018, 48, 132-141.  | 2.7 | 23        |
| 227 | Reasons for referral and findings of clinical neuropsychological assessment in youth with mental illness: A clinical file audit. Applied Neuropsychology: Child, 2018, 7, 164-174.   | 0.7 | 8         |
| 228 | Staged Treatment in Early Psychosis: A sequential multiple assignment randomised trial of interventions for ultra high risk of psychosis patients. Microbial Biotechnology, 2018, 12, 292-306.   | 0.9 | 52        |
| 229 | The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. Schizophrenia<br>Research, 2018, 195, 543-548.  | 1.1 | 28        |
| 230 | Rates and predictors of relapse following discontinuation of antipsychotic medication after a first episode of psychosis. Schizophrenia Research, 2018, 195, 231-236.  | 1.1 | 49        |
| 231 | Predictors of longer-term outcome in the Vienna omega-3 high-risk study. Schizophrenia Research, 2018, 193, 168-172.   | 1.1 | 6         |
| 232 | Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. Psychological Medicine, 2018, 48, 1592-1607.   | 2.7 | 27        |
| 233 | Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. Psychiatry Research, 2018, 260, 60-66.   | 1.7 | 10        |
| 234 | Clinical and demographic predictors of continuing remission or relapse following discontinuation of antipsychotic medication after a first episode of psychosis. A systematic review. Schizophrenia Research, 2018, 197, 9-18.               | 1.1 | 51        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Impaired mismatch negativity to frequency deviants in individuals at ultra-high risk for psychosis, and preliminary evidence for further impairment with transition to psychosis. Schizophrenia Research, 2018, 191, 95-100.   | 1.1 | 31        |
| 236 | Pre-onset risk characteristics for mania among young people at clinical high risk for psychosis. Schizophrenia Research, 2018, 192, 345-350.   | 1.1 | 5         |
| 237 | Ultra-high-risk paradigm: lessons learnt and new directions. Evidence-Based Mental Health, 2018, 21, 131-133.  | 2.2 | 36        |
| 238 | Early intervention in youth mental health: progress and future directions. Evidence-Based Mental Health, 2018, 21, 182-184.  | 2.2 | 170       |
| 239 | Recent Meta-Analyses in the Clinical High Risk for Psychosis Population: Clinical Interpretation of Findings and Suggestions for Future Research. Frontiers in Psychiatry, 2018, 9, 502.   | 1.3 | 22        |
| 240 | Tackling the youth mental health crisis across adolescence and young adulthood. BMJ: British Medical Journal, 2018, 362, k3704.  | 2.4 | 5         |
| 241 | Preventive strategies for mental health. Lancet Psychiatry,the, 2018, 5, 591-604.  | 3.7 | 390       |
| 242 | Resting-state functional brain networks in first-episode psychosis: A 12-month follow-up study. Australian and New Zealand Journal of Psychiatry, 2018, 52, 864-875.   | 1.3 | 18        |
| 243 | Beyond the "at risk mental state―concept: transitioning to transdiagnostic psychiatry. World Psychiatry, 2018, 17, 133-142.  | 4.8 | 311       |
| 244 | Screening for the ultra-high risk state in a youth mental health service. Schizophrenia Research, 2018, 202, 401-403.  | 1.1 | 4         |
| 245 | Dynamic prediction of transition to psychosis using joint modelling. Schizophrenia Research, 2018, 202, 333-340.   | 1.1 | 18        |
| 246 | Enhancing social functioning in young people at Ultra High Risk (UHR) for psychosis: A pilot study of a novel strengths and mindfulness-based online social therapy. Schizophrenia Research, 2018, 202, 369-377.   | 1.1 | 99        |
| 247 | â€~ls "early intervention―in bipolar disorder what it claims to be?' Malhi etÂal. Bipolar Disorders, 2018, 20, 181-183.  | 1.1 | 3         |
| 248 | An fMRI study of theory of mind in individuals with first episode psychosis. Psychiatry Research - Neuroimaging, 2018, 281, 1-11.  | 0.9 | 10        |
| 249 | Web-Based Mindfulness Interventions for Mental Health Treatment: Systematic Review and Meta-Analysis. JMIR Mental Health, 2018, 5, e10278.   | 1.7 | 79        |
| 250 | NEURAPROâ€E study protocol: a multicentre randomized controlled trial of omegaâ€3 fatty acids and cognitiveâ€behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. Microbial Biotechnology, 2017, 11, 418-428. | 0.9 | 55        |
| 251 | Convergence Science Arrives: How Does It Relate to Psychiatry?. Academic Psychiatry, 2017, 41, 91-99.  | 0.4 | 23        |
| 252 | Ethical considerations in preventive interventions for bipolar disorder. Microbial Biotechnology, 2017, 11, 104-112.   | 0.9 | 12        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | A systematic review and metaâ€analysis of prospective transition from major depression to bipolar disorder. Acta Psychiatrica Scandinavica, 2017, 135, 273-284.  | 2.2 | 90        |
| 254 | Effects of omega-3 PUFA on immune markers in adolescent individuals at ultra-high risk for psychosis – Results of the randomized controlled Vienna omega-3 study. Schizophrenia Research, 2017, 188, 110-117.              | 1.1 | 23        |
| 255 | Community Treatment Order: Identifying the need for more evidence based justification of its use in first episode psychosis patients. Schizophrenia Research, 2017, 185, 67-72.  | 1.1 | 8         |
| 256 | Predictors of favourable outcome in young people with a first episode psychosis without antipsychotic medication. Schizophrenia Research, 2017, 185, 130-136.  | 1.1 | 19        |
| 257 | Are current labeling terms suitable for people who are at risk of psychosis?. Schizophrenia Research, 2017, 188, 172-177.  | 1.1 | 17        |
| 258 | Neuroprotection after a first episode of mania: a randomized controlled maintenance trial comparing the effects of lithium and quetiapine on grey and white matter volume. Translational Psychiatry, 2017, 7, e1011-e1011. | 2.4 | 75        |
| 259 | Quetiapine <i>&gt;v.</i> lithium in the maintenance phase following a first episode of mania: Randomised controlled trial. British Journal of Psychiatry, 2017, 210, 413-421.  | 1.7 | 53        |
| 260 | Predictors of functional status at service entry and discharge among young people with first episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 575-585.   | 1.6 | 30        |
| 261 | Negative Psychosis Prevention Trials—Reply. JAMA Psychiatry, 2017, 74, 652.  | 6.0 | 3         |
| 262 | Back to the future: Schizophrenia in retrospect and prospect. Australian and New Zealand Journal of Psychiatry, 2017, 51, 431-433.   | 1.3 | 4         |
| 263 | Erythrocyte glutathione levels as long-term predictor of transition to psychosis. Translational Psychiatry, 2017, 7, e1064-e1064.  | 2.4 | 28        |
| 264 | Youth mental ill health and secondary school completion in Australia: time to act. Microbial Biotechnology, 2017, 11, 277-289.   | 0.9 | 33        |
| 265 | Responding to challenges for people with psychotic illness: Updated evidence from the Survey of High Impact Psychosis. Australian and New Zealand Journal of Psychiatry, 2017, 51, 124-140.                                | 1.3 | 81        |
| 266 | Effect of ω-3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. JAMA Psychiatry, 2017, 74, 19.  | 6.0 | 216       |
| 267 | The RANZCP guidelines for Schizophrenia: Why is our practice so far short of our recommendations, and what can we do about it?. Australian and New Zealand Journal of Psychiatry, 2017, 51, 670-674.                       | 1.3 | 7         |
| 268 | Rates and predictors of 18-months remission in an epidemiological cohort of 661 patients with first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1089-1099.                                | 1.6 | 23        |
| 269 | Social and academic premorbid adjustment domains predict different functional outcomes among youth with first episode mania. Journal of Affective Disorders, 2017, 219, 133-140.   | 2.0 | 9         |
| 270 | White matter connectivity disruptions in early and chronic schizophrenia. Psychological Medicine, 2017, 47, 2797-2810.   | 2.7 | 49        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 271 | The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. Schizophrenia Bulletin, 2017, 43, 843-851.  | 2.3 | 55        |
| 272 | Moving From Static to Dynamic Models of the Onset of Mental Disorder. JAMA Psychiatry, 2017, 74, 528.  | 6.0 | 218       |
| 273 | Novel biotherapies are needed in youth mental health. Australasian Psychiatry, 2017, 25, 117-120.  | 0.4 | 13        |
| 274 | Long-term employment among people at ultra-high risk for psychosis. Schizophrenia Research, 2017, 184, 26-31.  | 1.1 | 28        |
| 275 | Using clinical information to make individualized prognostic predictions in people at ultra high risk for psychosis. Schizophrenia Research, 2017, 184, 32-38.   | 1.1 | 58        |
| 276 | Cannabis-induced attenuated psychotic symptoms: implications for prognosis in young people at ultra-high risk for psychosis. Psychological Medicine, 2017, 47, 616-626.  | 2.7 | 41        |
| 277 | Predictors of functional recovery in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. Clinical Psychology Review, 2017, 58, 59-75.  | 6.0 | 192       |
| 278 | Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. Psychotherapy and Psychosomatics, 2017, 86, 292-299.   | 4.0 | 20        |
| 279 | Omega-6 to omega-3 polyunsaturated fatty acid ratio and subsequent mood disorders in young people with at-risk mental states: a 7-year longitudinal study. Translational Psychiatry, 2017, 7, e1220-e1220.                                 | 2.4 | 78        |
| 280 | Improving outcomes of firstâ€episode psychosis: an overview. World Psychiatry, 2017, 16, 251-265.  | 4.8 | 363       |
| 281 | Staging in bipolar disorder: from theoretical framework to clinical utility. World Psychiatry, 2017, 16, 236-244.  | 4.8 | 160       |
| 282 | Architecture of change: rethinking child and adolescent mental health. Lancet Psychiatry, the, 2017, 4, 656-658.   | 3.7 | 43        |
| 283 | PET imaging of putative microglial activation in individuals at ultra-high risk for psychosis, recently diagnosed and chronically ill with schizophrenia. Translational Psychiatry, 2017, 7, e1225-e1225.                                  | 2.4 | 70        |
| 284 | The 2016 RANZCP Guidelines for the Management of Schizophrenia and Related Disorders – what's next?. Australasian Psychiatry, 2017, 25, 600-602.   | 0.4 | 6         |
| 285 | A next-generation social media-based relapse prevention intervention for youth depression:<br>Qualitative data on user experience outcomes for social networking, safety, and clinical benefit.<br>Internet Interventions, 2017, 9, 65-73. | 1.4 | 34        |
| 286 | Youth mental health and mental wealth: reaping the rewards. Australasian Psychiatry, 2017, 25, 101-103.  | 0.4 | 8         |
| 287 | Ventricular volumes across stages of schizophrenia and other psychoses. Australian and New Zealand Journal of Psychiatry, 2017, 51, 1041-1051.   | 1.3 | 17        |
| 288 | Structural neuroimaging across early-stage psychosis: Aberrations in neurobiological trajectories and implications for the staging model. Australian and New Zealand Journal of Psychiatry, 2017, 51, 455-476.                             | 1.3 | 52        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 289 | Substance use in youth at risk for psychosis. Schizophrenia Research, 2017, 181, 23-29.   | 1.1 | 41        |
| 290 | Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. Neurolmage, 2017, 145, 246-253.  | 2.1 | 43        |
| 291 | Lithium suppression of tau induces brain iron accumulation and neurodegeneration. Molecular Psychiatry, 2017, 22, 396-406.  | 4.1 | 66        |
| 292 | Broken promises and missing steps in mental health reform. Medical Journal of Australia, 2017, 206, 487-489.  | 0.8 | 10        |
| 293 | The Positive and Negative Experiences of Caregiving for Siblings of Young People with First Episode Psychosis. Frontiers in Psychology, 2017, 8, 730.   | 1.1 | 14        |
| 294 | SU125. Momentum: AÂNovel Online Social Media, Mindfulness, and Strengths-Based Intervention to Promote Functional Recovery in Ultra High Risk (UHR) Patients. Schizophrenia Bulletin, 2017, 43, S206-S207.  | 2.3 | 5         |
| 295 | The 2016 Royal Australian and New Zealand College of Psychiatrists guidelines for the management of schizophrenia and related disorders. Medical Journal of Australia, 2017, 206, 501-505.  | 0.8 | 22        |
| 296 | Integrated (oneâ€stop shop) youth health care: best available evidence and future directions. Medical Journal of Australia, 2017, 207, S5-S18.  | 0.8 | 173       |
| 297 | Targeting mental health care attributes by diagnosis and clinical stage: the views of youth mental health clinicians. Medical Journal of Australia, 2017, 207, S19-S26.   | 0.8 | 5         |
| 298 | Identifying attributes of care that may improve costâ€effectiveness in the youth mental health service system. Medical Journal of Australia, 2017, 207, S27-S37.  | 0.8 | 22        |
| 299 | Youth mental health: building beyond the brand. Medical Journal of Australia, 2017, 207, 428-429.   | 0.8 | 5         |
| 300 | SA58. The First-Episode Psychosis Outcome Study: Preliminary Data on the Long-Term Follow-Up of First-Episode Psychosis Patients Who Were Treated at the Early Psychosis Prevention and Intervention Centre Between 1998 and 2000. Schizophrenia Bulletin, 2017, 43, S134-S134. | 2.3 | 0         |
| 301 | Placement Instability Among Young People Removed from Their Original Family and the Likely Mental<br>Health Implications. Shanghai Archives of Psychiatry, 2017, 29, 85-94.   | 0.7 | 5         |
| 302 | Youth depression alleviation: the Fish Oil Youth Depression Study ( <scp>YoDA</scp> â€F): A randomized, doubleâ€blind, placeboâ€controlled treatment trial. Microbial Biotechnology, 2016, 10, 290-299.   | 0.9 | 16        |
| 303 | Relationship between Erythrocyte Fatty Acid Composition and Psychopathology in the Vienna Omega-3 Study. PLoS ONE, 2016, 11, e0151417.  | 1.1 | 22        |
| 304 | Stepwise expansion of evidenceâ€based care is needed for mental health reform. Medical Journal of Australia, 2016, 204, 351-353.  | 0.8 | 9         |
| 305 | NHMRC funding of mental health research. Medical Journal of Australia, 2016, 205, 350-351.  | 0.8 | 15        |
| 306 | The student safety net: a new angle for early intervention. Microbial Biotechnology, 2016, 10, 279-281.   | 0.9 | 0         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 307 | Distress in relation to attenuated psychotic symptoms in the ultraâ€highâ€risk population is not associated with increased risk of psychotic disorder. Microbial Biotechnology, 2016, 10, 258-262.                                    | 0.9 | 18        |
| 308 | Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. Schizophrenia Bulletin, 2016, 43, sbw086.   | 2.3 | 21        |
| 309 | White matter integrity in individuals at ultra-high risk for psychosis: a systematic review and discussion of the role of polyunsaturated fatty acids. BMC Psychiatry, 2016, 16, 287.   | 1.1 | 38        |
| 310 | Differential expression of the inflammation marker IL12p40 in the at-risk mental state for psychosis: a predictor of transition to psychotic disorder?. BMC Psychiatry, 2016, 16, 326.  | 1.1 | 34        |
| 311 | Response to Jorm: Headspace – A national and international innovation with lessons for redesign of mental health care in Australia. Australian and New Zealand Journal of Psychiatry, 2016, 50, 9-10.                                 | 1.3 | 9         |
| 312 | A review of vulnerability and risks for schizophrenia: Beyond the two hit hypothesis. Neuroscience and Biobehavioral Reviews, 2016, 65, 185-194.  | 2.9 | 256       |
| 313 | Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the management of schizophrenia and related disorders. Australian and New Zealand Journal of Psychiatry, 2016, 50, 410-472.                | 1.3 | 571       |
| 314 | Beyond Clinical Remission in First Episode Psychosis: Thoughts on Antipsychotic Maintenance vs. Guided Discontinuation in the Functional Recovery Era. CNS Drugs, 2016, 30, 357-368.  | 2.7 | 67        |
| 315 | Further examination of the reducing transition rate in ultra high risk for psychosis samples: The possible role of earlier intervention. Schizophrenia Research, 2016, 174, 43-49.  | 1.1 | 47        |
| 316 | Prediction of transition from ultra-high risk to first-episode psychosis using a probabilistic model combining history, clinical assessment and fatty-acid biomarkers. Translational Psychiatry, 2016, 6, e897-e897.                  | 2.4 | 51        |
| 317 | A prospective cohort study of depression course, functional disability, and NEET status in help-seeking young adults. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1395-1404.  | 1.6 | 29        |
| 318 | Early intervention: Mission cramp versus mission creep?. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1033-1035.   | 1.3 | 4         |
| 319 | A controlled trial of implementing a complex mental health intervention for carers of vulnerable young people living in out-of-home care: the ripple project. BMC Psychiatry, 2016, 16, 436.  | 1.1 | 12        |
| 320 | Response to Allison et al., †The National Mental Health Commission Report: Evidence based or ideologically driven?'. Australian and New Zealand Journal of Psychiatry, 2016, 50, 11-12.   | 1.3 | 2         |
| 321 | The achievable dream of a humane psychiatry: A tribute to John S. Strauss. American Journal of Psychiatric Rehabilitation, 2016, 19, 12-16.   | 0.7 | 0         |
| 322 | Early psychosis research at Orygen, The National Centre of Excellence in Youth Mental Health. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1-13.   | 1.6 | 31        |
| 323 | A single-blind, randomised controlled trial on the effects of lithium and quetiapine monotherapy on the trajectory of cognitive functioning in first episode mania: A 12-month follow-up study. European Psychiatry, 2016, 31, 20-28. | 0.1 | 25        |
| 324 | Why We Need a Transdiagnostic Staging Approach to Emerging Psychopathology, Early Diagnosis, and Treatment. JAMA Psychiatry, 2016, 73, 191.   | 6.0 | 144       |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 325 | The Mental Health of Elite Athletes: A Narrative Systematic Review. Sports Medicine, 2016, 46, 1333-1353.  | 3.1  | 592       |
| 326 | The effectiveness of simple psychological and physical activity interventions for high prevalence mental health problems in young people: A factorial randomised controlled trial. Journal of Affective Disorders, 2016, 196, 200-209. | 2.0  | 54        |
| 327 | Baseline grey matter volume of non-transitioned "ultra high risk―for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. Schizophrenia Research, 2016, 173, 152-158.                          | 1.1  | 42        |
| 328 | Declining transition rates to psychotic disorder in "ultra-high risk―clients: Investigation of a dilution effect. Schizophrenia Research, 2016, 170, 130-136.  | 1.1  | 87        |
| 329 | Early Detection and Intervention in Psychosis. Key Issues in Mental Health, 2016, , 179-189.   | 0.6  | 4         |
| 330 | Do affective or dissociative symptoms mediate the association between childhood sexual trauma and transition to psychosis in an ultra-high risk cohort? Psychiatry Research, 2016, 236, 182-185.                                       | 1.7  | 20        |
| 331 | Altering the course of schizophrenia: progress and perspectives. Nature Reviews Drug Discovery, 2016, 15, 485-515.   | 21.5 | 410       |
| 332 | Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. JAMA Psychiatry, 2016, 73, 113.  | 6.0  | 354       |
| 333 | From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 319-326.        | 1.6  | 139       |
| 334 | Niacin Skin Sensitivity Is Increased in Adolescents at Ultra-High Risk for Psychosis. PLoS ONE, 2016, 11, e0148429.  | 1.1  | 28        |
| 335 | Adjunctive Taurine in First-Episode Psychosis. Journal of Clinical Psychiatry, 2016, 77, e1610-e1617.  | 1.1  | 37        |
| 336 | Childhood maltreatment and transition to psychotic disorder independently predict long-term functioning in young people at ultra-high risk for psychosis. Psychological Medicine, 2015, 45, 3453-3465.                                 | 2.7  | 51        |
| 337 | In memory of <scp>P</scp> rof dott. <scp>A</scp> ngelo <scp>C</scp> occhi (1939–2015). Microbial Biotechnology, 2015, 9, 343-344.  | 0.9  | 0         |
| 338 | Conventional and alternative preventive treatments in the first stages of schizophrenia. European Journal of Psychiatry, 2015, 29, 135-143.  | 0.7  | 1         |
| 339 | Using accountability for mental health to drive reform. Medical Journal of Australia, 2015, 203, 328-330.  | 0.8  | 17        |
| 340 | The services provided to young people through the headspace centres across Australia. Medical Journal of Australia, 2015, 202, 533-536.  | 0.8  | 70        |
| 341 | Changes in psychological distress and psychosocial functioning in young people visiting headspace centres for mental health problems. Medical Journal of Australia, 2015, 202, 537-542.  | 0.8  | 104       |
| 342 | Australian Early Psychosis Research Network: national collaboration, international competitive advantage. Medical Journal of Australia, 2015, 202, 170-171.  | 0.8  | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Let children cry. Medical Journal of Australia, 2015, 202, 418-418.   | 0.8 | O         |
| 344 | Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. Behavioural and Cognitive Psychotherapy, 2015, 43, 314-327.           | 0.9 | 9         |
| 345 | Sources of clinical distress in young people at ultra high risk of psychosis. Schizophrenia Research, 2015, 165, 15-21.   | 1.1 | 50        |
| 346 | Neighbourhood characteristics and the rate of identification of young people at ultra-high risk for psychosis. Schizophrenia Research, 2015, 169, 214-216.  | 1.1 | 14        |
| 347 | Intensive case management for high-risk patients with first-episode psychosis: service model and outcomes. Lancet Psychiatry,the, 2015, 2, 29-37.   | 3.7 | 28        |
| 348 | The relationship between stress, HPA axis functioning and brain structure in first episode psychosis over the first 12 weeks of treatment. Psychiatry Research - Neuroimaging, 2015, 231, 111-119.                    | 0.9 | 9         |
| 349 | Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the <scp>T</scp> ransitions <scp>S</scp> tudy. Microbial Biotechnology, 2015, 9, 487-497. | 0.9 | 55        |
| 350 | Social environmental risk factors for transition to psychosis in an Ultra-High Risk population. Schizophrenia Research, 2015, 161, 150-155.   | 1.1 | 23        |
| 351 | Prospective progression from high-prevalence disorders to bipolar disorder: Exploring characteristics of pre-illness stages. Journal of Affective Disorders, 2015, 183, 45-48.  | 2.0 | 33        |
| 352 | Divergent effects of first-generation and second-generation antipsychotics on cortical thickness in first-episode psychosis. Psychological Medicine, 2015, 45, 515-527.   | 2.7 | 53        |
| 353 | Associations of obsessive–compulsive symptoms with clinical and neurocognitive features in schizophrenia according to stage of illness. Psychiatry Research, 2015, 226, 368-375.                                      | 1.7 | 16        |
| 354 | The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. Psychiatry Research, 2015, 226, 128-135.                          | 1.7 | 24        |
| 355 | Arguments for transformational reform of mental health care for young people. Irish Journal of Psychological Medicine, 2015, 32, 9-11.  | 0.7 | 8         |
| 356 | Early Intervention in Psychosis. Journal of Nervous and Mental Disease, 2015, 203, 310-318.   | 0.5 | 220       |
| 357 | Discrete Alterations of Brain Network Structural Covariance in Individuals at Ultra-High Risk for Psychosis. Biological Psychiatry, 2015, 77, 989-996.  | 0.7 | 46        |
| 358 | Instruments that prospectively predict bipolar disorder – A systematic review. Journal of Affective Disorders, 2015, 179, 65-73.  | 2.0 | 14        |
| 359 | A Qualitative Study of the Prodrome to First-Episode Major Depressive Disorder in Adolescents.<br>Psychopathology, 2015, 48, 153-161.   | 1.1 | 6         |
| 360 | Perceptions of clinicians treating young people with firstâ€episode psychosis for postâ€traumatic stress disorder. Microbial Biotechnology, 2015, 9, 12-20.   | 0.9 | 41        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | <scp>T</scp> ransitions <scp>S</scp> tudy of predictors of illness progression in young people with<br>mental ill health: study methodology. Microbial Biotechnology, 2015, 9, 38-47.                               | 0.9 | 32        |
| 362 | Declining transition rates to psychosis: the contribution of potential changes in referral pathways to an ultra–highâ€risk service. Microbial Biotechnology, 2015, 9, 200-206.                                      | 0.9 | 63        |
| 363 | Longer-term outcome in the prevention of psychotic disorders by the Vienna omega-3 study. Nature Communications, 2015, 6, 7934.   | 5.8 | 152       |
| 364 | Cognitive intervention in early psychosis â€" preserving abilities versus remediating deficits. Current Opinion in Behavioral Sciences, 2015, 4, 63-72.   | 2.0 | 35        |
| 365 | Preventing mental illness: closing the evidence-practice gap through workforce and services planning. BMC Health Services Research, 2015, 15, 283.  | 0.9 | 24        |
| 366 | Predictors of treatment response in young people at ultra-high risk for psychosis who received long-chain omega-3 fatty acids. Translational Psychiatry, 2015, 5, e495-e495.  | 2.4 | 48        |
| 367 | Detection and treatment of at-risk mental state for developing a first psychosis: making up the balance. Lancet Psychiatry,the, 2015, 2, 825-834.   | 3.7 | 42        |
| 368 | Effects of omega-3 PUFA on the vitamin E and glutathione antioxidant defense system in individuals at ultra-high risk of psychosis. Prostaglandins Leukotrienes and Essential Fatty Acids, 2015, 101, 15-21.        | 1.0 | 28        |
| 369 | Associations of hippocampal metabolism and regional brain grey matter in neuroleptic-naÃ-ve ultra-high-risk subjects and first-episode schizophrenia. European Neuropsychopharmacology, 2015, 25, 1661-1668.        | 0.3 | 22        |
| 370 | Olanzapine or chlorpromazine plus lithium in first episode psychotic mania: An 8-week randomised controlled trial. European Psychiatry, 2015, 30, 975-982.  | 0.1 | 24        |
| 371 | Online social media: New data, new horizons in psychosis treatment. Schizophrenia Research, 2015, 166, 345-346.   | 1.1 | 10        |
| 372 | History of offending behavior in first episode psychosis patients: A marker of specific clinical needs and a call for early detection strategies among young offenders. Schizophrenia Research, 2015, 161, 163-168. | 1.1 | 23        |
| 373 | Outcomes of Nontransitioned Cases in a Sample at Ultra-High Risk for Psychosis. American Journal of Psychiatry, 2015, 172, 249-258.   | 4.0 | 235       |
| 374 | The Impact of First-Episode Psychosis on the Sibling Relationship. Psychiatry (New York), 2015, 78, 141-55.   | 0.3 | 8         |
| 375 | Social Functioning Trajectories of Young First-Episode Psychosis Patients with and without Cannabis Misuse: A 30-Month Follow-Up Study. PLoS ONE, 2015, 10, e0122404.   | 1.1 | 20        |
| 376 | Getting mental health reform back on track: a leadership challenge for the new Australian Government. Medical Journal of Australia, 2014, 200, 445-448.   | 0.8 | 17        |
| 377 | headspace — Australia's innovation in youth mental health: who are the clients and why are they presenting?. Medical Journal of Australia, 2014, 200, 108-111.  | 0.8 | 177       |
| 378 | Selective Attention to Threat is Specific to Delusions in First-Episode Psychosis. Journal of Experimental Psychopathology, 2014, 5, 191-199.   | 0.4 | 3         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 379 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.                                    | 2.3 | 229       |
| 380 | Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. Psychological Medicine, 2014, 44, 17-24.   | 2.7 | 174       |
| 381 | Omega-3 fatty acid supplementation changes intracellular phospholipase A2 activity and membrane fatty acid profiles in individuals at ultra-high risk for psychosis. Molecular Psychiatry, 2014, 19, 317-324. | 4.1 | 58        |
| 382 | Clinical staging: a necessary step in the development of improved animal models of mood disturbance?. International Journal of Neuropsychopharmacology, 2014, 17, 491-495.                                    | 1.0 | 1         |
| 383 | Safety and Privacy Outcomes From a Moderated Online Social Therapy for Young People With First-Episode Psychosis. Psychiatric Services, 2014, 65, 546-550.  | 1.1 | 51        |
| 384 | Constructing a grounded theory of young people's recovery of musical identity in mental illness. Arts in Psychotherapy, 2014, 41, 594-603.  | 0.6 | 24        |
| 385 | Cultures for mental health care of young people: an Australian blueprint for reform. Lancet Psychiatry,the, 2014, 1, 559-568.   | 3.7 | 156       |
| 386 | The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): study protocol for a randomised control trial. Trials, 2014, 15, 425.  | 0.7 | 11        |
| 387 | Early intervention, youth mental health: the value of translational research for reform and investment in mental health. Australasian Psychiatry, 2014, 22, 225-227.  | 0.4 | 9         |
| 388 | At the heart of an early psychosis centre: the core components of the 2014 Early Psychosis Prevention and Intervention Centre model for Australian communities. Australasian Psychiatry, 2014, 22, 228-234.   | 0.4 | 46        |
| 389 | Structural Brain Development and Depression Onset During Adolescence: A Prospective Longitudinal Study. American Journal of Psychiatry, 2014, 171, 564-571.   | 4.0 | 184       |
| 390 | Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. Psychological Medicine, 2014, 44, 489-498.   | 2.7 | 43        |
| 391 | Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. Psychological Medicine, 2014, 44, 2163-2176.                           | 2.7 | 155       |
| 392 | A cross-sectional exploration of the clinical characteristics of disengaged (NEET) young people in primary mental healthcare. BMJ Open, 2014, 4, e006378.   | 0.8 | 67        |
| 393 | A Clinical Staging Model for Early Intervention Youth Mental Health Services. Psychiatric Services, 2014, 65, 939-943.  | 1.1 | 80        |
| 394 | Vascular Endothelial Growth Factor and Brain-Derived Neurotrophic Factor in Quetiapine Treated First-Episode Psychosis. Schizophrenia Research and Treatment, 2014, 2014, 1-10.                               | 0.7 | 23        |
| 395 | Beyond Psychosis Risk: Early Clinical Phenotypes in Mental Disorder and the Subthreshold Pathway to Safe, Timely and Effective Care. Psychopathology, 2014, 47, 285-286.                                      | 1.1 | 14        |
| 396 | Predictors of substance use reduction in an epidemiological firstâ€episode psychosis cohort. Microbial Biotechnology, 2014, 8, 358-365.   | 0.9 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 397 | Online, social media and mobile technologies for psychosis treatment: A systematic review on novel user-led interventions. Schizophrenia Research, 2014, 156, 96-106.                  | 1.1 | 311       |
| 398 | Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. Schizophrenia Research, 2014, 153, 18-24.                                  | 1.1 | 24        |
| 399 | Forgotten family members: the importance of siblings in early psychosis. Microbial Biotechnology, 2014, 8, 269-275.  | 0.9 | 45        |
| 400 | The impact of first episode psychosis on sibling quality of life. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1071-1081.   | 1.6 | 22        |
| 401 | Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. Schizophrenia Research, 2014, 153, 25-31.                                    | 1.1 | 51        |
| 402 | Public health significance of bipolar disorder: implications for early intervention and prevention. Bipolar Disorders, 2014, 16, 548-556.  | 1.1 | 64        |
| 403 | Biomarkers and clinical staging in psychiatry. World Psychiatry, 2014, 13, 211-223.  | 4.8 | 243       |
| 404 | The predictive validity of bipolar atâ€risk (prodromal) criteria in helpâ€seeking adolescents and young adults: a prospective study. Bipolar Disorders, 2014, 16, 493-504.             | 1.1 | 103       |
| 405 | Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. Schizophrenia Research, 2014, 158, 39-44. | 1.1 | 22        |
| 406 | Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. Schizophrenia Research, 2014, 159, 70-75.   | 1.1 | 18        |
| 407 | Sexual Trauma Increases the Risk of Developing Psychosis in an Ultra High-Risk "Prodromal―<br>Population. Schizophrenia Bulletin, 2014, 40, 697-706.                                   | 2.3 | 108       |
| 408 | Delayed sleep onset in depressed young people. BMC Psychiatry, 2014, 14, 33.   | 1.1 | 51        |
| 409 | Poster #T191 SOURCES OF CLINICAL DISTRESS IN YOUNG PEOPLE AT ULTRA HIGH RISK OF PSYCHOSIS. Schizophrenia Research, 2014, 153, S356-S357.   | 1.1 | 2         |
| 410 | Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. Schizophrenia Research, 2014, 154, 93-99.                             | 1.1 | 40        |
| 411 | Response to the letters of Dr Amos and Dr Preti and colleagues. Schizophrenia Research, 2014, 153, 237-239.  | 1.1 | 0         |
| 412 | Polyunsaturated fatty acids in emerging psychosis: a safer alternative?. Microbial Biotechnology, 2014, 8, 199-208.  | 0.9 | 28        |
| 413 | Cognitive deficits in youth with familial and clinical high risk to psychosis: a systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2014, 130, 1-15.                | 2.2 | 235       |
| 414 | The impact of insight in a first-episode mania with psychosis population on outcome at 18 months. Journal of Affective Disorders, 2014, 167, 74-79.                                    | 2.0 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 415 | Online and Social Networking Interventions for the Treatment of Depression in Young People: A Systematic Review. Journal of Medical Internet Research, 2014, 16, e206.                                 | 2.1 | 154       |
| 416 | headspace ―Australia's innovation in youth mental health: who are the clients and why are they presenting?. Medical Journal of Australia, 2014, 200, 454-454.  | 0.8 | 4         |
| 417 | Getting mental health reform back on track: a leadership challenge for the new Australian<br>Government. Medical Journal of Australia, 2014, 201, 323-323.   | 0.8 | 2         |
| 418 | Applying clinical staging to young people who present for mental health care. Microbial Biotechnology, 2013, 7, 31-43.   | 0.9 | 173       |
| 419 | Relationship between vocational status and perceived stress and daily hassles in first-episode psychosis: an exploratory study. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1045-1052.   | 1.6 | 10        |
| 420 | Gender differences in first episode psychotic mania. BMC Psychiatry, 2013, 13, 82.   | 1.1 | 19        |
| 421 | Clinical classification in mental health at the cross-roads: which direction next?. BMC Medicine, 2013, 11, 125.   | 2.3 | 68        |
| 422 | Preventing a first episode of psychosis: Meta-analysis of randomized controlled prevention trials of 12month and longer-term follow-ups. Schizophrenia Research, 2013, 149, 56-62.                     | 1.1 | 333       |
| 423 | Neurocognitive functioning in the prodrome of maniaâ€"an exploratory study. Journal of Affective Disorders, 2013, 147, 441-445.  | 2.0 | 41        |
| 424 | Sulcogyral patterns and morphological abnormalities of the orbitofrontal cortex in psychosis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 44, 168-177.                       | 2.5 | 39        |
| 425 | Community Rehabilitation and Psychosocial Interventions for Psychotic Disorders in Youth. Child and Adolescent Psychiatric Clinics of North America, 2013, 22, 745-758.                                | 1.0 | 10        |
| 426 | Early Clinical Phenotypes, Clinical Staging, and Strategic Biomarker Research: Building Blocks for Personalized Psychiatry. Biological Psychiatry, 2013, 74, 394-395.                                  | 0.7 | 65        |
| 427 | Effect of omega-3 fatty acids for indicated prevention of young patients at risk for psychosis: When do they begin to be effective?. Schizophrenia Research, 2013, 148, 163-167.                       | 1.1 | 31        |
| 428 | On the HORYZON: Moderated online social therapy for long-term recovery in first episode psychosis. Schizophrenia Research, 2013, 143, 143-149.   | 1.1 | 206       |
| 429 | Redeeming diagnosis in psychiatry: timing versus specificity. Lancet, The, 2013, 381, 343-345.   | 6.3 | 177       |
| 430 | Childhood trauma and psychosis: new perspectives on aetiology and treatment. Microbial Biotechnology, 2013, 7, 1-4.  | 0.9 | 34        |
| 431 | The Psychosis High-Risk State. JAMA Psychiatry, 2013, 70, 107.   | 6.0 | 1,222     |
| 432 | Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. Psychological Medicine, 2013, 43, 2311-2325. | 2.7 | 95        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 433 | Negative Symptoms and Executive Function in Schizophrenia: Does Their Relationship Change with Illness Duration?. Psychopathology, 2013, 46, 241-248.                                      | 1.1 | 26        |
| 434 | Long-Chain Omega-3 Fatty Acids and Psychotic Disorders. , 2013, , 149-178.   |     | 0         |
| 435 | Differences between first episode schizophrenia and schizoaffective disorder. Schizophrenia Research, 2013, 147, 169-174.  | 1.1 | 18        |
| 436 | Treated incidence and baseline characteristics of substance induced psychosis in a Norwegian catchment area. BMC Psychiatry, 2013, 13, 319.  | 1.1 | 28        |
| 437 | Designing youth mental health services for the 21st century: examples from Australia, Ireland and the UK. British Journal of Psychiatry, 2013, 202, s30-s35.                               | 1.7 | 387       |
| 438 | Long-term Follow-up of a Group at Ultra High Risk ("Prodromalâ€) for Psychosis. JAMA Psychiatry, 2013, 70, 793.  | 6.0 | 373       |
| 439 | Prevention, innovation and implementation science in mental health: the next wave of reform. British Journal of Psychiatry, 2013, 202, s3-s4.  | 1.7 | 47        |
| 440 | A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients: Outcome at 30-Month Follow-Up. Schizophrenia Bulletin, 2013, 39, 436-448.                | 2.3 | 52        |
| 441 | Testing a Model of the Relationship Between Childhood Sexual Abuse and Psychosis in a First-Episode Psychosis Group. Journal of Nervous and Mental Disease, 2013, 201, 941-947.            | 0.5 | 45        |
| 442 | Antipsychotic Medication During the Critical Period Following Remission From First-Episode Psychosis. JAMA Psychiatry, 2013, 70, 898.  | 6.0 | 59        |
| 443 | Enhanced cortisol suppression following administration of low-dose dexamethasone in first-episode psychosis patients. Australian and New Zealand Journal of Psychiatry, 2013, 47, 363-370. | 1.3 | 33        |
| 444 | Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. British Journal of Psychiatry, 2013, 202, 243-245.                                  | 1.7 | 204       |
| 445 | Beyond DSM: Early stages of disorder pose predictable and modifiable risk for persistent disorder.<br>Australian and New Zealand Journal of Psychiatry, 2013, 47, 880-881.                 | 1.3 | 5         |
| 446 | A randomized controlled trial of vocational intervention for young people with firstâ€episode psychosis: method. Microbial Biotechnology, 2013, 7, 329-337.                                | 0.9 | 44        |
| 447 | Towards a new paradigm of care: the International Declaration on Youth Mental Health. Microbial Biotechnology, 2013, 7, 103-108.   | 0.9 | 48        |
| 448 | The next stage for diagnosis: validity through utility. World Psychiatry, 2013, 12, 213-215.   | 4.8 | 48        |
| 449 | Unhealthy scepticism: Time for a fair go for best available evidence. Australian and New Zealand Journal of Psychiatry, 2013, 47, 602-604.   | 1.3 | 4         |
| 450 | Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. Translational Psychiatry, 2013, 3, e251-e251.                       | 2.4 | 31        |

| #   | Article  | lF  | Citations |
|-----|--|-----|-----------|
| 451 | Clinical Neuropsychology Within Adolescent and Young-Adult Psychiatry: Conceptualizing Theory and Practice. Applied Neuropsychology: Child, 2013, 2, 47-63.  | 0.7 | 49        |
| 452 | Early Clinical Phenotypes and Risk for Serious Mental Disorders in Young People: Need for Care Precedes Traditional Diagnoses in Mood and Psychotic Disorders. Canadian Journal of Psychiatry, 2013, 58, 19-21.  | 0.9 | 35        |
| 453 | Omega-3 Fatty Acid Supplementation in Adolescents with Borderline Personality Disorder and Ultra-High Risk Criteria for Psychosis: A Post Hoc Subgroup Analysis of a Double—Blind, Randomized Controlled Trial. Canadian Journal of Psychiatry, 2013, 58, 402-408. | 0.9 | 55        |
| 454 | Parental mental illness is a family matter. Medical Journal of Australia, 2013, 199, S5.   | 0.8 | 2         |
| 455 | Clinical staging for mental disorders: a new development in diagnostic practice in mental health.<br>Medical Journal of Australia, 2013, 198, 461-462.   | 0.8 | 47        |
| 456 | Specialist community teams backed by years of quality research. The Psychiatrist, 2013, 37, 38-38.   | 0.3 | 14        |
| 457 | Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis.<br>Journal of Clinical Psychiatry, 2013, 74, 349-356.   | 1.1 | 128       |
| 458 | Staging in Neuropsychiatry: A Heuristic Model for Understanding, Prevention and Treatment. , 2013, , 19-30.  |     | 0         |
| 459 | Prepsychotic States and Prodromal Symptoms. , 2013, , 1-8.   |     | 0         |
| 460 | Dr McGorry and Colleagues Reply. Journal of Clinical Psychiatry, 2013, 74, 1123.   | 1.1 | 1         |
| 461 | Review: more research needed on early intervention for psychosis. Evidence-Based Mental Health, 2012, 15, 23-23.   | 2.2 | 2         |
| 462 | Providing care to young people with emerging risk of psychosis: balancing potential risks and benefits. Clinical Practice (London, England), 2012, 9, 669-682.   | 0.1 | 3         |
| 463 | The costs of early intervention in psychosis: Restoring the balance. Australian and New Zealand Journal of Psychiatry, 2012, 46, 808-811.  | 1.3 | 17        |
| 464 | Policy and service development implications of the second Australian National Survey of High Impact Psychosis (SHIP). Australian and New Zealand Journal of Psychiatry, 2012, 46, 708-718.   | 1.3 | 16        |
| 465 | Volumetric Abnormalities Predating the Onset of Schizophrenia and Affective Psychoses: An MRI Study in Subjects at Ultrahigh Risk of Psychosis. Schizophrenia Bulletin, 2012, 38, 1083-1091.   | 2.3 | 88        |
| 466 | Polyunsaturated Fatty Acids in Emerging Psychosis. Current Pharmaceutical Design, 2012, 18, 576-591.   | 0.9 | 16        |
| 467 | Neuroprotective Effects of Low-dose Lithium in Individuals at Ultra-high Risk for Psychosis. A Longitudinal MRI/MRS Study. Current Pharmaceutical Design, 2012, 18, 570-575.   | 0.9 | 54        |
| 468 | Age of onset of mental disorders and use of mental health services: needs, opportunities and obstacles. Epidemiology and Psychiatric Sciences, 2012, 21, 47-57.  | 1.8 | 361       |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 469 | Palliative models of care for later stages of mental disorder: maximizing recovery, maintaining hope, and building morale. Australian and New Zealand Journal of Psychiatry, 2012, 46, 92-99.                  | 1.3 | 50        |
| 470 | Commentary on †Palliative models of care for later stages of mental disorder: Maximising recovery, maintaining hope and building morale'. Australian and New Zealand Journal of Psychiatry, 2012, 46, 276-278. | 1.3 | 5         |
| 471 | â€Earning and learning' in those with psychotic disorders: The second Australian national survey of psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 774-785.                            | 1.3 | 102       |
| 472 | At Issue: Cochrane, Early Intervention, and Mental Health Reform: Analysis, Paralysis, or Evidence-Informed Progress?. Schizophrenia Bulletin, 2012, 38, 221-224.  | 2.3 | 20        |
| 473 | Childhood trauma increases the risk of post-traumatic stress disorder in response to first-episode psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 35-39.                               | 1.3 | 55        |
| 474 | Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. Psychological Medicine, 2012, 42, 595-606.                 | 2.7 | 169       |
| 475 | Truth and reality in early intervention. Australian and New Zealand Journal of Psychiatry, 2012, 46, 313-316.  | 1.3 | 28        |
| 476 | Rationale and First Results of Developing At-Risk (Prodromal) Criteria for Bipolar Disorder. Current Pharmaceutical Design, 2012, 18, 358-375.   | 0.9 | 70        |
| 477 | Pre-emptive psychiatric treatments: pipe dream or a realistic outcome of clinical staging models?. Neuropsychiatry, 2012, 2, 263-266.  | 0.4 | 15        |
| 478 | Decreased nervonic acid levels in erythrocyte membranes predict psychosis in help-seeking ultra-high-risk individuals. Molecular Psychiatry, 2012, 17, 1150-1152.  | 4.1 | 107       |
| 479 | The Impact of Cannabis Use on Cognitive Functioning in Patients With Schizophrenia: A Meta-analysis of Existing Findings and New Data in a First-Episode Sample. Schizophrenia Bulletin, 2012, 38, 316-330.    | 2.3 | 219       |
| 480 | Prevalence and impact of cannabis use disorders in adolescents with early onset first episode psychosis. European Psychiatry, 2012, 27, 463-469.   | 0.1 | 66        |
| 481 | Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: Testing the evidence for an endophenotypic marker. Psychiatry Research, 2012, 199, 8-11.         | 1.7 | 8         |
| 482 | Internet-Based Interventions for Psychosis. Psychiatric Clinics of North America, 2012, 35, 735-747.   | 0.7 | 61        |
| 483 | Whither the Attenuated Psychosis Syndrome?. Schizophrenia Bulletin, 2012, 38, 1130-1134.   | 2.3 | 85        |
| 484 | People living with psychotic illness in 2010: The second Australian national survey of psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 735-752.   | 1.3 | 405       |
| 485 | Emotion Recognition in Individuals at Clinical High-Risk for Schizophrenia. Schizophrenia Bulletin, 2012, 38, 1030-1039.   | 2.3 | 149       |
| 486 | Early intervention in the Asian Century. Asian Journal of Psychiatry, 2012, 5, 106-107.  | 0.9 | 1         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 487 | Depressive symptoms in first episode schizophrenia spectrum disorder. Schizophrenia Research, 2012, 134, 20-26.  | 1.1 | 71        |
| 488 | Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. Schizophrenia Research, 2012, 135, 175-180.   | 1.1 | 22        |
| 489 | Frontal delta power associated with negative symptoms in ultra-high risk individuals who transitioned to psychosis. Schizophrenia Research, 2012, 138, 206-211.  | 1.1 | 26        |
| 490 | Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. Schizophrenia Research, 2012, 139, 116-128.   | 1.1 | 384       |
| 491 | Differentiating schizoaffective and bipolar I disorder in first-episode psychotic mania. Schizophrenia Research, 2012, 140, 31-36.   | 1.1 | 14        |
| 492 | Predictors of vocational recovery among young people with first-episode psychosis: Findings from a randomized controlled trial Psychiatric Rehabilitation Journal, 2012, 35, 421-427.  | 0.8 | 38        |
| 493 | Update on Omega-3 Polyunsaturated Fatty Acids in Early-Stage Psychotic Disorders.<br>Neuropsychopharmacology, 2012, 37, 309-310.   | 2.8 | 40        |
| 494 | Embracing patient choice. British Journal of Psychiatry, 2012, 201, 493-494.   | 1.7 | 1         |
| 495 | The Independent Hospital Pricing Authority and mental health services: it is not a case of "one size fits all― Medical Journal of Australia, 2012, 196, 675-677.   | 0.8 | 6         |
| 496 | Can receipt of a regular postcard reduce suicideâ€related behaviour in young help seekers? A randomized controlled trial. Microbial Biotechnology, 2012, 6, 145-152.   | 0.9 | 47        |
| 497 | Can a targeted psychological intervention be effective for young people following a first manic episode? Results from an 18â€month pilot study. Microbial Biotechnology, 2012, 6, 380-388.   | 0.9 | 34        |
| 498 | Early Intervention in Psychiatry: The Next Developmental Stage. Microbial Biotechnology, 2012, 6, 1-2.   | 0.9 | 7         |
| 499 | Facial and vocal affect perception in people at ultraâ€high risk of psychosis, firstâ€episode schizophrenia and healthy controls. Microbial Biotechnology, 2012, 6, 450-454.   | 0.9 | 57        |
| 500 | Amygdala and insula volumes prior to illness onset in bipolar disorder: A magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2012, 201, 34-39.  | 0.9 | 46        |
| 501 | Overview of Violence to Self and Others During the First Episode of Psychosis. Journal of Clinical Psychiatry, 2012, 73, e580-e587.  | 1.1 | 68        |
| 502 | Staging in Neuropsychiatry: A Heuristic Model for Understanding, Prevention and Treatment. , 2012, , 19-30.  |     | 0         |
| 503 | 21St Century Mental Health Care: What It Looks Like and How to Achieve It. Australasian Psychiatry, 2011, 19, 5-11.  | 0.4 | 7         |
| 504 | Evidencia de neuroimagen y de tratamiento respecto a los estadios cl $\tilde{A}$ nicos en los trastornos psic $\tilde{A}^3$ ticos: del estado mental de riesgo a la esquizofrenia cr $\tilde{A}^3$ nica. Psiquiatria Biologica, 2011, 18, 117-123. | 0.0 | 0         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 505 | Neuroimaging and Treatment Evidence for Clinical Staging in Psychotic Disorders: From the At-Risk Mental State to Chronic Schizophrenia. Biological Psychiatry, 2011, 70, 619-625.                     | 0.7 | 94        |
| 506 | Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. Schizophrenia Research, 2011, 125, 236-246.  | 1.1 | 65        |
| 507 | Cannabis use disorder and age at onset of psychosis â€" A study in first-episode patients. Schizophrenia Research, 2011, 129, 52-56.   | 1.1 | 46        |
| 508 | Outcome in early-onset schizophrenia revisited: Findings from the Early Psychosis Prevention and Intervention Centre long-term follow-up study. Schizophrenia Research, 2011, 131, 112-119.            | 1.1 | 124       |
| 509 | Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. Schizophrenia Research, 2011, 132, 125-130.                      | 1.1 | 36        |
| 510 | Funding for mental health research: the gap remains. Medical Journal of Australia, 2011, 195, 681-684.   | 0.8 | 40        |
| 511 | Age of onset and timing of treatment for mental and substance use disorders: implications for preventive intervention strategies and models of care. Current Opinion in Psychiatry, 2011, 24, 301-306. | 3.1 | 345       |
| 512 | Does stage of illness impact treatment response in bipolar disorder? Empirical treatment data and their implication for the staging model and early intervention. Bipolar Disorders, 2011, 13, 87-98.  | 1.1 | 155       |
| 513 | Referrers' Perceived Utility and Outcomes of Clinical Neuropsychological Assessment in an Adolescent and Young Adult Public Mental Health Service. Australian Psychologist, 2011, 46, 15-24.           | 0.9 | 24        |
| 514 | The mental health of young people: a new frontier in the health and social policy of the 21st century. Microbial Biotechnology, 2011, 5, 1-3.  | 0.9 | 2         |
| 515 | Early Intervention in Psychiatry: the critical period. Microbial Biotechnology, 2011, 5, 1-2.  | 0.9 | 3         |
| 516 | Psychological needs of adolescents in the early phase of bipolar disorder: implications for early intervention. Microbial Biotechnology, 2011, 5, 100-107.   | 0.9 | 34        |
| 517 | Group programmes in early intervention services. Microbial Biotechnology, 2011, 5, 259-266.  | 0.9 | 21        |
| 518 | The Singapore flagship programme in translational and clinical research in psychosis. Microbial Biotechnology, 2011, 5, 290-300.   | 0.9 | 8         |
| 519 | Cortisol and dehydroepiandrosterone-sulphate levels correlate with symptom severity in first-episode psychosis. Journal of Psychiatric Research, 2011, 45, 249-255.                                    | 1.5 | 59        |
| 520 | The effectiveness of simple psychological and exercise interventions for high prevalence mental health problems in young people: a factorial randomised controlled trial. Trials, 2011, 12, 76.        | 0.7 | 17        |
| 521 | Pathways underlying neuroprogression in bipolar disorder: Focus on inflammation, oxidative stress and neurotrophic factors. Neuroscience and Biobehavioral Reviews, 2011, 35, 804-817.                 | 2.9 | 1,007     |
| 522 | Commentary on â€~â€~Should the diagnostic boundaries of schizophrenia be expanded?''. Cognitive Neuropsychiatry, 2011, 16, 107-112.  | 0.7 | 0         |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 523 | Neuroanatomical Abnormalities That Predate the Onset of Psychosis. Archives of General Psychiatry, 2011, 68, 489.   | 13.8 | 227       |
| 524 | Transition to Adulthood: The Critical Period for Pre-emptive, Disease-modifying Care for Schizophrenia and Related Disorders. Schizophrenia Bulletin, 2011, 37, 524-530.                                    | 2.3  | 90        |
| 525 | Relational Memory in First Episode Psychosis: Implications for Progressive Hippocampal Dysfunction After Illness Onset. Australian and New Zealand Journal of Psychiatry, 2011, 45, 206-213.                | 1.3  | 17        |
| 526 | Very Low-Dose Risperidone in First-Episode Psychosis: A Safe and Effective Way to Initiate Treatment. Schizophrenia Research and Treatment, 2011, 2011, 1-10.   | 0.7  | 15        |
| 527 | Pre-Emptive Intervention in Psychosis: Agnostic Rather than Diagnostic. Australian and New Zealand Journal of Psychiatry, 2011, 45, 515-519.  | 1.3  | 20        |
| 528 | Preventing the Second Episode: A Systematic Review and Meta-analysis of Psychosocial and Pharmacological Trials in First-Episode psychosis. Schizophrenia Bulletin, 2011, 37, 619-630.                      | 2.3  | 196       |
| 529 | Targeted Intervention to Improve Monitoring of Antipsychotic-Induced Weight Gain and Metabolic Disturbance in First Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2011, 45, 740-748. | 1.3  | 28        |
| 530 | Letter to the Editor: The need for drug-naive research in first-episode psychosis: a response to Moncrieff & Dong: Leo (). Psychological Medicine, 2011, 41, 1117-1118.                                     | 2.7  | 1         |
| 531 | Toward a Twenty-First Century Approach to Youth Mental Health Care. International Journal of Mental Health, 2011, 40, 72-87.  | 0.5  | 28        |
| 532 | Phospholipase A <sub>2</sub> activity in first episode schizophrenia: Associations with symptom severity and outcome at week 12. World Journal of Biological Psychiatry, 2011, 12, 598-607.                 | 1.3  | 24        |
| 533 | "Attenuated psychotic symptoms syndrome" as a risk syndrome of psychosis, diagnosis in DSM-V: The debate. Indian Journal of Psychiatry, 2011, 53, 57.   | 0.4  | 23        |
| 534 | Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. Schizophrenia Bulletin, 2011, 37, 651-651.   | 2.3  | 1         |
| 535 | Does Screening High School Students for Psychological Distress, Deliberate Self-Harm, or Suicidal Ideation Cause Distress – And Is It Acceptable?. Crisis, 2011, 32, 254-263.                               | 0.9  | 45        |
| 536 | Randomized Controlled Trial of Interventions for Young People at Ultra High Risk for Psychosis. Journal of Clinical Psychiatry, 2011, 72, 430-440.  | 1.1  | 128       |
| 537 | Is this normal? Assessing mental health in young people. Australian Family Physician, 2011, 40, 94-7.   | 0.5  | 17        |
| 538 | Prevalence, Predictors, and Consequences of Long-Term Refusal of Antipsychotic Treatment in First-Episode Psychosis. Journal of Clinical Psychopharmacology, 2010, 30, 565-572.                             | 0.7  | 63        |
| 539 | Superior temporal gyrus volume in antipsychotic-naive people at risk of psychosis. British Journal of Psychiatry, 2010, 196, 206-211.   | 1.7  | 56        |
| 540 | Clinical Staging: A Heuristic and Practical Strategy for New Research and Better Health and Social Outcomes for Psychotic and Related Mood Disorders. Canadian Journal of Psychiatry, 2010, 55, 486-497.    | 0.9  | 204       |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 541 | Depression Education and Identification in Schools: An Australian-based Study. School Mental Health, 2010, 2, 13-22.   | 1.1  | 21        |
| 542 | Investigating the effectiveness, safety and tolerability of quetiapine in the treatment of anorexia nervosa in young people: A pilot study. Journal of Psychiatric Research, 2010, 44, 1027-1034.  | 1.5  | 50        |
| 543 | Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2010, 182, 73-76.   | 0.9  | 13        |
| 544 | Neuroprotective effects of ethyl-eicosapentaenoic acid in first episode psychosis: A longitudinal T2 relaxometry pilot study. Psychiatry Research - Neuroimaging, 2010, 182, 180-182.  | 0.9  | 28        |
| 545 | Caudate nucleus volume in individuals at ultra-high risk of psychosis: A cross-sectional magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2010, 182, 223-230.   | 0.9  | 41        |
| 546 | Corpus callosum morphology and relationship to orbitofrontal and lateral ventricular volume in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2010, 183, 30-37.                      | 0.9  | 12        |
| 547 | Characterisation of the prodrome to a first episode of psychotic mania: Results of a retrospective study. Journal of Affective Disorders, 2010, 124, 341-345.  | 2.0  | 66        |
| 548 | Pre-morbid and outcome correlates of first episode mania with psychosis: Is a distinction between schizoaffective and bipolar I disorder valid in the early phase of psychotic disorders?. Journal of Affective Disorders, 2010, 126, 88-95. | 2.0  | 24        |
| 549 | A preliminary evaluation of the validity of at-risk criteria for bipolar disorders in help-seeking adolescents and young adults. Journal of Affective Disorders, 2010, 127, 316-320.   | 2.0  | 104       |
| 550 | Experience of trauma and conversion to psychosis in an ultraâ€highâ€risk (prodromal) group. Acta Psychiatrica Scandinavica, 2010, 121, 377-384.  | 2.2  | 154       |
| 551 | Evidence, early intervention and the tipping point. Microbial Biotechnology, 2010, 4, 1-3.   | 0.9  | 11        |
| 552 | Pretreatment and outcome correlates of past sexual and physical trauma in 118 bipolar I disorder patients with a first episode of psychotic mania. Bipolar Disorders, 2010, 12, 244-252.   | 1.1  | 79        |
| 553 | Guidelines for youth depression: time to incorporate new perspectives. Medical Journal of Australia, 2010, 193, 133-134.   | 0.8  | 8         |
| 554 | Guidelines for youth depression: time to incorporate new perspectives. Medical Journal of Australia, 2010, 193, 557-558.   | 0.8  | 3         |
| 555 | Guidelines for youth depression: time to incorporate new perspectives. Medical Journal of Australia, 2010, 193, 557-558.   | 0.8  | 5         |
| 556 | Promoting Physical Health In Youth Mental Health Services: Ensuring Routine Monitoring of Weight and Metabolic Indices in a First Episode Psychosis Clinic. Australasian Psychiatry, 2010, 18, 451-455.                                      | 0.4  | 32        |
| 557 | Long-Chain ω-3 Fatty Acids for Indicated Prevention of Psychotic Disorders. Archives of General Psychiatry, 2010, 67, 146.   | 13.8 | 800       |
| 558 | Early intervention in psychosis: keeping faith with evidence-based health care. Psychological Medicine, 2010, 40, 399-404.   | 2.7  | 74        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 559 | Differential predictors of critical comments and emotional over-involvement in first-episode psychosis. Psychological Medicine, 2010, 40, 63-72.   | 2.7 | 54        |
| 560 | Pretreatment and Outcome Correlates of Sexual and Physical Trauma in an Epidemiological Cohort of First-Episode Psychosis Patients. Schizophrenia Bulletin, 2010, 36, 1105-1114.                                 | 2.3 | 110       |
| 561 | Evidence and implications for early intervention in bipolar disorder. Journal of Mental Health, 2010, 19, 113-126.   | 1.0 | 110       |
| 562 | The effect of atypical antipsychotics on pituitary gland volume in patients with first-episode psychosis: A longitudinal MRI study. Schizophrenia Research, 2010, 116, 49-54.                                    | 1.1 | 29        |
| 563 | Suicide attempt in first-episode psychosis: A 7.4year follow-up study. Schizophrenia Research, 2010, 116, 1-8.   | 1.1 | 91        |
| 564 | Rate and predictors of service disengagement in an epidemiological first-episode psychosis cohort. Schizophrenia Research, 2010, 118, 256-263.   | 1.1 | 107       |
| 565 | Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. Schizophrenia Research, 2010, 119, 1-10. | 1.1 | 97        |
| 566 | PRE-TREATMENT, BASELINE AND TREATMENT CORRELATES OF OUTCOME IN AN EPIDEMIOLOGICAL COHORT OF FIRST EPISODE PSYCHOSIS PATIENTS. Schizophrenia Research, 2010, 117, 282-283.  | 1.1 | 0         |
| 567 | Risk syndromes, clinical staging and DSM V: New diagnostic infrastructure for early intervention in psychiatry. Schizophrenia Research, 2010, 120, 49-53.  | 1.1 | 97        |
| 568 | Quality of life in patients who have remitted from their first episode of psychosis. Schizophrenia Research, 2010, 121, 259-265.   | 1.1 | 55        |
| 569 | Hippocampal pathology in individuals at ultra-high risk for psychosis: A multi-modal magnetic resonance study. Neurolmage, 2010, 52, 62-68.  | 2.1 | 111       |
| 570 | The Impact of Smoking on Clinical Outcomes After First Episode Psychosis: Longer-Term Outcome Findings From the EPPIC 800 Follow-Up Study. Journal of Dual Diagnosis, 2010, 6, 212-234.                          | 0.7 | 9         |
| 571 | Psychotic symptoms with sexual content in the "ultra high risk―for psychosis population: Frequency and association with sexual trauma. Psychiatry Research, 2010, 177, 84-91.                                    | 1.7 | 57        |
| 572 | Sudden death among young people with first-episode psychosis: An 8–10year follow-up study. Psychiatry Research, 2010, 177, 305-308.  | 1.7 | 16        |
| 573 | DSMâ€5 and the â€~Psychosis Risk Syndrome': The need for a broader perspective. Psychosis, 2010, 2, 93-96.   | 0.4 | 17        |
| 574 | Family Outcomes From a Randomized Control Trial of Relapse Prevention Therapy in First-Episode Psychosis. Journal of Clinical Psychiatry, 2010, 71, 475-483.   | 1.1 | 61        |
| 575 | The EPPIC Follow-Up Study of First-Episode Psychosis. Journal of Clinical Psychiatry, 2010, 71, 716-728.   | 1.1 | 169       |
| 576 | The Impact of Early Intervention in Schizophrenia. , 2010, , 299-316.  |     | 2         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 577 | The staging model in schizophrenia, and its clinical implications. Psychiatria Danubina, 2010, 22, 211-20.   | 0.2  | 37        |
| 578 | From neuroprogression to neuroprotection: implications for clinical care. Medical Journal of Australia, 2010, 193, S36-40.   | 0.8  | 68        |
| 579 | Brain changes during the onset of schizophrenia: implications for neurodevelopmental theories.<br>Medical Journal of Australia, 2009, 190, S10-3.  | 0.8  | 23        |
| 580 | Successful implementation of cardiometabolic monitoring of patients treated with antipsychotics. Medical Journal of Australia, 2009, 191, 516-518.   | 0.8  | 5         |
| 581 | A clinical trials agenda for testing interventions in earlier stages of psychotic disorders. Medical<br>Journal of Australia, 2009, 190, S33-6.  | 0.8  | 16        |
| 582 | Neurobiologicalendophenotypes of psychosis and schizophrenia., 2009,, 61-80.   |      | 7         |
| 583 | Initial assessment and initial pharmacological treatment in theacute phase. , 2009, , 177-200.   |      | 1         |
| 584 | Relapse prevention in early psychosis., 2009,, 349-364.  |      | 1         |
| 585 | Emotional and personality dysfunctions in early psychosis. , 2009, , 283-302.  |      | 3         |
| 586 | Enhancing work functioning in early psychosis. , 2009, , 331-348.  |      | 1         |
| 587 | Treatment resistance in first-episode psychosis. , 2009, , 365-382.  |      | 0         |
| 588 | Using research and evaluation to inform the development of<br>early-psychosis service models. , 2009, , 385-404.   |      | 1         |
| 589 | Characterising novel pathways to schizophrenia. Medical Journal of Australia, 2009, 190, S5-6.   | 0.8  | 3         |
| 590 | Duration of untreated psychosis. , 2009, , 125-146.  |      | 3         |
| 591 | Progressive Gray Matter Reduction of the Superior Temporal Gyrus During Transition to Psychosis.<br>Archives of General Psychiatry, 2009, 66, 366.   | 13.8 | 303       |
| 592 | Anterior cingulate cortex abnormalities associated with a first psychotic episode in bipolar disorder. British Journal of Psychiatry, 2009, 194, 426-433.  | 1.7  | 59        |
| 593 | Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. Schizophrenia Bulletin, 2009, 35, 909-918.  | 2.3  | 183       |
| 594 | Early Intervention for Adolescents with Borderline Personality Disorder: Quasi-Experimental Comparison with Treatment as Usual. Australian and New Zealand Journal of Psychiatry, 2009, 43, 397-408. | 1.3  | 103       |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 595 | Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis: Study Design and Baseline Characteristics. Australian and New Zealand Journal of Psychiatry, 2009, 43, 818-829. | 1.3 | 74        |
| 596 | Medial temporal lobe glutathione concentration in first episode psychosis: A 1H-MRS investigation. Neurobiology of Disease, 2009, 33, 354-357.   | 2.1 | 107       |
| 597 | Corpus callosum size and shape in first-episode affective and schizophrenia-spectrum psychosis.<br>Psychiatry Research - Neuroimaging, 2009, 173, 77-82.   | 0.9 | 53        |
| 598 | Anterior cingulate volume in adolescents with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2009, 172, 155-160.  | 0.9 | 80        |
| 599 | A disturbed sense of self in the psychosis prodrome: Linking phenomenology and neurobiology.<br>Neuroscience and Biobehavioral Reviews, 2009, 33, 807-817.   | 2.9 | 129       |
| 600 | Study protocol: the development of a randomised controlled trial testing a postcard intervention designed to reduce suicide risk among young help-seekers. BMC Psychiatry, 2009, 9, 59.                        | 1.1 | 12        |
| 601 | Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. Molecular Psychiatry, 2009, 14, 976-986.   | 4.1 | 117       |
| 602 | Cost implications of specific and nonâ€specific treatment for young persons at ultra high risk of developing a first episode of psychosis. Microbial Biotechnology, 2009, 3, 28-34.                            | 0.9 | 34        |
| 603 | Editorial. Microbial Biotechnology, 2009, 3, 1-2.  | 0.9 | 0         |
| 604 | Does disturbance of self underlie social cognition deficits in schizophrenia and other psychotic disorders?. Microbial Biotechnology, 2009, 3, 83-93.  | 0.9 | 47        |
| 605 | Youth mental health reform and early intervention: encouraging early signs. Microbial Biotechnology, 2009, 3, 161-162.   | 0.9 | 22        |
| 606 | Diagnostic specificity of the insular cortex abnormalities in first-episode psychotic disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 651-657.                            | 2.5 | 34        |
| 607 | Midline brain structures in teenagers with first-presentation borderline personality disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 842-846.                              | 2.5 | 24        |
| 608 | Insular cortex volume and impulsivity in teenagers with first-presentation borderline personality disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 1395-1400.               | 2.5 | 27        |
| 609 | The reliability and validity of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in first-episode psychosis. Addictive Behaviors, 2009, 34, 821-825.                                     | 1.7 | 59        |
| 610 | Progressive brain structural changes mapped as psychosis develops in â€~at risk' individuals.<br>Schizophrenia Research, 2009, 108, 85-92.   | 1.1 | 273       |
| 611 | Follow-up MRI study of the insular cortex in first-episode psychosis and chronic schizophrenia.<br>Schizophrenia Research, 2009, 108, 49-56.   | 1.1 | 89        |
| 612 | Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. Schizophrenia Research, 2009, 111, 94-102.   | 1.1 | 156       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 613 | Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. Schizophrenia Research, 2009, 112, 104-113.   | 1.1 | 64        |
| 614 | Pituitary volume and early treatment response in drug-na $\tilde{A}$ -ve first-episode psychosis patients. Schizophrenia Research, 2009, 113, 65-71.   | 1.1 | 32        |
| 615 | An MRI study of the superior temporal subregions in first-episode patients with various psychotic disorders. Schizophrenia Research, 2009, 113, 158-166.   | 1.1 | 29        |
| 616 | Gender differences in premorbid, entry, treatment, and outcome characteristics in a treated epidemiological sample of 661 patients with first episode psychosis. Schizophrenia Research, 2009, 114, 17-24. | 1.1 | 167       |
| 617 | Grey and white matter abnormalities are associated with impaired spatial working memory ability in first-episode schizophrenia. Schizophrenia Research, 2009, 115, 163-172.                                | 1.1 | 27        |
| 618 | Prevalence and Predictors of Suicide Attempt in an Incidence Cohort of 661 Young People with First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2009, 43, 149-157.                 | 1.3 | 74        |
| 619 | The HYPE Clinic: An Early Intervention Service for Borderline Personality Disorder. Journal of Psychiatric Practice, 2009, 15, 163-172.  | 0.3 | 94        |
| 620 | Suicide prevention in first-episode psychosis., 2009,, 257-282.  |     | 2         |
| 621 | Predictors of Adherence to Cognitive-Behavioural Therapy in First-Episode Psychosis. Canadian<br>Journal of Psychiatry, 2009, 54, 710-718.   | 0.9 | 42        |
| 622 | Should youth mental health become a specialty in its own right? Yes. BMJ: British Medical Journal, 2009, 339, b3373-b3373.   | 2.4 | 18        |
| 623 | A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients.<br>Journal of Clinical Psychiatry, 2009, 70, 477-486.  | 1.1 | 80        |
| 624 | Intervention in Individuals at Ultra-High Risk for Psychosis. Journal of Clinical Psychiatry, 2009, 70, 1206-1212.   | 1.1 | 258       |
| 625 | Clinical characteristics of first-episode schizophrenia. Medical Psychiatry, 2009, , 39-51.  | 0.2 | 0         |
| 626 | Managing deliberate self-harm in young people: An evaluation of a training program developed for school welfare staff using a longitudinal research design. BMC Psychiatry, 2008, 8, 75.                   | 1.1 | 27        |
| 627 | Surface-based morphometry of the anterior cingulate cortex in first episode schizophrenia. Human Brain Mapping, 2008, 29, 478-489.   | 1.9 | 107       |
| 628 | Impact of a specialized early psychosis treatment programme on suicide. Retrospective cohort study. Microbial Biotechnology, 2008, 2, 11-21.   | 0.9 | 46        |
| 629 | Duration of untreated negative symptoms and duration of active negative symptoms: proof of concepts. Microbial Biotechnology, 2008, 2, 27-33.  | 0.9 | 9         |
| 630 | The proximal prodrome to first episode mania – a new target for early intervention. Bipolar Disorders, 2008, 10, 555-565.  | 1.1 | 90        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 631 | Impact of duration of untreated psychosis on pre-treatment, baseline, and outcome characteristics in an epidemiological first-episode psychosis cohort. Journal of Psychiatric Research, 2008, 42, 982-990. | 1.5  | 140       |
| 632 | Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2008, 163, 116-125.                               | 0.9  | 128       |
| 633 | An MRI study of pituitary volume and parasuicidal behavior in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2008, 162, 273-277.                    | 0.9  | 54        |
| 634 | Corpus callosum shape alterations in individuals prior to the onset of psychosis. Schizophrenia Research, 2008, 103, 1-10.  | 1.1  | 75        |
| 635 | Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. Schizophrenia Research, 2008, 105, 236-244.   | 1.1  | 46        |
| 636 | Validation of "prodromal―criteria to detect individuals at ultra high risk of psychosis: 2Âyear follow-up. Schizophrenia Research, 2008, 105, 10-17.  | 1.1  | 325       |
| 637 | Early Identification and Intervention in Depressive Disorders: Towards a Clinical Staging Model. Psychotherapy and Psychosomatics, 2008, 77, 263-270.   | 4.0  | 145       |
| 638 | TRAUMA IN THE ULTRA HIGH RISK ("PRODROMALâ€) POPULATION. Schizophrenia Research, 2008, 102, 156.  | 1.1  | 2         |
| 639 | Anatomic Abnormalities of the Anterior Cingulate Cortex Before Psychosis Onset: An MRI Study of Ultra-High-Risk Individuals. Biological Psychiatry, 2008, 64, 758-765.                                      | 0.7  | 169       |
| 640 | Early intervention in psychosis: concepts, evidence and future directions. World Psychiatry, 2008, 7, 148-156.  | 4.8  | 402       |
| 641 | The topical niacin sensitivity test: An inter- and intra-rater reliability study in healthy controls. Prostaglandins Leukotrienes and Essential Fatty Acids, 2008, 79, 15-19.                               | 1.0  | 2         |
| 642 | Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1708-1714.     | 2.5  | 32        |
| 643 | A 1H-MRS investigation of the medial temporal lobe in antipsychotic-na $\tilde{A}$ -ve and early-treated first episode psychosis. Schizophrenia Research, 2008, 102, 163-170.                               | 1.1  | 52        |
| 644 | What is the Scientific Evidence for the Use of Antipsychotic Medication in Anorexia Nervosa?. Eating Disorders, 2008, 16, 217-223.  | 1.9  | 14        |
| 645 | Non-pharmacological management of antipsychotic-induced weight gain: Systematic review and meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2008, 193, 101-107.                | 1.7  | 272       |
| 646 | Identifying the Ultra-High Risk (Prodromal) Population: Evaluation of Training Workshops with Mental Health Services. Australian and New Zealand Journal of Psychiatry, 2008, 42, 236-243.                  | 1.3  | 13        |
| 647 | Back to the Future. Archives of General Psychiatry, 2008, 65, 25.   | 13.8 | 80        |
| 648 | The â€~Youth Model' in Mental Health Services. Australasian Psychiatry, 2008, 16, 136-137.  | 0.4  | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 649 | Borderline Personality Disorder in Young People and the Prospects for Prevention and Early Intervention. Current Psychiatry Reviews, 2008, 4, 48-57.  | 0.9 | 119       |
| 650 | Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. Psychopathology, 2008, 41, 90-95.  | 1.1 | 2         |
| 651 | White matter volume changes in people who develop psychosis. British Journal of Psychiatry, 2008, 193, 210-215.   | 1.7 | 103       |
| 652 | Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. A 1H-MRS Study. Neuropsychopharmacology, 2008, 33, 2467-2473.   | 2.8 | 107       |
| 653 | Vocational intervention in first-episode psychosis: Individual placement and support <i>v.</i> treatment as usual. British Journal of Psychiatry, 2008, 193, 114-120.   | 1.7 | 264       |
| 654 | Familial Psychopathology in the First Episode Psychosis Outcome Study. Australian and New Zealand Journal of Psychiatry, 2008, 42, 617-626.   | 1.3 | 6         |
| 655 | Enhancing Treatment Fidelity in Psychotherapy Research: Novel Approach to Measure the Components of Cognitive Behavioural Therapy for Relapse Prevention in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2008, 42, 1013-1020. | 1.3 | 14        |
| 656 | Pilot Study Evaluating the Effect of Massage Therapy on Stress, Anxiety and Aggression in a Young Adult Psychiatric Inpatient Unit. Australian and New Zealand Journal of Psychiatry, 2008, 42, 414-422.  | 1.3 | 29        |
| 657 | Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. Psychological Medicine, 2008, 38, 725-735.   | 2.7 | 120       |
| 658 | The EPISODE II trial of cognitive and family therapy for relapse prevention in early psychosis: Rationale and sample characteristics. Journal of Mental Health, 2008, 17, 19-32.  | 1.0 | 21        |
| 659 | Early intervention for adolescents with borderline personality disorder using cognitive analytic therapy: randomised controlled trial. British Journal of Psychiatry, 2008, 193, 477-484.   | 1.7 | 307       |
| 660 | The Early Psychosis Intervention Programme in Singapore: A balanced scorecard approach to quality care. Journal of Mental Health, 2008, 17, 79-91.  | 1.0 | 11        |
| 661 | Met and unmet need in youth mental health. Journal of Mental Health, 2008, 17, 618-628.   | 1.0 | 29        |
| 662 | Morphology of the corpus callosum at different stages of schizophrenia: Cross-sectional study in first-episode and chronic illness. British Journal of Psychiatry, 2008, 192, 429-434.  | 1.7 | 77        |
| 663 | Early intervention in youth mental health. Medical Journal of Australia, 2008, 188, 492-493.  | 0.8 | 0         |
| 664 | MJA policy on sponsored supplements. Medical Journal of Australia, 2008, 188, 260-261.  | 0.8 | 0         |
| 665 | Is early intervention in the major psychiatric disorders justified? Yes. BMJ: British Medical Journal, 2008, 337, a695-a695.  | 2.4 | 31        |
| 666 | Interventions in the Early Stages of Psychosis. Psychiatric Annals, 2008, 38, .   | 0.1 | 5         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 667 | Dosing Quetiapine in Drug-Naive First-Episode Psychosis. Journal of Clinical Psychiatry, 2008, 69, 1702-1714.   | 1.1  | 22        |
| 668 | Dosing quetiapine in drug-naive first-episode psychosis: a controlled, double-blind, randomized, single-center study investigating efficacy, tolerability, and safety of 200 mg/day vs. 400 mg/day of quetiapine fumarate in 141 patients aged 15 to 25 years. Journal of Clinical Psychiatry, 2008, 69, 1702-14. | 1.1  | 11        |
| 669 | The Phenomenological Critique and Self-disturbance: Implications for Ultra-High Risk ("Prodrome") Research. Schizophrenia Bulletin, 2007, 34, 381-392.  | 2.3  | 121       |
| 670 | Declining Transition Rate in Ultra High Risk (Prodromal) Services: Dilution or Reduction of Risk?. Schizophrenia Bulletin, 2007, 33, 673-681.   | 2.3  | 376       |
| 671 | Editor's Introduction: The Empirical Status of the Ultra High-Risk (Prodromal) Research Paradigm.<br>Schizophrenia Bulletin, 2007, 33, 661-664.   | 2.3  | 93        |
| 672 | Progressive Changes in the Development Toward Schizophrenia: Studies in Subjects at Increased Symptomatic Risk. Schizophrenia Bulletin, 2007, 34, 322-329.  | 2.3  | 169       |
| 673 | Recruitment and Treatment Practices for Help-Seeking "Prodromal" Patients. Schizophrenia Bulletin, 2007, 33, 715-726.   | 2.3  | 105       |
| 674 | Cognitive decline following psychosis onset. British Journal of Psychiatry, 2007, 191, s52-s57.   | 1.7  | 59        |
| 675 | Childhood Trauma and Psychotic Disorders: a Systematic, Critical Review of the Evidence.<br>Schizophrenia Bulletin, 2007, 34, 568-579.  | 2.3  | 295       |
| 676 | The prevention of schizophrenia. International Review of Psychiatry, 2007, 19, 633-646.   | 1.4  | 74        |
| 677 | Early Psychosis: Where we've been, where we still have to go. Epidemiologia E Psichiatria Sociale, 2007, 16, 102-108.   | 1.0  | 19        |
| 678 | Increased Prefrontal Cerebral Blood flow in First-Episode Schizophrenia Following Treatment:<br>Longitudinal Positron Emission Tomography Study. Australian and New Zealand Journal of Psychiatry,<br>2007, 41, 129-135.  | 1.3  | 21        |
| 679 | Prediction of psychosis: setting the stage. British Journal of Psychiatry, 2007, 191, s1-s8.  | 1.7  | 82        |
| 680 | Fractionation of Verbal Memory Impairment in Schizophrenia and Schizophreniform Psychosis. Australian and New Zealand Journal of Psychiatry, 2007, 41, 732-739.   | 1.3  | 13        |
| 681 | Amygdala Volume Status Might Reflect Dominant Mode of Emotional Information Processing—Reply.<br>Archives of General Psychiatry, 2007, 64, 252.   | 13.8 | 3         |
| 682 | Service responses for youth onset mental disorders. Current Opinion in Psychiatry, 2007, 20, 319-324.   | 3.1  | 28        |
| 683 | Issues for DSM-V: Clinical Staging: A Heuristic Pathway to Valid Nosology and Safer, More Effective Treatment in Psychiatry. American Journal of Psychiatry, 2007, 164, 859-860.  | 4.0  | 160       |
| 684 | Olfactory sensitivity through the course of psychosis: Relationships to olfactory identification, symptomatology and the schizophrenia odour. Psychiatry Research, 2007, 149, 97-104.   | 1.7  | 19        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 685 | Mental health of young people: a global public-health challenge. Lancet, The, 2007, 369, 1302-1313.   | 6.3 | 2,241     |
| 686 | Teen depression. Lancet, The, 2007, 370, 820.   | 6.3 | 0         |
| 687 | Neuroimaging and emerging psychotic disorders: The Melbourne ultra-high risk studies. International Review of Psychiatry, 2007, 19, 371-379.  | 1.4 | 119       |
| 688 | Monitoring the Safe Use of Clozapine. CNS Drugs, 2007, 21, 117-127.   | 2.7 | 50        |
| 689 | Association between psychotic experiences and depression in a clinical sample over 6Âmonths.<br>Schizophrenia Research, 2007, 91, 246-253.  | 1.1 | 122       |
| 690 | Medium term follow-up of a randomized controlled trial of interventions for young people at ultra high risk of psychosis. Schizophrenia Research, 2007, 96, 25-33.                                | 1.1 | 128       |
| 691 | Pre-treatment, baseline, and outcome differences between early-onset and adult-onset psychosis in an epidemiological cohort of 636 first-episode patients. Schizophrenia Research, 2007, 95, 1-8. | 1.1 | 174       |
| 692 | Antibodies to Infectious Agents in Individuals at Ultra-High Risk for Psychosis. Biological Psychiatry, 2007, 61, 1215-1217.  | 0.7 | 66        |
| 693 | PACE: a specialised service for young people at risk of psychotic disorders. Medical Journal of Australia, 2007, 187, S43-6.  | 0.8 | 78        |
| 694 | Early intervention in bipolar disorders: opportunities and pitfalls. Medical Journal of Australia, 2007, 187, S11-4.  | 0.8 | 68        |
| 695 | Early intervention in psychotic disorders: detection and treatment of the first episode and the critical early stages. Medical Journal of Australia, 2007, 187, S8-10.                            | 0.8 | 124       |
| 696 | Increased access to evidenceâ€based primary mental health care: will the implementation match the rhetoric?. Medical Journal of Australia, 2007, 187, 100-103.                                    | 0.8 | 51        |
| 697 | Clinical staging: a heuristic model for psychiatry and youth mental health. Medical Journal of Australia, 2007, 187, S40-2.   | 0.8 | 174       |
| 698 | Investing in youth mental health is a best buy. Medical Journal of Australia, 2007, 187, S5.  | 0.8 | 199       |
| 699 | The specialist youth mental health model: strengthening the weakest link in the public mental health system. Medical Journal of Australia, 2007, 187, S53-6.                                      | 0.8 | 142       |
| 700 | headspace: Australia's National Youth Mental Health Foundation â€" where young minds come first. Medical Journal of Australia, 2007, 187, S68-70.   | 0.8 | 200       |
| 701 | Prevention and early intervention for borderline personality disorder. Medical Journal of Australia, 2007, 187, S18-21.   | 0.8 | 44        |
| 702 | Early Psychosis Prevention and Intervention Centre long-term follow-up study of first-episode psychosis: methodology and baseline characteristics. Microbial Biotechnology, 2007, 1, 49-60.       | 0.9 | 42        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 703 | Neuroprotection in emerging psychotic disorders. Microbial Biotechnology, 2007, 1, 114-127.  | 0.9 | 45        |
| 704 | The Firstâ€Episode Psychosis Outcome Study: premorbid and baseline characteristics of an epidemiological cohort of 661 firstâ€episode psychosis patients. Microbial Biotechnology, 2007, 1, 191-200.                           | 0.9 | 100       |
| 705 | Welcome to Early Intervention in Psychiatry. Microbial Biotechnology, 2007, 1, 1-2.  | 0.9 | 13        |
| 706 | Reductions in cannabis and other illicit substance use between treatment entry and early recovery in patients with first-episode psychosis. Microbial Biotechnology, 2007, 1, 259-266.   | 0.9 | 22        |
| 707 | Defining, operationalizing and measuring the duration of untreated psychosis: advances, limitations and future directions. Microbial Biotechnology, 2007, 1, 236-250.  | 0.9 | 66        |
| 708 | headspace: National Youth Mental Health Foundation: Making headway with rural young people and their mental health. Australian Journal of Rural Health, 2007, 15, 77-80.   | 0.7 | 38        |
| 709 | Setting the stage: from prodrome to treatment resistance in bipolar disorder. Bipolar Disorders, 2007, 9, 671-678.   | 1.1 | 204       |
| 710 | Anterior cingulate activation in antipsychotic-na $\tilde{A}$ ve first-episode schizophrenia. Acta Psychiatrica Scandinavica, 2007, 115, 155-158.  | 2.2 | 28        |
| 711 | Prevalence and correlates of comorbidity 8â€∫years after a first psychotic episode. Acta Psychiatrica Scandinavica, 2007, 116, 62-70.  | 2.2 | 24        |
| 712 | In vivo evidence for early neurodevelopmental anomaly of the anterior cingulate cortex in bipolar disorder. Acta Psychiatrica Scandinavica, 2007, 116, 467-472.  | 2.2 | 47        |
| 713 | The potential utility of a staging model as a course specifier: A bipolar disorder perspective. Journal of Affective Disorders, 2007, 100, 279-281.  | 2.0 | 140       |
| 714 | Pituitary volume in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2007, 156, 257-261.   | 0.9 | 25        |
| 715 | HPA axis functioning associated with transition to psychosis: Combined DEX/CRH test. Journal of Psychiatric Research, 2007, 41, 446-450.   | 1.5 | 47        |
| 716 | Stress and HPA-axis functioning in young people at ultra high risk for psychosis. Journal of Psychiatric Research, 2007, 41, 561-569.  | 1.5 | 132       |
| 717 | What's in a name? Is accurate recognition and labelling of mental disorders by young people associated with better help-seeking and treatment preferences?. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 244-250. | 1.6 | 167       |
| 718 | Impact of Severity of Substance Use Disorder on Symptomatic and Functional Outcome in Young Individuals With First-Episode Psychosis. Journal of Clinical Psychiatry, 2007, 68, 767-774.                                       | 1.1 | 54        |
| 719 | Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. Journal of Clinical Psychiatry, 2007, 68, 1867-1875.   | 1.1 | 139       |
| 720 | Predictors of Service Disengagement in First-Admitted Adolescents With Psychosis. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 990-999.   | 0.3 | 95        |

| #           | Article   | IF   | Citations |
|-------------|---|------|-----------|
| 721         | Course of substance misuse and daily tobacco use in first-episode psychosis. Schizophrenia Research, 2006, 81, 145-150.   | 1.1  | 74        |
| 722         | Early-onset of symptoms predicts conversion to non-affective psychosis in ultra-high risk individuals. Schizophrenia Research, 2006, 84, 67-76.   | 1.1  | 77        |
| <b>72</b> 3 | Testing the Ultra High Risk (prodromal) criteria for the prediction of psychosis in a clinical sample of young people. Schizophrenia Research, 2006, 84, 57-66.                                     | 1.1  | 242       |
| 724         | Morphology of the paracingulate sulcus and executive cognition in schizophrenia. Schizophrenia Research, 2006, 88, 192-197.   | 1.1  | 64        |
| 725         | Pharmacological treatment of primary negative symptoms in schizophrenia: A systematic review.<br>Schizophrenia Research, 2006, 88, 5-25.  | 1.1  | 180       |
| 726         | Physical comorbidity, insight, quality of life and global functioning in first episode schizophrenia: A 24-month, longitudinal outcome study. Schizophrenia Research, 2006, 88, 82-89.              | 1.1  | 32        |
| 727         | Clinical Staging of Psychiatric Disorders: A Heuristic Framework for Choosing Earlier, Safer and more Effective Interventions. Australian and New Zealand Journal of Psychiatry, 2006, 40, 616-622. | 1.3  | 680       |
| 728         | Australia's National Suicide Prevention Strategy: the next chapter. Australian Health Review, 2006, 30, 271.  | 0.5  | 12        |
| 729         | Treatment for the initial acute phase of first-episode psychosis in a real-world setting. Psychiatric Bulletin, 2006, 30, 127-131.  | 0.3  | 3         |
| 730         | Substance misuse in first-episode psychosis: 15-month prospective follow-up study. British Journal of Psychiatry, 2006, 189, 229-234.   | 1.7  | 132       |
| 731         | Prediction of Functional Outcome 18 Months After a First Psychotic Episode. Archives of General Psychiatry, 2006, 63, 969.  | 13.8 | 56        |
| 732         | Depressed mood as a risk factor for unprotected sex in young people. Australasian Psychiatry, 2006, 14, 310-312.  | 0.4  | 34        |
| 733         | Symptomatic and functional outcome 12 months after a first episode of psychotic mania: barriers to recovery in a catchment area sample. Bipolar Disorders, 2006, 8, 221-231.                        | 1.1  | 110       |
| 734         | Randomized controlled trial of a cannabis-focused intervention for young people with first-episode psychosis. Acta Psychiatrica Scandinavica, 2006, 114, 109-117.                                   | 2.2  | 136       |
| 735         | Treated incidence of first-episode psychosis in the catchment area of EPPIC between 1997 and 2000. Acta Psychiatrica Scandinavica, 2006, 114, 337-345.  | 2.2  | 88        |
| 736         | Seasonal influences on first-episode admission in affective and non-affective psychosis. Acta Neuropsychiatrica, 2006, 18, 154-161.   | 1.0  | 11        |
| 737         | Recent approaches to psychological interventions for people at risk of psychosis. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 159-173.                                    | 1.8  | 48        |
| 738         | Belief in dealing with depression alone: Results from community surveys of adolescents and adults. Journal of Affective Disorders, 2006, 96, 59-65.   | 2.0  | 77        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 739 | Dysfunction of dorsolateral prefrontal cortex in antipsychotic-naÃ-ve schizophreniform psychosis. Psychiatry Research - Neuroimaging, 2006, 148, 23-31.  | 0.9  | 29        |
| 740 | Development and evaluation of a youth mental health community awareness campaign – The Compass Strategy. BMC Public Health, 2006, 6, 215.  | 1.2  | 143       |
| 741 | Efficacy of amisulpride in treating primary negative symptoms in first-episode psychosis: a pilot study. Human Psychopharmacology, 2006, 21, 511-517.  | 0.7  | 4         |
| 742 | Psychotic-Like Experiences in Nonpsychotic Help-Seekers: Associations With Distress, Depression, and Disability. Schizophrenia Bulletin, 2006, 32, 352-359.  | 2.3  | 220       |
| 743 | Pharmacological Treatment in the Early Phase of Bipolar Disorders: What Stage are we at?. Australian and New Zealand Journal of Psychiatry, 2006, 40, 199-207.   | 1.3  | 37        |
| 744 | Influence of Gender on Mental Health Literacy in Young Australians. Australian and New Zealand Journal of Psychiatry, 2006, 40, 790-796.   | 1.3  | 217       |
| 745 | Hippocampal and Amygdala Volumes According to Psychosis Stage and Diagnosis. Archives of General Psychiatry, 2006, 63, 139.  | 13.8 | 559       |
| 746 | Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 2006, 40, 725-741.                                   | 1.3  | 186       |
| 747 | Exciting Career Opportunity Beckons! Early Intervention and Vocational Rehabilitation in First-Episode Psychosis: Employing Cautious Optimism. Australian and New Zealand Journal of Psychiatry, 2006, 40, 951-962.                  | 1.3  | 123       |
| 748 | Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2006, 40, 429-436.  | 1.3  | 38        |
| 749 | The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. Behavioural and Cognitive Psychotherapy, 2006, 34, 277-291. | 0.9  | 37        |
| 750 | Depressed mood as a risk factor for unprotected sex in young people. Australasian Psychiatry, 2006, 14, 310-312.   | 0.4  | 28        |
| 751 | Reforming youth mental health. Australian Family Physician, 2006, 35, 314.   | 0.5  | 6         |
| 752 | Emerging psychosis in young people - Part 3 - key issues for prolonged recovery. Australian Family Physician, 2006, 35, 329-33.  | 0.5  | 13        |
| 753 | Introduction to â€~Early psychosis: abridge to the future'. British Journal of Psychiatry, 2005, 187, s1-s3.   | 1.7  | 23        |
| 754 | Agreeableness and Neuroticism as Predictors of Relapse After First-Episode Psychosis. Journal of Nervous and Mental Disease, 2005, 193, 160-169.   | 0.5  | 47        |
| 755 | A controlled trial of cognitively oriented psychotherapy for early psychosis (COPE) with four-year follow-up readmission data. Psychological Medicine, 2005, 35, 1295-1306.  | 2.7  | 50        |
| 756 | Early processing deficits in object working memory in first-episode schizophreniform psychosis and established schizophrenia. Psychological Medicine, 2005, 35, 1053-1062.   | 2.7  | 56        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 757 | Obstetric complications and transition to psychosis in an 'ultra' high risk sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 460-466.  | 1.3 | 3         |
| 758 | Patterns and predictors of substance use disorders and daily tobacco use in first-episode psychosis*. Australian and New Zealand Journal of Psychiatry, 2005, 39, 892-898.  | 1.3 | 6         |
| 759 | 'Every me and every you': responding to the hidden challenge of mental illness in Australia.<br>Australasian Psychiatry, 2005, 13, 3-15.  | 0.4 | 17        |
| 760 | The impact of substance use disorders on clinical outcome in 643 patients with first-episode psychosis. Acta Psychiatrica Scandinavica, 2005, 112, 141-148.   | 2.2 | 293       |
| 761 | The Management of Early Psychosis. , 2005, , 51-109.  |     | 0         |
| 762 | Recognition of depression and psychosis by young Australians and their beliefs about treatment. Medical Journal of Australia, 2005, 183, 18-23.   | 0.8 | 138       |
| 763 | Australian mental health reform: time for real outcomes. Medical Journal of Australia, 2005, 182, 401-406.  | 0.8 | 89        |
| 764 | Obstetric Complications and Transition to Psychosis in an â€~Ultra' High Risk Sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 460-466.  | 1.3 | 14        |
| 765 | Olanzapine in subjects with a first-episode psychosis non-responsive, intolerant or non-compliant to a first-line trial of risperidone. International Journal of Psychiatry in Clinical Practice, 2005, 9, 244-250. | 1.2 | 8         |
| 766 | Mapping the Onset of Psychosis: The Comprehensive Assessment of At-Risk Mental States. Australian and New Zealand Journal of Psychiatry, 2005, 39, 964-971.   | 1.3 | 1,677     |
| 767 | Risperidone and Haloperidol in First-Episode Psychosis: A Long-Term Randomized Trial. American Journal of Psychiatry, 2005, 162, 947-953.   | 4.0 | 331       |
| 768 | Memory Impairments Identified in People at Ultra-High Risk for Psychosis Who Later Develop First-Episode Psychosis. American Journal of Psychiatry, 2005, 162, 71-78.   | 4.0 | 342       |
| 769 | Early intervention in psychotic disorders: beyond debate to solving problems. British Journal of Psychiatry, 2005, 187, s108-s110.  | 1.7 | 51        |
| 770 | Comparison of Olanzapine and Risperidone in 367 First-Episode Patients with Non-Affective or Affective Psychosis: Results of an Open Retrospective Medical Record Study. Pharmacopsychiatry, 2005, 38, 206-213.     | 1.7 | 35        |
| 771 | Determinants of Duration of Untreated Psychosis and the Pathway to Care in Singapore. International Journal of Social Psychiatry, 2005, 51, 55-62.  | 1.6 | 66        |
| 772 | â€~Every Me and Every You': Responding to the Hidden Challenge of Mental Illness in Australia.<br>Australasian Psychiatry, 2005, 13, 3-15.  | 0.4 | 45        |
| 773 | Patterns and Predictors of Substance use Disorders and Daily Tobacco use in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2005, 39, 892-898.   | 1.3 | 46        |
| 774 | Patterns of Current Comorbidity in Young Help-Seekers: Implications for Service Planning and Delivery. Australasian Psychiatry, 2005, 13, 379-383.  | 0.4 | 16        |

| #   | Article   | IF        | CITATIONS       |
|-----|---|-----------|-----------------|
| 775 | Evidence based reform of mental health care. BMJ: British Medical Journal, 2005, 331, 586-587.  | 2.4       | 14              |
| 776 | Generalized and Specific Cognitive Performance in Clinical High-Risk Cohorts: A Review Highlighting Potential Vulnerability Markers for Psychosis. Schizophrenia Bulletin, 2005, 32, 538-555. | 2.3       | 218             |
| 777 | Prepsychotic phase of schizophrenia and related disorders: recent progress and future opportunities.<br>British Journal of Psychiatry, 2005, 187, s33-s44.                                    | 1.7       | 74              |
| 778 | Structural Brain Imaging Evidence for Multiple Pathological Processes at Different Stages of Brain Development in Schizophrenia. Schizophrenia Bulletin, 2005, 31, 672-696.                   | 2.3       | 479             |
| 779 | Pituitary Volume Predicts Future Transition to Psychosis in Individuals at Ultra-High Risk of Developing Psychosis. Biological Psychiatry, 2005, 58, 417-423.                                 | 0.7       | 202             |
| 780 | Hippocampal and anterior cingulate morphology in subjects at ultra-high-risk for psychosis: the role of family history of psychotic illness. Schizophrenia Research, 2005, 75, 295-301.       | 1.1       | 74              |
| 781 | The relationship between duration of untreated psychosis and outcome: An eight-year prospective study. Schizophrenia Research, 2005, 79, 85-93.   | 1.1       | 173             |
| 782 | Sustained attention in young people at high risk of psychosis does not predict transition to psychosis. Schizophrenia Research, 2005, 79, 127-136.  | 1.1       | 73              |
| 783 | Early warning signs of relapse following a first episode of psychosis. Schizophrenia Research, 2005, 80, 107-111.   | 1.1       | 32              |
| 784 | Diagnostic Stability 18 Months After Treatment Initiation for First-Episode Psychosis. Journal of Clinical Psychiatry, 2005, 66, 1239-1246.   | 1.1       | 130             |
| 785 | Monitoring and Care of Young People at Incipient Risk of Psychosis. Focus (American Psychiatric) Tj ETQq1 1 0.78  | 4314 rgBT | <br>  JOverlock |
| 786 | Australia Needs a Mental Health Commission. Australasian Psychiatry, 2004, 12, 213-219.   | 0.4       | 21              |
| 787 | Psychiatric comorbidity in first episode psychosis: the Early Psychosis Intervention Program (EPIP) experience. Acta Psychiatrica Scandinavica, 2004, 109, 23-29.                             | 2.2       | 45              |
| 788 | Schneiderian first rank symptoms predict poor outcome within first episode manic psychosis. Journal of Affective Disorders, 2004, 81, 259-268.  | 2.0       | 39              |
| 789 | Early intervention in first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 711-719.   | 1.6       | 60              |
| 790 | Precursors of schizophrenia. Current Psychosis & Therapeutics Reports, 2004, 2, 67-72.  | 0.1       | 2               |
| 791 | Two-Year Stability of Personality Disorder in Older Adolescent Outpatients. Journal of Personality Disorders, 2004, 18, 526-541.  | 0.8       | 232             |
| 792 | Risk factors for psychosis in an ultra high-risk group: psychopathology and clinical features. Schizophrenia Research, 2004, 67, 131-142.   | 1.1       | 673             |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 793 | Pituitary volume in psychosis. British Journal of Psychiatry, 2004, 185, 5-10.  | 1.7 | 168       |
| 794 | The initial prodrome to bipolar affective disorder: prospective case studies. Journal of Affective Disorders, 2003, 77, 79-85.  | 2.0 | 68        |
| 795 | Potential use of the topical niacin skin test in early psychosis—a combined approach using optical reflection spectroscopy and a descriptive rating scale. Journal of Psychiatric Research, 2003, 37, 237-247.                                | 1.5 | 49        |
| 796 | Early Intervention in Psychosis: An Overdue Reform. Australian and New Zealand Journal of Psychiatry, 2003, 37, 393-398.  | 1.3 | 104       |
| 797 | Early and Late Neurodevelopmental Disturbances in Schizophrenia and Their Functional Consequences. Australian and New Zealand Journal of Psychiatry, 2003, 37, 399-406.   | 1.3 | 161       |
| 798 | Suicide Prevention in First Episode Psychosis: The Development of a Randomised Controlled Trial of Cognitive Therapy for Acutely Suicidal Patients With Early Psychosis. Australian and New Zealand Journal of Psychiatry, 2003, 37, 414-420. | 1.3 | 133       |
| 799 | Summary Australian and New Zealand Clinical Practice Guideline for the Treatment of Schizophrenia 2003. Australasian Psychiatry, 2003, 11, 136-147.   | 0.4 | 54        |
| 800 | Psychosis prediction: 12-month follow up of a high-risk ("prodromalâ€) group. Schizophrenia Research, 2003, 60, 21-32.  | 1.1 | 981       |
| 801 | Recovery style and outcome in first-episode psychosis. Schizophrenia Research, 2003, 62, 31-36.   | 1.1 | 67        |
| 802 | Neuroanatomical abnormalities before and after onset of psychosis: a cross-sectional and longitudinal MRI comparison. Lancet, The, 2003, 361, 281-288.  | 6.3 | 1,211     |
| 803 | Keeping an open mind: Investigating options for treatment of the pre-psychotic phase. Journal of Mental Health, 2003, 12, 341-343.  | 1.0 | 6         |
| 804 | Pharmacotherapy of first-episode psychosis. Expert Opinion on Pharmacotherapy, 2003, 4, 717-750.  | 0.9 | 43        |
| 805 | The "Close-in" or Ultra High-Risk Model: A Safe and Effective Strategy for Research and Clinical Intervention in Prepsychotic Mental Disorder. Schizophrenia Bulletin, 2003, 29, 771-790.   | 2.3 | 246       |
| 806 | Proton Magnetic Resonance Spectroscopy in First Episode Psychosis and Ultra High-Risk Individuals. Schizophrenia Bulletin, 2003, 29, 831-843.   | 2.3 | 113       |
| 807 | Impairment of Olfactory Identification Ability in Individuals at Ultra-High Risk for Psychosis Who<br>Later Develop Schizophrenia. American Journal of Psychiatry, 2003, 160, 1790-1794.  | 4.0 | 179       |
| 808 | Does treatment delay in first-episode psychosis really matter?. Psychological Medicine, 2003, 33, 97-110.   | 2.7 | 246       |
| 809 | Spatial working memory ability is a marker of risk-for-psychosis. Psychological Medicine, 2003, 33, 1239-1247.  | 2.7 | 205       |
| 810 | Seasonality of symptom onset in first-episode schizophrenia. Psychological Medicine, 2003, 33, 163-167.   | 2.7 | 27        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 811 | Psychological Treatment in Pre- and Early Psychosis. Journal of the American Academy of Psychoanalysis and Dynamic Psychiatry, 2003, 31, 229-245.  | 0.3  | 23        |
| 812 | Translating advances in schizophrenia treatment: a glass ceiling. Medical Journal of Australia, 2003, 178, 425-426.  | 0.8  | 4         |
| 813 | Morphology of the anterior cingulate cortex in young men at ultra-high risk of developing a psychotic illness. British Journal of Psychiatry, 2003, 182, 518-524.  | 1.7  | 128       |
| 814 | Incipient neurovulnerability and neuroprotection in early psychosis. Psychopharmacology Bulletin, 2003, 37, 79-101.  | 0.0  | 63        |
| 815 | Response to "The Prevention of Schizophrenia: What Interventions Are Safe and Effective?".<br>Schizophrenia Bulletin, 2002, 28, 177-180.   | 2.3  | 9         |
| 816 | Consensus on Early Intervention in Schizophrenia. Schizophrenia Bulletin, 2002, 28, 543-544.   | 2.3  | 16        |
| 817 | Review: depot antipsychotics are effective and safe for schizophrenia or schizophrenia like illnesses.<br>Evidence-Based Mental Health, 2002, 5, 42-42.  | 2.2  | 0         |
| 818 | Early intervention in schizophrenia: points of agreement. Epidemiology and Psychiatric Sciences, 2002, 11, 256-257.  | 1.8  | 6         |
| 819 | Early intervention in psychosis: a new evidence based paradigm. Epidemiology and Psychiatric Sciences, 2002, 11, 237-247.  | 1.8  | 59        |
| 820 | The PACE Clinic: Identification and Management of Young People at "Ultra―High Risk of Psychosis. Journal of Psychiatric Practice, 2002, 8, 255-269.  | 0.3  | 66        |
| 821 | Norman & Malla (2001) reviewed the literature on duration of untreated psychosis (DUP) and outcome in schizophrenia Psychological Medicine, 2002, 32, 563-564.   | 2.7  | 9         |
| 822 | Visuospatial memory and learning in first-episode schizophreniform psychosis and established schizophrenia: a functional correlate of hippocampal pathology?. Psychological Medicine, 2002, 32, 429-438.           | 2.7  | 90        |
| 823 | Rehab Rounds: A Service Response to Prolonged Recovery in Early Psychosis. Psychiatric Services, 2002, 53, 1067-1069.  | 1.1  | 41        |
| 824 | Duration of untreated psychosis and cognitive deterioration in first-episode schizophrenia. Schizophrenia Research, 2002, 54, 223-230.   | 1.1  | 137       |
| 825 | Non-reduction in hippocampal volume is associated with higher risk of psychosis. Schizophrenia Research, 2002, 58, 145-158.  | 1.1  | 153       |
| 826 | The impact of torture on post-traumatic stress symptoms in war-affected Tamil refugees and immigrants. Comprehensive Psychiatry, 2002, 43, 49-55.  | 1.5  | 95        |
| 827 | Randomized Controlled Trial of Interventions Designed to Reduce the Risk of Progression to First-Episode Psychosis in a Clinical Sample With Subthreshold Symptoms. Archives of General Psychiatry, 2002, 59, 921. | 13.8 | 922       |
| 828 | Treatment of Adolescents and Young Adults Experiencing Attenuated Psychotic Symptoms. Child and Adolescent Psychopharmacology News, 2002, 7, 1-4.  | 0.1  | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 829 | Prediction and prevention of transition to psychosis in young people at incipient risk for schizophrenia. American Journal of Medical Genetics Part A, 2002, 114, 929-937.                                  | 2.4 | 47        |
| 830 | Incidental radiological findings on brain magnetic resonance imaging in first-episode psychosis and chronic schizophrenia. Acta Psychiatrica Scandinavica, 2002, 106, 331-336.                              | 2.2 | 64        |
| 831 | Early psychosis reform: too fast or too slow?. Acta Psychiatrica Scandinavica, 2002, 106, 249-251.  | 2.2 | 15        |
| 832 | Implications of lipid biology for the pathogenesis of schizophrenia. Australian and New Zealand Journal of Psychiatry, 2002, 36, 355-366.   | 1.3 | 61        |
| 833 | First-Episode Mania: A Neglected Priority for Early Intervention. Australian and New Zealand Journal of Psychiatry, 2002, 36, 158-172.  | 1.3 | 86        |
| 834 | Cannabis Use is Not Associated With the Development of Psychosis in an â€~Ultra' High-Risk Group.<br>Australian and New Zealand Journal of Psychiatry, 2002, 36, 800-806.                                   | 1.3 | 112       |
| 835 | The recognition and optimal management of early psychosis: an evidence-based reform. World Psychiatry, 2002, 1, 76-83.  | 4.8 | 34        |
| 836 | Asylum seeking and mandatory detention. The psychological consequences. Australian Family Physician, 2002, 31, 275-8.   | 0.5 | 5         |
| 837 | A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia.<br>Schizophrenia Research, 2001, 52, 37-46.  | 1.1 | 135       |
| 838 | Preventing severe mental illnesses — new prospects and ethical challenges. Schizophrenia Research, 2001, 51, 3-15.  | 1.1 | 73        |
| 839 | Ethics and early intervention in psychosis: keeping up the pace and staying in step. Schizophrenia Research, 2001, 51, 17-29.   | 1.1 | 158       |
| 840 | Reduced awareness of illness in first-episode psychosis. Comprehensive Psychiatry, 2001, 42, 498-503.   | 1.5 | 54        |
| 841 | Response to †Better Mental Health Services for Young People: Responsibility, Partnerships and Projects'. Australian and New Zealand Journal of Psychiatry, 2001, 35, 392-394.                               | 1.3 | 0         |
| 842 | Cognitively oriented psychotherapy for early psychosis (COPE): A 1-year follow-up. British Journal of Clinical Psychology, 2001, 40, 57-70.   | 1.7 | 61        |
| 843 | Stability of Olfactory Identification Deficits in Neuroleptic-Naive Patients With First-Episode Psychosis. American Journal of Psychiatry, 2001, 158, 107-115.  | 4.0 | 137       |
| 844 | Recognition and Treatment of the Pre-psychotic Phase of Psychotic Disorders., 2001,, 101-122.   |     | 10        |
| 845 | Untreated Initial Psychosis. American Journal of Psychiatry, 2001, 158, 1161-a-1162.  | 4.0 | 13        |
| 846 | Identification of Young People at Risk of Psychosis: Validation of Personal Assessment and Crisis Evaluation Clinic Intake Criteria. Australian and New Zealand Journal of Psychiatry, 2000, 34, A164-A169. | 1.3 | 67        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 847 | Early detection and treatment delay: implications for outcome in early psychosis. Current Opinion in Psychiatry, 2000, 13, 37-43.   | 3.1 | 38        |
| 848 | The Procedural Validity of Retrospective Case Note Diagnosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, 154-159.  | 1.3 | 11        |
| 849 | The nature of schizophrenia: signposts to prevention. Australian and New Zealand Journal of Psychiatry, 2000, 34, S14-S21.  | 1.3 | 10        |
| 850 | Evaluating the importance of reducing the duration of untreated psychosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, S145-S149.   | 1.3 | 19        |
| 851 | Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. Australian and New Zealand Journal of Psychiatry, 2000, 34, S113-S126.                    | 1.3 | 31        |
| 852 | Identification of young people at risk of psychosis: validation of Personal Assessment and Crisis Evaluation Clinic intake criteria. Australian and New Zealand Journal of Psychiatry, 2000, 34, S164-S169. | 1.3 | 78        |
| 853 | Evaluating the Importance of Reducing the Duration of Untreated Psychosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, A145-A149.   | 1.3 | 17        |
| 854 | The Nature of Schizophrenia: Signposts to Prevention. Australian and New Zealand Journal of Psychiatry, 2000, 34, A14-A21.  | 1.3 | 13        |
| 855 | Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. Australian and New Zealand Journal of Psychiatry, 2000, 34, A113-A126.                    | 1.3 | 20        |
| 856 | Identification of Young People at Risk of Psychosis: Validation of Personal Assessment and Crisis Evaluation Clinic Intake Criteria. Australian and New Zealand Journal of Psychiatry, 2000, 34, S164-S169. | 1.3 | 103       |
| 857 | Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. Australian and New Zealand Journal of Psychiatry, 2000, 34, S113-S126.                    | 1.3 | 32        |
| 858 | Evaluating the Importance of Reducing the Duration of Untreated Psychosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, S145-S149.   | 1.3 | 22        |
| 859 | The Nature of Schizophrenia: Signposts to Prevention. Australian and New Zealand Journal of Psychiatry, 2000, 34, S14-S21.  | 1.3 | 14        |
| 860 | Neurobiological findings in early phase schizophrenia. Brain Research Reviews, 2000, 31, 157-165.   | 9.1 | 52        |
| 861 | Can we improve the diagnostic efficiency and predictive power of prodromal symptoms for schizophrenia?. Schizophrenia Research, 2000, 42, 91-100.   | 1.1 | 64        |
| 862 | Preventative Mental Health Care: Accessing the Target Population. Australian and New Zealand Journal of Psychiatry, 1999, 33, 912-917.  | 1.3 | 69        |
| 863 | Pathways from war trauma to posttraumatic stress symptoms among Tamil asylum seekers, refugees, and immigrants. Journal of Traumatic Stress, 1999, 12, 421-435.   | 1.0 | 283       |
| 864 | Duration of untreated psychosis and 12â€month outcome in firstâ€episode psychosis: the impact of treatment approach. Acta Psychiatrica Scandinavica, 1999, 100, 96-104.                                     | 2.2 | 123       |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 865 | Is phaseâ€specific, communityâ€oriented treatment of early psychosis―an economically viable method of improving outcome?. Acta Psychiatrica Scandinavica, 1999, 100, 47-55.  | 2.2  | 114       |
| 866 | Insight in psychosis: An elusive target. Comprehensive Psychiatry, 1999, 40, 131-142.  | 1.5  | 91        |
| 867 | Enduring negative symptoms in first-episode psychosis: comparison of six methods using follow-up data. Schizophrenia Research, 1999, 40, 147-158.  | 1.1  | 94        |
| 868 | Hippocampal Volume in First-Episode Psychoses and Chronic Schizophrenia. Archives of General Psychiatry, 1999, 56, 133.  | 13.8 | 333       |
| 869 | People at risk of schizophrenia and other psychoses: comments on the Edinburgh High-Risk Study.<br>British Journal of Psychiatry, 1999, 175, 586-587.  | 1.7  | 4         |
| 870 | Recommended Haloperidol and Risperidone Doses in First-Episode Psychosis. Journal of Clinical Psychiatry, 1999, 60, 794.   | 1.1  | 12        |
| 871 | Cognitive Psychotherapy of Psychotic and Personality Disorders: Handbook of Theory and Practice.<br>Journal of Psychiatric and Mental Health Nursing, 1999, 6, 411-412.  | 1.2  | 11        |
| 872 | Trauma exposure, postmigration stressors, and symptoms of anxiety, depression and postâ€traumatic stress in Tamil asylumâ€seekers: comparison with refugees and immigrants. Acta Psychiatrica Scandinavica, 1998, 97, 175-181. | 2.2  | 265       |
| 873 | The dimensionality of schizophrenia concepts in first-episode psychosis. Acta Psychiatrica Scandinavica, 1998, 97, 334-342.  | 2.2  | 23        |
| 874 | "A stitch in time" $\hat{a} \in \   \ $ the scope for preventive strategies in early psychosis. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 22-31.   | 1.8  | 65        |
| 875 | Conditions Necessary for Best Practice in Interdisciplinary Teamwork. Australasian Psychiatry, 1998, 6, 257-259.   | 0.4  | 12        |
| 876 | Neuroleptic Management of Schizophrenia: A Survey and Commentary on Australian Psychiatric Practice. Australian and New Zealand Journal of Psychiatry, 1998, 32, 50-58.  | 1.3  | 16        |
| 877 | Commentary on Munczek's "Short-Term Treatment of a Central American Torture Survivor―<br>Psychiatry (New York), 1998, 61, 330-334.   | 0.3  | 0         |
| 878 | The feasibility and effectiveness of early intervention in psychotic disorders. International Clinical Psychopharmacology, 1998, 13, S47-S52.  | 0.9  | 33        |
| 879 | Can we predict the onset of first-episode psychosis in a high-risk group?. International Clinical Psychopharmacology, 1998, 13, S23-S30.   | 0.9  | 82        |
| 880 | The dimensional structure of first episode psychosis: an exploratory factor analysis. Psychological Medicine, 1998, 28, 935-947.   | 2.7  | 149       |
| 881 | The Second National Mental Health Plan: an opportunity to take stock and move forward. Medical Journal of Australia, 1998, 169, 435-437.   | 0.8  | 10        |
| 882 | Prediction of psychosis. British Journal of Psychiatry, 1998, 172, 14-20.  | 1.7  | 637       |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 883 | Prolonged recovery in first-episode psychosis. British Journal of Psychiatry, 1998, 172, 107-116.  | 1.7 | 108       |
| 884 | Analysis of the initial treatment phase in first-episode psychosis. British Journal of Psychiatry, 1998, 172, 71-76.   | 1.7 | 76        |
| 885 | Is Pre-Psychotic Intervention Realistic in Schizophrenia and Related Disorders?. Australian and New Zealand Journal of Psychiatry, 1997, 31, 799-805.                                | 1.3 | 57        |
| 886 | Themhs Debate: Who Should be Treated? Burden vs Health Gain. Australasian Psychiatry, 1997, 5, 275-276.  | 0.4 | 3         |
| 887 | Early intervention in schizophrenia. British Journal of Psychiatry, 1997, 170, 2-5.  | 1.7 | 164       |
| 888 | Psychosocial interventions in mental health disorders. Current Opinion in Psychiatry, 1997, 10, 173-177.   | 3.1 | 4         |
| 889 | EPPIC: An Evolving System of Early Detection and Optimal Management. Schizophrenia Bulletin, 1996, 22, 305-326.  | 2.3 | 828       |
| 890 | The Initial Prodrome in Psychosis: Descriptive and Qualitative Aspects. Australian and New Zealand Journal of Psychiatry, 1996, 30, 587-599.   | 1.3 | 420       |
| 891 | Relationship between personality and course and outcome in early psychosis: A review of the literature. Clinical Psychology Review, 1996, 16, 707-727.                               | 6.0 | 23        |
| 892 | Comparing correlated kappas by resampling: Is one level of agreement significantly different from another?. Journal of Psychiatric Research, 1996, 30, 483-492.                      | 1.5 | 83        |
| 893 | The Inter-Rater and Test-Retest Reliabilities of Prodromal Symptoms in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 1996, 30, 498-504.                 | 1.3 | 15        |
| 894 | The Prodromal Phase of First-episode Psychosis: Past and Current Conceptualizations. Schizophrenia Bulletin, 1996, 22, 353-370.  | 2.3 | 983       |
| 895 | The Centre for Young People's Mental Health: Blending Epidemiology and Developmental Psychiatry. Australasian Psychiatry, 1996, 4, 243-247.  | 0.4 | 21        |
| 896 | Monitoring and Care of Young People at Incipient Risk of Psychosis. Schizophrenia Bulletin, 1996, 22, 283-303.   | 2.3 | 664       |
| 897 | Psychoeducation in First-Episode Psychosis: A Therapeutic Process. Psychiatry (New York), 1995, 58, 313-328.   | 0.3 | 84        |
| 898 | The prevalence of prodromal features of schizophrenia in adolescence: a preliminary survey. Acta Psychiatrica Scandinavica, 1995, 92, 241-249.                                       | 2,2 | 192       |
| 899 | Children of parents with psychotic disorders. Medical Journal of Australia, 1995, 163, 119-120.  | 0.8 | 22        |
| 900 | Working with Survivors of Torture and Trauma: The Victorian Foundation for Survivors of Torture in Perspective. Australian and New Zealand Journal of Psychiatry, 1995, 29, 463-472. | 1.3 | 22        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 901 | The Clinical Boundaries of Posttraumatic Stress Disorder. Australian and New Zealand Journal of Psychiatry, 1995, 29, 385-393.  | 1.3 | 13        |
| 902 | Spurious precision: procedural validity of diagnostic assessment in psychotic disorders. American Journal of Psychiatry, 1995, 152, 220-223.  | 4.0 | 62        |
| 903 | Psychological Sequelae of Torture and Trauma in Chilean and Salvadorean Migrants: A Pilot Study.<br>Australian and New Zealand Journal of Psychiatry, 1995, 29, 84-95.  | 1.3 | 33        |
| 904 | The Pace Clinic: Development of a Clinical Service for Young People at High Risk of Psychosis. Australasian Psychiatry, 1995, 3, 345-349.   | 0.4 | 52        |
| 905 | A Treatment-Relevant Classification of Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 1995, 29, 555-558.  | 1.3 | 29        |
| 906 | Prodromal symptoms of schizophrenia in first-episode psychosis: Prevalence and specificity. Comprehensive Psychiatry, 1995, 36, 241-250.  | 1.5 | 88        |
| 907 | The Influence of Illness Duration on Syndrome Clarity and Stability in Functional Psychosis: Does the Diagnosis Emerge and Stabilise with Time?. Australian and New Zealand Journal of Psychiatry, 1994, 28, 607-619. | 1.3 | 49        |
| 908 | The reliability of DSMâ€III prodromal symptoms in firstâ€episode psychotic patients. Acta Psychiatrica Scandinavica, 1994, 90, 375-378.   | 2.2 | 47        |
| 909 | Early Psychosis Prevention and Intervention: Evolution of a Comprehensive Community-Based Specialised Service. Behaviour Change, 1994, 11, 223-233.   | 0.6 | 40        |
| 910 | Early Psychosis Prevention and Intervention Centre. Australasian Psychiatry, 1993, 1, 32-34.  | 0.4 | 36        |
| 911 | Posttraumatic Stress Disorder Postpsychosis. Journal of Nervous and Mental Disease, 1993, 181, 766.   | 0.5 | 7         |
| 912 | The Concept of Recovery and Secondary Prevention in Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 1992, 26, 3-17.  | 1.3 | 128       |
| 913 | Diagnostic concordance in functional psychosis revisited: a study of inter-relationships between alternative concepts of psychotic disorder. Psychological Medicine, 1992, 22, 367-378.                               | 2.7 | 21        |
| 914 | Multidiagnostic evaluation of prolactin response to haloperidol challenge in schizophrenia: Maximal blunting in Kraepelinian patients. Biological Psychiatry, 1992, 32, 426-437.                                      | 0.7 | 66        |
| 915 | Diagnostic and symptomatological assessment. , 1992, , 163-181.   |     | 0         |
| 916 | Posttraumatic Stress Disorder Following Recent-Onset Psychosis An Unrecognized Postpsychotic Syndrome. Journal of Nervous and Mental Disease, 1991, 179, 253-258.   | 0.5 | 214       |
| 917 | Comparison of participants and nonparticipants in a neuroendocrine investigation of psychosis. Acta Psychiatrica Scandinavica, 1991, 83, 373-376.   | 2.2 | 7         |
| 918 | The influence of gender on the classification of psychotic disorders — a multidiagnostic approach. Acta Psychiatrica Scandinavica, 1990, 82, 8-12.  | 2,2 | 30        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 919 | Relationship between expressed emotion and family burden in psychotic disorders: an exploratory study. Acta Psychiatrica Scandinavica, 1990, 82, 243-249.   | 2.2 | 46        |
| 920 | Foreign medical graduates. Medical Journal of Australia, 1990, 153, 629-630.  | 0.8 | 0         |
| 921 | Royal Park Multidiagnostic Instrument for Psychosis: Part II. Development, Reliability, and Validity.<br>Schizophrenia Bulletin, 1990, 16, 517-536.   | 2.3 | 133       |
| 922 | Royal Park Multidiagnostic Instrument for Psychosis: Part I. Rationale and Review. Schizophrenia Bulletin, 1990, 16, 501-515.   | 2.3 | 115       |
| 923 | Current concepts in functional psychosis. Schizophrenia Research, 1990, 3, 221-234.   | 1.1 | 35        |
| 924 | Basal and haloperidol-stimulated prolactin in neuroleptic-free men with schizophrenia defined by 11 diagnostic systems. Biological Psychiatry, 1990, 27, 1203-1215.   | 0.7 | 23        |
| 925 | Prolactin response to low-dose haloperidol challenge in schizophrenic, non-schizophrenic psychotic, and control subjects. Psychoneuroendocrinology, 1990, 15, 225-231.  | 1.3 | 9         |
| 926 | The nosology and prognosis of puerperal psychosis: A review. Comprehensive Psychiatry, 1990, 31, 519-534.   | 1.5 | 27        |
| 927 | Age and severe mental disorders in homeless and disaffiliated people in inner Melbourne. Medical Journal of Australia, 1990, 153, 197-205.  | 0.8 | 19        |
| 928 | The Validity of the Assessment of Psychopathology in the Psychoses. Australian and New Zealand Journal of Psychiatry, 1989, 23, 469-482.  | 1.3 | 28        |
| 929 | The development, use, and reliability of the Brief Psychiatric Rating Scale (Nursing Modification)—An assessment procedure for the nursing team in clinical and research settings. Comprehensive Psychiatry, 1988, 29, 575-587. | 1.5 | 64        |
| 930 | The Ranzcp Vivas: A Suitable Case for Examination. Australian and New Zealand Journal of Psychiatry, 1988, 22, 432-435.   | 1.3 | 7         |
| 931 | The Zelig Phenomenon: A Specific form of Identity Disturbance. Australian and New Zealand Journal of Psychiatry, 1987, 21, 532-538.   | 1.3 | 1         |
| 932 | Schizophrenia: An Overview. Behaviour Change, 1985, 2, 80-93.   | 0.6 | 2         |
| 933 | Genetic vulnerability. , 0, , 31-46.  |     | 0         |
| 934 | At-risk mental state: management. , 0, , 107-122.   |     | 0         |
| 935 | Improving the community's mental health literacy as a means of facilitating early intervention. , 0, , $147-160$ .  |     | 1         |
| 936 | Preventive strategies in bipolar disorders: identifying targets for early intervention., 0,, 223-240.   |     | 1         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 937 | Substance misuse in first-episode psychosis. , 0, , 243-256.   |     | 1         |
| 938 | Rationale for and overview of the second edition of <i>The Recognition and Management of Early Psychosis</i> ., 0,, 3-16.  |     | 0         |
| 939 | Pathways to care and reducing treatment delay in early psychosis. , 0, , 161-174.  |     | 6         |
| 940 | Complete and incomplete recovery from first-episode psychosis. , 0, , 201-222.   |     | 3         |
| 941 | Family intervention in early psychosis. , 0, , 305-330.  |     | 11        |
| 942 | Diagnosis and the staging model of psychosis. , 0, , 17-28.  |     | 5         |
| 943 | At-risk mental state and prediction. , 0, , 83-106.  |     | 1         |
| 944 | Innovations in the design of mental health services for young people: an Australian perspective. Innovation and Entrepreneurship in Health, 0, , 107.                            | 2.0 | 6         |
| 945 | Early Intervention in Emerging Psychosis: State of the Art and Future Perspectives. Key Issues in Mental Health, 0, , 15-28.   | 0.6 | 1         |
| 946 | Neuroleptic Management of Schizophrenia: A Survey and Commentary on Australian Psychiatric Practice. , 0, .  |     | 1         |
| 947 | Mapping the Onset of Psychosis: The Comprehensive Assessment of At-Risk Mental States. , 0, .  |     | 198       |
| 948 | Pharmacological Treatment in the Early Phase of Bipolar Disorders: What Stage are we at?., 0, .  |     | 5         |
| 949 | Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode<br>Psychosis. , 0, .   |     | 11        |
| 950 | Clinical Staging of Psychiatric Disorders: A Heuristic Framework for Choosing Earlier, Safer and more Effective Interventions. , 0, .  |     | 95        |
| 951 | Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders. , 0, .   |     | 12        |
| 952 | Influence of Gender on Mental Health Literacy in Young Australians. , 0, .   |     | 20        |
| 953 | Exciting Career Opportunity Beckons! Early Intervention and Vocational Rehabilitation in First-Episode Psychosis: Employing Cautious Optimism. , 0, .                            |     | 39        |
| 954 | The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youth at Ultra-High Risk for Psychosis. SSRN Electronic Journal, 0, , . | 0.4 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 955 | Perceptions of rural high school teachers ―on the frontline of youth suicide. Australian Journal of Rural Health, 0, , .   | 0.7 | 1         |
| 956 | Social and occupational outcomes for young people who attend early intervention mental health services: a longitudinal study. Medical Journal of Australia, 0, , . | 0.8 | 0         |