Petra Macaskill

List of Publications by Year
in descending order

139 papers	25,351 citations

34493

54 h-index	130 g-index

15253

145 all docs	145 docs citations
145 times ranked	35617 citing authors

#	Article	IF	Citations
1	Factors Associated With Advanced Colorectal Neoplasia in Patients With CKD. American Journal of Kidney Diseases, 2022, 79, 549-560.	2.1	8
2	QUADAS-C: A Tool for Assessing Risk of Bias in Comparative Diagnostic Accuracy Studies. Annals of Internal Medicine, 2021, 174, 1592-1599.	2.0	88
3	Effectiveness and cost-effectiveness of a progressive, individualised walking and education programme for prevention of low back pain recurrence in adults: study protocol for the WalkBack randomised controlled trial. BMJ Open, 2020, 10, e037149.	0.8	3
4	Preferred reporting items for systematic review and meta-analysis of diagnostic test accuracy studies (PRISMA-DTA): explanation, elaboration, and checklist. BMJ, The, 2020, 370, m2632.	3.0	262
5	Health-Related Quality of Life in People Across the Spectrum of CKD. Kidney International Reports, 2020, 5, 2264-2274.	0.4	25
6	Predicting pain recovery in patients with acute low back pain: Updating and validation of a clinical prediction model. European Journal of Pain, 2019, 23, 341-353.	1.4	17
7	Pilot trial of digital breast tomosynthesis (3D mammography) for population‐based screening in BreastScreen Victoria. Medical Journal of Australia, 2019, 211, 357-362.	0.8	23
8	One-Time Fecal Immunochemical Screening for Advanced Colorectal Neoplasia in Patients with CKD (DETECT Study). Journal of the American Society of Nephrology: JASN, 2019, 30, 1061-1072.	3.0	19
9	Optimising the two‐stage randomised trial design when some participants are indifferent in their treatment preferences. Statistics in Medicine, 2019, 38, 2317-2331.	0.8	8
10	Authors' Reply. Journal of the American Society of Nephrology: JASN, 2019, 30, 2276-2277.	3.0	2
11	Agreement between digital breast tomosynthesis and pathologic tumour size for staging breast cancer, and comparison with standard mammography. Breast, 2019, 43, 59-66.	0.9	13
12	Letter to the Editor: Preference option randomized design (PORD) for comparative effectiveness research: Statistical power for testing comparative effect, preference effect, selection effect, intent-to-treat effect, and overall effect (SMMR, Vol. 28, Issue 2, 2019). Statistical Methods in Medical Research, 2019, 28, 1597-1598.	0.7	0
13	Comment to the reply letter: Letter to the Editor: Preference option randomized design (PORD) for comparative effectiveness research: Statistical power for testing comparative effect, preference effect, selection effect, intent-to-treat effect, and overall effect (SMMR, Vol. 28, Issue 2, 2019). Statistical Methods in Medical Research, 2019, 28, 1603-1603.	0.7	0
14	Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies. JAMA - Journal of the American Medical Association, 2018, 319, 388.	3.8	1,783
15	Serum lactate cut-offs as a risk stratification tool for in-hospital adverse outcomes in emergency department patients screened for suspected sepsis. BMJ Open, 2018, 8, e015492.	0.8	21
16	Interval breast cancers in the 'screening with tomosynthesis or standard mammography' (STORM) population-based trial. Breast, 2018, 38, 150-153.	0.9	50
17	Comparison of breast cancers detected in the Verona screening program following transition to digital breast tomosynthesis screening with cancers detected at digital mammography screening. Breast Cancer Research and Treatment, 2018, 170, 391-397.	1.1	38
18	Bowel Symptoms in Relation to Colorectal Cancer. , 2018, , 21-38.		1

#	Article	IF	Citations
19	Systematic review of agreement between tomosynthesis and pathologic tumor size for newly diagnosed breast cancer and comparison with other imaging tests. Expert Review of Medical Devices, 2018, 15, 489-496.	1.4	10
20	Effect of integrating digital breast tomosynthesis (3D-mammography) with acquired or synthetic 2D-mammography on radiologists' true-positive and false-positive detection in a population screening trial: A descriptive study. European Journal of Radiology, 2018, 106, 26-31.	1.2	12
21	Breast Cancer Screening Using Tomosynthesis or Mammography: A Meta-analysis of Cancer Detection and Recall. Journal of the National Cancer Institute, 2018, 110, 942-949.	3.0	161
22	The Validity of Drug Effects on Proteinuria, Albuminuria, Serum Creatinine, and Estimated GFR as Surrogate End Points for ESKD: A Systematic Review. American Journal of Kidney Diseases, 2018, 72, 779-789.	2.1	17
23	Prevalence of elevated alanine transaminase in Australia and its relationship to metabolic risk factors: A cross‐sectional study of 9,447 people. Journal of Gastroenterology and Hepatology (Australia), 2017, 32, 169-176.	1.4	18
24	Diagnostic Accuracy of Noninvasive Fibrosis Scores in a Population of Individuals With a Low Prevalence of Fibrosis. Clinical Gastroenterology and Hepatology, 2017, 15, 1453-1460.e1.	2.4	42
25	Diagnostic accuracy of the Ottawa Ankle and Midfoot Rules: a systematic review with meta-analysis. British Journal of Sports Medicine, 2017, 51, 504-510.	3.1	48
26	Breast cancer detection using single-reading of breast tomosynthesis (3D-mammography) compared to double-reading of 2D-mammography: Evidence from a population-based trial. Cancer Epidemiology, 2017, 47, 94-99.	0.8	30
27	Elevated Liver Enzymes and Mortality in Older Individuals. Journal of Clinical Gastroenterology, 2017, 51, 439-445.	1.1	14
28	Estimation of treatment preference effects in clinical trials when some participants are indifferent to treatment choice. BMC Medical Research Methodology, 2017, 17, 29.	1.4	17
29	Beginning the trajectory to ESKD in adult life: albuminuria in Australian aboriginal children and adolescents. Pediatric Nephrology, 2017, 32, 119-129.	0.9	12
30	P1-177: How Accurate are Cerebrospinal Fluid Biomarkers for the Diagnosis of Alzheimer Disease? A Systematic Review. , 2016, 12, P471-P472.		0
31	Meta-analysis of breast cancer mortality benefit and overdiagnosis adjusted for adherence: improving information on the effects of attending screening mammography. British Journal of Cancer, 2016, 114, 1269-1276.	2.9	36
32	Awaji criteria improves the diagnostic sensitivity in amyotrophic lateral sclerosis: A systematic review using individual patient data. Clinical Neurophysiology, 2016, 127, 2684-2691.	0.7	74
33	The Association of Surgical Margins and Local Recurrence in Women with Ductal Carcinoma In Situ Treated with Breast-Conserving Therapy: A Meta-Analysis. Annals of Surgical Oncology, 2016, 23, 3811-3821.	0.7	130
34	A randomised controlled trial of a code-word enuresis alarm. Archives of Disease in Childhood, 2016, 101, 326-331.	1.0	11
35	Breast cancer screening with tomosynthesis (3D mammography) with acquired or synthetic 2D mammography compared with 2D mammography alone (STORM-2): a population-based prospective study. Lancet Oncology, The, 2016, 17, 1105-1113.	5.1	216
36	Accuracy of ultrasound for predicting pathologic response during neoadjuvant therapy for breast cancer. International Journal of Cancer, 2015, 136, 2730-2737.	2.3	31

#	Article	IF	Citations
37	Agreement between MRI and pathologic breast tumor size after neoadjuvant chemotherapy, and comparison with alternative tests: individual patient data meta-analysis. BMC Cancer, 2015, 15, 662.	1.1	106
38	Lack of Accuracy of Body Temperature for Detecting Serious Bacterial Infection in Febrile Episodes. Pediatric Infectious Disease Journal, 2015, 34, 940-944.	1.1	9
39	Cancer-Specific and All-Cause Mortality in Kidney Transplant Recipients With and Without Previous Cancer. Transplantation, 2015, 99, 2586-2592.	0.5	46
40	Association of Drug Effects on Serum Parathyroid Hormone, Phosphorus, and Calcium Levels With Mortality in CKD: A Meta-analysis. American Journal of Kidney Diseases, 2015, 66, 962-971.	2.1	47
41	Republished: Value of white cell count in predicting serious bacterial infection in febrile children under 5 years of age. Postgraduate Medical Journal, 2015, 91, 138-144.	0.9	4
42	Transparent Reporting of a multivariable prediction model for Individual Prognosis Or Diagnosis (TRIPOD): Explanation and Elaboration. Annals of Internal Medicine, 2015, 162, W1-W73.	2.0	3,068
43	Radiologists' interpretive efficiency and variability in true- and false-positive detection when screen-reading with tomosynthesis (3D-mammography) relative to standard mammography in population screening. Breast, 2015, 24, 687-693.	0.9	9
44	Sample Size and Power When Designing a Randomized Trial for the Estimation of Treatment, Selection, and Preference Effects. Medical Decision Making, 2014, 34, 711-719.	1.2	20
45	Breast screening using 2D-mammography or integrating digital breast tomosynthesis (3D-mammography) for single-reading or double-reading â€" Evidence to guide future screening strategies. European Journal of Cancer, 2014, 50, 1799-1807.	1.3	74
46	The Association of Surgical Margins and Local Recurrence in Women with Early-Stage Invasive Breast Cancer Treated with Breast-Conserving Therapy: A Meta-Analysis. Annals of Surgical Oncology, 2014, 21, 717-730.	0.7	397
47	Effect of integrating 3D-mammography (digital breast tomosynthesis) with 2D-mammography on radiologistsâ€™ true-positive and false-positive detection in a population breast screening trial. European Journal of Cancer, 2014, 50, 1232-1238.	1.3	50
48	Incremental effect from integrating 3D-mammography (tomosynthesis) with 2D-mammography: Increased breast cancer detection evident for screening centres in a population-based trial. Breast, 2014, 23, 76-80.	0.9	43
49	Value of white cell count in predicting serious bacterial infection in febrile children under 5 years of age. Archives of Disease in Childhood, 2014, 99, 493-499.	1.0	27
50	An Individual Person Data Meta-Analysis of Preoperative Magnetic Resonance Imaging and Breast Cancer Recurrence. Journal of Clinical Oncology, 2014, 32, 392-401.	0.8	162
51	Red flags to screen for malignancy and fracture in patients with low back pain:. British Journal of Sports Medicine, 2014, 48, 1518-1518.	3.1	15
52	An assessment of the relationship between clinical utility and predictive ability measures and the impact of mean risk in the population. BMC Medical Research Methodology, 2014, 14, 86.	1.4	7
53	Integration of 3D digital mammography with tomosynthesis for population breast-cancer screening (STORM): a prospective comparison study. Lancet Oncology, The, 2013, 14, 583-589.	5.1	707
54	Cochrane diagnostic test accuracy reviews. Systematic Reviews, 2013, 2, 82.	2.5	216

#	Article	IF	Citations
55	The reliability of a quality appraisal tool for studies of diagnostic reliability (QAREL). BMC Medical Research Methodology, 2013, 13, 111.	1.4	62
56	Variability and accuracy in interpretation of consolidation on chest radiography for diagnosing pneumonia in children under 5 years of age. Pediatric Pulmonology, 2013, 48, 1195-1200.	1.0	60
57	Red flags to screen for malignancy in patients with low-back pain. The Cochrane Library, 2013, 2013, CD008686.	1.5	78
58	Accuracy of the "traffic light" clinical decision rule for serious bacterial infections in young children with fever: a retrospective cohort study. BMJ, The, 2013, 346, f866-f866.	3.0	44
59	Meta-Analysis of Magnetic Resonance Imaging in Detecting Residual Breast Cancer After Neoadjuvant Therapy. Journal of the National Cancer Institute, 2013, 105, 321-333.	3.0	298
60	Red flags to screen for malignancy and fracture in patients with low back pain: systematic review. BMJ, The, 2013, 347, f7095-f7095.	3.0	229
61	Red flags to screen for vertebral fracture in patients presenting with low-back pain. The Cochrane Library, 2013, , CD008643.	1.5	63
62	Control charts demonstrated limited utility for the monitoring of lung function in asthma. Journal of Clinical Epidemiology, 2012, 65, 53-61.	2.4	5
63	Patients who take their symptoms less seriously are more likely to have colorectal cancer. BMC Gastroenterology, 2012, 12, 130.	0.8	6
64	Meta-analysis of the association of breast cancer subtype and pathologic complete response to neoadjuvant chemotherapy. European Journal of Cancer, 2012, 48, 3342-3354.	1.3	410
65	MRI findings are more common in selected patients with acute low back pain than controls?. European Spine Journal, 2012, 21, 240-246.	1.0	43
66	SROC Curve. , 2012, , 1253-1261.		0
67	Interval Estimation for the Difference of Two Independent Variances. Communications in Statistics Part B: Simulation and Computation, 2011, 40, 744-758.	0.6	17
68	Recommendations for examining and interpreting funnel plot asymmetry in meta-analyses of randomised controlled trials. BMJ: British Medical Journal, 2011, 343, d4002-d4002.	2.4	4,743
69	Preoperative Ultrasound-Guided Needle Biopsy of Axillary Nodes in Invasive Breast Cancer. Annals of Surgery, 2011, 254, 243-251.	2.1	290
70	Accuracy of a Preoperative Model for Predicting Invasive Breast Cancer in Women with Ductal Carcinoma-in-situ on Vacuum-Assisted Core Needle Biopsy. Annals of Surgical Oncology, 2011, 18, 1364-1371.	0.7	38
71	HER2 discordance between primary breast cancer and its paired metastasis: tumor biology or test artefact? Insights through meta-analysis. Breast Cancer Research and Treatment, 2011, 129, 659-674.	1.1	113
72	Most bowel cancer symptoms do not indicate colorectal cancer and polyps: a systematic review. BMC Gastroenterology, 2011, 11, 65.	0.8	110

#	Article	IF	Citations
73	The value of age and medical history for predicting colorectal cancer and adenomas in people referred for colonoscopy. BMC Gastroenterology, 2011, 11, 97.	0.8	18
74	Test performance of faecal occult blood testing for the detection of bowel cancer in people with chronic kidney disease (DETECT) protocol. BMC Public Health, 2011, 11, 516.	1.2	6
75	When should one adjust for measurement error in baseline variables in observational studies?. Biometrical Journal, 2011, 53, 28-39.	0.6	3
76	Ductal Carcinoma in Situ at Core-Needle Biopsy: Meta-Analysis of Underestimation and Predictors of Invasive Breast Cancer. Radiology, 2011, 260, 119-128.	3.6	313
77	Serum Levels of Phosphorus, Parathyroid Hormone, and Calcium and Risks of Death and Cardiovascular Disease in Individuals With Chronic Kidney Disease. JAMA - Journal of the American Medical Association, 2011, 305, 1119.	3.8	580
78	Determining the Impact of Informed Choice. Medical Decision Making, 2011, 31, 229-236.	1.2	30
79	The accuracy of clinical symptoms and signs for the diagnosis of serious bacterial infection in young febrile children: prospective cohort study of 15 781 febrile illnesses. BMJ: British Medical Journal, 2010, 340, c1594-c1594.	2.4	280
80	The value of routine BMD monitoring after starting bisphosphonate treatment. Journal of Bone and Mineral Research, 2010, 25, 173-174.	3.1	3
81	Prevalences and perceptions of licit and illicit drugs among New South Wales secondary school students, 1989. Australian Journal of Public Health, 2010, 16, 43-49.	0.2	13
82	Who has Pap smears in New South Wales? Patterns of screening across sociodemographic groups. Australian Journal of Public Health, 2010, 18, 406-411.	0.2	21
83	Should response rules be used to decide continued subsidy of very expensive drugs? A checklist for decision makers. Pharmacoepidemiology and Drug Safety, 2010, 19, 99-105.	0.9	4
84	Monitoring Initial Response to Angiotensin-Converting Enzyme Inhibitorâ€"Based Regimens. Hypertension, 2010, 56, 533-539.	1.3	25
85	Psychosocial outcomes of three triage methods for the management of borderline abnormal cervical smears: an open randomised trial. BMJ: British Medical Journal, 2010, 340, b4491-b4491.	2.4	59
86	Appropriate statistical methods are required to assess diagnostic tests for replacement, add-on, and triage. Journal of Clinical Epidemiology, 2010, 63, 883-891.	2.4	67
87	The development of a quality appraisal tool for studies of diagnostic reliability (QAREL). Journal of Clinical Epidemiology, 2010, 63, 854-861.	2.4	273
88	Meta-analysis of the impact of surgical margins on local recurrence in women with early-stage invasive breast cancer treated with breast-conserving therapy. European Journal of Cancer, 2010, 46, 3219-3232.	1.3	342
89	Absolute and relative accuracy of rapid urine tests for urinary tract infection in children: a meta-analysis. Lancet Infectious Diseases, The, 2010, 10, 240-250.	4.6	137
90	SROC Curve. , 2010, , 1253-1261.		0

#	Article	IF	Citations
91	Vitamin D compounds for people with chronic kidney disease not requiring dialysis. The Cochrane Library, 2009, , CD008175.	1.5	49
92	Value of routine monitoring of bone mineral density after starting bisphosphonate treatment: secondary analysis of trial data. BMJ: British Medical Journal, 2009, 338, b2266-b2266.	2.4	91
93	Magnetic Resonance Imaging Screening of the Contralateral Breast in Women With Newly Diagnosed Breast Cancer: Systematic Review and Meta-Analysis of Incremental Cancer Detection and Impact on Surgical Management. Journal of Clinical Oncology, 2009, 27, 5640-5649.	0.8	258
94	Prediction of Incident Stroke Events Based on Retinal Vessel Caliber: A Systematic Review and Individual-Participant Meta-Analysis. American Journal of Epidemiology, 2009, 170, 1323-1332.	1.6	285
95	Technical aspects of breast MRIâ€"do they affect outcomes?. European Radiology, 2009, 19, 1629-1638.	2.3	16
96	Mixed models showed no need for initial response monitoring after starting antihypertensive therapy. Journal of Clinical Epidemiology, 2009, 62, 650-659.	2.4	25
97	Reliability of Physical Examination for Diagnosis of Myofascial Trigger Points. Clinical Journal of Pain, 2009, 25, 80-89.	0.8	255
98	Meta-analysis: Retinal Vessel Caliber and Risk for Coronary Heart Disease. Annals of Internal Medicine, 2009, 151, 404.	2.0	273
99	HPV testing versus repeat Pap testing for the management of a minor abnormal Pap smear: Evaluation of a decision aid to support informed choice. Patient Education and Counseling, 2008, 73, 473-481.	1.0	15
100	A self administered reliable questionnaire to assess lower bowel symptoms. BMC Gastroenterology, 2008, 8, 8.	0.8	25
101	Risk Prediction of Coronary Heart Disease Based on Retinal Vascular Caliber (from the) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.7	95
102	Three methods to construct predictive models using logistic regression and likelihood ratios to facilitate adjustment for pretest probability give similar results. Journal of Clinical Epidemiology, 2008, 61, 52-63.	2.4	23
103	Accuracy and Surgical Impact of Magnetic Resonance Imaging in Breast Cancer Staging: Systematic Review and Meta-Analysis in Detection of Multifocal and Multicentric Cancer. Journal of Clinical Oncology, 2008, 26, 3248-3258.	0.8	705
104	Assessing New Biomarkers and Predictive Models for Use in Clinical Practice. Archives of Internal Medicine, 2008, 168, 2304.	4.3	121
105	Use of randomised trials to decide when to monitor response to new treatment. BMJ: British Medical Journal, 2008, 336, 361-365.	2.4	26
106	Accuracy of reading liquid based cytology slides using the ThinPrep Imager compared with conventional cytology: prospective study. BMJ: British Medical Journal, 2007, 335, 31.	2.4	144
107	Comparative Accuracy of Renal Duplex Sonographic Parameters in the Diagnosis of Renal Artery Stenosis: Paired and Unpaired Analysis. American Journal of Roentgenology, 2007, 188, 798-811.	1.0	142
108	Meta-analysis: Vitamin D Compounds in Chronic Kidney Disease. Annals of Internal Medicine, 2007, 147, 840.	2.0	222

#	Article	IF	Citations
109	Ordering of renal tract imaging by paediatricians after urinary tract infection. Journal of Paediatrics and Child Health, 2007, 43, 271-279.	0.4	7
110	Cervical cytology reading times: A comparison between thinprep imager and conventional methods. Diagnostic Cytopathology, 2007, 35, 550-554.	0.5	18
111	Effect of study design and quality on unsatisfactory rates, cytology classifications, and accuracy in liquid-based versus conventional cervical cytology: a systematic review. Lancet, The, 2006, 367, 122-132.	6.3	257
112	Liquid-based versus conventional cervical cytology â€" Authors' reply. Lancet, The, 2006, 367, 1482-1483.	6.3	2
113	New methods give better estimates of changes in diagnostic accuracy when prior information is provided. Journal of Clinical Epidemiology, 2006, 59, 299-307.	2.4	12
114	Re: In response to the correspondence arising from Twisk and Proper: evaluation of the results of a randomized controlled trial: how to define changes between baseline and follow-up. Journal of Clinical Epidemiology, 2006, 59, 323.	2.4	1
115	Intraocular lens power in bilateral cataract surgery: Whether adjusting for error of predicted refraction in the first eye improves prediction in the second eye. Journal of Cataract and Refractive Surgery, 2006, 32, 2091-2097.	0.7	57
116	The performance of tests of publication bias and other sample size effects in systematic reviews of diagnostic test accuracy was assessed. Journal of Clinical Epidemiology, 2005, 58, 882-893.	2.4	2,258
117	Adjustment for baseline measurement error in randomized controlled trials induces bias. Contemporary Clinical Trials, 2004, 25, 408-416.	2.0	17
118	Empirical Bayes estimates generated in a hierarchical summary ROC analysis agreed closely with those of a full Bayesian analysis. Journal of Clinical Epidemiology, 2004, 57, 925-932.	2.4	175
119	A randomized crossover trial of PAPNET for primary cervical screening. Journal of Clinical Epidemiology, 2004, 57, 75-81.	2.4	15
120	COMBINING CARBOHYDRATE-DEFICIENT TRANSFERRIN AND GAMMA-GLUTAMYLTRANSFERASE TO INCREASE DIAGNOSTIC ACCURACY FOR PROBLEM DRINKING. Alcohol and Alcoholism, 2003, 38, 574-582.	0.9	40
121	Analytic methods for comparing two dichotomous screening or diagnostic tests applied to two populations of differing disease prevalence when individuals negative on both tests are unverified. Statistics in Medicine, 2002, 21, 853-862.	0.8	22
122	Assessing the gain in diagnostic performance when combining two diagnostic tests. Statistics in Medicine, 2002, 21, 2527-2546.	0.8	81
123	Epidemiology of physical activity participation among New South Wales school students. Australian and New Zealand Journal of Public Health, 2002, 26, 371-374.	0.8	52
124	Sensitivity and specificity of tests to detect eye disease in an older population. Ophthalmology, 2001, 108, 968-975.	2.5	48
125	A comparison of methods to detect publication bias in meta-analysis. Statistics in Medicine, 2001, 20, 641-654.	0.8	1,074
126	Should We Use Carbohydrate-deficient Transferrin instead of Î³-Glutamyltransferase for Detecting Problem Drinkers? A Systematic Review and Metaanalysis. Clinical Chemistry, 2000, 46, 1894-1902.	1.5	84

#	Article	IF	Citations
127	Multiple sclerosis in Australia: prognostic factors. Journal of Clinical Neuroscience, 2000, 7, 16-19.	0.8	39
128	Adjustment to Lancaster's Mid-P. Methodology and Computing in Applied Probability, 1999, 1, 229-240.	0.7	4
129	Mastery of fundamental motor skills among new south wales school students: Prevalence and sociodemographic distribution. Journal of Science and Medicine in Sport, 1999, 2, 93-105.	0.6	70
130	Methods of the NSW schools fitness and physical activity survey, 1997. Journal of Science and Medicine in Sport, 1998, 1, 111-124.	0.6	30
131	Health risks and behaviour of out-of-school 16-year-olds in New South Wales. Australian and New Zealand Journal of Public Health, 1997, 21, 168-174.	0.8	25
132	Meta-analysis of Pap Test Accuracy. American Journal of Epidemiology, 1995, 141, 680-689.	1.6	591
133	Meta-analytic methods for diagnostic test accuracy. Journal of Clinical Epidemiology, 1995, 48, 119-130.	2.4	407
134	Population Prevalence and Correlates of Stages of Change in Physical Activity. Health Education Quarterly, 1993, 20, 431-440.	1.5	81
135	A role for drug awareness and prevention programs external to the school?. Health Education Research, 1992, 7, 259-267.	1.0	5
136	Changes in reported drug prevalence among New South Wales secondary school students, 1983 to 1989. Australian Journal of Public Health, 1992, 16, 50-57.	0.2	32
137	The effect of a needle and syringe exchange on a methadone maintenance unit. Addiction, 1990, 85, 1445-1450.	1.7	20
138	Monitoring Intraocular Pressure in Glaucoma. , 0, , 325-334.		0
139	Guidelines for Conducting Systematic Reviews of Studies Evaluating the Accuracy of Diagnostic Tests. , 0, , 180-212.		8