
Jacqueline M Stephens

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4213833/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The NLRP3 inflammasome instigates obesity-induced inflammation and insulin resistance. Nature Medicine, 2011, 17, 179-188. | 30.7 | 2,120 |
| 2 | Tumor Necrosis Factor-α-induced Insulin Resistance in 3T3-L1 Adipocytes Is Accompanied by a Loss of Insulin Receptor Substrate-1 and GLUT4 Expression without a Loss of Insulin Receptor-mediated Signal Transduction. Journal of Biological Chemistry, 1997, 272, 971-976. | 3.4 | 456 |
| 3 | Obesity Increases the Production of Proinflammatory Mediators from Adipose Tissue T Cells and Compromises TCR Repertoire Diversity: Implications for Systemic Inflammation and Insulin Resistance. Journal of Immunology, 2010, 185, 1836-1845. | 0.8 | 381 |
| 4 | Transcriptional factors that promote formation of white adipose tissue. Molecular and Cellular Endocrinology, 2010, 318, 10-14. | 3.2 | 303 |
| 5 | Transcriptional Regulation of Adipogenesis. , 2017, 7, 635-674. | | 292 |
| 6 | Adipogenesis. Cold Spring Harbor Perspectives in Biology, 2012, 4, a008417-a008417. | 5.5 | 235 |
| 7 | Interferon-γ-mediated Activation and Ubiquitin-Proteasome-dependent Degradation of PPARγ in Adipocytes. Journal of Biological Chemistry, 2002, 277, 4062-4068. | 3.4 | 165 |
| 8 | The role of JAK–STAT signaling in adipose tissue function. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2014, 1842, 431-439. | 3.8 | 139 |
| 9 | Interferon-γ-induced Regulation of Peroxisome Proliferator-activated Receptor γ and STATs in Adipocytes. Journal of Biological Chemistry, 2001, 276, 7062-7068. | 3.4 | 135 |
| 10 | l-Citrulline Supplementation: Impact on Cardiometabolic Health. Nutrients, 2018, 10, 921. | 4.1 | 130 |
| 11 | The Expression and Regulation of STATs during 3T3-L1 Adipocyte Differentiation. Journal of Biological Chemistry, 1996, 271, 10441-10444. | 3.4 | 125 |
| 12 | Isothiocyanateâ€rich <i>Moringa oleifera</i> extract reduces weight gain, insulin resistance, and hepatic gluconeogenesis in mice. Molecular Nutrition and Food Research, 2015, 59, 1013-1024. | 3.3 | 124 |
| 13 | STAT5A Promotes Adipogenesis in Nonprecursor Cells and Associates With the Glucocorticoid Receptor During Adipocyte Differentiation. Diabetes, 2003, 52, 308-314. | 0.6 | 112 |
| 14 | The Fat Controller: Adipocyte Development. PLoS Biology, 2012, 10, e1001436. | 5.6 | 96 |
| 15 | Impaired mitochondrial fat oxidation induces adaptive remodeling of muscle metabolism. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E3300-9. | 7.1 | 96 |
| 16 | Diosgenin, 4-Hydroxyisoleucine, and Fiber from Fenugreek: Mechanisms of Actions and Potential Effects on Metabolic Syndrome. Advances in Nutrition, 2015, 6, 189-197. | 6.4 | 95 |
| 17 | Emerging roles of JAK–STAT signaling pathways in adipocytes. Trends in Endocrinology and Metabolism, 2011, 22, 325-332. | 7.1 | 89 |
| 18 | Activation of Signal Transducers and Activators of Transcription 1 and 3 by Leukemia Inhibitory Factor, Oncostatin-M, and Interferon-Î ³ in Adipocytes. Journal of Biological Chemistry, 1998, 273, 31408-31416. | 3.4 | 83 |

2

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Fat in flames: influence of cytokines and pattern recognition receptors on adipocyte lipolysis. American Journal of Physiology - Endocrinology and Metabolism, 2015, 309, E205-E213. | 3.5 | 78 |
| 20 | The Induction of Lipocalin-2 Protein Expression in Vivo and in Vitro. Journal of Biological Chemistry, 2014, 289, 5960-5969. | 3.4 | 77 |
| 21 | The Regulation of Fatty Acid Synthase by STAT5A. Diabetes, 2005, 54, 1968-1975. | 0.6 | 76 |
| 22 | Controlling a master switch of adipocyte development and insulin sensitivity: Covalent modifications of PPARÎ ³ . Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2012, 1822, 1090-1095. | 3.8 | 76 |
| 23 | Agouti Expression in Human Adipose Tissue: Functional Consequences and Increased Expression in Type 2 Diabetes. Diabetes, 2003, 52, 2914-2922. | 0.6 | 74 |
| 24 | PPARÎ ³ Ligand-Dependent Induction of STAT1, STAT5A, and STAT5B during Adipogenesis. Biochemical and Biophysical Research Communications, 1999, 262, 216-222. | 2.1 | 72 |
| 25 | The gp130 Receptor Cytokine Family: Regulators of Adipocyte Development and Function. Current Pharmaceutical Design, 2011, 17, 340-346. | 1.9 | 67 |
| 26 | Control of Peroxisome Proliferatorâ€Activated Receptor γ2 Stability and Activity by SUMOylation. Obesity, 2004, 12, 921-928. | 4.0 | 63 |
| 27 | The Regulation and Activation of Ciliary Neurotrophic Factor Signaling Proteins in Adipocytes. Journal of Biological Chemistry, 2003, 278, 2228-2235. | 3.4 | 61 |
| 28 | Oncostatin M Is Produced in Adipose Tissue and Is Regulated in Conditions of Obesity and Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E217-E225. | 3.6 | 56 |
| 29 | Effects of Cardiotrophin on Adipocytes. Journal of Biological Chemistry, 2004, 279, 47572-47579. | 3.4 | 55 |
| 30 | STAT 5 activators can replace the requirement of FBS in the adipogenesis of 3T3-L1 cells. Biochemical and Biophysical Research Communications, 2004, 324, 355-359. | 2.1 | 55 |
| 31 | Highly Specific and Quantitative Activation of STATs in 3T3-L1 Adipocytes. Biochemical and Biophysical Research Communications, 1998, 247, 894-900. | 2.1 | 52 |
| 32 | Regulation of signal transducers and activators of transcription (STATs) by effectors of adipogenesis: coordinate regulation of STATs 1, 5A, and 5B with peroxisome proliferator-activated receptor-I ³ and C/AAAT enhancer binding protein-α. Biochimica Et Biophysica Acta - Molecular Cell Research, 1999, 1452, 188-196. | 4.1 | 52 |
| 33 | The STAT5A-Mediated Induction of Pyruvate Dehydrogenase Kinase 4 Expression by Prolactin or Growth Hormone in Adipocytes. Diabetes, 2007, 56, 1623-1629. | 0.6 | 48 |
| 34 | Agouti regulates adipocyte transcription factors. American Journal of Physiology - Cell Physiology, 2001, 280, C954-C961. | 4.6 | 47 |
| 35 | Effects of leukemia inhibitory factor on 3T3-L1 adipocytes. Journal of Endocrinology, 2005, 185, 485-496. | 2.6 | 46 |
| 36 | Naringenin Promotes Thermogenic Gene Expression in Human White Adipose Tissue. Obesity, 2019, 27, 103-111. | 3.0 | 46 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Naringenin Inhibits Adipogenesis and Reduces Insulin Sensitivity and Adiponectin Expression in Adipocytes. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-10. | 1.2 | 45 |
| 38 | Caspaseâ€mediated Degradation of PPARγ Proteins in Adipocytes. Obesity, 2008, 16, 1735-1741. | 3.0 | 43 |
| 39 | Adipose tissue in health and disease. Open Biology, 2020, 10, 200291. | 3.6 | 38 |
| 40 | CCL20 is elevated during obesity and differentially regulated by NF-κB subunits in pancreatic β-cells. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2015, 1849, 637-652. | 1.9 | 37 |
| 41 | Troponin-Tropomyosin: An Allosteric Switch or a Steric Blocker?. Biophysical Journal, 2002, 83, 1039-1049. | 0.5 | 36 |
| 42 | Cross-talk among gp130 Cytokines in Adipocytes. Journal of Biological Chemistry, 2005, 280, 33856-33863. | 3.4 | 36 |
| 43 | Blueberries improve glucose tolerance without altering body composition in obese postmenopausal mice. Obesity, 2015, 23, 573-580. | 3.0 | 34 |
| 44 | STAT5A Expression in Swiss 3T3 Cells Promotes Adipogenesis <i>In Vivo</i> in an Athymic Mice Model System. Obesity, 2011, 19, 1731-1734. | 3.0 | 33 |
| 45 | The Identification and Characterization of a STAT 1 Binding Site in the PPARÎ ³ 2 Promoter. Biochemical and Biophysical Research Communications, 2001, 287, 484-492. | 2.1 | 31 |
| 46 | Loss of Oncostatin M Signaling in Adipocytes Induces Insulin Resistance and Adipose Tissue Inflammation in Vivo. Journal of Biological Chemistry, 2016, 291, 17066-17076. | 3.4 | 31 |
| 47 | STAT5-Interacting Proteins: A Synopsis of Proteins that Regulate STAT5 Activity. Biology, 2017, 6, 20. | 2.8 | 30 |
| 48 | Artemisia extracts activate PPARγ, promote adipogenesis, and enhance insulin sensitivity in adipose tissue of obese mice. Nutrition, 2014, 30, S31-S36. | 2.4 | 29 |
| 49 | Fenugreek supplementation during high-fat feeding improves specific markers of metabolic health. Scientific Reports, 2017, 7, 12770. | 3.3 | 27 |
| 50 | Neuropoietin Attenuates Adipogenesis and Induces Insulin Resistance in Adipocytes. Journal of Biological Chemistry, 2008, 283, 22505-22512. | 3.4 | 26 |
| 51 | Artemisia scoparia Enhances Adipocyte Development and Endocrine Function In Vitro and Enhances Insulin Action In Vivo. PLoS ONE, 2014, 9, e98897. | 2.5 | 26 |
| 52 | The Modulation of STAT5A/GR Complexes during Fat Cell Differentiation and in Mature Adipocytes. Obesity, 2007, 15, 583-590. | 3.0 | 24 |
| 53 | Fenugreek Counters the Effects of High Fat Diet on Gut Microbiota in Mice: Links to Metabolic Benefit. Scientific Reports, 2020, 10, 1245. | 3.3 | 23 |
| 54 | STAT5 activators modulate acyl CoA oxidase (AOX) expression in adipocytes and STAT5A binds to the AOX promoter in vitro. Biochemical and Biophysical Research Communications, 2006, 344, 1342-1345. | 2.1 | 22 |

JACQUELINE M STEPHENS

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Identification of STAT target genes in adipocytes. Jak-stat, 2013, 2, e23092. | 2.2 | 22 |
| 56 | Pyruvate dehydrogenase complex (PDC) subunits moonlight as interaction partners of phosphorylated STAT5 in adipocytes and adipose tissue. Journal of Biological Chemistry, 2017, 292, 19733-19742. | 3.4 | 22 |
| 57 | Neuropoietin activates STAT3 independent of LIFR activation in adipocytes. Biochemical and Biophysical Research Communications, 2010, 395, 48-50. | 2.1 | 19 |
| 58 | St. John's Wort inhibits insulin signaling in murine and human adipocytes. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2012, 1822, 557-563. | 3.8 | 18 |
| 59 | Latest advances in STAT signaling and function in adipocytes. Clinical Science, 2020, 134, 629-639. | 4.3 | 17 |
| 60 | Gp130 Cytokines Exert Differential Patterns of Crosstalk in Adipocytes Both <i>In Vitro</i> and <i>In Vivo</i> . Obesity, 2011, 19, 903-910. | 3.0 | 16 |
| 61 | Distinct Fractions of an Artemisia scoparia Extract Contain Compounds With Novel Adipogenic Bioactivity. Frontiers in Nutrition, 2019, 6, 18. | 3.7 | 16 |
| 62 | Regulation of PPARÎ ³ and Obesity by Agouti/Melanocortin Signaling in Adipocytes. Annals of the New York Academy of Sciences, 2003, 994, 141-146. | 3.8 | 15 |
| 63 | Growth hormone, but not insulin, activates STAT5 proteins in adipocytes in vitro and in vivo. Biochemical and Biophysical Research Communications, 2003, 302, 359-362. | 2.1 | 15 |
| 64 | A Role for Oncostatin M in the Impairment of Glucose Homeostasis in Obesity. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e337-e348. | 3.6 | 15 |
| 65 | St. John's Wort inhibits adipocyte differentiation and induces insulin resistance in adipocytes. Biochemical and Biophysical Research Communications, 2009, 388, 146-149. | 2.1 | 14 |
| 66 | The modulation of adiponectin by STAT5-activating hormones. American Journal of Physiology - Endocrinology and Metabolism, 2016, 310, E129-E136. | 3.5 | 14 |
| 67 | An ethanolic extract of <i>Artemisia scoparia</i> inhibits lipolysis in vivo and has antilipolytic effects on murine adipocytes in vitro. American Journal of Physiology - Endocrinology and Metabolism, 2018, 315, E1053-E1061. | 3.5 | 14 |
| 68 | Stabilization, not polymerization, of microtubules inhibits the nuclear translocation of STATs in adipocytes. Biochemical and Biophysical Research Communications, 2004, 325, 716-718. | 2.1 | 13 |
| 69 | STAT 1 binds to the LPL promoter in vitro. Biochemical and Biophysical Research Communications, 2003, 307, 350-354. | 2.1 | 12 |
| 70 | Induction of SOCS-3 is insufficient to confer IRS-1 protein degradation in 3T3-L1 adipocytes. Biochemical and Biophysical Research Communications, 2006, 344, 95-98. | 2.1 | 12 |
| 71 | Modulation and Lack of Crossâ€Talk between Signal Transducer and Activator of Transcription 5 and Suppressor of Cytokine Signalingâ€3 in Insulin and Growth Hormone Signaling in 3T3â€L1 Adipocytes. Obesity, 2006, 14, 1303-1311. | 3.0 | 12 |
| 72 | Oncostatin M Modulation of Lipid Storage. Biology, 2015, 4, 151-160. | 2.8 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Adipose Tissue Dysfunction Occurs Independently of Obesity in Adipocyteâ€&pecific Oncostatin Receptor Knockout Mice. Obesity, 2018, 26, 1439-1447. | 3.0 | 10 |
| 74 | Stinging Nettle (Urtica dioica L.) Attenuates FFA Induced Ceramide Accumulation in 3T3-L1 Adipocytes in an Adiponectin Dependent Manner. PLoS ONE, 2016, 11, e0150252. | 2.5 | 10 |
| 75 | Thiobenzothiazole-modified Hydrocortisones Display Anti-inflammatory Activity with Reduced Impact on Islet β-Cell Function. Journal of Biological Chemistry, 2015, 290, 13401-13416. | 3.4 | 9 |
| 76 | Fibroblast growth factor 21, adiposity, and macronutrient balance in a healthy, pregnant population with overweight and obesity. Endocrine Research, 2018, 43, 275-283. | 1.2 | 8 |
| 77 | The Expression of Adipose Tissue-Derived Cardiotrophin-1 in Humans with Obesity. Biology, 2019, 8, 24. | 2.8 | 8 |
| 78 | Mechanisms of <i>Artemisia scoparia</i> 's Antiâ€Inflammatory Activity in Cultured Adipocytes, Macrophages, and Pancreatic βâ€Cells. Obesity, 2020, 28, 1726-1735. | 3.0 | 8 |
| 79 | Artemisia scoparia and Metabolic Health: Untapped Potential of an Ancient Remedy for Modern Use. Frontiers in Endocrinology, 2021, 12, 727061. | 3.5 | 8 |
| 80 | Degradation of STAT5 proteins in 3T3-L1 adipocytes is induced by TNF-α and cycloheximide in a manner independent of STAT5A activation. American Journal of Physiology - Endocrinology and Metabolism, 2007, 292, E461-E468. | 3.5 | 7 |
| 81 | Complement in Reproductive White Adipose Tissue Characterizes the Obese Preeclamptic-Like BPH/5 Mouse Prior to and During Pregnancy. Biology, 2020, 9, 304. | 2.8 | 7 |
| 82 | Tools for the identification of bioactives impacting the metabolic syndrome: screening of a botanical extract library using subcutaneous and visceral human adipose-derived stem cell-based assays. Journal of Nutritional Biochemistry, 2012, 23, 519-525. | 4.2 | 6 |
| 83 | Mitochondrial Pyruvate Carriers are not Required for Adipogenesis but areÂRegulated by Highâ€Fat Feeding in Brown Adipose Tissue. Obesity, 2020, 28, 293-302. | 3.0 | 6 |
| 84 | Adipocyte Oncostatin Receptor Regulates Adipose Tissue Homeostasis and Inflammation. Frontiers in Immunology, 2020, 11, 612013. | 4.8 | 6 |
| 85 | St. John's Wort Has Metabolically Favorable Effects on Adipocytes <i>In Vivo</i> . Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-8. | 1.2 | 5 |
| 86 | Loss of DBC1 (CCAR2) affects TNFα-induced lipolysis and Glut4 gene expression in murine adipocytes. Journal of Molecular Endocrinology, 2018, 61, 195-205. | 2.5 | 5 |
| 87 | Loss of Adipocyte STAT5 Confers Increased Depot-Specific Adiposity in Male and Female Mice That Is Not Associated With Altered Adipose Tissue Lipolysis. Frontiers in Endocrinology, 2022, 13, 812802. | 3.5 | 5 |
| 88 | Artemisia scoparia promotes adipogenesis in the absence of adipogenic effectors. Obesity, 2021, 29, 1309-1319. | 3.0 | 4 |
| 89 | <scp>IGF1</scp> and adipose tissue homeostasis. Obesity, 2016, 24, 10-10. | 3.0 | 3 |
| 90 | 2â€deoxyglucose inhibits induction of chemokine expression in 3 <scp>T</scp> 3â€ <scp>L</scp> 1 adipocytes and adipose tissue explants. Obesity, 2017, 25, 76-84. | 3.0 | 3 |

JACQUELINE M STEPHENS

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Prenylated Coumaric Acids from <i>Artemisia scoparia</i> Beneficially Modulate Adipogenesis. Journal of Natural Products, 2021, 84, 1078-1086. | 3.0 | 3 |
| 92 | KAT8, lysine acetyltransferase 8, is required for adipocyte differentiation in vitro. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2021, 1867, 166103. | 3.8 | 3 |
| 93 | Targeting Acetyl-CoA Carboxylase for Anti-obesity Therapy. Current Medicinal Chemistry Immunology, Endocrine & Metabolic Agents, 2003, 3, 229-234. | 0.2 | 3 |
| 94 | Preface to special issue on molecular and cellular aspects of adipocyte development and function. Molecular and Cellular Endocrinology, 2010, 318, 1. | 3.2 | 2 |
| 95 | Groundsel Bush (Baccharis halimifolia) Extract Promotes Adipocyte Differentiation In Vitro and Increases Adiponectin Expression in Mature Adipocytes. Biology, 2018, 7, 22. | 2.8 | 2 |
| 96 | Bromodomain and Extraterminal Inhibition by JQ1 Produces Divergent Transcriptional Regulation of Suppressors of Cytokine Signaling Genes in Adipocytes. Endocrinology, 2020, 161, . | 2.8 | 2 |
| 97 | Cross-Omics Analysis of Fenugreek Supplementation Reveals Beneficial Effects Are Caused by Gut Microbiome Changes Not Mammalian Host Physiology. International Journal of Molecular Sciences, 2022, 23, 3654. | 4.1 | 2 |
| 98 | Botanicals and translational medicine: A paradigm shift in research approach. Nutrition, 2014, 30, S1-S3. | 2.4 | 1 |
| 99 | Operation Damage Control: Exercise Training to Prevent Metabolic Damage from Highâ€Fat Feeding. Obesity, 2017, 25, 1652-1652. | 3.0 | 0 |
| 100 | Botanical extracts modulate adipocyte function and insulin sensitivity in vitro and in vivo. FASEB Journal, 2013, 27, 637.38. | 0.5 | 0 |