Shubulade Smith

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4214197/publications.pdf

Version: 2024-02-01

57 papers

2,090 citations

20 h-index 243625 44 g-index

57 all docs

57 docs citations

57 times ranked

2849 citing authors

#	Article	IF	CITATIONS
1	The WPA- Lancet Psychiatry Commission on the Future of Psychiatry. Lancet Psychiatry, the, 2017, 4, 775-818.	7.4	305
2	Sexual dysfunction in patients taking conventional antipsychotic medication. British Journal of Psychiatry, 2002, 181, 49-55.	2.8	241
3	Effects of long-term prolactin-raising antipsychotic medication on bone mineral density in patients with schizophrenia. British Journal of Psychiatry, 2004, 184, 503-508.	2.8	198
4	An Examination of Polygenic Score Risk Prediction in Individuals With First-Episode Psychosis. Biological Psychiatry, 2017, 81, 470-477.	1.3	176
5	The Effects of Antipsychotic-Induced Hyperprolactinaemia on the Hypothalamic-Pituitary-Gonadal Axis. Journal of Clinical Psychopharmacology, 2002, 22, 109-114.	1.4	170
6	Ethnic variations in compulsory detention under the Mental Health Act: a systematic review and meta-analysis of international data. Lancet Psychiatry, the, 2019, 6, 305-317.	7.4	135
7	A well-being programme in severe mental illness. reducing risk for physical ill-health: A post-programme service evaluation at 2 years. European Psychiatry, 2007, 22, 413-418.	0.2	84
8	Sexual Function and Gonadal Hormones in Patients Taking Antipsychotic Treatment for Schizophrenia or Schizoaffective Disorder. Journal of Clinical Psychiatry, 2007, 68, 361-367.	2.2	77
9	Vitamin D deficiency in first episode psychosis: A case–control study. Schizophrenia Research, 2013, 150, 533-537.	2.0	76
10	Gender differences in antipsychotic prescribing. International Review of Psychiatry, 2010, 22, 472-484.	2.8	65
11	Bone Mineral Density and Its Relationship to Prolactin Levels in Patients Taking Antipsychotic Treatment. Journal of Clinical Psychopharmacology, 2005, 25, 259-261.	1.4	57
12	Sedentary behaviour is associated with elevated C-reactive protein levels in people with psychosis. Schizophrenia Research, 2015, 168, 461-464.	2.0	48
13	Sexual dysfunction in people with prodromal or first-episode psychosis. British Journal of Psychiatry, 2012, 201, 131-136.	2.8	46
14	Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPaCT). BMC Psychiatry, 2017, 17, 413.	2.6	39
15	Improving physical health and reducing substance use in psychosis – randomised control trial (IMPACT RCT): study protocol for a cluster randomised controlled trial. BMC Psychiatry, 2013, 13, 263.	2.6	28
16	Effects of Antipsychotics on Sexual and Endocrine Function in Women: Implications for Clinical Practice. Journal of Clinical Psychopharmacology, 2003, 23, S27-S32.	1.4	27
17	Effect of lifestyle, medication and ethnicity on cardiometabolic risk in the year following the first episode of psychosis: prospective cohort study. British Journal of Psychiatry, 2019, 215, 712-719.	2.8	25
18	Tobacco smoking and nicotine dependence in first episode and established psychosis. Asian Journal of Psychiatry, 2019, 43, 125-131.	2.0	25

#	Article	IF	Citations
19	Drugs that cause sexual dysfunction. Psychiatry (Abingdon, England), 2007, 6, 111-114.	0.2	23
20	The Representativeness of Participants With Severe Mental Illness in a Psychosocial Clinical Trial. Frontiers in Psychiatry, 2018, 9, 654.	2.6	22
21	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. PLoS ONE, 2020, 15, e0230674.	2.5	22
22	What you don't know won't hurt you. Psychiatric Bulletin, 2000, 24, 172-174.	0.3	21
23	Vitamin D and clinical symptoms in First Episode Psychosis (FEP): A prospective cohort study. Schizophrenia Research, 2019, 204, 381-388.	2.0	16
24	Reasons behind the rising rate of involuntary admissions under the Mental Health Act (1983): Service use and cost impact. International Journal of Law and Psychiatry, 2020, 68, 101506.	0.9	16
25	Pain is independently associated with reduced health related quality of life in people with psychosis. Psychiatry Research, 2015, 230, 585-591.	3.3	15
26	Dietary intake, physical activity and sedentary behaviour patterns in a sample with established psychosis and associations with mental health symptomatology. Psychological Medicine, 2023, 53, 1565-1575.	4.5	15
27	Effect of Vitamin D Supplementation on Outcomes in People With Early Psychosis. JAMA Network Open, 2021, 4, e2140858.	5. 9	14
28	Multidisciplinary research priorities for the COVID-19 pandemic. Lancet Psychiatry, the, 2020, 7, e40.	7.4	11
29	Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPaCT): cost-effectiveness of integrated psychosocial health promotion. BMC Psychiatry, 2017, 17, 407.	2.6	10
30	Vitamin D supplementation compared to placebo in people with First Episode psychosis - Neuroprotection Design (DFEND): a protocol for a randomised, double-blind, placebo-controlled, parallel-group trial. Trials, 2020, 21, 14.	1.6	10
31	The Relationship Between Prolactin Levels and Glucose Homeostasis in Antipsychotic-treated Schizophrenic Patients. Journal of Clinical Psychopharmacology, 2006, 26, 629-631.	1.4	9
32	Understanding increasing rates of psychiatric hospital detentions in England: development and preliminary testing of an explanatory model. BJPsych Open, 2020, 6, e88.	0.7	9
33	Mental health review tribunal medical reports. Psychiatric Bulletin, 1998, 22, 615-618.	0.3	8
34	Title is missing!. Journal of Clinical Psychopharmacology, 2003, 23, S27-S32.	1.4	7
35	Translation and cross-cultural adaptation of the Sexual Function Questionnaire (SFQ) into Brazilian Portuguese. Trends in Psychiatry and Psychotherapy, 2017, 39, 110-115.	0.8	6
36	Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). Schizophrenia Research, 2019, 208, 138-144.	2.0	6

#	Article	IF	CITATIONS
37	Clozapine and COVID-19. BJPsych Bulletin, 2020, 44, 179-180.	1.1	6
38	Comment on Hyperprolactinaemia and antipsychotic therapy in schizophrenia. Current Medical Research and Opinion, 2004, 20, 1649-1649.	1.9	5
39	Sexuality in psychosis: dysfunction, risk and mental capacity. Advances in Psychiatric Treatment, 2011, 17, 275-282.	0.5	4
40	A health promotion intervention to improve lifestyle choices and health outcomes in people with psychosis: a research programme including the IMPaCT RCT. Programme Grants for Applied Research, 2020, 8, 1-124.	1.0	3
41	Hyperprolactinaemia caused by antipsychotic drugs. Endocrine antipsychotic side effects must be systemically assessed. BMJ, The, 2002, 324, 1278.	6.0	3
42	Prescribing for erectile dysfunction: A Delphi based consensus study. Sexual and Relationship Therapy, 2005, 20, 181-194.	1.2	2
43	The Future of Psychiatry Commission – Authors' reply. Lancet Psychiatry,the, 2018, 5, 17-18.	7.4	2
44	Predictive value of cardiometabolic biomarkers and depressive symptoms for symptom severity and quality of life in patients with psychotic disorders. Journal of Affective Disorders, 2021, 298, 95-103.	4.1	2
45	Comments on "Prolactin Levels and Erectile Function in Patients Treated With Risperidone" (J Clin) Tj ETQq1 1 0.7	84314 rgl 1.4	3Ţ/Overlock
46	Drugs that cause sexual dysfunction. Psychiatry (Abingdon, England), 2004, 3, 20-22.	0.2	0
47	Metabolic syndrome common in people with psychotic disorders, particularly in users of high potency antipsychotics. Evidence-Based Mental Health, 2008, 11, 62-62.	4.5	o
48	Does environmental confounding mask pleiotropic effects of a multiple sclerosis susceptibility variant on vitamin D in psychosis?. NPJ Schizophrenia, 2015, 1, 15036.	3.6	0
49	Treating women with schizophrenia., 0,, 307-319.		O
50	O5.2. PREDICTORS OF CARDIOMETABOLIC RISK IN THE YEAR AFTER ONSET OF PSYCHOSIS: A PROSPECTIVE COHORT STUDY. Schizophrenia Bulletin, 2018, 44, S87-S87.	4.3	0
51	T183. LOW LEVELS OF VITAMIN D ARE ASSOCIATED WITH REDUCED CORTICAL THICKNESS AND SURFACE AREA IN FRONTAL, TEMPORAL AND OCCIPITAL REGIONS IN FIRST-EPISODE PSYCHOSIS PATIENTS. Schizophrenia Bulletin, 2020, 46, S301-S302.	4.3	O
52	Advance directives reduce friction over involuntary treatment. Lancet Psychiatry, the, 2021, 8, 749.	7.4	0
53	Title is missing!. , 2020, 15, e0230674.		O
54	Title is missing!. , 2020, 15, e0230674.		0

#	Article	IF	CITATIONS
55	Title is missing!. , 2020, 15, e0230674.		O
56	Title is missing!. , 2020, 15, e0230674.		0
57	Vitamin D and cardiometabolic outcomes in first episode psychosis (FEP): A prospective cohort study. Schizophrenia Research, 2022, 246, 26-29.	2.0	O