## Jong Hoon Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4214997/publications.pdf

Version: 2024-02-01

471509 580821 60 810 17 25 citations h-index g-index papers 62 62 62 1340 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Preoperative chemoradiotherapy versus postoperative chemoradiotherapy for stage II–III resectable rectal cancer: a meta-analysis of randomized controlled trials. Radiation Oncology Journal, 2017, 35, 198-207.	1.5	44
2	IMRT vs. 2D-radiotherapy or 3D-conformal radiotherapy of nasopharyngeal carcinoma. Strahlentherapie Und Onkologie, 2016, 192, 377-385.	2.0	42
3	Mapping patterns of locoregional recurrence following contemporary treatment with radiation therapy for breast cancer: A multi-institutional validation study of the ESTRO consensus guideline on clinical target volume. Radiotherapy and Oncology, 2018, 126, 139-147.	0.6	42
4	Preoperative Chemoradiotherapy (CRT) Followed by Laparoscopic Surgery for Rectal Cancer: Predictors of the Tumor Response and the Long-Term Oncologic Outcomes. International Journal of Radiation Oncology Biology Physics, 2011, 81, 431-438.	0.8	40
5	Lymphovascular Invasion is a Significant Prognosticator in Rectal Cancer Patients Who Receive Preoperative Chemoradiotherapy Followed by Total Mesorectal Excision. Annals of Surgical Oncology, 2012, 19, 1213-1221.	1.5	39
6	Hearing Loss as a Function of Aging and Diabetes Mellitus: A Cross Sectional Study. PLoS ONE, 2014, 9, e116161.	2.5	38
7	Timely tumor response analysis after preoperative chemoradiotherapy and curative surgery in locally advanced rectal cancer: A multi-institutional study for optimal surgical timing in rectal cancer. Radiotherapy and Oncology, 2016, 119, 512-518.	0.6	35
8	Significance of perineural and lymphovascular invasion in locally advanced rectal cancer treated by preoperative chemoradiotherapy and radical surgery: Can perineural invasion be an indication of adjuvant chemotherapy?. Radiotherapy and Oncology, 2019, 133, 125-131.	0.6	33
9	Significance of elevated SCC-Ag level on tumor recurrence and patient survival in patients with squamous-cell carcinoma of uterine cervix following definitive chemoradiotherapy: a multi-institutional analysis. Journal of Gynecologic Oncology, 2019, 30, e1.	2.2	33
10	Preoperative elevation of carcinoembryonic antigen predicts poor tumor response and frequent distant recurrence for patients with rectal cancer who receive preoperative chemoradiotherapy and total mesorectal excision: a multi-institutional analysis in an Asian population. International Journal of Colorectal Disease, 2013, 28, 511-517.	2.2	27
11	Prediction of pathologic staging with magnetic resonance imaging after preoperative chemoradiotherapy in rectal cancer: Pooled analysis of KROG 10-01 and 11-02. Radiotherapy and Oncology, 2014, 113, 18-23.	0.6	26
12	Carcinoembryonic antigen has prognostic value for tumor downstaging and recurrence in rectal cancer after preoperative chemoradiotherapy and curative surgery: A multi-institutional and case-matched control study of KROG 14-12. Radiotherapy and Oncology, 2015, 116, 202-208.	0.6	25
13	Tumour size, volume, and marker expression during radiation therapy can predict survival of cervical cancer patients: a multi-institutional retrospective analysis of KROG 16-01. Gynecologic Oncology, 2017, 147, 577-584.	1.4	25
14	Postoperative radiotherapy with intensity-modulated radiation therapy versus 3-dimensional conformal radiotherapy in early breast cancer: A randomized clinical trial of KROG 15-03. Radiotherapy and Oncology, 2021, 154, 179-186.	0.6	24
15	Setup Error and Effectiveness of Weekly Image-Guided Radiation Therapy of TomoDirect for Early Breast Cancer. Cancer Research and Treatment, 2015, 47, 774-780.	3.0	22
16	Two-week course of preoperative chemoradiotherapy followed by delayed surgery for rectal cancer: A phase II multi-institutional clinical trial (KROG 11-02). Radiotherapy and Oncology, 2014, 110, 150-154.	0.6	21
17	Long-Term Follow-Up of Preoperative Pelvic Radiation Therapy and Concomitant Boost Irradiation in Locally Advanced Rectal Cancer Patients: A Multi-Institutional Phase II Study (KROG 04-01). International Journal of Radiation Oncology Biology Physics, 2012, 84, 955-961.	0.8	19
18	Continuous Effect of Radial Resection Margin on Recurrence and Survival in Rectal Cancer Patients Who Receive Preoperative Chemoradiation and Curative Surgery: A Multicenter Retrospective Analysis. International Journal of Radiation Oncology Biology Physics, 2017, 98, 647-653.	0.8	17

#	Article	IF	CITATIONS
19	Radiotherapy With or Without Surgery for Patients With Idiopathic Sclerosing Orbital Inflammation Refractory or Intolerant to Steroid Therapy. International Journal of Radiation Oncology Biology Physics, 2012, 84, 52-58.	0.8	15
20	Significance of histologic tumor grade in rectal cancer treated with preoperative chemoradiotherapy followed by curative surgery: A multi-institutional retrospective study. Radiotherapy and Oncology, 2016, 118, 387-392.	0.6	14
21	Comparison of Breast Conserving Surgery Followed by Radiation Therapy with Mastectomy Alone for Pathologic N1 Breast Cancer Patients in the Era of Anthracycline Plus Taxane-Based Chemotherapy: A Multicenter Retrospective Study (KROG 1418). Cancer Research and Treatment, 2019, 51, 1041-1051.	3.0	13
22	A prospective cohort study on postoperative radiotherapy with TomoDirect using simultaneous integrated boost technique in early breast cancer. Radiation Oncology, 2014, 9, 244.	2.7	12
23	Adjuvant Chemotherapy in Rectal Cancer Patients Treated With Preoperative Chemoradiation and Total Mesorectal Excision: A Multicenter and Retrospective Propensity-Score Matching Study. International Journal of Radiation Oncology Biology Physics, 2019, 103, 438-448.	0.8	12
24	GRP78 Protein Expression as Prognostic Values in Neoadjuvant Chemoradiotherapy and Laparoscopic Surgery for Locally Advanced Rectal Cancer. Cancer Research and Treatment, 2015, 47, 804-812.	3.0	12
25	Can serum dynamics of carcinoembryonic antigen level during neoadjuvant chemoradiotherapy in rectal cancer predict tumor response and recurrence? A multi-institutional retrospective study. International Journal of Colorectal Disease, 2016, 31, 1595-1601.	2.2	11
26	The Impact of Surgical Timing on Pathologic Tumor Response after Short Course and Long Course Preoperative Chemoradiation for Locally Advanced Rectal Adenocarcinoma. Cancer Research and Treatment, 2018, 50, 1039-1050.	3.0	11
27	Postmastectomy Radiotherapy in Patients with pT1-2N1 Breast Cancer Treated with Taxane-Based Chemotherapy: A Retrospective Multicenter Analysis (KROG 1418). Cancer Research and Treatment, 2017, 49, 927-936.	3.0	11
28	Clinical usefulness of kidney biopsy in liver transplant recipients with renal impairment. Kidney Research and Clinical Practice, 2013, 32, 153-157.	2.2	10
29	The prognostic value of PET/CT evaluation with Deauville score on the recurrence and survival in diffuse large B-cell lymphoma: a multi-institutional study of KROG 17-02. Clinical and Experimental Metastasis, 2020, 37, 125-131.	3.3	9
30	Prognostic Impact of Elective Supraclavicular Nodal Irradiation for Patients with N1 Breast Cancer after Lumpectomy and Anthracycline Plus Taxane-Based Chemotherapy (KROG 1418): A Multicenter Case-Controlled Study. Cancer Research and Treatment, 2017, 49, 970-980.	3.0	9
31	Stereotactic ablative radiotherapy for pulmonary oligometastases from primary hepatocellular carcinoma: a multicenter and retrospective analysis (KROG 17-08). Japanese Journal of Clinical Oncology, 2022, 52, 616-622.	1.3	9
32	Hypofractionated radiotherapy with Tomotherapy for patients with hepatic oligometastases: retrospective analysis of two institutions. Clinical and Experimental Metastasis, 2013, 30, 643-650.	3.3	8
33	Magnetic resonance imaging during definitive chemoradiotherapy can predict tumor recurrence and patient survival in locally advanced cervical cancer: A multi-institutional retrospective analysis of KROG 16-01. Gynecologic Oncology, 2017, 147, 334-339.	1.4	8
34	The Incidence and Predictor of Lymph Node Metastasis for Patients with T1mi Breast Cancer Who Underwent Axillary Dissection and Breast Irradiation: An Institutional Analysis. Japanese Journal of Clinical Oncology, 2011, 41, 1162-1167.	1.3	7
35	Postoperative carcinoembryonic antigen level has a prognostic value for distant metastasis and survival in rectal cancer patients who receive preoperative chemoradiotherapy and curative surgery: a retrospective multi-institutional analysis. Clinical and Experimental Metastasis, 2016, 33, 809-816.	3.3	7
36	Clinical Significance of Lymph-Node Ratio in Determining Supraclavicular Lymph-Node Radiation Therapy in pN1 Breast Cancer Patients Who Received Breast-Conserving Treatment (KROG 14-18): A Multicenter Study. Cancers, 2019, 11, 680.	3.7	7

#	Article	IF	CITATIONS
37	Evaluation of the Flash effect in breast irradiation using TomoDirect: an investigational study. Journal of Radiation Research, 2015, 56, 397-404.	1.6	6
38	Radiotherapy as an alternative treatment option for primary central nervous system lymphoma patients who are noncandidates for chemotherapy. Oncotarget, 2017, 8, 106858-106865.	1.8	6
39	Current Trends in the Quality Assessment of Colorectal Cancer Practice and Treatment in South Korea during 2012-2017. Cancer Research and Treatment, 2021, 53, 487-496.	3.0	6
40	Serum conversion pattern of SCC-Ag levels between pre- and post-chemoradiotherapy predicts recurrence and metastasis in cervical cancer: a multi-institutional analysis. Clinical and Experimental Metastasis, 2021, 38, 467-474.	3.3	6
41	Can serial evaluation of serum SCC-Ag-level predict tumor recurrence and patient survival in squamous-cell carcinoma of uterine cervix treated with definitive chemoradiotherapy? A multi-institutional analysis. International Journal of Clinical Oncology, 2020, 25, 1405-1411.	2.2	5
42	The Effect of Hospital Case Volume on Clinical Outcomes in Patients with Nasopharyngeal Carcinoma: A Multi-institutional Retrospective Analysis (KROG-1106). Cancer Research and Treatment, 2019, 51, 12-23.	3.0	5
43	Asymptomatic Myxoma Originating from the Right Ventricular Outflow Tract. Journal of Cardiovascular Imaging, 2013, 21, 186.	0.8	4
44	Verification of Low Risk for Perihippocampal Recurrence in Patients with Brain Metastases Who Received Whole-Brain Radiotherapy with Hippocampal Avoidance. Cancer Research and Treatment, 2019, 51, 568-575.	3.0	4
45	Oxaliplatin-based adjuvant chemotherapy rather than fluorouracil-based chemotherapy in rectal cancer is more efficient to decrease distant metastasis and increase survival after preoperative chemoradiotherapy and surgery: a meta-analysis. International Journal of Colorectal Disease, 2022, 37, 649-656.	2.2	4
46	A multi-institutional and case-matched control study on treatment outcomes of consolidative radiotherapy after a full course of R-CHOP compared with R-CHOP alone in Stage I–II diffuse large B-cell lymphoma (KROG 17-02). Journal of Radiation Research, 2019, 60, 677-684.	1.6	3
47	Efficacy and safety of CKD-11101 (darbepoetin-alfa proposed biosimilar) compared with NESP in anaemic chronic kidney disease patients not on dialysis. Current Medical Research and Opinion, 2019, 35, 1111-1118.	1.9	3
48	Optimal treatment strategies for small cell carcinoma of the uterine cervix: A retrospective multi-center study (KROG 19-03). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 258, 396-400.	1.1	3
49	Postmastectomy Radiation Therapy for Node-Negative Breast Cancer of 5 cm or Larger Tumors: A Multicenter Retrospective Analysis (KROG 20-03). Cancer Research and Treatment, 2022, 54, 497-504.	3.0	3
50	Redefining the Positive Circumferential Resection Margin by Incorporating Preoperative Chemoradiotherapy Treatment Response in Locally Advanced Rectal Cancer: A Multicenter Validation Study. Cancer Research and Treatment, 2018, 50, 506-517.	3.0	3
51	Nadir/pre-chemoradiotherapy ratio of white blood-cell count can predict tumor response and recurrence-free survival in locally advanced rectal cancer: a multi-institutional analysis. International Journal of Colorectal Disease, 2019, 34, 105-112.	2.2	2
52	Comparison of Dose Distribution in Regional Lymph Nodes in Whole-Breast Radiotherapy vs. Whole-Breast Plus Regional Lymph Node Irradiation: An In Silico Planning Study in Participating Institutions of the Phase III Randomized Trial (KROG 1701). Cancers, 2020, 12, 3261.	3.7	2
53	Coronary Event Analysis in Breast Cancer Patients Who Received Breast-Conserving Surgery and Post-Operative Radiotherapy: a Korean Nationwide Cohort Study. Journal of Breast Cancer, 2020, 23, 291.	1.9	2
54	Retrospective analysis of intensity-modulated radiotherapy and three-dimensional conformal radiotherapy of postoperative treatment for biliary tract cancer. Radiation Oncology Journal, 2019, 37, 279-285.	1.5	2

#	Article	lF	CITATIONS
55	Analysis of PET parameters predicting response to radiotherapy for myeloid sarcoma. PLoS ONE, 2021, 16, e0261550.	2.5	2
56	Comparison of treatment outcomes of pelvis external radiotherapy with and without vaginal brachytherapy for cervical cancer patients with positive or close vaginal resected margins. International Journal of Clinical Oncology, 2022, 27, 202-212.	2.2	1
57	Retrospective study of postoperative chemoradiation of cholangiocarcinoma in South Korea: Efficacy, side effect, and prognostic factors Journal of Clinical Oncology, 2018, 36, 486-486.	1.6	1
58	Pathologic Staging Inconsistency Between ypT4NO (stage II) and ypT1-2N1 (stage III) After Preoperative Chemoradiotherapy and Total Mesorectal Excision in Rectal Cancer: A Multi-Institutional Study. Clinical Colorectal Cancer, 2019, 18, e130-e139.	2.3	0
59	K-ras mutational status and its clinical implications in Korean colorectal cancer patients Journal of Clinical Oncology, 2015, 33, 641-641.	1.6	O
60	Clinical significance of neutrophil-lymphocyte ratio to the patients with locally advanced rectal cancer who received preoperative chemoradiation therapy Journal of Clinical Oncology, 2020, 38, 138-138.	1.6	0