

# Jong Hoon Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4214997/publications.pdf>

Version: 2024-02-01

60  
papers

810  
citations

471509

17  
h-index

580821

25  
g-index

62  
all docs

62  
docs citations

62  
times ranked

1340  
citing authors

#	ARTICLE	IF	CITATIONS
1	Postmastectomy Radiation Therapy for Node-Negative Breast Cancer of 5 cm or Larger Tumors: A Multicenter Retrospective Analysis (KROG 20-03). <i>Cancer Research and Treatment</i> , 2022, 54, 497-504.	3.0	3
2	Comparison of treatment outcomes of pelvis external radiotherapy with and without vaginal brachytherapy for cervical cancer patients with positive or close vaginal resected margins. <i>International Journal of Clinical Oncology</i> , 2022, 27, 202-212.	2.2	1
3	Oxaliplatin-based adjuvant chemotherapy rather than fluorouracil-based chemotherapy in rectal cancer is more efficient to decrease distant metastasis and increase survival after preoperative chemoradiotherapy and surgery: a meta-analysis. <i>International Journal of Colorectal Disease</i> , 2022, 37, 649-656.	2.2	4
4	Stereotactic ablative radiotherapy for pulmonary oligometastases from primary hepatocellular carcinoma: a multicenter and retrospective analysis (KROG 17-08). <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 616-622.	1.3	9
5	Postoperative radiotherapy with intensity-modulated radiation therapy versus 3-dimensional conformal radiotherapy in early breast cancer: A randomized clinical trial of KROG 15-03. <i>Radiotherapy and Oncology</i> , 2021, 154, 179-186.	0.6	24
6	Optimal treatment strategies for small cell carcinoma of the uterine cervix: A retrospective multi-center study (KROG 19-03). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 258, 396-400.	1.1	3
7	Current Trends in the Quality Assessment of Colorectal Cancer Practice and Treatment in South Korea during 2012-2017. <i>Cancer Research and Treatment</i> , 2021, 53, 487-496.	3.0	6
8	Serum conversion pattern of SCC-Ag levels between pre- and post-chemoradiotherapy predicts recurrence and metastasis in cervical cancer: a multi-institutional analysis. <i>Clinical and Experimental Metastasis</i> , 2021, 38, 467-474.	3.3	6
9	Analysis of PET parameters predicting response to radiotherapy for myeloid sarcoma. <i>PLoS ONE</i> , 2021, 16, e0261550.	2.5	2
10	The prognostic value of PET/CT evaluation with Deauville score on the recurrence and survival in diffuse large B-cell lymphoma: a multi-institutional study of KROG 17-02. <i>Clinical and Experimental Metastasis</i> , 2020, 37, 125-131.	3.3	9
11	Comparison of Dose Distribution in Regional Lymph Nodes in Whole-Breast Radiotherapy vs. Whole-Breast Plus Regional Lymph Node Irradiation: An In Silico Planning Study in Participating Institutions of the Phase III Randomized Trial (KROG 1701). <i>Cancers</i> , 2020, 12, 3261.	3.7	2
12	Can serial evaluation of serum SCC-Ag-level predict tumor recurrence and patient survival in squamous-cell carcinoma of uterine cervix treated with definitive chemoradiotherapy? A multi-institutional analysis. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1405-1411.	2.2	5
13	Coronary Event Analysis in Breast Cancer Patients Who Received Breast-Conserving Surgery and Post-Operative Radiotherapy: a Korean Nationwide Cohort Study. <i>Journal of Breast Cancer</i> , 2020, 23, 291.	1.9	2
14	Clinical significance of neutrophil-lymphocyte ratio to the patients with locally advanced rectal cancer who received preoperative chemoradiation therapy. <i>Journal of Clinical Oncology</i> , 2020, 38, 138-138.	1.6	0
15	A multi-institutional and case-matched control study on treatment outcomes of consolidative radiotherapy after a full course of R-CHOP compared with R-CHOP alone in Stage II diffuse large B-cell lymphoma (KROG 17-02). <i>Journal of Radiation Research</i> , 2019, 60, 677-684.	1.6	3
16	Significance of perineural and lymphovascular invasion in locally advanced rectal cancer treated by preoperative chemoradiotherapy and radical surgery: Can perineural invasion be an indication of adjuvant chemotherapy?. <i>Radiotherapy and Oncology</i> , 2019, 133, 125-131.	0.6	33
17	Clinical Significance of Lymph-Node Ratio in Determining Supraclavicular Lymph-Node Radiation Therapy in pN1 Breast Cancer Patients Who Received Breast-Conserving Treatment (KROG 14-18): A Multicenter Study. <i>Cancers</i> , 2019, 11, 680.	3.7	7
18	Efficacy and safety of CKD-11101 (darbepoetin-alfa proposed biosimilar) compared with NESP in anaemic chronic kidney disease patients not on dialysis. <i>Current Medical Research and Opinion</i> , 2019, 35, 1111-1118.	1.9	3

#	ARTICLE	IF	CITATIONS
19	Significance of elevated SCC-Ag level on tumor recurrence and patient survival in patients with squamous-cell carcinoma of uterine cervix following definitive chemoradiotherapy: a multi-institutional analysis. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e1.	2.2	33
20	Adjuvant Chemotherapy in Rectal Cancer Patients Treated With Preoperative Chemoradiation and Total Mesorectal Excision: A Multicenter and Retrospective Propensity-Score Matching Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 438-448.	0.8	12
21	Nadir/pre-chemoradiotherapy ratio of white blood-cell count can predict tumor response and recurrence-free survival in locally advanced rectal cancer: a multi-institutional analysis. <i>International Journal of Colorectal Disease</i> , 2019, 34, 105-112.	2.2	2
22	Pathologic Staging Inconsistency Between ypT4N0 (stage II) and ypT1-2N1 (stage III) After Preoperative Chemoradiotherapy and Total Mesorectal Excision in Rectal Cancer: A Multi-Institutional Study. <i>Clinical Colorectal Cancer</i> , 2019, 18, e130-e139.	2.3	0
23	The Effect of Hospital Case Volume on Clinical Outcomes in Patients with Nasopharyngeal Carcinoma: A Multi-institutional Retrospective Analysis (KROG-1106). <i>Cancer Research and Treatment</i> , 2019, 51, 12-23.	3.0	5
24	Verification of Low Risk for Perihippocampal Recurrence in Patients with Brain Metastases Who Received Whole-Brain Radiotherapy with Hippocampal Avoidance. <i>Cancer Research and Treatment</i> , 2019, 51, 568-575.	3.0	4
25	Comparison of Breast Conserving Surgery Followed by Radiation Therapy with Mastectomy Alone for Pathologic N1 Breast Cancer Patients in the Era of Anthracycline Plus Taxane-Based Chemotherapy: A Multicenter Retrospective Study (KROG 1418). <i>Cancer Research and Treatment</i> , 2019, 51, 1041-1051.	3.0	13
26	Retrospective analysis of intensity-modulated radiotherapy and three-dimensional conformal radiotherapy of postoperative treatment for biliary tract cancer. <i>Radiation Oncology Journal</i> , 2019, 37, 279-285.	1.5	2
27	Mapping patterns of locoregional recurrence following contemporary treatment with radiation therapy for breast cancer: A multi-institutional validation study of the ESTRO consensus guideline on clinical target volume. <i>Radiotherapy and Oncology</i> , 2018, 126, 139-147.	0.6	42
28	The Impact of Surgical Timing on Pathologic Tumor Response after Short Course and Long Course Preoperative Chemoradiation for Locally Advanced Rectal Adenocarcinoma. <i>Cancer Research and Treatment</i> , 2018, 50, 1039-1050.	3.0	11
29	Redefining the Positive Circumferential Resection Margin by Incorporating Preoperative Chemoradiotherapy Treatment Response in Locally Advanced Rectal Cancer: A Multicenter Validation Study. <i>Cancer Research and Treatment</i> , 2018, 50, 506-517.	3.0	3
30	Retrospective study of postoperative chemoradiation of cholangiocarcinoma in South Korea: Efficacy, side effect, and prognostic factors.. <i>Journal of Clinical Oncology</i> , 2018, 36, 486-486.	1.6	1
31	Continuous Effect of Radial Resection Margin on Recurrence and Survival in Rectal Cancer Patients Who Receive Preoperative Chemoradiation and Curative Surgery: A Multicenter Retrospective Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 98, 647-653.	0.8	17
32	Tumour size, volume, and marker expression during radiation therapy can predict survival of cervical cancer patients: a multi-institutional retrospective analysis of KROG 16-01. <i>Gynecologic Oncology</i> , 2017, 147, 577-584.	1.4	25
33	Magnetic resonance imaging during definitive chemoradiotherapy can predict tumor recurrence and patient survival in locally advanced cervical cancer: A multi-institutional retrospective analysis of KROG 16-01. <i>Gynecologic Oncology</i> , 2017, 147, 334-339.	1.4	8
34	Radiotherapy as an alternative treatment option for primary central nervous system lymphoma patients who are noncandidates for chemotherapy. <i>Oncotarget</i> , 2017, 8, 106858-106865.	1.8	6
35	Preoperative chemoradiotherapy versus postoperative chemoradiotherapy for stage II&III resectable rectal cancer: a meta-analysis of randomized controlled trials. <i>Radiation Oncology Journal</i> , 2017, 35, 198-207.	1.5	44
36	Prognostic Impact of Elective Supraclavicular Nodal Irradiation for Patients with N1 Breast Cancer after Lumpectomy and Anthracycline Plus Taxane-Based Chemotherapy (KROG 1418): A Multicenter Case-Controlled Study. <i>Cancer Research and Treatment</i> , 2017, 49, 970-980.	3.0	9

#	ARTICLE	IF	CITATIONS
37	Postmastectomy Radiotherapy in Patients with pT1-2N1 Breast Cancer Treated with Taxane-Based Chemotherapy: A Retrospective Multicenter Analysis (KROG 1418). <i>Cancer Research and Treatment</i> , 2017, 49, 927-936.	3.0	11
38	Timely tumor response analysis after preoperative chemoradiotherapy and curative surgery in locally advanced rectal cancer: A multi-institutional study for optimal surgical timing in rectal cancer. <i>Radiotherapy and Oncology</i> , 2016, 119, 512-518.	0.6	35
39	IMRT vs. 2D-radiotherapy or 3D-conformal radiotherapy of nasopharyngeal carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 377-385.	2.0	42
40	Can serum dynamics of carcinoembryonic antigen level during neoadjuvant chemoradiotherapy in rectal cancer predict tumor response and recurrence? A multi-institutional retrospective study. <i>International Journal of Colorectal Disease</i> , 2016, 31, 1595-1601.	2.2	11
41	Postoperative carcinoembryonic antigen level has a prognostic value for distant metastasis and survival in rectal cancer patients who receive preoperative chemoradiotherapy and curative surgery: a retrospective multi-institutional analysis. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 809-816.	3.3	7
42	Significance of histologic tumor grade in rectal cancer treated with preoperative chemoradiotherapy followed by curative surgery: A multi-institutional retrospective study. <i>Radiotherapy and Oncology</i> , 2016, 118, 387-392.	0.6	14
43	Setup Error and Effectiveness of Weekly Image-Guided Radiation Therapy of TomoDirect for Early Breast Cancer. <i>Cancer Research and Treatment</i> , 2015, 47, 774-780.	3.0	22
44	Evaluation of the Flash effect in breast irradiation using TomoDirect: an investigational study. <i>Journal of Radiation Research</i> , 2015, 56, 397-404.	1.6	6
45	Carcinoembryonic antigen has prognostic value for tumor downstaging and recurrence in rectal cancer after preoperative chemoradiotherapy and curative surgery: A multi-institutional and case-matched control study of KROG 14-12. <i>Radiotherapy and Oncology</i> , 2015, 116, 202-208.	0.6	25
46	GRP78 Protein Expression as Prognostic Values in Neoadjuvant Chemoradiotherapy and Laparoscopic Surgery for Locally Advanced Rectal Cancer. <i>Cancer Research and Treatment</i> , 2015, 47, 804-812.	3.0	12
47	K-ras mutational status and its clinical implications in Korean colorectal cancer patients.. <i>Journal of Clinical Oncology</i> , 2015, 33, 641-641.	1.6	0
48	A prospective cohort study on postoperative radiotherapy with TomoDirect using simultaneous integrated boost technique in early breast cancer. <i>Radiation Oncology</i> , 2014, 9, 244.	2.7	12
49	Prediction of pathologic staging with magnetic resonance imaging after preoperative chemoradiotherapy in rectal cancer: Pooled analysis of KROG 10-01 and 11-02. <i>Radiotherapy and Oncology</i> , 2014, 113, 18-23.	0.6	26
50	Two-week course of preoperative chemoradiotherapy followed by delayed surgery for rectal cancer: A phase II multi-institutional clinical trial (KROG 11-02). <i>Radiotherapy and Oncology</i> , 2014, 110, 150-154.	0.6	21
51	Hearing Loss as a Function of Aging and Diabetes Mellitus: A Cross Sectional Study. <i>PLoS ONE</i> , 2014, 9, e116161.	2.5	38
52	Preoperative elevation of carcinoembryonic antigen predicts poor tumor response and frequent distant recurrence for patients with rectal cancer who receive preoperative chemoradiotherapy and total mesorectal excision: a multi-institutional analysis in an Asian population. <i>International Journal of Colorectal Disease</i> , 2013, 28, 511-517.	2.2	27
53	Hypofractionated radiotherapy with Tomotherapy for patients with hepatic oligometastases: retrospective analysis of two institutions. <i>Clinical and Experimental Metastasis</i> , 2013, 30, 643-650.	3.3	8
54	Clinical usefulness of kidney biopsy in liver transplant recipients with renal impairment. <i>Kidney Research and Clinical Practice</i> , 2013, 32, 153-157.	2.2	10

#	ARTICLE	IF	CITATIONS
55	Asymptomatic Myxoma Originating from the Right Ventricular Outflow Tract. <i>Journal of Cardiovascular Imaging</i> , 2013, 21, 186.	0.8	4
56	Radiotherapy With or Without Surgery for Patients With Idiopathic Sclerosing Orbital Inflammation Refractory or Intolerant to Steroid Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 52-58.	0.8	15
57	Long-Term Follow-Up of Preoperative Pelvic Radiation Therapy and Concomitant Boost Irradiation in Locally Advanced Rectal Cancer Patients: A Multi-Institutional Phase II Study (KROC 04-01). <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 955-961.	0.8	19
58	Lymphovascular Invasion is a Significant Prognosticator in Rectal Cancer Patients Who Receive Preoperative Chemoradiotherapy Followed by Total Mesorectal Excision. <i>Annals of Surgical Oncology</i> , 2012, 19, 1213-1221.	1.5	39
59	Preoperative Chemoradiotherapy (CRT) Followed by Laparoscopic Surgery for Rectal Cancer: Predictors of the Tumor Response and the Long-Term Oncologic Outcomes. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, 431-438.	0.8	40
60	The Incidence and Predictor of Lymph Node Metastasis for Patients with T1mi Breast Cancer Who Underwent Axillary Dissection and Breast Irradiation: An Institutional Analysis. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 1162-1167.	1.3	7