

# Xin Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/421919/publications.pdf>

Version: 2024-02-01

101  
papers

10,927  
citations

36303

51  
h-index

31849

101  
g-index

103  
all docs

103  
docs citations

103  
times ranked

10530  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hierarchical MoS <sub>2</sub> /polyaniline binary hybrids with high performance for improving fire safety of epoxy resin. <i>Polymers for Advanced Technologies</i> , 2022, 33, 163-172.	3.2	6
2	Hierarchical core-shell SiO <sub>2</sub> @COFs@metallic oxide architecture: An efficient flame retardant and toxic smoke suppression for polystyrene. <i>Journal of Colloid and Interface Science</i> , 2022, 605, 241-252.	9.4	24
3	Integration of black phosphorene and MXene to improve fire safety and mechanical properties of waterborne polyurethane. <i>Applied Surface Science</i> , 2022, 581, 152386.	6.1	22
4	A Furan-based Phosphaphenanthrene-containing Derivative as a Highly Efficient Flame-retardant Agent for Epoxy Thermosets without Deteriorating Thermomechanical Performances. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2022, 40, 233-240.	3.8	16
5	Eco-friendly thermally insulating cellulose aerogels with exceptional flame retardancy, mechanical property and thermal stability. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022, 131, 104159.	5.3	18
6	Fabrication of zirconium phenylphosphonate/epoxy composites with simultaneously enhanced mechanical strength, anti-flammability and smoke suppression. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 155, 106837.	7.6	13
7	Flame Retardant Cellulose-Based Hybrid Hydrogels for Firefighting and Fire Prevention. <i>Fire Technology</i> , 2022, 58, 2077-2091.	3.0	14
8	Cicada wing-inspired solar transmittance enhancement and hydrophobicity design for graphene-based solar steam generation: A novel gas phase deposition approach. <i>Applied Energy</i> , 2022, 320, 119322.	10.1	24
9	Cardanol-derived anhydride cross-linked epoxy thermosets with intrinsic anti-flammability, toughness and shape memory effect. <i>Chemical Engineering Journal</i> , 2022, 450, 137906.	12.7	17
10	Thermogravimetric analysis and kinetics characteristics of typical grains. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021, 143, 647-659.	3.6	11
11	The effect of triphenyl phosphate inhibition on flame propagation over cast PMMA slabs. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 4635-4644.	3.9	11
12	Self-floating black phosphorous nanosheets as a carry-on solar vapor generator. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 496-505.	9.4	25
13	A high performance fully bio-based epoxy thermoset from a syringaldehyde-derived epoxy monomer cured by furan-derived amine. <i>Green Chemistry</i> , 2021, 23, 501-510.	9.0	85
14	A phosphaphenanthrene-containing vanillin derivative as co-curing agent for flame-retardant and antibacterial epoxy thermoset. <i>Polymer</i> , 2021, 217, 123460.	3.8	45
15	Phosphorus-Free Vanillin-Derived Intrinsically Flame-Retardant Epoxy Thermoset with Extremely Low Heat Release Rate and Smoke Emission. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 5268-5277.	6.7	74
16	Facile synthesis of a novel zinc-triazole complex for simultaneous improvement in fire safety and mechanical properties of epoxy resins. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 143, 106284.	7.6	46
17	Organic-inorganic hybridization of isoreticular metal-organic framework-3 with melamine for efficiently reducing the fire risk of epoxy resin. <i>Composites Part B: Engineering</i> , 2021, 211, 108606.	12.0	42
18	Intrinsically flame retardant cardanol-based epoxy monomer for high-performance thermosets. <i>Polymer Degradation and Stability</i> , 2021, 186, 109519.	5.8	30

#	ARTICLE	IF	CITATIONS
19	Recent Progress in Two-dimensional Nanomaterials Following Graphene for Improving Fire Safety of Polymer (Nano)composites. Chinese Journal of Polymer Science (English Edition), 2021, 39, 935-956.	3.8	31
20	A desoxyanisoin- and furfurylamine-derived high-performance benzoxazine thermoset with high glass transition temperature and excellent anti-flammability. Polymer Degradation and Stability, 2021, 189, 109604.	5.8	20
21	Heterolayered Boron Nitride/Polyaniline/Molybdenum Disulfide Nanosheets for Flame-Retardant Epoxy Resins. ACS Applied Nano Materials, 2021, 4, 8162-8172.	5.0	13
22	Phosphorus-Free Ellagic Acid-Derived Epoxy Thermosets with Intrinsic Antiflammability and High Glass Transition Temperature. ACS Sustainable Chemistry and Engineering, 2021, 9, 10799-10808.	6.7	34
23	Intrinsically anti-flammable and self-toughened phosphorylated cardanol-derived novolac epoxy thermosets. Industrial Crops and Products, 2021, 166, 113496.	5.2	24
24	Highly flame retardant, low thermally conducting, and hydrophobic phytic acid-guanazole-cellulose nanofiber composite foams. Cellulose, 2021, 28, 9769-9783.	4.9	11
25	Combination of cardanol-derived flame retardant with SiO <sub>2</sub> @MOF particles for simultaneously enhancing the toughness, anti-flammability and smoke suppression of epoxy thermosets. Composites Communications, 2021, 27, 100904.	6.3	25
26	Cardanol as a versatile platform for fabrication of bio-based flame-retardant epoxy thermosets as DGEBA substitutes. Chemical Engineering Journal, 2021, 421, 129738.	12.7	78
27	Phosphorylated cardanol-formaldehyde oligomers as flame-retardant and toughening agents for epoxy thermosets. Chemical Engineering Journal, 2021, 423, 130192.	12.7	52
28	Fully bio-based epoxy resin derived from vanillin with flame retardancy and degradability. Reactive and Functional Polymers, 2021, 168, 105034.	4.1	43
29	Synthesis of star-shaped allyl phosphazene small molecules for enhancing fire safety and toughness of high performance BMI resin. Chemical Engineering Journal, 2021, 425, 130655.	12.7	46
30	Effect of metal-based nanoparticles decorated graphene hybrids on flammability of epoxy nanocomposites. Composites Part A: Applied Science and Manufacturing, 2020, 129, 105694.	7.6	50
31	Highly flame retardant zeolitic imidazole framework-8@cellulose composite aerogels as absorption materials for organic pollutants. Cellulose, 2020, 27, 2237-2251.	4.9	55
32	Halogen and halogen-free flame retarded biologically-based polyamide with markedly suppressed smoke and toxic gases releases. Composites Part B: Engineering, 2020, 184, 107737.	12.0	28
33	Zeolitic imidazolate framework-8/polyvinyl alcohol hybrid aerogels with excellent flame retardancy. Composites Part A: Applied Science and Manufacturing, 2020, 129, 105720.	7.6	61
34	Chitosan-based flame retardant coatings for polyamide 66 textiles: One-pot deposition versus layer-by-layer assembly. International Journal of Biological Macromolecules, 2020, 143, 1-10.	7.5	28
35	Self-assembly followed by radical polymerization of ionic liquid for interfacial engineering of black phosphorus nanosheets: Enhancing flame retardancy, toxic gas suppression and mechanical performance of polyurethane. Journal of Colloid and Interface Science, 2020, 561, 32-45.	9.4	91
36	Metal-organic frameworks for flame retardant polymers application: A critical review. Composites Part A: Applied Science and Manufacturing, 2020, 139, 106113.	7.6	80

#	ARTICLE	IF	CITATIONS
37	An environmentally friendly approach to fabricating flame retardant, antibacterial and antifungal cotton fabrics via self-assembly of guanazole-metal complex. <i>Journal of Cleaner Production</i> , 2020, 273, 122832.	9.3	47
38	Recent advances in construction of hybrid nano-structures for flame retardant polymers application. <i>Applied Materials Today</i> , 2020, 20, 100762.	4.3	31
39	Building of hierarchical structure of functionalized montmorillonite anchored with ZnO: Toward fabricating high-performance polyethylene composite. <i>Applied Clay Science</i> , 2020, 196, 105767.	5.2	19
40	Graphene oxide/zeolitic imidazolate frameworks-8 coating for cotton fabrics with highly flame retardant, self-cleaning and efficient oil/water separation performances. <i>Materials Chemistry and Physics</i> , 2020, 256, 123656.	4.0	27
41	Preparation and antimicrobial effect of a cinnamaldehyde-based sustained release fumigant tablet for grain storage. <i>Journal of Materials Research and Technology</i> , 2020, 9, 14122-14130.	5.8	5
42	Self-assembly of phosphonate-metal complex for superhydrophobic and durable flame-retardant polyester-cotton fabrics. <i>Cellulose</i> , 2020, 27, 6011-6025.	4.9	38
43	Construction of durable flame-retardant and robust superhydrophobic coatings on cotton fabrics for water-oil separation application. <i>Chemical Engineering Journal</i> , 2020, 398, 125661.	12.7	165
44	A fully bio-based coating made from alginate, chitosan and hydroxyapatite for protecting flexible polyurethane foam from fire. <i>Carbohydrate Polymers</i> , 2020, 246, 116641.	10.2	54
45	Lightweight, hydrophobic and recyclable carbon foam derived from lignin-resorcinol-glyoxal resin for oil and solvent spill capture. <i>Journal of Materials Research and Technology</i> , 2020, 9, 4655-4664.	5.8	34
46	Laponite-based inorganic-organic hybrid coating to reduce fire risk of flexible polyurethane foams. <i>Applied Clay Science</i> , 2020, 189, 105525.	5.2	22
47	Hydrophobic and flame-retardant finishing of cotton fabrics for water-oil separation. <i>Cellulose</i> , 2020, 27, 4145-4159.	4.9	26
48	Multifunctional epoxy composites with highly flame retardant and effective electromagnetic interference shielding performances. <i>Composites Part B: Engineering</i> , 2020, 192, 107990.	12.0	61
49	Hybrid coatings for durable flame retardant and hydrophilic treatment of Polyamide 6.6 fabrics. <i>Progress in Organic Coatings</i> , 2020, 144, 105640.	3.9	11
50	Application of Chitosan and DOPO derivatives in fire protection of polyamide 66 textiles: Towards a combined gas phase and condensed phase activity. <i>Polymer Degradation and Stability</i> , 2020, 176, 109158.	5.8	33
51	Intrinsically flame retardant bio-based epoxy thermosets: A review. <i>Composites Part B: Engineering</i> , 2019, 179, 107487.	12.0	124
52	An operable platform towards functionalization of chemically inert boron nitride nanosheets for flame retardancy and toxic gas suppression of thermoplastic polyurethane. <i>Composites Part B: Engineering</i> , 2019, 178, 107462.	12.0	58
53	Construction of SiO <sub>2</sub> @UiO-66 core-shell microarchitectures through covalent linkage as flame retardant and smoke suppressant for epoxy resins. <i>Composites Part B: Engineering</i> , 2019, 176, 107261.	12.0	91
54	Large-scale production of simultaneously exfoliated and Functionalized Mxenes as promising flame retardant for polyurethane. <i>Composites Part B: Engineering</i> , 2019, 179, 107486.	12.0	103

#	ARTICLE	IF	CITATIONS
55	Few layer deposition and sol-gel finishing of organic-inorganic compounds for improved flame retardant and hydrophilic properties of polyamide 66 textiles: A hybrid approach. <i>Progress in Organic Coatings</i> , 2019, 129, 318-326.	3.9	45
56	Processing bulk natural bamboo into a strong and flame-retardant composite material. <i>Industrial Crops and Products</i> , 2019, 138, 111478.	5.2	60
57	Polyaniline-coupled graphene/nickel hydroxide nanohybrids as flame retardant and smoke suppressant for epoxy composites. <i>Polymers for Advanced Technologies</i> , 2019, 30, 1959-1967.	3.2	27
58	Effect of aluminum diethylphosphinate on the thermal stability and flame retardancy of flexible polyurethane foams. <i>Fire Safety Journal</i> , 2019, 106, 72-79.	3.1	45
59	Substrate-versatile approach to fabricate mechanochemically robust and superhydrophobic surfaces from waste fly ash. <i>Progress in Organic Coatings</i> , 2019, 132, 353-361.	3.9	14
60	Construction of hierarchical MoS <sub>2</sub> @TiO <sub>2</sub> structure for the high performance bismaleimide system with excellent fire safety and mechanical properties. <i>Chemical Engineering Journal</i> , 2019, 369, 451-462.	12.7	62
61	Highly-aligned cellulose fibers reinforced epoxy composites derived from bulk natural bamboo. <i>Industrial Crops and Products</i> , 2019, 129, 434-439.	5.2	73
62	Exceptional flame-retardant cellulosic foams modified with phosphorus-hybridized graphene nanosheets. <i>Cellulose</i> , 2019, 26, 1247-1260.	4.9	27
63	Cardanol derived benzoxazine in combination with boron-doped graphene toward simultaneously improved toughening and flame retardant epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019, 116, 13-23.	7.6	107
64	Nano-fibrillated cellulose-hydroxyapatite based composite foams with excellent fire resistance. <i>Carbohydrate Polymers</i> , 2018, 195, 71-78.	10.2	99
65	Multi-functional hydroxyapatite/polyvinyl alcohol composite aerogels with self-cleaning, superior fire resistance and low thermal conductivity. <i>Composites Science and Technology</i> , 2018, 158, 128-136.	7.8	84
66	Borate cross-linked layer-by-layer assembly of green polyelectrolytes on polyamide 66 fabrics for flame-retardant treatment. <i>Progress in Organic Coatings</i> , 2018, 121, 173-181.	3.9	60
67	Mussel-inspired functionalization of electrochemically exfoliated graphene: Based on self-polymerization of dopamine and its suppression effect on the fire hazards and smoke toxicity of thermoplastic polyurethane. <i>Journal of Hazardous Materials</i> , 2018, 352, 57-69.	12.4	142
68	Two-dimensional cardanol-derived zirconium phosphate hybrid as flame retardant and smoke suppressant for epoxy resin. <i>Polymer Degradation and Stability</i> , 2018, 151, 172-180.	5.8	49
69	Effect of phytic acid-modified layered double hydroxide on flammability and mechanical properties of intumescent flame retardant polypropylene system. <i>Fire and Materials</i> , 2018, 42, 213-220.	2.0	49
70	Melamine-containing polyphosphazene wrapped ammonium polyphosphate: A novel multifunctional organic-inorganic hybrid flame retardant. <i>Journal of Hazardous Materials</i> , 2018, 344, 839-848.	12.4	262
71	Construction of flame retardant coating on polyamide 6.6 via UV grafting of phosphorylated chitosan and sol-gel process of organo-silane. <i>Carbohydrate Polymers</i> , 2018, 181, 833-840.	10.2	66
72	Finishing of cotton fabrics by multi-layered coatings to improve their flame retardancy and water repellency. <i>Cellulose</i> , 2018, 25, 4791-4803.	4.9	74

#	ARTICLE	IF	CITATIONS
73	Hypophosphorous acid cross-linked layer-by-layer assembly of green polyelectrolytes on polyester-cotton blend fabrics for durable flame-retardant treatment. <i>Carbohydrate Polymers</i> , 2018, 201, 1-8.	10.2	69
74	A green approach to constructing multilayered nanocoating for flame retardant treatment of polyamide 66 fabric from chitosan and sodium alginate. <i>Carbohydrate Polymers</i> , 2017, 166, 131-138.	10.2	92
75	Carbon-family materials for flame retardant polymeric materials. <i>Progress in Polymer Science</i> , 2017, 69, 22-46.	24.7	406
76	MoS <sub>2</sub> /Polymer Nanocomposites: Preparation, Properties, and Applications. <i>Polymer Reviews</i> , 2017, 57, 440-466.	10.9	132
77	Synthesis of Phosphorylated Graphene Oxide Based Multilayer Coating: Self-Assembly Method and Application for Improving the Fire Safety of Cotton Fabrics. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 6664-6670.	3.7	39
78	Renewable Cardanol-Based Phosphate as a Flame Retardant Toughening Agent for Epoxy Resins. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 3409-3416.	6.7	188
79	Flame-retardant-wrapped polyphosphazene nanotubes: A novel strategy for enhancing the flame retardancy and smoke toxicity suppression of epoxy resins. <i>Journal of Hazardous Materials</i> , 2017, 325, 327-339.	12.4	223
80	Molybdenum disulfide nanosheets as barrier enhancing nanofillers in thermal decomposition of polypropylene composites. <i>Chemical Engineering Journal</i> , 2016, 295, 278-287.	12.7	47
81	Thermal exfoliation of hexagonal boron nitride for effective enhancements on thermal stability, flame retardancy and smoke suppression of epoxy resin nanocomposites via sol-gel process. <i>Journal of Materials Chemistry A</i> , 2016, 4, 7330-7340.	10.3	346
82	Studies on Synthesis of Electrochemically Exfoliated Functionalized Graphene and Polylactic Acid/Ferric Phytate Functionalized Graphene Nanocomposites as New Fire Hazard Suppression Materials. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 25552-25562.	8.0	119
83	Integrated effect of supramolecular self-assembled sandwich-like melamine cyanurate/MoS <sub>2</sub> hybrid sheets on reducing fire hazards of polyamide 6 composites. <i>Journal of Hazardous Materials</i> , 2016, 320, 252-264.	12.4	68
84	A metal-organic framework-derived bifunctional oxygen electrocatalyst. <i>Nature Energy</i> , 2016, 1, .	39.5	1,974
85	Multifunctional intercalation in layered double hydroxide: toward multifunctional nanohybrids for epoxy resin. <i>Journal of Materials Chemistry A</i> , 2016, 4, 2147-2157.	10.3	131
86	Renewable Cardanol-Based Surfactant Modified Layered Double Hydroxide as a Flame Retardant for Epoxy Resin. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 3281-3290.	6.7	174
87	A novel biobased epoxy resin with high mechanical stiffness and low flammability: synthesis, characterization and properties. <i>Journal of Materials Chemistry A</i> , 2015, 3, 21907-21921.	10.3	209
88	Liquid-exfoliated MoS <sub>2</sub> by chitosan and enhanced mechanical and thermal properties of chitosan/MoS <sub>2</sub> composites. <i>Composites Science and Technology</i> , 2014, 93, 76-82.	7.8	105
89	Recent Development of Molybdenum Sulfides as Advanced Electrocatalysts for Hydrogen Evolution Reaction. <i>ACS Catalysis</i> , 2014, 4, 1693-1705.	11.2	769
90	An eco-friendly way to fire retardant flexible polyurethane foam: layer-by-layer assembly of fully bio-based substances. <i>RSC Advances</i> , 2014, 4, 46164-46169.	3.6	64

#	ARTICLE	IF	CITATIONS
91	The effect of graphene presence in flame retarded epoxy resin matrix on the mechanical and flammability properties of glass fiber-reinforced composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 53, 88-96.	7.6	149
92	Self-assembly of Ni-Fe layered double hydroxide/graphene hybrids for reducing fire hazard in epoxy composites. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4383.	10.3	227
93	Simultaneous reduction and surface functionalization of graphene oxide with POSS for reducing fire hazards in epoxy composites. <i>Journal of Materials Chemistry</i> , 2012, 22, 22037.	6.7	227
94	Cobalt oxide/graphene composite for highly efficient CO oxidation and its application in reducing the fire hazards of aliphatic polyesters. <i>Journal of Materials Chemistry</i> , 2012, 22, 3426.	6.7	119
95	Thermal Degradation and Flame Retardance of Biobased Polylactide Composites Based on Aluminum Hypophosphite. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 12009-12016.	3.7	156
96	In situ polymerization of graphene nanosheets and polyurethane with enhanced mechanical and thermal properties. <i>Journal of Materials Chemistry</i> , 2011, 21, 4222.	6.7	371
97	Flame Retardancy and Thermal Degradation of Intumescent Flame Retardant Poly(lactic acid)/Starch Biocomposites. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 713-720.	3.7	163
98	Synthesis and characterization of a DOPO-substituted organophosphorus oligomer and its application in flame retardant epoxy resins. <i>Progress in Organic Coatings</i> , 2011, 71, 72-82.	3.9	141
99	Preparation, mechanical properties, and thermal degradation of flame retarded epoxy resins with an organophosphorus oligomer. <i>Polymer Bulletin</i> , 2011, 67, 859-873.	3.3	26
100	Thermal degradation mechanism of flame retarded epoxy resins with a DOPO-substituted organophosphorus oligomer by TG-FTIR and DP-MS. <i>Journal of Analytical and Applied Pyrolysis</i> , 2011, 92, 164-170.	5.5	129
101	Flame retardancy and thermal degradation mechanism of epoxy resin composites based on a DOPO substituted organophosphorus oligomer. <i>Polymer</i> , 2010, 51, 2435-2445.	3.8	477