

Alexander Kudryavtsev

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4224072/publications.pdf>

Version: 2024-02-01

40
papers

3,160
citations

471509

17
h-index

276875

41
g-index

42
all docs

42
docs citations

42
times ranked

4172
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Vannella mustalahtiana</i> sp. nov. (Amoebozoa, Vannellida) and rainbow trout nodular gill disease (NGD) in Russia. <i>Diseases of Aquatic Organisms</i> , 2022, 148, 29-41.	1.0	5
2	A morphological and molecular reinvestigation of <i>Janickina pigmentifera</i> (Grassi, 1881) Chatton 1953 – an amoebozoan parasite of arrow-worms (Chaetognatha). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	4
3	A Comparative Characterization of the Mitochondrial Genomes of <i>Paramoeba aparasomata</i> and <i>Neoparamoeba pemaquidensis</i> (Amoebozoa, Paramoebidae). <i>Journal of Eukaryotic Microbiology</i> , 2020, 67, 167-175.	1.7	2
4	<i>Cunea russae</i> n. sp. (Amoebozoa, Dactylopodida), another cryptic species of <i>Cunea</i> Kudryavtsev and Pawlowski, 2015, inhabits a continental brackish-water biotope. <i>European Journal of Protistology</i> , 2020, 73, 125685.	1.5	4
5	<i>Paramoeba aparasomata</i> n. sp., a symbiont-free species, and its relative <i>Paramoeba karteshi</i> n. sp. (Amoebozoa, Dactylopodida). <i>European Journal of Protistology</i> , 2019, 71, 125630.	1.5	8
6	<i>Vannella samoroda</i> n. sp. (Amoebozoa) – First member of the genus from a continental saline habitat placed in a molecular tree. <i>European Journal of Protistology</i> , 2019, 71, 125634.	1.5	7
7	<i>Nephrocystidium pickii</i> Weissenberg, 1921 belongs to Myxozoa (Cnidaria) but is not conspecific with <i>Myxidium lieberkuehni</i> BÄtschli, 1882 (Myxozoa: Bivalvulida: Variisporina: Myxidiidae): molecular-genetic evidence. <i>Systematic Parasitology</i> , 2019, 96, 15-22.	1.1	1
8	Revisions to the Classification, Nomenclature, and Diversity of Eukaryotes. <i>Journal of Eukaryotic Microbiology</i> , 2019, 66, 4-119.	1.7	904
9	<i>Ovalopodium rosalinum</i> sp. nov., <i>Planopodium haveli</i> gen. nov, sp. nov., <i>Planopodium desertum</i> comb. nov. and new insights into phylogeny of the deeply branching members of the order Himatistenida (Amoebozoa). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 71, .	1.7	3
10	Mitochondrial Genome of <i>Vannella croatica</i> (Amoebozoa, Discosea, Vannellida). <i>Journal of Eukaryotic Microbiology</i> , 2018, 65, 820-827.	1.7	3
11	The complete mitochondrial genome of <i>Vannella simplex</i> (Amoebozoa, Discosea, Vannellida). <i>European Journal of Protistology</i> , 2018, 63, 83-95.	1.5	5
12	<i>Clydonella sawyeri</i> n. sp. (Amoebozoa, Vannellida): Morphological and molecular study and a re-definition of the genus <i>Clydonella</i> Sawyer, 1975. <i>European Journal of Protistology</i> , 2018, 63, 62-71.	1.5	4
13	More amoebae from the deep-sea: Two new marine species of <i>Vexillifera</i> (Amoebozoa, Dactylopodida) with notes on taxonomy of the genus. <i>European Journal of Protistology</i> , 2018, 66, 9-25.	1.5	8
14	Between a Pod and a Hard Test: The Deep Evolution of Amoebae. <i>Molecular Biology and Evolution</i> , 2017, 34, 2258-2270.	8.9	161
15	Two new species of <i>Ripella</i> (Amoebozoa, Vannellida) and unusual intragenomic variability in the SSU rRNA gene of this genus. <i>European Journal of Protistology</i> , 2017, 61, 92-106.	1.5	19
16	Description of <i>Neoparamoeba longipodia</i> n. sp. and a new strain of <i>Neoparamoeba aestuarina</i> (Page,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 107-121.	1.5	15
17	Phylogeny and Systematics of <i>Leptomyxid</i> Amoebae (Amoebozoa, Tubulinea, Leptomyxida). <i>Protist</i> , 2017, 168, 220-252.	1.5	11
18	Genetic structure of a morphological species within the amoeba genus <i>Korotnevella</i> (Amoebozoa:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.5	20

#	ARTICLE	IF	CITATIONS
19	<i>Cunea</i> n. g. (Amoebozoa, Dactylopodida) with two cryptic species isolated from different areas of the ocean. <i>European Journal of Protistology</i> , 2015, 51, 197-209.	1.5	26
20	Multigene phylogeny resolves deep branching of Amoebozoa. <i>Molecular Phylogenetics and Evolution</i> , 2015, 83, 293-304.	2.7	84
21	A new reliable reference gene UBA52 for quantitative real-time polymerase chain reaction studies in pyloric cecal tissues of the starfish <i>Asterias rubens</i> . <i>Genetics and Molecular Research</i> , 2014, 13, 3972-3980.	0.2	3
22	The Marine Microbial Eukaryote Transcriptome Sequencing Project (MMETSP): Illuminating the Functional Diversity of Eukaryotic Life in the Oceans through Transcriptome Sequencing. <i>PLoS Biology</i> , 2014, 12, e1001889.	5.6	885
23	A Revision of the Order Pellitida Smirnov et al., 2011 (Amoebozoa, Discosea) Based on Ultrastructural and Molecular Evidence, with Description of <i>Endostelium crystalliferum</i> n. sp.. <i>Protist</i> , 2014, 165, 208-229.	1.5	24
24	Two new species of the genus <i>Stenamoeba</i> (Discosea, Longamoebia): Cytoplasmic MTOC is present in one more amoebae lineage. <i>European Journal of Protistology</i> , 2014, 50, 153-165.	1.5	25
25	<i>Paravannella minima</i> n. g. n. sp. (Discosea, Vannellidae) and distinction of the genera in the vannellid amoebae. <i>European Journal of Protistology</i> , 2014, 50, 258-269.	1.5	16
26	Discrepancy between Species Borders at Morphological and Molecular Levels in the Genus <i>Cochliopodium</i> (Amoebozoa, Himatistenida), with the Description of <i>Cochliopodium plurinucleolum</i> n. sp.. <i>Protist</i> , 2014, 165, 364-383.	1.5	30
27	A new reference gene, <i>Ef1A</i> , for quantitative real-time PCR assay of the starfish <i>Asterias rubens</i> pyloric ceca. <i>Doklady Biological Sciences</i> , 2013, 452, 310-312.	0.6	10
28	<i>Squamamoeba japonica</i> n. g. n. sp. (Amoebozoa): A Deep-sea Amoeba from the Sea of Japan with a Novel Cell Coat Structure. <i>Protist</i> , 2013, 164, 13-23.	1.5	33
29	CBOL Protist Working Group: Barcoding Eukaryotic Richness beyond the Animal, Plant, and Fungal Kingdoms. <i>PLoS Biology</i> , 2012, 10, e1001419.	5.6	488
30	Microscopic evidence for inclusion of <i>Parvamoeba</i> Rogerson, 1993 into the order Himatistenida (Amoebozoa). <i>European Journal of Protistology</i> , 2012, 48, 85-88.	1.5	7
31	<i>Ovalopodium desertum</i> n. sp. and the Phylogenetic Relationships of Cochliopodiidae (Amoebozoa). <i>Protist</i> , 2011, 162, 571-589.	1.5	38
32	Evolution of Rhizaria: new insights from phylogenomic analysis of uncultivated protists. <i>BMC Evolutionary Biology</i> , 2010, 10, 377.	3.2	130
33	Ultrastructure, SSU rRNA Gene Sequences and Phylogenetic Relationships of <i>Flamella</i> Schaeffer, 1926 (Amoebozoa), with Description of Three New Species. <i>Protist</i> , 2009, 160, 21-40.	1.5	29
34	Description and Phylogenetic Relationships of <i>Spumochlamys perforata</i> n. sp. and <i>Spumochlamys bryora</i> n. sp. (Amoebozoa, Arcellinida). <i>Journal of Eukaryotic Microbiology</i> , 2009, 56, 495-503.	1.7	26
35	<i>Spumochlamys iliensis</i> n.g. n. sp. (Testacealobosia, Microchlamyidae) from Central Asia, with notes on the diversity of Microchlamys-like testate amoebae. <i>European Journal of Protistology</i> , 2007, 43, 185-191.	1.5	4
36	<i>Cochliopodium gallicum</i> n. sp. (Himatistenida), an amoeba bearing unique scales, from cyanobacterial mats in the Camargue (France). <i>European Journal of Protistology</i> , 2006, 42, 3-7.	1.5	22

#	ARTICLE	IF	CITATIONS
37	“Minute” species of Cochliopodium (Himatismenida): Description of three new fresh- and brackish-water species with a new diagnosis for Cochliopodium minus Page, 1976. European Journal of Protistology, 2006, 42, 77-89.	1.5	16
38	Pellitidae n. fam. (Lobosea, Gymnamoebia) – a new family, accommodating two amoebae with an unusual cell coat and an original mode of locomotion, Pellita catalonica n.g., n.sp. and Pellita digitata comb. nov. European Journal of Protistology, 2005, 41, 257-267.	1.5	10
39	18S Ribosomal RNA Gene Sequences of (Himatismenida) and the Phylogeny of Amoebozoa. Protist, 2005, 156, 215-224.	1.5	41
40	Cochliopodium barki n. sp. (Rhizopoda, Himatismenida) re-isolated from soil 30 years after its initial description. European Journal of Protistology, 2004, 40, 283-287.	1.5	16