Scott A Murray

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4224535/publications.pdf

Version: 2024-02-01

88 5,436 32 72 papers citations h-index g-index

89 89 5051 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Illness trajectories and palliative care. BMJ: British Medical Journal, 2005, 330, 1007-1011.	2.4	1,142
2	Dying of lung cancer or cardiac failure: prospective qualitative interview study of patients and their carers in the community. BMJ: British Medical Journal, 2002, 325, 929-929.	2.4	438
3	Exploring the spiritual needs of people dying of lung cancer or heart failure: a prospective qualitative interview study of patients and their carers. Palliative Medicine, 2004, 18, 39-45.	1.3	376
4	Development and evaluation of the Supportive and Palliative Care Indicators Tool (SPICT): a mixed-methods study. BMJ Supportive and Palliative Care, 2014, 4, 285-290.	0.8	291
5	Evaluating complex interventions in End of Life Care: the MORECare Statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews. BMC Medicine, 2013, 11, 111.	2.3	256
6	Use of serial qualitative interviews to understand patients' evolving experiences and needs. BMJ: British Medical Journal, 2009, 339, b3702-b3702.	2.4	218
7	Patterns of Social, Psychological, and Spiritual Decline Toward the End of Life in Lung Cancer and Heart Failure. Journal of Pain and Symptom Management, 2007, 34, 393-402.	0.6	195
8	Palliative care from diagnosis to death. BMJ: British Medical Journal, 2017, 356, j878.	2.4	140
9	Glioblastoma: clinical presentation, diagnosis, and management. BMJ, The, 2021, 374, n1560.	3.0	133
10	Care for all at the end of life. BMJ: British Medical Journal, 2008, 336, 958.1-959.	2.4	130
11	Dying from cancer in developed and developing countries: lessons from two qualitative interview studies of patients and their carers. BMJ: British Medical Journal, 2003, 326, 368-368.	2.4	127
12	Archetypal trajectories of social, psychological, and spiritual wellbeing and distress in family care givers of patients with lung cancer: secondary analysis of serial qualitative interviews. BMJ: British Medical Journal, 2010, 340, c2581-c2581.	2.4	116
13	What tools are available to identify patients with palliative care needs in primary care: a systematic literature review and survey of European practice. BMJ Supportive and Palliative Care, 2013, 3, 444-451.	0.8	114
14	Managing uncertainty in advanced liver disease: a qualitative, multiperspective, serial interview study: TableA1. BMJ Open, 2015, 5, e009241.	0.8	96
15	Promoting palliative care in the community: Production of the primary palliative care toolkit by the European Association of Palliative Care Taskforce in primary palliative care. Palliative Medicine, 2015, 29, 101-111.	1.3	90
16	Different Experiences and Goals in Different Advanced Diseases: Comparing Serial Interviews With Patients With Cancer, Organ Failure, or Frailty and Their Family and Professional Carers. Journal of Pain and Symptom Management, 2015, 50, 216-224.	0.6	77
17	Comprehensive and Integrated Palliative Care for People With Advanced Chronic Conditions: An Update From Several European Initiatives and Recommendations for Policy. Journal of Pain and Symptom Management, 2017, 53, 509-517.	0.6	72
18	Out-of-hours palliative care: a qualitative study of cancer patients, carers and professionals. British Journal of General Practice, 2006, 56, 6-13.	0.7	71

#	Article	IF	CITATIONS
19	â€ ⁻ My body's falling apart.â€ [™] Understanding the experiences of patients with advanced multimorbidity to improve care: serial interviews with patients and carers. BMJ Supportive and Palliative Care, 2016, 6, 60-65.	0.8	66
20	Practice based health needs assessment: use of four methods in a small neighbourhood. BMJ: British Medical Journal, 1995, 310, 1443-1448.	2.4	65
21	Physical, social, psychological and existential trajectories of loss and adaptation towards the end of life for older people living with frailty: a serial interview study. BMC Geriatrics, 2016, 16, 176.	1.1	61
22	Coordination of care for individuals with advanced progressive conditions: a multi-site ethnographic and serial interview study. British Journal of General Practice, 2013, 63, e580-e588.	0.7	51
23	Living and dying well with end-stage liver disease: Time for palliative care?. Hepatology, 2012, 55, 1650-1651.	3.6	41
24	Outcomes, experiences and palliative care in major stroke: a multicentre, mixed-method, longitudinal study. Cmaj, 2018, 190, E238-E246.	0.9	40
25	Methodological developments in qualitative longitudinal research: the advantages and challenges of regular telephone contact with participants in a qualitative longitudinal interview study. BMC Research Notes, 2015, 8, 142.	0.6	39
26	Using intuition or a formal palliative care needs assessment screening process in general practice to predict death within 12 months: A randomised controlled trial. Palliative Medicine, 2018, 32, 384-394.	1.3	38
27	The Real-World Problem of Care Coordination: A Longitudinal Qualitative Study with Patients Living with Advanced Progressive Illness and Their Unpaid Caregivers. PLoS ONE, 2014, 9, e95523.	1.1	37
28	Palliative care for people with advanced liver disease: A feasibility trial of a supportive care liver nurse specialist. Palliative Medicine, 2018, 32, 919-929.	1.3	37
29	Systematic development and adjustment of the German version of the Supportive and Palliative Care Indicators Tool (SPICT-DE). BMC Palliative Care, 2018, 17, 27.	0.8	37
30	Palliative care for people with COPD: we need to meet the challenge. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2006, 15, 362-364.	2.5	35
31	Palliative Care Research in Africa: Consensus Building for a Prioritized Agenda. Journal of Pain and Symptom Management, 2014, 47, 315-324.	0.6	35
32	Many people in Scotland now benefit from anticipatory care before they die: an after death analysis and interviews with general practitioners. BMJ Supportive and Palliative Care, 2019, 9, bmjspcare-2015-001014.	0.8	35
33	General practitioners and their possible role in providing spiritual care: a qualitative study. British Journal of General Practice, 2003, 53, 957-9.	0.7	35
34	Serial interviews for patients with progressive diseases. Lancet, The, 2006, 368, 901-902.	6.3	33
35	HELPing older people with very severe chronic obstructive pulmonary disease (HELP-COPD): mixed-method feasibility pilot randomised controlled trial of a novel intervention. Npj Primary Care Respiratory Medicine, 2015, 25, 15020.	1.1	33
36	A palliative care link nurse programme in Mulago Hospital, Uganda: an evaluation using mixed methods. BMC Palliative Care, 2016, 15, 40.	0.8	32

#	Article	IF	CITATIONS
37	What does â€~complex' mean in palliative care? Triangulating qualitative findings from 3 settings. BMC Palliative Care, 2018, 17, 12.	0.8	32
38	What is the patient experience in advanced liver disease? A scoping review of the literature. BMJ Supportive and Palliative Care, 2015, 5, 471-480.	0.8	29
39	Should palliative care be rebranded?. BMJ: British Medical Journal, 2019, 364, l881.	2.4	27
40	Integrating palliative care into national health systems in Africa: a multi–country intervention study. Journal of Global Health, 2017, 7, 010419.	1.2	26
41	Mapping the progress and impacts of public health approaches to palliative care: a scoping review protocol. BMJ Open, 2016, 6, e012058.	0.8	24
42	Phase 2 Randomised Controlled Trial and Feasibility Study of Future Care Planning in Patients with Advanced Heart Disease. Scientific Reports, 2016, 6, 24619.	1.6	24
43	Community-oriented medical education in Glasgow: developing a community diagnosis exercise. Medical Education, 1999, 33, 55-62.	1.1	23
44	Palliative and end-of-life care research in Scotland 2006–2015: a systematic scoping review. BMC Palliative Care, 2018, 17, 19.	0.8	23
45	Primary palliative care needs urgent attention. BMJ: British Medical Journal, 2019, 365, 11827.	2.4	23
46	Frailty assessment and risk prediction by GRACE score in older patients with acute myocardial infarction. BMC Geriatrics, 2020, 20, 102.	1.1	23
47	Unscheduled and out-of-hours care for people in their last year of life: a retrospective cohort analysis of national datasets. BMJ Open, 2020, 10, e041888.	0.8	23
48	Developing a computerised search to help UK General Practices identify more patients for palliative care planning: a feasibility study. BMC Family Practice, 2015, 16, 99.	2.9	22
49	Exploring the concept of need in people with very severe chronic obstructive pulmonary disease: a qualitative study. BMJ Supportive and Palliative Care, 2018, 8, 468-474.	0.8	22
50	Joint position statement Indian association of palliative care and academy of family physicians of India – The way forward for developing community-based palliative care program throughout India: Policy, education, and service delivery considerations. Journal of Family Medicine and Primary Care, 2018, 7, 291.	0.3	21
51	Piloting a new approach in primary care to identify, assess and support carers of people with terminal illnesses: a feasibility study. BMC Family Practice, 2016, 17, 18.	2.9	20
52	Implementing a service users' framework for cancer care in primary care: an action research study. Family Practice, 2008, 25, 78-85.	0.8	19
53	Improving primary palliative care in Scotland: lessons from a mixed methods study. BMC Family Practice, 2015, 16, 176.	2.9	18
54	â€~I think my body has become addicted to those tablets'. Chronic heart failure patients' understanding of and beliefs about their illness and its treatment: A qualitative longitudinal study from Uganda. PLoS ONE, 2017, 12, e0182876.	1.1	16

#	Article	IF	CITATIONS
55	Computer screening for palliative care needs in primary care: a mixed-methods study. British Journal of General Practice, 2018, 68, e360-e369.	0.7	15
56	Defining primary palliative care for universal health coverage. Lancet, The, 2019, 394, 621-622.	6.3	15
57	Future Care Planning for patients approaching end-of-life with advanced heart disease: an interview study with patients, carers and healthcare professionals exploring the content, rationale and design of a randomised clinical trial. BMJ Open, 2014, 4, e005021-e005021.	0.8	13
58	Improving care for people with heart failure in Uganda: serial in-depth interviews with patients' and their health care professionals. BMC Research Notes, 2017, 10, 184.	0.6	13
59	Disrupted biographies and balancing identities: A qualitative study of cancer patients' communication with healthcare professionals about dependent children. European Journal of Cancer Care, 2019, 28, e12991.	0.7	12
60	Frailty degree and illness trajectories in older people towards the end-of-life: a prospective observational study. BMJ Open, 2021, 11, e042645.	0.8	12
61	A "good death―with irreversible liver disease: Talking with patients and families about deteriorating health and dying. Clinical Liver Disease, 2015, 6, 15-18.	1.0	10
62	Why is talking about dying such a challenge?. BMJ, The, 2014, 348, g3699-g3699.	3.0	9
63	Avoid â€~prognostic paralysis'—just get ahead and plan and co-ordinate care. Npj Primary Care Respiratory Medicine, 2014, 24, 14085.	1.1	9
64	Fixing the broken image of care homes, could a â€~care home innovation centre' be the answer?. Age and Ageing, 2017, 46, 175-178.	0.7	9
65	Care home residents who die in hospital: exploring factors, processes and experiences. Age and Ageing, 2020, 49, 468-480.	0.7	9
66	Integrating palliative care into the community: the role of hospices and schools. BMJ Supportive and Palliative Care, 2019, 9, bmjspcare-2015-001092.	0.8	8
67	Gradual physical decline characterises the illness trajectories of care home residents. International Journal of Palliative Nursing, 2017, 23, 457-461.	0.2	8
68	How many general practitioners for 1433 patients?. BMJ: British Medical Journal, 1995, 310, 100-100.	2.4	7
69	End of life care still not living up to public and doctors' expectations. BMJ, The, 2016, 353, i2188.	3.0	6
70	Promoting palliative care in the community: a toolkit to improve and develop primary palliative care throughout Europe. Scandinavian Journal of Primary Health Care, 2016, 34, 3-4.	0.6	5
71	Supportive and palliative care in the age of deferred death: primary care's central role. BMJ Supportive and Palliative Care, 2021, 11, 398-400.	0.8	5
72	Palliative care integration indicators: an European regional analysis. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2021-003181.	0.8	4

#	Article	IF	CITATIONS
73	It's time to develop primary care services for the dying. Journal of Palliative Care, 2006, 22, 115-6.	0.4	4
74	Palliative care and the endless cycle of serious health-related suffering. Lancet, The, 2018, 392, 471-472.	6.3	3
75	Internationally, it is time to bridge the gap between primary and secondary healthcare services for the dying. Annals of the Academy of Medicine, Singapore, 2008, 37, 142-4.	0.2	3
76	Palliative care: training the primary care workforce is more important than rebranding. BMJ: British Medical Journal, 2019, 365, l4119.	2.4	2
77	â€~COVID-19 and palliative medicine: faith-based hospitals in India'. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2021-002924.	0.8	2
78	Integrating lived experiences of out-of-hours health services for people with palliative and end-of-life care needs with national datasets for people dying in Scotland in 2016: A mixed methods, multi-stage design. Palliative Medicine, 2022, 36, 478-488.	1.3	2
79	People die everywhere, so care should be optimised in all settings and all along the way. BMJ, The, 2015, 351, h5677.	3.0	1
80	Worsening disability in older people: a trigger for palliative care. BMJ, The, 2015, 350, h2439-h2439.	3.0	1
81	Authors' reply to Wise's letter on including palliative care doctors in treatment discussions. BMJ: British Medical Journal, 2017, 357, j2432.	2.4	1
82	Palliative care: emphasis on early integration with oncology care. BMJ: British Medical Journal, 2019, 365, 11974.	2.4	1
83	Living and dying well with advanced kidney disease: the future is tomorrow…?. BMJ Supportive and Palliative Care, 2012, 2, A13.1-A13.	0.8	O
84	O-115 Developing a computerised search to help UK general practices identify more patients for advance care planning: A feasibility study. BMJ Supportive and Palliative Care, 2015, 5, A37.2-A37.	0.8	0
85	Set a low bar for starting palliative care. BMJ, The, 2016, 353, i3598.	3.0	O
86	Palliative radiotherapy and holistic palliative care together. BMJ: British Medical Journal, 2018, 361, k1875.	2.4	0
87	13â€How is professional â€~truth-telling' perceived by carers of patients with severe stroke?. , 2021, , .		0
88	A feasibility study of pro-active cancer care in the community. BMJ Supportive and Palliative Care, 2012, 2, A21.3-A22.	0.8	0