Marina Chiara Garassino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4225616/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Nivolumab versus Docetaxel in Advanced Squamous-Cell Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2015, 373, 123-135.	27.0	7,261
2	Pembrolizumab plus Chemotherapy in Metastatic Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2018, 378, 2078-2092.	27.0	4,701
3	Osimertinib or Platinum–Pemetrexed in <i>EGFR</i> T790M–Positive Lung Cancer. New England Journal of Medicine, 2017, 376, 629-640.	27.0	2,631
4	Durvalumab as third-line or later treatment for advanced non-small-cell lung cancer (ATLANTIC): an open-label, single-arm, phase 2 study. Lancet Oncology, The, 2018, 19, 521-536.	10.7	486
5	Erlotinib versus docetaxel as second-line treatment of patients with advanced non-small-cell lung cancer and wild-type EGFR tumours (TAILOR): a randomised controlled trial. Lancet Oncology, The, 2013, 14, 981-988.	10.7	472
6	Five-Year Survival Outcomes From the PACIFIC Trial: Durvalumab After Chemoradiotherapy in Stage III Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2022, 40, 1301-1311.	1.6	445
7	Avelumab versus docetaxel in patients with platinum-treated advanced non-small-cell lung cancer (JAVELIN Lung 200): an open-label, randomised, phase 3 study. Lancet Oncology, The, 2018, 19, 1468-1479.	10.7	370
8	CNS Efficacy of Osimertinib in Patients With T790M-Positive Advanced Non–Small-Cell Lung Cancer: Data From a Randomized Phase III Trial (AURA3). Journal of Clinical Oncology, 2018, 36, 2702-2709.	1.6	359
9	Phase II Trial of Atezolizumab As First-Line or Subsequent Therapy for Patients With Programmed Death-Ligand 1–Selected Advanced Non–Small-Cell Lung Cancer (BIRCH). Journal of Clinical Oncology, 2017, 35, 2781-2789.	1.6	348
10	Five-Year Outcomes From the Randomized, Phase III Trials CheckMate 017 and 057: Nivolumab Versus Docetaxel in Previously Treated Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2021, 39, 723-733.	1.6	329
11	Four-Year Survival With Durvalumab After Chemoradiotherapy in Stage III NSCLC—an Update From the PACIFIC Trial. Journal of Thoracic Oncology, 2021, 16, 860-867.	1.1	323
12	Updated Overall Survival and PD-L1 Subgroup Analysis of Patients With Extensive-Stage Small-Cell Lung Cancer Treated With Atezolizumab, Carboplatin, and Etoposide (IMpower133). Journal of Clinical Oncology, 2021, 39, 619-630.	1.6	317
13	Antibody–Fc/FcR Interaction on Macrophages as a Mechanism for Hyperprogressive Disease in Non–small Cell Lung Cancer Subsequent to PD-1/PD-L1 Blockade. Clinical Cancer Research, 2019, 25, 989-999.	7.0	315
14	Four-year survival with nivolumab in patients with previously treated advanced non-small-cell lung cancer: a pooled analysis. Lancet Oncology, The, 2019, 20, 1395-1408.	10.7	247
15	Thymoma and thymic carcinomas. Critical Reviews in Oncology/Hematology, 2016, 99, 332-350.	4.4	220
16	Different types of K-Ras mutations could affect drug sensitivity and tumour behaviour in non-small-cell lung cancer. Annals of Oncology, 2011, 22, 235-237.	1.2	170
17	Modulation of peripheral blood immune cells by early use of steroids and its association with clinical outcomes in patients with metastatic non-small cell lung cancer treated with immune checkpoint inhibitors. ESMO Open, 2019, 4, e000457.	4.5	151
18	Does Surgery Improve Survival of Patients with Malignant Pleural Mesothelioma?: A Multicenter Retrospective Analysis of 1365 Consecutive Patients. Journal of Thoracic Oncology, 2014, 9, 390-396.	1.1	123

#	Article	IF	CITATIONS
19	Nivolumab and brain metastases in patients with advanced non-squamous non-small cell lung cancer. Lung Cancer, 2019, 129, 35-40.	2.0	122
20	Outcomes With Pembrolizumab Plus Platinum-Based Chemotherapy for Patients With NSCLC and Stable Brain Metastases: Pooled Analysis of KEYNOTE-021, -189, and -407. Journal of Thoracic Oncology, 2021, 16, 1883-1892.	1.1	93
21	Second-line chemotherapy in malignant pleural mesothelioma: Results of a retrospective multicenter survey. Lung Cancer, 2012, 75, 360-367.	2.0	89
22	Response of thymoma to cetuximab. Lancet Oncology, The, 2007, 8, 449-450.	10.7	79
23	Italian Nivolumab Expanded Access Program inÂNonsquamous Non–Small Cell Lung Cancer Patients: Results in Never-Smokers and EGFR-Mutant Patients. Journal of Thoracic Oncology, 2018, 13, 1146-1155.	1.1	77
24	Circulating T-cell Immunosenescence in Patients with Advanced Non–small Cell Lung Cancer Treated with Single-agent PD-1/PD-L1 Inhibitors or Platinum-based Chemotherapy. Clinical Cancer Research, 2021, 27, 492-503.	7.0	76
25	Metformin Enhances Cisplatin-Induced Apoptosis and Prevents Resistance to Cisplatin in Co-mutated KRAS/LKB1 NSCLC. Journal of Thoracic Oncology, 2018, 13, 1692-1704.	1.1	74
26	Five-year survival outcomes with durvalumab after chemoradiotherapy in unresectable stage III NSCLC: An update from the PACIFIC trial Journal of Clinical Oncology, 2021, 39, 8511-8511.	1.6	74
27	Poziotinib in Non–Small-Cell Lung Cancer Harboring <i>HER2</i> Exon 20 Insertion Mutations After Prior Therapies: ZENITH20-2 Trial. Journal of Clinical Oncology, 2022, 40, 710-718.	1.6	72
28	Targeting the MET gene for the treatment of non-small-cell lung cancer. Critical Reviews in Oncology/Hematology, 2014, 89, 284-299.	4.4	70
29	<i>KRAS</i> mutations affect prognosis of non-small-cell lung cancer patients treated with first-line platinum containing chemotherapy. Oncotarget, 2015, 6, 34014-34022.	1.8	68
30	Multiparametric molecular characterization of pulmonary sarcomatoid carcinoma reveals a nonrandom amplification of anaplastic lymphoma kinase (ALK) gene. Lung Cancer, 2012, 77, 507-514.	2.0	64
31	Maintenance or consolidation therapy in small-cell lung cancer: A systematic review and meta-analysis. Lung Cancer, 2010, 70, 119-128.	2.0	58
32	EPSILoN: A Prognostic Score for Immunotherapy in Advanced Non-Small-Cell Lung Cancer: A Validation Cohort. Cancers, 2019, 11, 1954.	3.7	57
33	Outcomes of small-cell lung cancer patients treated with second-line chemotherapy: A multi-institutional retrospective analysis. Lung Cancer, 2011, 72, 378-383.	2.0	56
34	Association between antibiotic-immunotherapy exposure ratio and outcome in metastatic non small cell lung cancer. Lung Cancer, 2019, 132, 72-78.	2.0	54
35	ΔNp63 (p40) Distribution Inside Lung Cancer. International Journal of Surgical Pathology, 2013, 21, 229-239.	0.8	51
36	Is there evidence for different effects among EGFR-TKIs? Systematic review and meta-analysis of EGFR tyrosine kinase inhibitors (TKIs) versus chemotherapy as first-line treatment for patients harboring EGFR mutations. Critical Reviews in Oncology/Hematology, 2015, 94, 213-227.	4.4	51

#	Article	IF	CITATIONS
37	Randomised phase 2 study of pembrolizumab plus CC-486 versus pembrolizumab plus placebo in patients with previously treated advanced non-small cell lung cancer. European Journal of Cancer, 2019, 108, 120-128.	2.8	50
38	Targeted therapy-induced diarrhea: A review of the literature. Critical Reviews in Oncology/Hematology, 2014, 90, 165-179.	4.4	47
39	Treatment of lung large cell neuroendocrine carcinoma. Tumor Biology, 2016, 37, 7047-7057.	1.8	46
40	Predictive models in palliative care. Cancer, 2009, 115, 3128-3134.	4.1	45
41	Mechanisms of hyperprogressive disease after immune checkpoint inhibitor therapy: what we (don't) know. Journal of Experimental and Clinical Cancer Research, 2020, 39, 236.	8.6	44
42	Base excision repair-mediated resistance to cisplatin in KRAS(G12C) mutant NSCLC cells. Oncotarget, 2015, 6, 30072-30087.	1.8	43
43	Review: Targeted therapies in small cell lung cancer: a review. Therapeutic Advances in Medical Oncology, 2010, 2, 25-37.	3.2	42
44	Value of KRAS as prognostic or predictive marker in NSCLC: results from the TAILOR trial. Annals of Oncology, 2015, 26, 2079-2084.	1.2	42
45	Tocilizumab for the treatment of immune-related adverse events: a systematic literature review and a multicentre case series. European Journal of Internal Medicine, 2021, 93, 87-94.	2.2	41
46	MicroRNAs for the Diagnosis and Management of Malignant Pleural Mesothelioma: A Literature Review. Frontiers in Oncology, 2018, 8, 650.	2.8	40
47	Risk/benefit profile of bevacizumab in metastatic colon cancer: A systematic review and meta-analysis. Digestive and Liver Disease, 2011, 43, 286-294.	0.9	39
48	Is There an Interplay between Immune Checkpoint Inhibitors, Thromboprophylactic Treatments and Thromboembolic Events? Mechanisms and Impact in Non-Small Cell Lung Cancer Patients. Cancers, 2020, 12, 67.	3.7	39
49	P2.36: Nivolumab (nivo) in Patients (pts) WithÂAdvanced (adv) NSCLC and CentralÂNervous System (CNS) Metastases (mets). Journal of Thoracic Oncology, 2016, 11, S238-S239.	1.1	38
50	Best practices for the management of thymic epithelial tumors: A position paper by the Italian collaborative group for ThYmic MalignanciEs (TYME). Cancer Treatment Reviews, 2018, 71, 76-87.	7.7	38
51	Emerging toxicities in the treatment of non-small cell lung cancer: Ocular disorders. Cancer Treatment Reviews, 2014, 40, 197-203.	7.7	36
52	Diagnosis and management of typical and atypical lung carcinoids. Critical Reviews in Oncology/Hematology, 2016, 100, 167-176.	4.4	35
53	Immune Checkpoint Blockade: A New Era for Non-Small Cell Lung Cancer. Current Oncology Reports, 2016, 18, 59.	4.0	35
54	Outcomes from salvage chemotherapy or pembrolizumab beyond progression with or without local ablative therapies for advanced non-small cell lung cancers with PD-L1 ≥50% who progress on first-line immunotherapy: real-world data from a European cohort. Journal of Thoracic Disease, 2019, 11, 4972-4981.	1.4	35

#	Article	IF	CITATIONS
55	Concomitant <i>EML4-ALK</i> rearrangement and <i>EGFR</i> mutation in non-small cell lung cancer patients: a literature review of 100 cases. Oncotarget, 2017, 8, 59889-59900.	1.8	33
56	Treatment strategies and outcomes for patients with EGFR-mutant non-small cell lung cancer resistant to EGFR tyrosine kinase inhibitors: Focus on novel therapies. Lung Cancer, 2022, 170, 41-51.	2.0	33
57	Osteonecrosis of the jaw (ONJ) in cancer patients treated with Bisphosphonates: how the knowledge of a phenomenon can change its evolution. Supportive Care in Cancer, 2008, 16, 1311-1315.	2.2	32
58	COVID-19 in patients with cancer: managing a pandemic within a pandemic. Nature Reviews Clinical Oncology, 2021, 18, 1-2.	27.6	32
59	Avelumab Versus Docetaxel in Patients With Platinum-Treated Advanced NSCLC: 2-Year Follow-Up From the JAVELIN Lung 200 Phase 3 Trial. Journal of Thoracic Oncology, 2021, 16, 1369-1378.	1.1	31
60	Epidermal growth factor receptor tyrosine kinase inhibitors for the treatment of central nervous system metastases from non-small cell lung cancer: the present and the future. Translational Lung Cancer Research, 2016, 5, 563-578.	2.8	30
61	Antiangiogenic therapy for patients with aggressive or refractory advanced non-small cell lung cancer in the second-line setting. Lung Cancer, 2018, 120, 62-69.	2.0	29
62	Randomised Phase II Trial (NCT00637975) Evaluating Activity and Toxicity of Two Different Escalating Strategies for Pregabalin and Oxycodone Combination Therapy for Neuropathic Pain in Cancer Patients. PLoS ONE, 2013, 8, e59981.	2.5	28
63	Relationship Between Programmed Death Receptor-Ligand 1 Expression and Response to Checkpoint Inhibitor Immunotherapy in Pulmonary Sarcomatoid Carcinoma: A Pooled Analysis. Clinical Lung Cancer, 2020, 21, e456-e463.	2.6	28
64	Co-occurring KRAS mutation/LKB1 loss in non-small cell lung cancer cells results in enhanced metabolic activity susceptible to caloric restriction: an in vitro integrated multilevel approach. Journal of Experimental and Clinical Cancer Research, 2018, 37, 302.	8.6	27
65	Exploiting FAsting-mimicking Diet and MEtformin to Improve the Efficacy of Platinum-pemetrexed Chemotherapy in Advanced LKB1-inactivated Lung Adenocarcinoma: The FAME Trial. Clinical Lung Cancer, 2019, 20, e413-e417.	2.6	27
66	Uncommon mutations in epidermal growth factor receptor and response to first and second generation tyrosine kinase inhibitors: A case series and literature review. Lung Cancer, 2018, 115, 135-142.	2.0	27
67	Across the Universe of K-Ras Mutations in Non-Small-Cell-Lung Cancer. Current Pharmaceutical Design, 2014, 20, 3933-3943.	1.9	27
68	Biological and clinical features in predicting efficacy of epidermal growth factor receptor tyrosine kinase inhibitors: a systematic review and meta-analysis. Anticancer Research, 2009, 29, 2691-701.	1.1	27
69	Dissecting Pulmonary Large-Cell Carcinoma by Targeted Next Generation Sequencing of Several Cancer Genes Pushes Genotypic-Phenotypic Correlations to Emerge. Journal of Thoracic Oncology, 2015, 10, 1560-1569.	1.1	26
70	Can the response to a platinum-based therapy be predicted by the DNA repair status in non-small cell lung cancer?. Cancer Treatment Reviews, 2016, 48, 8-19.	7.7	26
71	Maintenance therapy in NSCLC: why? To whom? Which agent?. Journal of Experimental and Clinical Cancer Research, 2011, 30, 50.	8.6	24
72	Incidence of T790M in Patients With NSCLC Progressed to Gefitinib, Erlotinib, and Afatinib: A Study on Circulating Cell-free DNA. Clinical Lung Cancer, 2020, 21, 232-237.	2.6	24

#	Article	IF	CITATIONS
73	LKB1 Deficiency Renders NSCLC Cells Sensitive to ERK Inhibitors. Journal of Thoracic Oncology, 2020, 15, 360-370.	1.1	24
74	Phase II Trial of Atezolizumab As First-Line or Subsequent Therapy for Patients With Programmed Death-Ligand 1–Selected Advanced Non–Small-Cell Lung Cancer (BIRCH). Journal of Clinical Oncology, 2017, 35, 2781-2789.	1.6	24
75	Immunotherapy in advanced Non-Small Cell Lung Cancer patients with poor performance status: The role of clinical-pathological variables and inflammatory biomarkers. Lung Cancer, 2021, 152, 165-173.	2.0	23
76	The impact of personalized medicine on survival: Comparisons of results in metastatic breast, colorectal and non-small-cell lung cancers. Cancer Treatment Reviews, 2014, 40, 485-494.	7.7	21
77	Available evidence and new biological perspectives on medical treatment of advanced thymic epithelial tumors. Annals of Oncology, 2015, 26, 838-847.	1.2	21
78	Challenging Lung Carcinoma with Coexistent ΔNp63/p40 and Thyroid Transcription Factor-1 Labeling Within the Same Individual Tumor Cells. Journal of Thoracic Oncology, 2015, 10, 1500-1502.	1.1	20
79	Hyperprogressive Disease upon Immune Checkpoint Blockade: Focus on Non–small Cell Lung Cancer. Current Oncology Reports, 2020, 22, 41.	4.0	20
80	Wee1 inhibitor MK1775 sensitizes KRAS mutated NSCLC cells to sorafenib. Scientific Reports, 2018, 8, 948.	3.3	19
81	Lung Adenocarcinoma Patient Refractory to Gefitinib and Responsive to Crizotinib, with Concurrent Rare Mutation of the Epidermal Growth Factor Receptor (L861Q) and Increased ALK/MET/ROS1 Gene Copy Number. Journal of Thoracic Oncology, 2013, 8, e105-e106.	1.1	17
82	Stereotatic radiotherapy in metastatic non-small cell lung cancer: Combining immunotherapy and radiotherapy with a focus on liver metastases. Lung Cancer, 2020, 142, 70-79.	2.0	17
83	Testing Epidermal Growth Factor Receptor Mutations in Patients With Non–Small-Cell Lung Cancer to Choose Chemotherapy: The Other Side of the Coin. Journal of Clinical Oncology, 2011, 29, 3835-3837.	1.6	16
84	Peptide receptor radionuclide therapy: focus on bronchial neuroendocrine tumors. Tumor Biology, 2016, 37, 12991-13003.	1.8	16
85	Rationale for Treatment and Study Design of TAILOR: A Randomized Phase III Trial of Second-line Erlotinib Versus Docetaxel in the Treatment of Patients Affected by Advanced Non–Small-Cell Lung Cancer With the Absence of Epidermal Growth Factor Receptor Mutations. Clinical Lung Cancer, 2011, 12, 138-141	2.6	15
86	Low Baseline Serum Sodium Concentration Is Associated with Poor Clinical Outcomes in Metastatic Non-Small Cell Lung Cancer Patients Treated with Immunotherapy. Targeted Oncology, 2018, 13, 795-800.	3.6	15
87	RELEVENT Trial: Phase II Trial of Ramucirumab, Carboplatin, and Paclitaxel in Previously Untreated Thymic Carcinoma/B3 Thymoma With Area of Carcinoma. Clinical Lung Cancer, 2018, 19, e811-e814.	2.6	15
88	RANBP9 affects cancer cells response to genotoxic stress and its overexpression is associated with worse response to platinum in NSCLC patients. Oncogene, 2018, 37, 6463-6476.	5.9	15
89	Mesothelioma and thymic tumors: Treatment challenges in (outside) a network setting. European Journal of Surgical Oncology, 2019, 45, 75-80.	1.0	15
90	ORAL01.04: Phase II Trial of Atezolizumab for Patients with PD-L1–Selected Advanced NSCLC (BIRCH): Updated Efficacy and Exploratory Biomarker Results. Journal of Thoracic Oncology, 2016, 11, S251-S252.	1.1	14

#	Article	IF	CITATIONS
91	Deciphering intra-tumor heterogeneity of lung adenocarcinoma confirms that dominant, branching, and private gene mutations occur within individual tumor nodules. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 468, 651-662.	2.8	14
92	Prevention of chemotherapy-induced nausea and vomiting and the role of neurokinin 1 inhibitors. Anti-Cancer Drugs, 2013, 24, 99-111.	1.4	13
93	Chemotherapy in non-small cell lung cancer patients after prior immunotherapy: The multicenter retrospective CLARITY study. Lung Cancer, 2020, 150, 123-131.	2.0	13
94	Bevacizumab for Non–Small-Cell Lung Cancer. New England Journal of Medicine, 2007, 356, 1373-1375.	27.0	12
95	Treatment in EGFR-mutated Non-small Cell Lung Cancer: How to Block the Receptor and overcome Resistance Mechanisms. Tumori, 2017, 103, 325-337.	1.1	12
96	Immunotherapy: a new standard of care in thoracic malignancies?. European Respiratory Journal, 2018, 51, 1702072.	6.7	11
97	Role of KRAS-LCS6 polymorphism in advanced NSCLC patients treated with erlotinib or docetaxel in second line treatment (TAILOR). Scientific Reports, 2015, 5, 16331.	3.3	10
98	Mechanisms of Resistance to Target Therapies in Non-small Cell Lung Cancer. Handbook of Experimental Pharmacology, 2017, 249, 63-89.	1.8	10
99	Immune-checkpoint inhibitors in advanced non-small cell lung cancer with uncommon histology. Clinical Lung Cancer, 2021, , .	2.6	10
100	Afatinib in the treatment of squamous non-small cell lung cancer: a new frontier or an old mistake?. Translational Lung Cancer Research, 2016, 5, 110-4.	2.8	9
101	Does Immunohistochemistry Affect Response to Therapy and Survival of Inoperable Non–Small Cell Lung Carcinoma Patients? A Survey of 145 Stage III-IV Consecutive Cases. International Journal of Surgical Pathology, 2014, 22, 136-148.	0.8	8
102	Systemic Approach to Malignant Pleural Mesothelioma: What News of Chemotherapy, Targeted Agents and Immunotherapy?. Tumori, 2016, 102, 18-30.	1.1	8
103	Integrating clinical and biological prognostic biomarkers in patients with advanced NSCLC treated with immunotherapy: the DEMo score system. Translational Lung Cancer Research, 2020, 9, 617-628.	2.8	8
104	Moving towards a customized approach for drug development: lessons from clinical trials with immune checkpoint inhibitors in lung cancer. Translational Lung Cancer Research, 2015, 4, 704-12.	2.8	8
105	Is the Chemotherapy Era in Advanced Non-Small Cell Lung Cancer Really Over? Maybe not Yet. Tumori, 2016, 102, 223-225.	1.1	7
106	Characterization of patients with metastatic non-small-cell lung cancer obtaining long-term benefit from immunotherapy. Future Oncology, 2019, 15, 2743-2757.	2.4	7
107	A mono-institutional prospective study on the effectiveness of a specialist psychotherapeutic intervention (POI) started at the diagnosis of cancer. Supportive Care in Cancer, 2012, 20, 475-481.	2.2	6
108	Nivolumab in never-smokers with advanced squamous non-small cell lung cancer: Results from the Italian cohort of an expanded access program. Tumor Biology, 2018, 40, 101042831881504.	1.8	6

#	Article	IF	CITATIONS
109	The Prognostic Role of TNM Staging Compared With Tumor Volume and Number of Pleural Sites in Malignant Pleural Mesothelioma. Clinical Lung Cancer, 2019, 20, e652-e660.	2.6	6
110	DiM: Prognostic Score for Second- or Further-line Immunotherapy in Advanced Non–Small-Cell Lung Cancer: An External Validation. Clinical Lung Cancer, 2020, 21, e337-e348.	2.6	6
111	Evaluation of Drug—Drug Interactions in EGFR-Mutated Non-Small-Cell Lung Cancer Patients during Treatment with Tyrosine-Kinase Inhibitors. Journal of Personalized Medicine, 2021, 11, 424.	2.5	6
112	New strategies in colon cancer adjuvant therapy. Annals of Oncology, 2006, 17, vii51-vii54.	1.2	5
113	Reversible palpebral ptosis following oxaliplatin infusion. Digestive and Liver Disease, 2007, 39, 1041.	0.9	5
114	Should <i>KRAS</i> Mutations Be Considered an Independent Prognostic Factor in Patients With Advanced Colorectal Cancer Treated With Cetuximab?. Journal of Clinical Oncology, 2008, 26, 2600-2600.	1.6	5
115	Phase III, randomized, open-label study of durvalumab (MEDI4736) in combination with tremelimumab or durvalumab alone versus platinum-based chemotherapy in first-line treatment of patients with advanced/metastatic NSCLC: MYSTIC. , 2015, 3, .		5
116	G48A, a New KRAS Mutation Found in Lung Adenocarcinoma. Journal of Thoracic Oncology, 2016, 11, 1170-1175.	1.1	5
117	Atezolizumab in a <u>C</u> o <u>H</u> ort of pretreated, advanced, non-small cell lung cancer patients with rare HistologiCal Subtyp <u>E</u> s (CHANCE trial). Therapeutic Advances in Medical Oncology, 2020, 12, 175883592091598.	3.2	5
118	New findings on thymic epithelial tumors: Something is changing. World Journal of Clinical Oncology, 2015, 6, 96.	2.3	5
119	Perioperative or postoperative therapy for resectable gastric cancer?. Annals of Oncology, 2008, 19, v99-v102.	1.2	4
120	Evaluation of safety and efficacy of tivantinib in the treatment of inoperable or recurrent non-small-cell lung cancer. Cancer Management and Research, 2013, 5, 15.	1.9	4
121	Afatinib for lung cancer: let there be light?. Lancet Oncology, The, 2014, 15, 133-134.	10.7	4
122	Shifting From a "One Size Fits All―to a Tailored Approach for Immune-Related Adverse Events. Journal of Thoracic Oncology, 2021, 16, 183-186.	1.1	4
123	SMO mutations confer poor prognosis in malignant pleural mesothelioma. Translational Lung Cancer Research, 2020, 9, 1940-1951.	2.8	4
124	SARS-CoV-2 vaccine in patients with thymic epithelial tumours with and without active or pre-existing autoimmune disorders: Brief report of a TYME network safety analysis. European Journal of Cancer, 2022, 166, 202-207.	2.8	4
125	New anti-emetic treatments. Annals of Oncology, 2007, 18, ix43-ix47.	1.2	3
126	Predicting response of molecular targeted therapies: a still possible challenge?. Annals of Oncology, 2008, 19, 829-830.	1.2	3

#	Article	IF	CITATIONS
127	To Target or Not to Target, That Is the Question. Journal of Clinical Oncology, 2013, 31, 1254-1254.	1.6	3
128	Do We Really Need Another Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor in First-Line Treatment for Patients With Non–Small-Cell Lung Cancer andEGFRMutations?. Journal of Clinical Oncology, 2014, 32, 859-863.	1.6	3
129	EGFR mutations and EGFR tyrosine kinase inhibitors. Lancet Oncology, The, 2015, 16, 746-748.	10.7	3
130	The 5′UTR variant of ERCC5 fails to influence outcomes in ovarian and lung cancer patients undergoing treatment with platinum-based drugs. Scientific Reports, 2016, 6, 39217.	3.3	3
131	Prognostic role of neutrophil-to-lymphocyte ratio and EPSILoN score in advanced non-small-cell lung cancer patients treated with first-line chemo-immunotherapy. Future Oncology, 2022, 18, 2593-2604.	2.4	3
132	A lesson from vorinostat in pleural mesothelioma. Lancet Oncology, The, 2015, 16, 359-360.	10.7	2
133	Doing more with less: fluorescence in situ hybridization and gene sequencing assays can be reliably performed on archival stained tumor tissue sections. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 468, 451-461.	2.8	2
134	Chemotherapy versus erlotinib as second-line treatment in patients with advanced non-small cell lung cancer and wild-type epidermal growth factor receptor: an individual patient data (IPD) analysis. ESMO Open, 2018, 3, e000327.	4.5	2
135	To Continue or Not to Continue? That Is the Question. Journal of Clinical Oncology, 2020, 38, 3830-3832.	1.6	2
136	Predicting the Role of DNA Polymerase β Alone or with KRAS Mutations in Advanced NSCLC Patients Receiving Platinum-Based Chemotherapy. Journal of Clinical Medicine, 2020, 9, 2438.	2.4	2
137	LKB1 mutations are not associated with the efficacy of first-line and second-line chemotherapy in patients with advanced non-small-cell lung cancer (NSCLC): a post hoc analysis of the TAILOR trial. ESMO Open, 2020, 5, e000748.	4.5	2
138	Patient-reported outcomes with durvalumab by PD-L1 expression and prior chemoradiotherapy-related variables in unresectable stage III non-small-cell lung cancer. Future Oncology, 2021, 17, 1165-1184.	2.4	2
139	Novel patterns of progression upon immunotherapy in other thoracic malignancies and uncommon populations. Translational Lung Cancer Research, 2021, 10, 2955-2969.	2.8	2
140	Comprehensive metastatic ablation in advanced NSCLC through biology-guided radiotherapy – A path forward?. Lung Cancer, 2021, 162, 203-206.	2.0	2
141	Chemotherapy versus tyrosine kinase inhibitor in EGFR unselected population advanced non-small cell lung cancer still matter of debate?-An update incorporating the DELTA trial data. Journal of Thoracic Disease, 2015, 7, 224-6.	1.4	2
142	Male breast cancer: clinical features and multimodal treatment in a retrospective survey analysis at Italian centers. Tumori, 2013, 99, 596-600.	1.1	2
143	Localized Hand-Foot Syndrome after Intra-Arterial Hepatic Chemotherapy with Floxuridine: A Clinical Case. Tumori, 2005, 91, 193-196.	1.1	1
144	Role of Cetuximab in the Treatment of Patients With NSCLC: Are We Throwing Out the Baby With the Bath Water?. Journal of Clinical Oncology, 2010, 28, e467-e467.	1.6	1

#	Article	IF	CITATIONS
145	Reply to FOLFIRI plus cetuximab versus FOLFIRI plus bevacizumab as first-line treatment for patients with metastatic colorectal cancer–subgroup analysis of patients with KRAS-mutated tumours in the randomised German AIO study KRK-0306. Annals of Oncology, 2012, 23, 2771-2772.	1.2	1
146	Fatal case of hepatic portal venous gas following palliative stenting and chemotherapy for occlusive advanced colorectal cancer. International Journal of Colorectal Disease, 2015, 30, 429-430.	2.2	1
147	Abstract B77: KRAS mutational status impact progression-free survival of patients treated with platinum-based chemotherapy in NSCLC , 2011, , .		1
148	Is hyperprogressive disease a specific phenomenom of immunotherapy?. Exploration of Targeted Anti-tumor Therapy, 2020, 1, .	0.8	1
149	Facing the First-line in Metastatic Non-small-cell Lung Cancer – Immunotherapy and Chemotherapy. European Oncology and Haematology, 2020, 16, 39.	0.0	0
150	mutations confer poor prognosis in malignant pleural mesothelioma. Translational Lung Cancer Research, 2020, 9, 1940-1951.	2.8	0
151	Durvalumab after sequential CRT safe in stage III, unresectable NSCLC. , 0, , .		0