

Klaus-Peter Dieckmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4225740/publications.pdf>

Version: 2024-02-01

89
papers

4,416
citations

94433

37
h-index

106344

65
g-index

96
all docs

96
docs citations

96
times ranked

2442
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | European Consensus Conference on Diagnosis and Treatment of Germ Cell Cancer: A Report of the Second Meeting of the European Germ Cell Cancer Consensus group (EGCCCG): Part I. European Urology, 2008, 53, 478-496. | 1.9 | 488 |
| 2 | Randomized Phase III Trial Comparing Retroperitoneal Lymph Node Dissection With One Course of Bleomycin and Etoposide Plus Cisplatin Chemotherapy in the Adjuvant Treatment of Clinical Stage I Nonseminomatous Testicular Germ Cell Tumors: AUO Trial AH 01/94 by the German Testicular Cancer Study Group. Journal of Clinical Oncology, 2008, 26, 2966-2972. | 1.6 | 305 |
| 3 | Serum Levels of MicroRNA-371a-3p (M371 Test) as a New Biomarker of Testicular Germ Cell Tumors: Results of a Prospective Multicentric Study. Journal of Clinical Oncology, 2019, 37, 1412-1423. | 1.6 | 246 |
| 4 | Organ-Sparing Surgery for Adult Testicular Tumours: A Systematic Review of the Literature. European Urology, 2010, 57, 780-790. | 1.9 | 173 |
| 5 | Serum Levels of MicroRNA miR-371a-3p: A Sensitive and Specific New Biomarker for Germ Cell Tumours. European Urology, 2017, 71, 213-220. | 1.9 | 161 |
| 6 | Carcinoma in situ in the Testis. Scandinavian Journal of Urology and Nephrology, 2000, 34, 166-186. | 1.4 | 157 |
| 7 | MicroRNAs miR-371-3 in serum as diagnostic tools in the management of testicular germ cell tumours. British Journal of Cancer, 2012, 107, 1754-1760. | 6.4 | 148 |
| 8 | Targeted serum miRNA (TSMiR) test for diagnosis and follow-up of (testicular) germ cell cancer patients: A proof of principle. Molecular Oncology, 2013, 7, 1083-1092. | 4.6 | 142 |
| 9 | Adjuvant treatment of clinical Stage I seminoma: is a single course of carboplatin sufficient?. Urology, 2000, 55, 102-106. | 1.0 | 141 |
| 10 | LATE RELAPSE OF TESTICULAR GERM CELL NEOPLASMS: A DESCRIPTIVE ANALYSIS OF 122 CASES. Journal of Urology, 2005, 173, 824-829. | 0.4 | 125 |
| 11 | Diagnosis of Contralateral Testicular Intraepithelial Neoplasia (TIN) in Patients with Testicular Germ Cell Cancer: Systematic Two-Site Biopsies Are More Sensitive Than a Single Random Biopsy. European Urology, 2007, 51, 175-185. | 1.9 | 123 |
| 12 | Bilateral testicular germ cell tumors. Report of nine cases and review of the literature. Cancer, 1986, 57, 1254-1258. | 4.1 | 116 |
| 13 | Serum Levels of MicroRNAs miR-371-3: A Novel Class of Serum Biomarkers for Testicular Germ Cell Tumors?. European Urology, 2012, 61, 1068-1069. | 1.9 | 100 |
| 14 | Changes in epidemiologic features of testicular germ cell cancer: Age at diagnosis and relative frequency of seminoma are constantly and significantly increasing. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 33.e1-33.e6. | 1.6 | 88 |
| 15 | The prevalence of familial testicular cancer. Cancer, 1997, 80, 1954-1960. | 4.1 | 87 |
| 16 | MicroRNA miR-371a-3p in serum of patients with germ cell tumours: evaluations for establishing a serum biomarker. Andrology, 2015, 3, 78-84. | 3.5 | 79 |
| 17 | Identification and Validation Model for Informative Liquid Biopsy-Based microRNA Biomarkers: Insights from Germ Cell Tumor In Vitro, In Vivo and Patient-Derived Data. Cells, 2019, 8, 1637. | 4.1 | 73 |
| 18 | Serum Tumour Markers in Testicular Germ Cell Tumours: Frequencies of Elevated Levels and Extents of Marker Elevation Are Significantly Associated with Clinical Parameters and with Response to Treatment. BioMed Research International, 2019, 2019, 1-22. | 1.9 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Application of miRNAs in the diagnosis and monitoring of testicular germ cell tumours. <i>Nature Reviews Urology</i> , 2020, 17, 201-213. | 3.8 | 67 |
| 20 | The value of the biopsy of the contralateral testis in patients with testicular germ cell cancer: The recent German experience. <i>Apmis</i> , 1998, 106, 13-23. | 2.0 | 63 |
| 21 | The Novel Biomarker of Germ Cell Tumours, Micro-RNA-371a-3p, Has a Very Rapid Decay in Patients with Clinical Stage 1. <i>Urologia Internationalis</i> , 2018, 100, 470-475. | 1.3 | 60 |
| 22 | Circulating MicroRNAs, the Next-Generation Serum Biomarkers in Testicular Germ Cell Tumours: A Systematic Review. <i>European Urology</i> , 2021, 80, 456-466. | 1.9 | 60 |
| 23 | Contemporary diagnostic work-up of testicular germ cell tumours. <i>Nature Reviews Urology</i> , 2013, 10, 703-712. | 3.8 | 58 |
| 24 | Testicular Germ-Cell Tumours: A Descriptive Analysis of Clinical Characteristics at First Presentation. <i>Urologia Internationalis</i> , 2018, 100, 409-419. | 1.3 | 57 |
| 25 | Testicular seminoma clinical stage 1: treatment outcome on a routine care level. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1599-1607. | 2.5 | 48 |
| 26 | Low-dose radiation therapy for testicular intraepithelial neoplasia. <i>Journal of Cancer Research and Clinical Oncology</i> , 1993, 119, 355-359. | 2.5 | 45 |
| 27 | How Harmful is Contralateral Testicular Biopsy? An Analysis of Serial Imaging Studies and a Prospective Evaluation of Surgical Complications. <i>European Urology</i> , 2005, 48, 662-672. | 1.9 | 45 |
| 28 | Spermatogenesis in the contralateral testis of patients with testicular germ cell cancer: histological evaluation of testicular biopsies and a comparison with healthy males. <i>BJU International</i> , 2007, 99, 1079-1085. | 2.5 | 44 |
| 29 | MicroRNA miR-371a-3p - A Novel Serum Biomarker of Testicular Germ Cell Tumors: Evidence for Specificity from Measurements in Testicular Vein Blood and in Neoplastic Hydrocele Fluid. <i>Urologia Internationalis</i> , 2016, 97, 76-83. | 1.3 | 44 |
| 30 | Non-Coding microRNAs as Novel Potential Tumor Markers in Testicular Cancer. <i>Cancers</i> , 2020, 12, 749. | 3.7 | 44 |
| 31 | Evidence for acute vascular toxicity of cisplatin-based chemotherapy in patients with germ cell tumour. <i>Anticancer Research</i> , 2011, 31, 4501-5. | 1.1 | 44 |
| 32 | Is Risk of Testicular Cancer Related to Body Size?. <i>European Urology</i> , 2002, 42, 564-569. | 1.9 | 42 |
| 33 | How Valid Is the Prenatal Estrogen Excess Hypothesis of Testicular Germ Cell Cancer?. <i>European Urology</i> , 2001, 40, 677-684. | 1.9 | 41 |
| 34 | Outcome of Men With Relapse After Adjuvant Carboplatin for Clinical Stage I Seminoma. <i>Journal of Clinical Oncology</i> , 2017, 35, 194-200. | 1.6 | 41 |
| 35 | Immunohistological determination of oestrogen receptor, progesterone receptor, and intermediate filaments in Leydig cell tumours, Leydig cell hyperplasia, and normal Leydig cells of the human testis. <i>Journal of Pathology</i> , 1989, 157, 225-234. | 4.5 | 40 |
| 36 | Carcinoma in situ of the testis: Intratubular germ cell neoplasia or testicular intraepithelial neoplasia?. <i>Human Pathology</i> , 1990, 21, 457. | 2.0 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | PREVALENCE OF TESTICULAR INTRAEPITHELIAL NEOPLASIA IN HEALTHY MALES. <i>Journal of Urology</i> , 2005, 173, 1577-1579. | 0.4 | 38 |
| 38 | Intrascrotal Metastasis of Renal Cell Carcinoma. <i>European Urology</i> , 1988, 15, 297-301. | 1.9 | 37 |
| 39 | Management of Germ Cell Tumours of the Testis in Adult Patients. German Clinical Practice Guideline Part I: Epidemiology, Classification, Diagnosis, Prognosis, Fertility Preservation, and Treatment Recommendations for Localized Stages. <i>Urologia Internationalis</i> , 2021, 105, 169-180. | 1.3 | 37 |
| 40 | FALSE-NEGATIVE BIOPSIES FOR TESTICULAR INTRAEPITHELIAL NEOPLASIA. <i>Journal of Urology</i> , 1999, 162, 364-368. | 0.4 | 36 |
| 41 | Serum Levels of MicroRNA371a-3p: A Highly Sensitive Tool for Diagnosing and Staging Testicular Germ Cell Tumours: A Clinical Case Series. <i>Urologia Internationalis</i> , 2017, 99, 98-103. | 1.3 | 36 |
| 42 | Is increased body mass index associated with the incidence of testicular germ cell cancer?. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 731-738. | 2.5 | 32 |
| 43 | Risk Factors and Treatment Outcomes of 1,375 Patients with Testicular Leydig Cell Tumors: Analysis of Published Case Series Data. <i>Journal of Urology</i> , 2020, 203, 949-956. | 0.4 | 30 |
| 44 | Testicular prostheses in patients with testicular cancer - acceptance rate and patient satisfaction. <i>BMC Urology</i> , 2015, 15, 16. | 1.4 | 29 |
| 45 | Serum Level of microRNA-375-3p Is Not a Reliable Biomarker of Teratoma. <i>In Vivo</i> , 2020, 34, 163-168. | 1.3 | 29 |
| 46 | Thrombosis of abdominal aorta during cisplatin-based chemotherapy of testicular seminoma - a case report. <i>BMC Cancer</i> , 2009, 9, 459. | 2.6 | 28 |
| 47 | Paratesticular fibrous pseudotumor in young males presenting with histological features of IgG4-related disease: two case reports. <i>Journal of Medical Case Reports</i> , 2013, 7, 225. | 0.8 | 28 |
| 48 | Diagnosis and management of testicular intraepithelial neoplasia (carcinoma in situ) - surgical aspects. <i>Apmis</i> , 2003, 111, 64-69. | 2.0 | 27 |
| 49 | Expression of microRNAs of C19MC in Different Histological Types of Testicular Germ Cell Tumour. <i>Cancer Genomics and Proteomics</i> , 2016, 13, 281-9. | 2.0 | 24 |
| 50 | Venous Thromboembolic Events in Germ Cell Cancer Patients Undergoing Platinum-Based Chemotherapy. <i>Onkologie</i> , 2013, 36, 663-668. | 0.8 | 21 |
| 51 | Major complications of post-chemotherapy retroperitoneal lymph node dissection in a contemporary cohort of patients with testicular cancer and a review of the literature. <i>World Journal of Surgical Oncology</i> , 2020, 18, 253. | 1.9 | 20 |
| 52 | Thymic hyperplasia following chemotherapy of a testicular germ cell tumor. Immunohistological evidence for a simple rebound phenomenon. <i>Cancer</i> , 1989, 63, 446-449. | 4.1 | 19 |
| 53 | Management of Germ Cell Tumours of the Testes in Adult Patients: German Clinical Practice Guideline, PART II "Recommendations for the Treatment of Advanced, Recurrent, and Refractory Disease and Extragonadal and Sex Cord/Stromal Tumours and for the Management of Follow-Up, Toxicity, Quality of Life, Palliative Care, and Supportive Therapy. <i>Urologia Internationalis</i> , 2021, 105, 181-191. | 1.3 | 19 |
| 54 | A Multi-institutional Pooled Analysis Demonstrates That Circulating miR-371a-3p Alone is Sufficient for Testicular Malignant Germ Cell Tumor Diagnosis. <i>Clinical Genitourinary Cancer</i> , 2021, 19, 469-479. | 1.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Graded expression of microRNA-371a-3p in tumor tissues, contralateral testes, and in serum of patients with testicular germ cell tumor. <i>Oncotarget</i> , 2020, 11, 1462-1473. | 1.8 | 19 |
| 56 | Serum levels of microRNA-371a-3p are not elevated in testicular tumours of non-germ cell origin. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 435-443. | 2.5 | 18 |
| 57 | Seminoma Clinical Stage 1 - Patterns of Care in Germany. <i>Urologia Internationalis</i> , 2016, 96, 390-398. | 1.3 | 15 |
| 58 | Leydig-cell tumour of the testis: retrospective analysis of clinical and therapeutic features in 204 cases. <i>World Journal of Urology</i> , 2020, 38, 2857-2862. | 2.2 | 13 |
| 59 | Renal Actinomycosis Mimicking Renal Carcinoma. <i>European Urology</i> , 2001, 39, 357-359. | 1.9 | 10 |
| 60 | Sequential bilateral testicular tumours presenting with intervals of 20 years and more. <i>BMC Urology</i> , 2013, 13, 71. | 1.4 | 10 |
| 61 | Late toxicities and recurrences in patients with clinical stage I non-seminomatous germ cell tumours after 1 cycle of adjuvant bleomycin, etoposide and cisplatin versus primary retroperitoneal lymph node dissection – A 13-year follow-up analysis of a phase III trial cohort. <i>European Journal of Cancer</i> , 2021, 155, 64-72. | 2.8 | 10 |
| 62 | Adjuvant carboplatin therapy in patients with clinical stage 1 testicular seminoma: is long-term morbidity increased?. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2335-2342. | 2.5 | 9 |
| 63 | Pure Testicular Seminoma with Non-Pathologic Elevation of Alpha Fetoprotein: A Case Series. <i>Urologia Internationalis</i> , 2017, 99, 353-357. | 1.3 | 8 |
| 64 | Associations of serum levels of microRNA-371a-3p (M371) with risk factors for progression in nonseminomatous testicular germ cell tumours clinical stage 1. <i>World Journal of Urology</i> , 2022, 40, 317-326. | 2.2 | 8 |
| 65 | Is there still a place for retroperitoneal lymph node dissection in clinical stage 1 nonseminomatous testicular germ-cell tumours? A retrospective clinical study. <i>BMC Urology</i> , 2018, 18, 95. | 1.4 | 7 |
| 66 | Serum Levels of MicroRNA-371a-3p (M371) Can Predict Absence or Presence of Vital Disease in Residual Masses After Chemotherapy of Metastatic Seminoma. <i>Frontiers in Oncology</i> , 2022, 12, . | 2.8 | 7 |
| 67 | High Expression of microRNA-371a-3p in Cystic Fluid of Post-Chemotherapy Teratoma with Concurrent Normal Serum Levels in Patients with Non-Seminomatous Testicular Germ Cell Tumours. <i>Urologia Internationalis</i> , 2021, 105, 21-26. | 1.3 | 6 |
| 68 | Adult Granulosa Cell Tumor of the Testis: A Case Report with a Review of the Literature. <i>Case Reports in Urology</i> , 2019, 2019, 1-10. | 0.3 | 5 |
| 69 | FALSE-NEGATIVE BIOPSIES FOR TESTICULAR INTRAEPITHELIAL NEOPLASIA. <i>Journal of Urology</i> , 1999, , 364-368. | 0.4 | 5 |
| 70 | Thromboembolic Events in Patients with Testicular Germ Cell Tumours Are Predominantly Triggered by Advanced Disease and by Central Venous Access Systems. <i>Urologia Internationalis</i> , 2021, 105, 257-263. | 1.3 | 5 |
| 71 | The prognostic significance of lactate dehydrogenase levels in seminoma patients with advanced disease: an analysis by the Global Germ Cell Tumor Collaborative Group (G3). <i>World Journal of Urology</i> , 2021, 39, 3407-3414. | 2.2 | 4 |
| 72 | Revised manuscript R2, clean version are serum levels of 25-hydroxy vitamin D reduced following orchiectomy in testicular cancer patients?. <i>Basic and Clinical Andrology</i> , 2021, 31, 14. | 1.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Single-course bleomycin, etoposide, and cisplatin (1xBEP) as adjuvant treatment in testicular nonseminoma clinical stage 1: outcome, safety, and risk factors for relapse in a population-based study. <i>Therapeutic Advances in Medical Oncology</i> , 2022, 14, 175883592210868. | 3.2 | 4 |
| 74 | Four testicular biopsies failing to detect a case of testicular intraepithelial neoplasia. <i>Acta Oncologica</i> , 2004, 43, 212-214. | 1.8 | 3 |
| 75 | Carboplatin Does Not Prevent Contralateral Testicular Tumors in Patients With Seminoma. <i>Journal of Clinical Oncology</i> , 2011, 29, 2944-2945. | 1.6 | 3 |
| 76 | Re: Bilateral Testicular Germ Cell Tumors in Turkey: Increase in Incidence in Last Decade and Evaluation of Risk Factors in 30 Patients. <i>Journal of Urology</i> , 2007, 178, 2222-2223. | 0.4 | 2 |
| 77 | Re: Niels J. van Casteren, Hans Stoop, Gert R. Dohle, Ronald de Wit, J. Wolter Oosterhuis, Leendert H.J. Looijenga. Noninvasive Detection of Testicular Carcinoma In Situ in Semen Using OCT3/4. <i>Eur Urol</i> 2008;54:153-60. <i>European Urology</i> , 2009, 55, e63-e64. | 1.9 | 2 |
| 78 | Factor V Leiden mutation triggering four major complications to standard dose cisplatin-chemotherapy for testicular seminoma: a case report. <i>BMC Urology</i> , 2015, 15, 21. | 1.4 | 2 |
| 79 | Reply to J. Bharadwa and V.H. Nargund. <i>European Urology</i> , 2004, 45, 392. | 1.9 | 1 |
| 80 | Pure Testicular Seminoma Relapsing Late with Somatic Type Malignancy. <i>Case Reports in Oncological Medicine</i> , 2017, 2017, 1-5. | 0.3 | 1 |
| 81 | Does Testicular Seminoma Involve a Higher Predisposition Than Nonseminoma to Develop Contralateral Testicular Tumors?. <i>Journal of Clinical Oncology</i> , 2021, 39, 1689-1690. | 1.6 | 1 |
| 82 | Is There Still an Indication for Radiotherapy in Seminoma Clinical Stages IIA/B?. , 2015, , 19-24. | | 0 |
| 83 | Contralateral biopsies in patients with testicular germ cell tumours: What is the rationale?. <i>World Journal of Urology</i> , 2017, 35, 1161-1166. | 2.2 | 0 |
| 84 | Serumspiegel von MicroRNA-371a-3p (M371-Test) als neuer Biomarker für testikuläre Keimzelltumoren: Ergebnisse einer prospektiven Multicenterstudie. <i>Karger Kompass Onkologie</i> , 0, , 1-10. | 0.0 | 0 |
| 85 | Maligne Hodentumoren. , 2009, , 637-738. | | 0 |
| 86 | Maligne Hodentumoren: Therapie des Primärtumors. <i>Springer Reference Medizin</i> , 2019, , 1-9. | 0.0 | 0 |
| 87 | Keimzellneoplasie in situ (GCNIS): Therapie. <i>Springer Reference Medizin</i> , 2019, , 1-4. | 0.0 | 0 |
| 88 | Maligne Hodentumoren: Epidemiologie und Ätiologie. <i>Springer Reference Medizin</i> , 2019, , 1-8. | 0.0 | 0 |
| 89 | Maligne Hodentumoren: Onkologische Kennzeichen und Diagnostik. <i>Springer Reference Medizin</i> , 2019, , 1-8. | 0.0 | 0 |