

MÃ³nica VÃ¡zquez-Del Mercado

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4226577/publications.pdf>

Version: 2024-02-01

124
papers

1,949
citations

304743

22
h-index

330143

37
g-index

132
all docs

132
docs citations

132
times ranked

2958
citing authors

#	ARTICLE	IF	CITATIONS
1	Osteopontin: another piece in the systemic lupus erythematosus immunopathology puzzle. <i>Clinical and Experimental Rheumatology</i> , 2022, 40, 173-182.	0.8	5
2	Suicide Risk in Rheumatoid Arthritis Patients is Associated With Suboptimal Vitamin D Levels. <i>Journal of Clinical Rheumatology</i> , 2022, 28, 137-142.	0.9	4
3	Prolonged-release pirfenidone prevents obesity-induced cardiac steatosis and fibrosis in a mouse NASH model. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 927-938.	2.6	16
4	Contribution of rs3211938 polymorphism at CD36 to glucose levels, oxidized low-density lipoproteins, insulin resistance, and body mass index in Mexican mestizos with type-2 diabetes from western Mexico. <i>Nutricion Hospitalaria</i> , 2021, 38, 742-748.	0.3	1
5	CCR2/CCL2 and CMKLR1/RvE1 chemokines system levels are associated with insulin resistance in rheumatoid arthritis. <i>PLoS ONE</i> , 2021, 16, e0246054.	2.5	1
6	Presence of anti-TIF-1 $\hat{3}$, anti-Ro52, anti-SSA/Ro60 and anti-Su/Ago2 antibodies in breast cancer: a cross-sectional study. <i>Immunopharmacology and Immunotoxicology</i> , 2021, 43, 328-333.	2.4	7
7	Geographical Latitude Remains as an Important Factor for the Prevalence of Some Myositis Autoantibodies: A Systematic Review. <i>Frontiers in Immunology</i> , 2021, 12, 672008.	4.8	8
8	The DNA co-vaccination using Sm antigen and IL-10 as prophylactic experimental therapy ameliorates nephritis in a model of lupus induced by pristane. <i>PLoS ONE</i> , 2021, 16, e0259114.	2.5	3
9	Myositis-Specific Antibodies and Myositis-Associated Antibodies in Patients With Idiopathic Inflammatory Myopathies From the PANLAR Myositis Study Group. <i>Journal of Clinical Rheumatology</i> , 2021, 27, e302-e306.	0.9	8
10	Going Further: Comprehensive Disease Control of Rheumatoid Arthritis, Targeting Cytokines and Chemokines. <i>Journal of Clinical Rheumatology</i> , 2021, 27, e432-e439.	0.9	3
11	Tofacitinib in juvenile idiopathic arthritis: a double-blind, placebo-controlled, withdrawal phase 3 randomised trial. <i>Lancet, The</i> , 2021, 398, 1984-1996.	13.7	79
12	Evaluation of a psychoeducational intervention including emotional intelligence to increase treatment adherence in rheumatoid arthritis (A pilot study). <i>Reumatismo</i> , 2021, 73, .	0.9	2
13	Osteopontin: another piece in the systemic lupus erythematosus immunopathology puzzle. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.8	0
14	Good response to mycophenolate mofetil on treatment of interstitial lung disease in polymyositis associated with antisynthetase syndrome positive for anti-EJ and anti-Ro52 antibodies. <i>Clinical Rheumatology</i> , 2020, 39, 2837-2839.	2.2	0
15	Adenovirus Biodistribution is Modified in Sensitive Animals Compared to Na \hat{v} e Animals. <i>Molecular Biotechnology</i> , 2020, 62, 260-272.	2.4	2
16	Pirfenidone Is an Agonistic Ligand for PPAR $\hat{1}$ and Improves NASH by Activation of SIRT1/LKB1/pAMPK. <i>Hepatology Communications</i> , 2020, 4, 434-449.	4.3	33
17	Enalapril Influence on Arterial Stiffness in Rheumatoid Arthritis Women: A Randomized Clinical Trial. <i>Frontiers in Medicine</i> , 2020, 6, 341.	2.6	9
18	Leptin as an open secret in the physiopathology of rheumatic diseases. <i>Clinical Rheumatology</i> , 2020, 39, 301-303.	2.2	3

#	ARTICLE	IF	CITATIONS
19	Evaluation of Safety of a Newly Formulated Pirfenidone in Chronic Kidney Disease: A Non-Randomized Pilot Study in Mexican Patients. <i>Journal of Renal and Hepatic Disorders</i> , 2020, 4, 22-30.	0.2	0
20	The Montreal Cognitive Assessment Test. <i>Journal of Clinical Rheumatology</i> , 2019, 25, 325-328.	0.9	21
21	Downregulation of hippocampal NR2A/2B subunits related to cognitive impairment in a pristane-induced lupus BALB/c mice. <i>PLoS ONE</i> , 2019, 14, e0217190.	2.5	12
22	Capsaicin induces a protective effect on gastric mucosa along with decreased expression of inflammatory molecules in a gastritis model. <i>Journal of Functional Foods</i> , 2019, 59, 345-351.	3.4	16
23	IgG Anti-ghrelin Immune Complexes Are Increased in Rheumatoid Arthritis Patients Under Biologic Therapy and Are Related to Clinical and Metabolic Markers. <i>Frontiers in Endocrinology</i> , 2019, 10, 252.	3.5	6
24	Autoantibodies to Mi-2 alpha and Mi-2 beta in patients with idiopathic inflammatory myopathy. <i>Rheumatology</i> , 2019, 58, 1655-1661.	1.9	20
25	Evaluation of medical ethics competencies in rheumatology: local experience during national accreditation process. <i>Journal of Medical Ethics</i> , 2019, 45, 839-842.	1.8	1
26	Ageing influences the relationship of circulating <i>miR-33a</i> and <i>miR-33b</i> levels with insulin resistance and adiposity. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 244-253.	2.0	13
27	The EuroMyositis registry: an international collaborative tool to facilitate myositis research. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 30-39.	0.9	183
28	Subclinical parameters of arterial stiffness and arteriosclerosis correlate with QRISK3 in systemic lupus erythematosus. <i>PLoS ONE</i> , 2018, 13, e0207520.	2.5	24
29	Potential Chronotherapeutic Optimization of Antimalarials in Systemic Lupus Erythematosus: Is Toll-Like Receptor 9 Expression Dependent on the Circadian Cycle in Humans?. <i>Frontiers in Immunology</i> , 2018, 9, 1497.	4.8	6
30	The Unexplored Frontier of Molecular Epidemiology of Tuberculosis in Patients with Rheumatic Disease. <i>Clinical Research and Trials</i> , 2018, 5, .	0.1	0
31	EvaluaciÃ³n clÃ¡nica y ultrasonogrÃ¡fica de la glÃ¡ndula tiroides en pacientes con artritis reumatoide. <i>Gaceta Medica De Mexico</i> , 2018, 154, 432-437.	0.3	1
32	Prolactin has a pathogenic role in systemic lupus erythematosus. <i>Immunologic Research</i> , 2017, 65, 512-523.	2.9	49
33	Detection of autoantibodies to DSF70/LEDGFp75 in Mexican Hispanics using multiple complementary assay platforms. <i>Autoimmunity Highlights</i> , 2017, 8, 1.	3.9	28
34	SAT0374â€¦The euromyositis registry: an international description of myositis. , 2017, , .		1
35	SAT0100â€¦Acpa and abdominal adiposity are independent predictors of increments in basal insulin in patients with ra. , 2017, , .		0
36	Disease duration of rheumatoid arthritis is a predictor of vascular stiffness. <i>Medicine (United States)</i> , 2017, 96, e7862.	1.0	25

#	ARTICLE	IF	CITATIONS
37	AB0083...Single nucleotide polymorphisms in lep " 2548 g>a and lepr + 668 a>g in rheumatoid arthritis mexican mestizos are associated with age at diagnosis, disease activity and anti-ccp antibodies. , 2017, , .		0
38	Response to: "Antisynthetase syndrome or what else? Different perspectives indicate the need for new classification criteria"™ by Cavagna et al. Annals of the Rheumatic Diseases, 2017, 77, annrheumdis-2017-212382.	0.9	2
39	AB0345...Psychiatric disorders related to hyperleptinemia and rheumatoid arthritis clinical activity measured by das28. , 2017, , .		0
40	AB0330...Rheumatoid factor and RO52KDA antibodies are independent predictors of insulin resistance in rheumatoid arthritis. , 2017, , .		0
41	AB0321...Relationship of carotid femoral pulse wave velocity with age and time of evolution in patients with rheumatoid arthritis. , 2017, , .		0
42	Serum levels of adiponectin and leptin as biomarkers of proteinuria in lupus nephritis. PLoS ONE, 2017, 12, e0184056.	2.5	26
43	Immunometabolism in Obesity. , 2017, , .		1
44	Sensorineural Hearing Impairment and Subclinical Atherosclerosis in Rheumatoid Arthritis Patients Without Traditional Cardiovascular Risk Factors. Archives of Rheumatology, 2016, 31, 208-214.	0.9	1
45	Inverse Relationship of theCMKLR1Relative Expression and Chemerin Serum Levels in Obesity with Dysmetabolic Phenotype and Insulin Resistance. Mediators of Inflammation, 2016, 2016, 1-9.	3.0	12
46	CCL2 Serum Levels and Adiposity Are Associated with the Polymorphic Phenotypes -2518A on CCL2 and 64ILE on CCR2 in a Mexican Population with Insulin Resistance. Journal of Diabetes Research, 2016, 2016, 1-11.	2.3	11
47	Low CD36 and LOX-1 Levels andCD36Gene Subexpression Are Associated with Metabolic Dysregulation in Older Individuals with Abdominal Obesity. Journal of Diabetes Research, 2016, 2016, 1-10.	2.3	2
48	Disease Activity Score on 28 Joints and Polypharmacy Are Independent Predictors for Health-Related Quality of Life Evaluated by INCAVISA in Patients With Rheumatoid Arthritis. Journal of Clinical Rheumatology, 2016, 22, 399-404.	0.9	11
49	AB0029...Relationship SCD36 Levels and Disease Activity in Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2016, 75, 906.3-907.	0.9	0
50	[PP.37.14] RELATIONSHIP OF CAROTID FEMORAL PULSE WAVE VELOCITY WITH AGE AND TIME OF EVOLUTION IN PATIENTS WITH RHEUMATOID ARTHRITIS. Journal of Hypertension, 2016, 34, e344-e345.	0.5	0
51	Serum leptin and serum leptin/serum leptin receptor ratio imbalance in obese rheumatoid arthritis patients positive for anti-cyclic citrullinated peptide antibodies. Arthritis Research and Therapy, 2015, 17, 335.	3.5	16
52	AB0371...Lepr 668 A>g Snp is Associated with Titers of Anti-CCP Antibodies and Erythrocyte Sedimentation Rate in Mexican Mestizo Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2015, 74, 1017.2-1017.	0.9	0
53	AB0936...Tuberculosis Infection in Mexican Patients with Idiopathic Inflammatory Myopathies: Report of three Cases and Review of the Literature. Annals of the Rheumatic Diseases, 2015, 74, 1212.3-1212.	0.9	0
54	Extrapulmonary Tuberculosis Infection in Mexican Patients With Idiopathic Inflammatory Myopathies. Journal of Clinical Rheumatology, 2015, 21, 331-332.	0.9	2

#	ARTICLE	IF	CITATIONS
55	The Impact of <i>LEP</i>G-2548A and <i>LEPR</i>Gln223Arg Polymorphisms on Adiposity, Leptin, and Leptin-Receptor Serum Levels in a Mexican Mestizo Population. <i>BioMed Research International</i> , 2015, 2015, 1-10.	1.9	24
56	AB0381â€¦Clinical and Ultrasound Assessment of Thyroid in Rheumatoid Arthritis Mexican Patients. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1020.2-1020.	0.9	0
57	Anti-Cyclic Citrullinated Peptide Antibodies and Severity of Interstitial Lung Disease in Women with Rheumatoid Arthritis. <i>Journal of Immunology Research</i> , 2015, 2015, 1-10.	2.2	43
58	Influence of Anti-TNF and Disease Modifying Antirheumatic Drugs Therapy on Pulmonary Forced Vital Capacity Associated to Ankylosing Spondylitis: A 2-Year Follow-Up Observational Study. <i>Journal of Immunology Research</i> , 2015, 2015, 1-8.	2.2	0
59	The 482Ser of <i>PPARGC1A</i> and 12Pro of <i>PPARG2</i> Alleles Are Associated with Reduction of Metabolic Risk Factors Even Obesity in a Mexican-Mestizo Population. <i>BioMed Research International</i> , 2015, 2015, 1-14.	1.9	19
60	Serum Levels of Anticyclic Citrullinated Peptide Antibodies, Interleukin-6, Tumor Necrosis Factor-Î±, and C-Reactive Protein Are Associated with Increased Carotid Intima-Media Thickness: A Cross-Sectional Analysis of a Cohort of Rheumatoid Arthritis Patients without Cardiovascular Risk Factors. <i>BioMed Research International</i> , 2015, 2015, 1-10.	1.9	30
61	Procollagen Type I and III Aminoterminal Propeptide Levels and Severity of Interstitial Lung Disease in Mexican Women With Progressive Systemic Sclerosis. <i>Archivos De Bronconeumologia</i> , 2015, 51, 440-448.	0.8	4
62	Niveles de propÃ©tido aminoterminal de procolÃ©geno tipos i y iii y gravedad de la enfermedad pulmonar intersticial en mujeres mexicanas con esclerosis sistÃ©mica progresiva. <i>Archivos De Bronconeumologia</i> , 2015, 51, 440-448.	0.8	10
63	Association of interleukin-10 promoter haplotypes with disease susceptibility and IL-10 levels in Mexican patients with systemic lupus erythematosus. <i>Clinical and Experimental Medicine</i> , 2015, 15, 439-446.	3.6	14
64	FAS -670A>G promoter polymorphism is associated with soluble Fas levels in primary SjÃ¶grenâ€™s syndrome. <i>Genetics and Molecular Research</i> , 2014, 13, 4831-4838.	0.2	9
65	Low Levels of CD36 in Peripheral Blood Monocytes in Subclinical Atherosclerosis in Rheumatoid Arthritis: A Cross-Sectional Study in a Mexican Population. <i>BioMed Research International</i> , 2014, 2014, 1-6.	1.9	10
66	Modifications in Lipid Levels Are Independent of Serum TNF-Î± in Rheumatoid Arthritis: Results of an Observational 24-Week Cohort Study Comparing Patients Receiving Etanercept Plus Methotrexate or Methotrexate as Monotherapy. <i>BioMed Research International</i> , 2014, 2014, 1-10.	1.9	10
67	ActualizaciÃ³n de la GuÃ­a Mexicana para el Tratamiento FarmacolÃ³gico de la Artritis Reumatoide del Colegio Mexicano de ReumatologÃ­a. <i>ReumatologÃ­a ClÃ­nica</i> , 2014, 10, 227-240.	0.5	44
68	AB0635â€¦Clinical and Autoantibodies Features in Autoimmune/Inflammatory Syndrome Induced by Adjuvants: Mineral Oils and Silicone. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1015.3-1016.	0.9	0
69	FRI0081â€¦Titers of Anti-Ccp Antibodies, IL-6, Tnf-Alpha and CRP Are Associated with Increased Carotid Intima-Media Thickness: Cross-Sectional Analysis of A Rheumatoid Arthritis Group without Cardiovascular Risk Factors. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 410.3-411.	0.9	0
70	SAT0135â€¦Low Levels of CD36 in Peripheral Blood Monocytes in Subclinical Atherosclerosis in Rheumatoid Arthritis: A Cross-Sectional Study of A Mexican Population. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 639.2-640.	0.9	0
71	Implications in the difference of anti-Mi-2 and -p155/140 autoantibody prevalence in two dermatomyositis cohorts from Mexico City and Guadalajara. <i>Arthritis Research and Therapy</i> , 2013, 15, R48.	3.5	63
72	Pulmonary function in ankylosing spondylitis: association with clinical variables. <i>Rheumatology International</i> , 2013, 33, 2351-2358.	3.0	15

#	ARTICLE	IF	CITATIONS
73	Prescription for antiresorptive therapy in Mexican patients with rheumatoid arthritis: is it time to reevaluate the strategies for osteoporosis prevention?. <i>Rheumatology International</i> , 2013, 33, 145-150.	3.0	6
74	Autoantibodies to Argonaute 2 (Su Antigen). <i>Advances in Experimental Medicine and Biology</i> , 2013, 768, 45-59.	1.6	26
75	The γ 174G/C and γ 572G/C Interleukin 6 Promoter Gene Polymorphisms in Mexican Patients with Rheumatoid Arthritis: A Case-Control Study. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-5.	3.3	19
76	Coexistence of anti-RNA polymerase III and anti-U1RNP antibodies in patients with systemic lupus erythematosus: two cases without features of scleroderma. <i>Lupus</i> , 2012, 21, 68-74.	1.6	6
77	A Controlled Clinical Trial With Pirfenidone in the Treatment of Pathological Skin Scarring Caused by Burns in Pediatric Patients. <i>Annals of Plastic Surgery</i> , 2012, 68, 22-28.	0.9	44
78	The γ ACTN3 γ R577X polymorphism is associated with inflammatory myopathies in a Mexican population. <i>Scandinavian Journal of Rheumatology</i> , 2012, 41, 396-400.	1.1	14
79	Autoantibodies to transcription intermediary factor (TIF) γ 2 associated with dermatomyositis. <i>Arthritis Research and Therapy</i> , 2012, 14, R79.	3.5	22
80	MTHFR C677T, MTHFR A1298C, and OPG A163G Polymorphisms in Mexican Patients with Rheumatoid Arthritis and Osteoporosis. <i>Disease Markers</i> , 2012, 32, 109-114.	1.3	14
81	Association of ADIPOQ γ 45T γ G polymorphism with body fat mass and blood levels of soluble adiponectin and inflammation markers in a Mexican-Mestizo population. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2012, 5, 369.	2.4	17
82	γ 383 A/C tumor necrosis factor receptor 1 polymorphism and ankylosing spondylitis in Mexicans: a preliminary study. <i>Rheumatology International</i> , 2012, 32, 2565-2568.	3.0	12
83	MTHFR C677T, MTHFR A1298C, and OPG A163G polymorphisms in Mexican patients with rheumatoid arthritis and osteoporosis. <i>Disease Markers</i> , 2012, 32, 109-114.	1.3	15
84	Polymorphisms C677T and A1298C in the MTHFR gene in Mexican patients with rheumatoid arthritis treated with methotrexate: implication with elevation of transaminases. <i>Pharmacogenomics Journal</i> , 2011, 11, 287-291.	2.0	39
85	Caspase 3 blocking avoids the expression of autoantigens triggered by apoptosis in neonatal Balb/c mice skin. <i>Reumatismo</i> , 2011, 63, 29-37.	0.9	0
86	The Distribution of CD56 ^{dim} CD16 ⁺ and CD56 ^{bright} CD16 ⁺ Cells are Associated with Prolactin Levels during Pregnancy and Menstrual Cycle in Healthy Women. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 433-437.	1.2	6
87	IL-17 Increased in the Third Trimester in Healthy Women with Term Labor. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 99-103.	1.2	48
88	Plasminogen activator inhibitor-1 polymorphisms (γ 844 G>A and HindIII C>G) in systemic lupus erythematosus: association with clinical variables. <i>Clinical and Experimental Medicine</i> , 2011, 11, 11-17.	3.6	4
89	FCGR3A V(176) polymorphism for systemic lupus erythematosus susceptibility in Mexican population. <i>Rheumatology International</i> , 2011, 31, 1065-1068.	3.0	8
90	Increased CD28 serum levels are not associated with specific clinical activity in systemic lupus erythematosus. <i>Rheumatology International</i> , 2011, 31, 1321-1324.	3.0	4

#	ARTICLE	IF	CITATIONS
91	YKL-40 expression in CD14 ⁺ liver cells in acute and chronic injury. World Journal of Gastroenterology, 2011, 17, 3830.	3.3	20
92	Amebic monocyte locomotion inhibitory factor peptide ameliorates inflammation in CIA mouse model by downregulation of cell adhesion, inflammation/chemotaxis, and matrix metalloproteinases genes. Inflammation Research, 2010, 59, 1041-1051.	4.0	11
93	The γ 383A>C TNFRI polymorphism is associated with soluble levels and clinical activity in rheumatoid arthritis. Rheumatology International, 2010, 30, 655-659.	3.0	6
94	Inhibitors of MAPK Pathway ERK1/2 or p38 Prevent the IL-1 β -induced Up-regulation of SRP72 Autoantigen in Jurkat Cells. Journal of Biological Chemistry, 2010, 285, 32824-32833.	3.4	24
95	The +49A>G CTLA-4 polymorphism is associated with rheumatoid arthritis in Mexican population. Clinica Chimica Acta, 2010, 411, 725-728.	1.1	32
96	High prevalence of autoantibodies to RNA helicase A in Mexican patients with systemic lupus erythematosus. Arthritis Research and Therapy, 2010, 12, R6.	3.5	18
97	A new PCR-RFLP assay for ϵ 1123 G>C polymorphism in the PTPN22 gene: allele and genotype frequencies in a western Mexican population. Clinical Chemistry and Laboratory Medicine, 2009, 47, 491-3.	2.3	7
98	A Functional Ser413/Ser413 PAI-2 Polymorphism Is Associated With Susceptibility and Damage Index Score in Systemic Lupus Erythematosus. Clinical and Applied Thrombosis/Hemostasis, 2009, 15, 233-238.	1.7	13
99	T.134. DNA Covaccination Encoding Sm D1, Sm D2, Sm B/B, IFN- β and IL-10; Tolerizing Preventive Therapy in a Mouse Model of Pristane Induced Lupus. Clinical Immunology, 2009, 131, S91.	3.2	0
100	S.122. Correlation Between Hormone Levels with NK Cells Receptors During Pregnancy. Clinical Immunology, 2009, 131, S165-S166.	3.2	0
101	Plasminogen activator inhibitor-1 C/G polymorphism in relation to plasma levels in rheumatoid arthritis. Clinical and Experimental Medicine, 2009, 9, 223-228.	3.6	5
102	Circulating E-selectin and tumor necrosis factor- α in extraarticular involvement and joint disease activity in rheumatoid arthritis. Rheumatology International, 2009, 29, 281-286.	3.0	8
103	Liver fibrosis secondary to bile duct injury: correlation of Smad7 with TGF- β 2 and extracellular matrix proteins. BMC Gastroenterology, 2009, 9, 81.	2.0	11
104	Reduced IgG anti-small nuclear ribonucleoprotein autoantibody production in systemic lupus erythematosus patients with positive IgM anti-cytomegalovirus antibodies. Arthritis Research and Therapy, 2009, 11, R27.	3.5	22
105	Circulating TNFRI and TNFRII levels correlated with the disease activity score (DAS28) in rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2009, 38, 332-335.	1.1	17
106	Clinical interpretation of antinuclear antibody tests in systemic rheumatic diseases. Modern Rheumatology, 2009, 19, 219-228.	1.8	98
107	Clinical interpretation of antinuclear antibody tests in systemic rheumatic diseases. Modern Rheumatology, 2009, 19, 219-228.	1.8	65
108	Expression of ICAM1 and VCAM1 Serum Levels in Rheumatoid Arthritis Clinical Activity. Association with Genetic Polymorphisms. Disease Markers, 2009, 26, 119-126.	1.3	42

#	ARTICLE	IF	CITATIONS
109	The δ 844 G/A PAI-1 polymorphism is associated with mRNA expression in rheumatoid arthritis. <i>Rheumatology International</i> , 2008, 28, 355-360.	3.0	15
110	Increase levels of apo-A1 and apo B are associated in knee osteoarthritis: lack of association with VEGF-460 T/C and +405 C/G polymorphisms. <i>Rheumatology International</i> , 2008, 29, 63-68.	3.0	21
111	Distribution of δ 844 G/A and Hind III C/G PAI-1 Polymorphisms and Plasma PAI-1 Levels in Mexican Subjects: Comparison of Frequencies Between Populations. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2008, 14, 220-226.	1.7	8
112	Fibrogenic Polymorphisms (TGF- β 2, PAI-1, AT) in Mexican Patients With Established Liver Fibrosis. Potential Correlation With Pirfenidone Treatment. <i>Journal of Investigative Medicine</i> , 2008, 56, 944-953.	1.6	18
113	Tumor Necrosis Factor β -308 and -238 Polymorphisms in Rheumatoid Arthritis. Association With Messenger RNA Expression and sTNF- β . <i>Journal of Investigative Medicine</i> , 2008, 56, 937-943.	1.6	34
114	Genotype Ser ⁴¹³ /Ser of PAI-1 polymorphism Ser ⁴¹³ /Cys is associated with anti-phospholipid syndrome and systemic lupus erythematosus in a familial case: comparison with healthy controls. <i>Scandinavian Journal of Rheumatology</i> , 2007, 36, 206-210.	1.1	19
115	Placental cytokine expression and NF- κ B activity in women with rheumatic diseases. <i>Scandinavian Journal of Rheumatology</i> , 2006, 35, 160-162.	1.1	3
116	Tumor necrosis factor receptor 2 M196R polymorphism in rheumatoid arthritis and osteoarthritis: relationship with sTNFR2 levels and clinical features. <i>Rheumatology International</i> , 2006, 27, 53-59.	3.0	21
117	sE-Selectin expression and A561C polymorphism in relation to rheumatoid arthritis clinical activity. <i>Journal of Rheumatology</i> , 2006, 33, 1968-72.	2.0	5
118	Massive myeloid sarcoma affecting the central nervous system, mediastinum, retroperitoneum, liver, and rectum associated with acute myeloblastic leukaemia: a case report. <i>Journal of Clinical Pathology</i> , 2005, 58, 325-327.	2.0	22
119	Genotype and allele frequency of PAI-1 promoter polymorphism in healthy subjects from the west of Mexico. Association with biochemical and hematological parameters. <i>Annales De Génétique</i> , 2004, 47, 155-162.	0.4	23
120	Polymorphism of the β 3-adrenergic receptor and lipid profile in patients with rheumatoid arthritis and systemic lupus erythematosus treated with chloroquine. <i>Rheumatology International</i> , 2003, 23, 99-103.	3.0	9
121	TH 1/TH 2 cytokine profile, metalloprotease-9 activity and hormonal status in pregnant rheumatoid arthritis and systemic lupus erythematosus patients. <i>Clinical and Experimental Immunology</i> , 2003, 131, 377-384.	2.6	62
122	Evaluation of lipid profile, macular toxicity and clinical manifestations according to APO E genotype in systemic lupus erythematosus and rheumatoid arthritis patients treated with chloroquine. <i>Scandinavian Journal of Rheumatology</i> , 2002, 31, 32-37.	1.1	5
123	Lipid profile and antibodies against oxidized low density lipoprotein in alcoholic cirrhosis. <i>Hepatology Research</i> , 1999, 15, 95-103.	3.4	2
124	IgA Antihistone Antibodies in Isoniazid-Treated Tuberculosis Patients. <i>Autoimmunity</i> , 1995, 20, 105-111.	2.6	8