

Gian Paolo Accotto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4227338/publications.pdf>

Version: 2024-02-01

82
papers

4,149
citations

101543

36
h-index

118850

62
g-index

83
all docs

83
docs citations

83
times ranked

3060
citing authors

#	ARTICLE	IF	CITATIONS
1	Evidence for a Direct Link between Glutathione Biosynthesis and Stress Defense Gene Expression in Arabidopsis[W]. <i>Plant Cell</i> , 2004, 16, 2448-2462.	6.6	383
2	Tomato yellow leaf curl virus from sardinia is a whitefly- transmitted monoparatite geminivirus. <i>Nucleic Acids Research</i> , 1991, 19, 6763-6769.	14.5	271
3	Global and cellâ€type gene expression profiles in tomato plants colonized by an arbuscular mycorrhizal fungus. <i>New Phytologist</i> , 2009, 184, 975-987.	7.3	187
4	Amino Acids in the Capsid Protein of Tomato Yellow Leaf Curl Virus That Are Crucial for Systemic Infection, Particle Formation, and Insect Transmission. <i>Journal of Virology</i> , 1998, 72, 10050-10057.	3.4	159
5	Estimating the number of integrations in transformed plants by quantitative real-time PCR. <i>BMC Biotechnology</i> , 2002, 2, 20.	3.3	134
6	Resistance to Tomato Yellow Leaf Curl Geminivirus inNicotiana benthamianaPlants Transformed with a Truncated Viral C1 Gene. <i>Virology</i> , 1996, 224, 130-138.	2.4	132
7	Founder effect, plant host, and recombination shape the emergent population of begomoviruses that cause the tomato yellow leaf curl disease in the Mediterranean basin. <i>Virology</i> , 2007, 359, 302-312.	2.4	127
8	Typing of Tomato Yellow Leaf Curl Viruses in Europe. <i>European Journal of Plant Pathology</i> , 2000, 106, 179-186.	1.7	105
9	Real-time PCR for the quantitation of Tomato yellow leaf curl Sardinia virus in tomato plants and in Bemisia tabaci. <i>Journal of Virological Methods</i> , 2008, 147, 282-289.	2.1	101
10	Tomato Yellow Leaf Curl Sardinia Virus Rep-Derived Resistance to Homologous and Heterologous Geminiviruses Occurs by Different Mechanisms and Is Overcome if Virus-Mediated Transgene Silencing Is Activated. <i>Journal of Virology</i> , 2003, 77, 6785-6798.	3.4	97
11	Natural recombination between Tomato yellow leaf curl virus-Is and Tomato leaf curl virus. <i>Journal of General Virology</i> , 2000, 81, 2797-2801.	2.9	97
12	High similarity among the tomato yellow leaf curl virus isolates from the West Mediterranean Basin: the nucleotide sequence of an infectious clone from Spain. <i>Archives of Virology</i> , 1994, 135, 165-170.	2.1	96
13	The nucleotide sequence of a geminivirus from Digitaria sanguinalis. <i>Virology</i> , 1987, 161, 160-169.	2.4	92
14	Proteomics as a tool to improve investigation of substantial equivalence in genetically modified organisms: The case of a virusâ€resistant tomato. <i>Proteomics</i> , 2004, 4, 193-200.	2.2	90
15	An Ophiovirus isolated from lettuce with big-vein symptoms. <i>Archives of Virology</i> , 2000, 145, 2629-2642.	2.1	86
16	Transcriptomics of the Interaction between the Monopartite Phloem-Limited Geminivirus Tomato Yellow Leaf Curl Sardinia Virus and Solanum lycopersicum Highlights a Role for Plant Hormones, Autophagy and Plant Immune System Fine Tuning during Infection. <i>PLoS ONE</i> , 2014, 9, e89951.	2.5	77
17	High Expression of Truncated Viral Rep Protein Confers Resistance to Tomato Yellow Leaf Curl Virus in Transgenic Tomato Plants. <i>Molecular Plant-Microbe Interactions</i> , 1997, 10, 571-579.	2.6	73
18	Processing of complementary sense RNAs ofDigitariastreak virus in its host and in transgenic tobacco. <i>Nucleic Acids Research</i> , 1990, 18, 7259-7265.	14.5	64

#	ARTICLE	IF	CITATIONS
19	Comparative Analysis of Expression Profiles in Shoots and Roots of Tomato Systemically Infected by Tomato spotted wilt virus Reveals Organ-Specific Transcriptional Responses. <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 1504-1513.	2.6	64
20	TYLCSV DNA, but not infectivity, can be transovarially inherited by the progeny of the whitefly vector <i>Bemisia tabaci</i> (Gennadius). <i>Virology</i> , 2004, 323, 276-283.	2.4	63
21	Occurrence and Diagnosis of Tomato chlorosis virus in Portugal. <i>European Journal of Plant Pathology</i> , 2000, 106, 589-592.	1.7	61
22	The arbuscular mycorrhizal symbiosis attenuates symptom severity and reduces virus concentration in tomato infected by Tomato yellow leaf curl Sardinia virus (TYLCSV). <i>Mycorrhiza</i> , 2014, 24, 179-186.	2.8	61
23	In silico analysis of fungal small RNA accumulation reveals putative plant mRNA targets in the symbiosis between an arbuscular mycorrhizal fungus and its host plant. <i>BMC Genomics</i> , 2019, 20, 169.	2.8	60
24	Resistance toTospoviruses inNicotiana benthamianaTransformed with the N Gene of Tomato Spotted Wilt Virus: Correlation Between Transgene Expression and Protection In Primary Transformants. <i>Molecular Plant-Microbe Interactions</i> , 1995, 8, 66.	2.6	57
25	Two new natural begomovirus recombinants associated with the tomato yellow leaf curl disease co-exist with parental viruses in tomato epidemics in Italy. <i>Virus Research</i> , 2009, 143, 15-23.	2.2	56
26	Tomato yellow leaf curl Sardinia virus can overcome transgene-mediated RNA silencing of two essential viral genes. <i>Journal of General Virology</i> , 2004, 85, 1745-1749.	2.9	53
27	Arbuscular Mycorrhizal Symbiosis: Plant Friend or Foe in the Fight Against Viruses?. <i>Frontiers in Microbiology</i> , 2019, 10, 1238.	3.5	52
28	Use of digoxigenin-labelled probes for detection and host-range studies of tomato yellow leaf curl geminivirus. <i>Research in Virology</i> , 1991, 142, 283-288.	0.7	49
29	DNA-Binding Activity of the C2 Protein of Tomato Yellow Leaf Curl Geminivirus. <i>Virology</i> , 1996, 217, 607-612.	2.4	46
30	Potentiality of Methylation-sensitive Amplification Polymorphism (MSAP) in Identifying Genes Involved in Tomato Response to Tomato Yellow Leaf Curl Sardinia Virus. <i>Plant Molecular Biology Reporter</i> , 2008, 26, 156-173.	1.8	46
31	Transgenically Expressed T-Rep of Tomato Yellow Leaf Curl Sardinia Virus Acts as a trans-Dominant-Negative Mutant, Inhibiting Viral Transcription and Replication. <i>Journal of Virology</i> , 2001, 75, 10573-10581.	3.4	44
32	Spread of Tomato yellow leaf curl virus in Sicily: Partial Displacement of Another Geminivirus Originally Present. <i>European Journal of Plant Pathology</i> , 2006, 114, 293-299.	1.7	44
33	Three seedborne cryptic viruses containing double-stranded RNA isolated from white clover. <i>Virology</i> , 1985, 147, 29-40.	2.4	43
34	A Geminivirus, Serologically Related to Maize Streak Virus, from <i>Digitaria sanguinalis</i> from Vanuatu. <i>Journal of General Virology</i> , 1986, 67, 933-937.	2.9	43
35	<i>Digitaria</i> Streak Geminivirus Replicative Forms Are Abundant in S-Phase Nuclei of Infected Cells. <i>Virology</i> , 1993, 195, 257-259.	2.4	42
36	Analysis of small RNAs derived from tomato yellow leaf curl Sardinia virus reveals a cross reaction between the major viral hotspot and the plant host genome. <i>Virus Research</i> , 2013, 178, 287-296.	2.2	39

#	ARTICLE	IF	CITATIONS
37	Tomato infectious chlorosis virus causes leaf yellowing and reddening of tomato in Italy. <i>Phytoparasitica</i> , 2002, 30, 290-294.	1.2	37
38	A polyclonal antiserum against a recombinant viral protein combines specificity with versatility. <i>Journal of Virological Methods</i> , 1996, 56, 209-219.	2.1	36
39	Ourmia melon virus, a virus from Iran with novel properties. <i>Annals of Applied Biology</i> , 1988, 112, 291-302.	2.5	34
40	Recombination profiles between Tomato yellow leaf curl virus and Tomato yellow leaf curl Sardinia virus in laboratory and field conditions: evolutionary and taxonomic implications. <i>Journal of General Virology</i> , 2012, 93, 2712-2717.	2.9	34
41	Arbuscular Mycorrhizal Symbiosis Limits Foliar Transcriptional Responses to Viral Infection and Favors Long-Term Virus Accumulation. <i>Molecular Plant-Microbe Interactions</i> , 2011, 24, 1562-1572.	2.6	33
42	Pyramiding <i>Ty-1</i> and <i>Ty-3</i> and <i>Ty-2</i> in tomato hybrids dramatically inhibits symptom expression and accumulation of tomato yellow leaf curl disease inducing viruses. <i>Archives of Phytopathology and Plant Protection</i> , 2017, 50, 213-227.	1.3	33
43	First report of Tomato yellow leaf curl virus (TYLCV) in Italy. <i>Plant Pathology</i> , 2003, 52, 799-799.	2.4	32
44	Genetic transformation of <i>Eustoma grandiflorum</i> by <i>Agrobacterium tumefaciens</i> . <i>Plant Cell, Tissue and Organ Culture</i> , 1996, 47, 67-72.	2.3	31
45	Indian citrus ringspot virus: a proposed new species with some affinities to potex-, carla-, fovea- and allexiviruses. <i>Archives of Virology</i> , 2000, 145, 1895-1908.	2.1	29
46	The partial sequence of RNA 1 of the ophiovirus <i>Ranunculus white mottle virus</i> indicates its relationship to rhabdoviruses and provides candidate primers for an ophiovirus-specific RT-PCR test. <i>Archives of Virology</i> , 2003, 148, 1037-1050.	2.1	29
47	Partial characterization of a new virus from <i>ranunculus</i> with a divided RNA genome and circular supercoiled thread-like particles. <i>Archives of Virology</i> , 1997, 142, 2131-2146.	2.1	28
48	Nucleotide sequence, genome organisation and phylogenetic analysis of Indian citrus ringspot virus. <i>Archives of Virology</i> , 2002, 147, 2215-2224.	2.1	28
49	The Induction of an Effective dsRNA-Mediated Resistance Against Tomato Spotted Wilt Virus by Exogenous Application of Double-Stranded RNA Largely Depends on the Selection of the Viral RNA Target Region. <i>Frontiers in Plant Science</i> , 2020, 11, 533338.	3.6	28
50	The Coat Proteins and Nucleic Acids of Two Beet Cryptic Viruses. <i>Journal of General Virology</i> , 1986, 67, 363-366.	2.9	26
51	A single-tube PCR assay for detecting viruses and their recombinants that cause tomato yellow leaf curl disease in the Mediterranean basin. <i>Journal of Virological Methods</i> , 2008, 147, 93-98.	2.1	25
52	Arbuscular Mycorrhizal Symbiosis Primes Tolerance to Cucumber Mosaic Virus in Tomato. <i>Viruses</i> , 2020, 12, 675.	3.3	23
53	Seed Transmission of Beet Curly Top Virus and Beet Curly Top Iran Virus in a Local Cultivar of <i>Petunia</i> in Iran. <i>Viruses</i> , 2017, 9, 299.	3.3	22
54	First Report of <i>Tomato leaf curl New Delhi virus</i> Associated with Severe Mosaic of Pumpkin in Italy. <i>Plant Disease</i> , 2018, 102, 459.	1.4	22

#	ARTICLE	IF	CITATIONS
55	Genetic transformation of <i>Eustoma grandiflorum</i> Griseb. by microprojectile bombardment. <i>Euphytica</i> , 1995, 85, 125-130.	1.2	20
56	Cryptic Viruses in Hop Trefoil (<i>Medicago lupulina</i>) and Their Relationships to Other Cryptic Viruses in Legumes. <i>Intervirology</i> , 1987, 28, 144-156.	2.8	19
57	Field Evaluation of Tomato Hybrids Engineered with Tomato spotted wilt virus Sequences for Virus Resistance, Agronomic Performance, and Pollen-Mediated Transgene Flow. <i>Phytopathology</i> , 2005, 95, 800-807.	2.2	19
58	Virus-mediated export of chromosomal DNA in plants. <i>Nature Communications</i> , 2018, 9, 5308.	12.8	19
59	In vitro Translation of the Double-stranded RNA Genome from Beet Cryptic Virus 1. <i>Journal of General Virology</i> , 1987, 68, 1417-1422.	2.9	18
60	The unconventional geminivirus <i>Beet curly top Iran virus</i> : satisfying Koch's postulates and determining vector and host range. <i>Annals of Applied Biology</i> , 2013, 162, 174-181.	2.5	18
61	Deep Sequencing Data and Infectivity Assays Indicate that Chickpea Chlorotic Dwarf Virus is the Etiological Agent of the "Hard Fruit Syndrome" of Watermelon. <i>Viruses</i> , 2017, 9, 311.	3.3	18
62	Viruses and Phytoparasitic Nematodes of <i>Cicer arietinum</i> L.: Biotechnological Approaches in Interaction Studies and for Sustainable Control. <i>Frontiers in Plant Science</i> , 2018, 9, 319.	3.6	18
63	RNA-dependent RNA polymerase activity in two morphologically different white clover cryptic viruses. <i>Virology</i> , 1988, 163, 413-419.	2.4	17
64	From immunity to susceptibility: virus resistance induced in tomato by a silenced transgene is lost as TGS overcomes PTGS. <i>Plant Journal</i> , 2013, 75, 941-953.	5.7	17
65	Basil (<i>Ocimum basilicum</i>), a new host of <i>Pepino mosaic virus</i> . <i>Plant Pathology</i> , 2009, 58, 407-407.	2.4	16
66	Using non-radioactive probes on plants: a few examples. , 1998, 13, 295-301.		14
67	Impact of high or low levels of phosphorus and high sodium in soils on productivity and stress tolerance of <i>Arundo donax</i> plants. <i>Plant Science</i> , 2019, 289, 110260.	3.6	13
68	First Report of <i>Chickpea chlorotic dwarf virus</i> in Watermelon (<i>Citrullus lanatus</i>) in Tunisia. <i>Plant Disease</i> , 2017, 101, 392.	1.4	13
69	Advances in diagnosing tomato yellow leaf curl geminivirus infection. <i>Molecular Biotechnology</i> , 1994, 2, 219-226.	2.4	11
70	An RGG sequence in the replication-associated protein (Rep) of Tomato yellow leaf curl Sardinia virus is involved in transcriptional repression and severely impacts resistance in Rep-expressing plants. <i>Journal of General Virology</i> , 2011, 92, 204-209.	2.9	10
71	Molecular characterization of alfalfa cryptic virus 1. <i>Journal of General Virology</i> , 1990, 71, 433-437.	2.9	9
72	RNA viruses and their silencing suppressors boost <i>Abutilon mosaic virus</i> , but not the Old World <i>Tomato yellow leaf curl Sardinia virus</i> . <i>Virus Research</i> , 2011, 161, 170-180.	2.2	9

#	ARTICLE	IF	CITATIONS
73	In silico prediction of miRNAs targeting ToLCV and their regulation in susceptible and resistant tomato plants. <i>Australasian Plant Pathology</i> , 2017, 46, 379-386.	1.0	9
74	Multi-spot, label-free detection of viral infection in complex media by a non-reflecting surface. <i>Sensors and Actuators B: Chemical</i> , 2016, 223, 957-962.	7.8	8
75	No Evidence for Seed Transmission of Tomato Yellow Leaf Curl Sardinia Virus in Tomato. <i>Cells</i> , 2021, 10, 1673.	4.1	8
76	Detection methods for TYLCV and TYLCSV. , 2007, , 241-249.		7
77	Evaluation of resistance in <i>Osteospermum ecklonis</i> (DC.) Norl. plants transgenic for the N protein gene of tomato spotted wilt virus. <i>Plant Cell Reports</i> , 2000, 19, 983-988.	5.6	6
78	ORTom: a multi-species approach based on conserved co-expression to identify putative functional relationships among genes in tomato. <i>Plant Molecular Biology</i> , 2010, 73, 519-532.	3.9	4
79	Transovarial Transmission of Begomoviruses in <i>Bemisia tabaci</i> . , 2009, , 339-345.		3
80	The complete nucleotide sequence of an isolate of Tomato yellow leaf curl Sardinia virus found in Sicily. <i>Archives of Virology</i> , 2010, 155, 1539-1542.	2.1	1
81	Identification of Known and Novel <i>Arundo donax</i> L. MicroRNAs and Their Targets Using High-Throughput Sequencing and Degradome Analysis. <i>Life</i> , 2022, 12, 651.	2.4	1
82	Multi-spot, Label-free Detection of Biomarkers in Complex Media by Reflectionless Surfaces. <i>Procedia Engineering</i> , 2014, 87, 58-61.	1.2	0