

Elizabeth Jefferies

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4227971/publications.pdf>

Version: 2024-02-01

169
papers

13,895
citations

41344

49
h-index

30087

103
g-index

194
all docs

194
docs citations

194
times ranked

7837
citing authors

#	ARTICLE	IF	CITATIONS
1	A tale of two gradients: differences between the left and right hemispheres predict semantic cognition. <i>Brain Structure and Function</i> , 2022, 227, 631-654.	2.3	25
2	Utilising a systematic review-based approach to create a database of individual participant data for meta- and network meta-analyses: the RELEASE database of aphasia after stroke. <i>Aphasiology</i> , 2022, 36, 513-533.	2.2	3
3	Dosage, Intensity, and Frequency of Language Therapy for Aphasia: A Systematic Reviewâ€œBased, Individual Participant Data Network Meta-Analysis. <i>Stroke</i> , 2022, 53, 956-967.	2.0	44
4	Intrinsic connectivity of left ventrolateral prefrontal cortex predicts individual differences in controlled semantic retrieval. <i>NeuroImage</i> , 2022, 246, 118760.	4.2	4
5	Perceptual coupling and decoupling are associated with individual differences in working memory encoding and maintenance. <i>Cerebral Cortex</i> , 2022, 32, 3959-3974.	2.9	5
6	Motivated semantic control: Exploring the effects of extrinsic reward and selfâ€œreference on semantic retrieval in semantic aphasia. <i>Journal of Neuropsychology</i> , 2022, 16, 407-433.	1.4	3
7	Context free and context-dependent conceptual representation in the brain. <i>Cerebral Cortex</i> , 2022, 33, 152-166.	2.9	5
8	Perceptual coupling and decoupling of the default mode network during mind-wandering and reading. <i>ELife</i> , 2022, 11, .	6.0	20
9	Individual differences in gradients of intrinsic connectivity within the semantic network relate to distinct aspects of semantic cognition. <i>Cortex</i> , 2022, 150, 48-60.	2.4	6
10	Precision rehabilitation for aphasia by patient age, sex, aphasia severity, and time since stroke? A prespecified, systematic review-based, individual participant data, network, subgroup meta-analysis. <i>International Journal of Stroke</i> , 2022, 17, 1067-1077.	5.9	12
11	Damage to temporoparietal cortex is sufficient for impaired semantic control. <i>Cortex</i> , 2022, 156, 71-85.	2.4	4
12	Mapping lesion, structural disconnection, and functional disconnection to symptoms in semantic aphasia. <i>Brain Structure and Function</i> , 2022, 227, 3043-3061.	2.3	9
13	Deficits of semantic control disproportionately affect low-relevance conceptual features: evidence from semantic aphasia. <i>Aphasiology</i> , 2021, 35, 1448-1462.	2.2	1
14	Intrinsic connectivity of anterior temporal lobe relates to individual differences in semantic retrieval for landmarks. <i>Cortex</i> , 2021, 134, 76-91.	2.4	10
15	Knowing what you need to know in advance: The neural processes underpinning flexible semantic retrieval of thematic and taxonomic relations. <i>NeuroImage</i> , 2021, 224, 117405.	4.2	21
16	Interactions between the neural correlates of dispositional internally directed thought and visual imagery. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021, 376, 20190691.	4.0	7
17	Multilingualism in semantic dementia: language-dependent lexical retrieval from degraded conceptual representations. <i>Aphasiology</i> , 2021, 35, 240-266.	2.2	7
18	A Structureâ€œFunction Substrate of Memory for Spatial Configurations in Medial and Lateral Temporal Cortices. <i>Cerebral Cortex</i> , 2021, 31, 3213-3225.	2.9	6

#	ARTICLE	IF	CITATIONS
19	The influence of language dominance and domain-general executive control on semantic context effects. <i>Language, Cognition and Neuroscience</i> , 2021, 36, 867-884.	1.2	1
20	The neural correlates of ongoing conscious thought. <i>IScience</i> , 2021, 24, 102132.	4.1	56
21	Training flexible conceptual retrieval in post-stroke aphasia. <i>Neuropsychological Rehabilitation</i> , 2021, 1-27.	1.6	0
22	Both Default and Multiple-Demand Regions Represent Semantic Goal Information. <i>Journal of Neuroscience</i> , 2021, 41, 3679-3691.	3.6	34
23	Varying demands for cognitive control reveals shared neural processes supporting semantic and episodic memory retrieval. <i>Nature Communications</i> , 2021, 12, 2134.	12.8	31
24	Predictors of Poststroke Aphasia Recovery. <i>Stroke</i> , 2021, 52, 1778-1787.	2.0	46
25	The default mode network in cognition: a topographical perspective. <i>Nature Reviews Neuroscience</i> , 2021, 22, 503-513.	10.2	368
26	Exploring patterns of ongoing thought under naturalistic and conventional task-based conditions. <i>Consciousness and Cognition</i> , 2021, 93, 103139.	1.5	25
27	Distinct and common neural coding of semantic and non-semantic control demands. <i>NeuroImage</i> , 2021, 236, 118230.	4.2	48
28	The impact of social isolation and changes in work patterns on ongoing thought during the first COVID-19 lockdown in the United Kingdom. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	26
29	Age-related changes in ongoing thought relate to external context and individual cognition. <i>Consciousness and Cognition</i> , 2021, 96, 103226.	1.5	8
30	Impaired emotion perception and categorization in semantic aphasia. <i>Neuropsychologia</i> , 2021, 162, 108052.	1.6	9
31	The interplay between control processes and feature relevance: Evidence from dual-task methodology. <i>Quarterly Journal of Experimental Psychology</i> , 2020, 73, 384-395.	1.1	4
32	The neurocognitive basis of knowledge about object identity and events: dissociations reflect opposing effects of semantic coherence and control. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190300.	4.0	54
33	Missing the forest because of the trees: slower alternations during binocular rivalry are associated with lower levels of visual detail during ongoing thought. <i>Neuroscience of Consciousness</i> , 2020, niaa020.	2.6	3
34	Neurocognitive patterns dissociating semantic processing from executive control are linked to more detailed off-task mental time travel. <i>Scientific Reports</i> , 2020, 10, 11904.	3.3	8
35	The psychological correlates of distinct neural states occurring during wakeful rest. <i>Scientific Reports</i> , 2020, 10, 21121.	3.3	44
36	Controlled semantic summation correlates with intrinsic connectivity between default mode and control networks. <i>Cortex</i> , 2020, 129, 356-375.	2.4	23

#	ARTICLE	IF	CITATIONS
37	The role of default mode network in semantic cue integration. <i>NeuroImage</i> , 2020, 219, 117019.	4.2	56
38	Reductions in task positive neural systems occur with the passage of time and are associated with changes in ongoing thought. <i>Scientific Reports</i> , 2020, 10, 9912.	3.3	29
39	The relationship between individual variation in macroscale functional gradients and distinct aspects of ongoing thought. <i>NeuroImage</i> , 2020, 220, 117072.	4.2	53
40	A gradient from long-term memory to novel cognition: Transitions through default mode and executive cortex. <i>NeuroImage</i> , 2020, 220, 117074.	4.2	59
41	Consistently inconsistent: Multimodal episodic deficits in semantic aphasia. <i>Neuropsychologia</i> , 2020, 140, 107392.	1.6	3
42	Distinct patterns of thought mediate the link between brain functional connectomes and well-being. <i>Network Neuroscience</i> , 2020, 4, 637-657.	2.6	14
43	Word up – Experiential and neurocognitive evidence for associations between autistic symptomology and a preference for thinking in the form of words. <i>Cortex</i> , 2020, 128, 88-106.	2.4	10
44	Linking individual differences in semantic cognition to white matter microstructure. <i>Neuropsychologia</i> , 2020, 141, 107438.	1.6	8
45	Facing up to the wandering mind: Patterns of off-task laboratory thought are associated with stronger neural recruitment of right fusiform cortex while processing facial stimuli. <i>NeuroImage</i> , 2020, 214, 116765.	4.2	28
46	A role for the ventromedial prefrontal cortex in self-generated episodic social cognition. <i>NeuroImage</i> , 2020, 218, 116977.	4.2	41
47	rTMS evidence for a dissociation in short-term memory for spoken words and nonwords. <i>Cortex</i> , 2019, 112, 5-22.	2.4	14
48	Degrees of lateralisation in semantic cognition: Evidence from intrinsic connectivity. <i>NeuroImage</i> , 2019, 202, 116089.	4.2	36
49	Reduced semantic control in older adults is linked to intrinsic DMN connectivity. <i>Neuropsychologia</i> , 2019, 132, 107133.	1.6	12
50	Dissociations in semantic cognition: Oscillatory evidence for opposing effects of semantic control and type of semantic relation in anterior and posterior temporal cortex. <i>Cortex</i> , 2019, 120, 308-325.	2.4	35
51	Individual variation in patterns of task focused, and detailed, thought are uniquely associated within the architecture of the medial temporal lobe. <i>NeuroImage</i> , 2019, 202, 116045.	4.2	19
52	Hello, is that me you are looking for? A re-examination of the role of the DMN in social and self relevant aspects of off-task thought. <i>PLoS ONE</i> , 2019, 14, e0216182.	2.5	11
53	Distinct individual differences in default mode network connectivity relate to off-task thought and text memory during reading. <i>Scientific Reports</i> , 2019, 9, 16220.	3.3	23
54	Emotion and location cues bias conceptual retrieval in people with deficient semantic control. <i>Neuropsychologia</i> , 2019, 131, 294-305.	1.6	12

#	ARTICLE	IF	CITATIONS
55	Control the source: Source memory for semantic, spatial and self-related items in patients with LIFG lesions. <i>Cortex</i> , 2019, 119, 165-183.	2.4	13
56	Temporal lobe epilepsy. <i>Neurology</i> , 2019, 92, e2209-e2220.	1.1	80
57	Patterns of on-task thought in older age are associated with changes in functional connectivity between temporal and prefrontal regions. <i>Brain and Cognition</i> , 2019, 132, 118-128.	1.8	6
58	Theta/delta coupling across cortical laminae contributes to semantic cognition. <i>Journal of Neurophysiology</i> , 2019, 121, 1150-1161.	1.8	9
59	Imagining Sounds and Images: Decoding the Contribution of Unimodal and Transmodal Brain Regions to Semantic Retrieval in the Absence of Meaningful Input. <i>Journal of Cognitive Neuroscience</i> , 2019, 31, 1599-1616.	2.3	9
60	Modes of operation: A topographic neural gradient supporting stimulus dependent and independent cognition. <i>NeuroImage</i> , 2019, 186, 487-496.	4.2	98
61	The ebb and flow of attention: Between-subject variation in intrinsic connectivity and cognition associated with the dynamics of ongoing experience. <i>NeuroImage</i> , 2019, 185, 286-299.	4.2	87
62	Individual differences in verbal short-term memory and reading aloud: Semantic compensation for weak phonological processing across tasks.. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , 2019, 45, 1815-1831.	0.9	4
63	The contribution of executive control to semantic cognition: Convergent evidence from semantic aphasia and executive dysfunction. <i>Journal of Neuropsychology</i> , 2018, 12, 312-340.	1.4	46
64	Context-dependent lexical ambiguity resolution: MEG evidence for the time-course of activity in left inferior frontal gyrus and posterior middle temporal gyrus. <i>Brain and Language</i> , 2018, 177-178, 23-36.	1.6	22
65	Keeping it together: Semantic coherence stabilizes phonological sequences in short-term memory. <i>Memory and Cognition</i> , 2018, 46, 426-437.	1.6	10
66	Distant from input: Evidence of regions within the default mode network supporting perceptually-decoupled and conceptually-guided cognition. <i>NeuroImage</i> , 2018, 171, 393-401.	4.2	209
67	Investigating the Elements of Thought. , 2018, , .		2
68	Dynamic semantic cognition: Characterising coherent and controlled conceptual retrieval through time using magnetoencephalography and chronometric transcranial magnetic stimulation. <i>Cortex</i> , 2018, 103, 329-349.	2.4	35
69	How do we decide what to do? Resting-state connectivity patterns and components of self-generated thought linked to the development of more concrete personal goals. <i>Experimental Brain Research</i> , 2018, 236, 2469-2481.	1.5	68
70	Computing the Social Brain Connectome Across Systems and States. <i>Cerebral Cortex</i> , 2018, 28, 2207-2232.	2.9	127
71	Task-based and resting-state fMRI reveal compensatory network changes following damage to left inferior frontal gyrus. <i>Cortex</i> , 2018, 99, 150-165.	2.4	34
72	Individual variation in the propensity for prospective thought is associated with functional integration between visual and retrosplenial cortex. <i>Cortex</i> , 2018, 99, 224-234.	2.4	12

#	ARTICLE	IF	CITATIONS
73	A role for consolidation in cross-modal category learning. <i>Neuropsychologia</i> , 2018, 108, 50-60.	1.6	8
74	Dimensions of Experience: Exploring the Heterogeneity of the Wandering Mind. <i>Psychological Science</i> , 2018, 29, 56-71.	3.3	109
75	When comprehension elicits incomprehension: Deterioration of semantic categorisation in the absence of stimulus repetition. <i>Quarterly Journal of Experimental Psychology</i> , 2018, 71, 1817-1843.	1.1	2
76	Anatomical and microstructural determinants of hippocampal subfield functional connectome embedding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 10154-10159.	7.1	201
77	Shared processes resolve competition within and between episodic and semantic memory: Evidence from patients with LIFG lesions. <i>Cortex</i> , 2018, 108, 127-143.	2.4	27
78	A neuroscientific approach to exploring fundamental questions in VR. <i>IS&T International Symposium on Electronic Imaging</i> , 2018, 2018, 435-1-435-6.	0.4	2
79	Meaningful inhibition: Exploring the role of meaning and modality in response inhibition. <i>NeuroImage</i> , 2018, 181, 108-119.	4.2	29
80	The structural basis of semantic control: Evidence from individual differences in cortical thickness. <i>NeuroImage</i> , 2018, 181, 480-489.	4.2	28
81	Patterns of thought: Population variation in the associations between large-scale network organisation and self-reported experiences at rest. <i>NeuroImage</i> , 2018, 176, 518-527.	4.2	40
82	Default mode network can support the level of detail in experience during active task states. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 9318-9323.	7.1	212
83	Newly-acquired words are more phonologically robust in verbal short-term memory when they have associated semantic representations. <i>Neuropsychologia</i> , 2017, 98, 85-97.	1.6	12
84	Knowing what from where: Hippocampal connectivity with temporoparietal cortex at rest is linked to individual differences in semantic and topographic memory. <i>NeuroImage</i> , 2017, 152, 400-410.	4.2	55
85	Knowing me, knowing you: Resting-state functional connectivity of ventromedial prefrontal cortex dissociates memory related to self from a familiar other. <i>Brain and Cognition</i> , 2017, 113, 65-75.	1.8	8
86	The role of the default mode network in component processes underlying the wandering mind. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1047-1062.	3.0	104
87	Fractionating the anterior temporal lobe: MVPA reveals differential responses to input and conceptual modality. <i>NeuroImage</i> , 2017, 147, 19-31.	4.2	53
88	Tracking thoughts: Exploring the neural architecture of mental time travel during mind-wandering. <i>NeuroImage</i> , 2017, 147, 272-281.	4.2	91
89	Semantic control deficits impair understanding of thematic relationships more than object identity. <i>Neuropsychologia</i> , 2017, 104, 113-125.	1.6	27
90	That's me in the spotlight: neural basis of individual differences in self-consciousness. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1384-1393.	3.0	12

#	ARTICLE	IF	CITATIONS
91	Varieties of semantic cognition revealed through simultaneous decomposition of intrinsic brain connectivity and behaviour. <i>NeuroImage</i> , 2017, 158, 1-11.	4.2	78
92	In need of constraint: Understanding the role of the cingulate cortex in the impulsive mind. <i>NeuroImage</i> , 2017, 146, 804-813.	4.2	24
93	Individual variation in intentionality in the mind-wandering state is reflected in the integration of the default-mode, fronto-parietal, and limbic networks. <i>NeuroImage</i> , 2017, 146, 226-235.	4.2	127
94	The neural and computational bases of semantic cognition. <i>Nature Reviews Neuroscience</i> , 2017, 18, 42-55.	10.2	1,131
95	Oscillatory Dynamics Supporting Semantic Cognition: MEG Evidence for the Contribution of the Anterior Temporal Lobe Hub and Modality-Specific Spokes. <i>PLoS ONE</i> , 2017, 12, e0169269.	2.5	37
96	Exploring the role of the posterior middle temporal gyrus in semantic cognition: Integration of anterior temporal lobe with executive processes. <i>NeuroImage</i> , 2016, 137, 165-177.	4.2	290
97	An individual differences analysis of the neurocognitive architecture of the semantic system at rest. <i>Brain and Cognition</i> , 2016, 109, 112-123.	1.8	13
98	Charting the effects of TMS with fMRI: Modulation of cortical recruitment within the distributed network supporting semantic control. <i>Neuropsychologia</i> , 2016, 93, 40-52.	1.6	56
99	Down but not out in posterior cingulate cortex: Deactivation yet functional coupling with prefrontal cortex during demanding semantic cognition. <i>NeuroImage</i> , 2016, 141, 366-377.	4.2	90
100	Situating the default-mode network along a principal gradient of macroscale cortical organization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12574-12579.	7.1	1,481
101	The role of the right hemisphere in semantic control: A case-series comparison of right and left hemisphere stroke. <i>Neuropsychologia</i> , 2016, 85, 44-61.	1.6	25
102	Representing Representation: Integration between the Temporal Lobe and the Posterior Cingulate Influences the Content and Form of Spontaneous Thought. <i>PLoS ONE</i> , 2016, 11, e0152272.	2.5	126
103	Deregulated semantic cognition contributes to object-use deficits in Alzheimer's disease: A comparison with semantic aphasia and semantic dementia. <i>Journal of Neuropsychology</i> , 2015, 9, 219-241.	1.4	17
104	Varieties of semantic "access" deficit in Wernicke's aphasia and semantic aphasia. <i>Brain</i> , 2015, 138, 3776-3792.	7.6	47
105	Automatic and Controlled Semantic Retrieval: TMS Reveals Distinct Contributions of Posterior Middle Temporal Gyrus and Angular Gyrus. <i>Journal of Neuroscience</i> , 2015, 35, 15230-15239.	3.6	172
106	Shared neural processes support semantic control and action understanding. <i>Brain and Language</i> , 2015, 142, 24-35.	1.6	36
107	Semantic categorisation of a word supports its phonological integrity in verbal short-term memory. <i>Journal of Memory and Language</i> , 2015, 84, 128-138.	2.1	15
108	Disorders of representation and control in semantic cognition: Effects of familiarity, typicality, and specificity. <i>Neuropsychologia</i> , 2015, 76, 220-239.	1.6	115

#	ARTICLE	IF	CITATIONS
109	Conceptual control across modalities: graded specialisation for pictures and words in inferior frontal and posterior temporal cortex. <i>Neuropsychologia</i> , 2015, 76, 92-107.	1.6	74
110	tDCS to temporoparietal cortex during familiarisation enhances the subsequent phonological coherence of nonwords in immediate serial recall. <i>Cortex</i> , 2015, 63, 132-144.	2.4	20
111	TMS interferes with lexical-semantic retrieval in left inferior frontal gyrus and posterior middle temporal gyrus: Evidence from cyclical picture naming. <i>Neuropsychologia</i> , 2014, 64, 24-32.	1.6	45
112	The Selective Role of Premotor Cortex in Speech Perception: A Contribution to Phoneme Judgements but not Speech Comprehension. <i>Journal of Cognitive Neuroscience</i> , 2013, 25, 2179-2188.	2.3	41
113	Semantic control and modality: An input processing deficit in aphasia leading to deregulated semantic cognition in a single modality. <i>Neuropsychologia</i> , 2013, 51, 1998-2015.	1.6	10
114	The neural basis of semantic cognition: Converging evidence from neuropsychology, neuroimaging and TMS. <i>Cortex</i> , 2013, 49, 611-625.	2.4	400
115	Going beyond Inferior Prefrontal Involvement in Semantic Control: Evidence for the Additional Contribution of Dorsal Angular Gyrus and Posterior Middle Temporal Cortex. <i>Journal of Cognitive Neuroscience</i> , 2013, 25, 1824-1850.	2.3	407
116	Domain-specific control of semantic cognition: A dissociation within patients with semantic working memory deficits. <i>Aphasiology</i> , 2013, 27, 740-764.	2.2	9
117	Demonstrating the Qualitative Differences between Semantic Aphasia and Semantic Dementia: A Novel Exploration of Nonverbal Semantic Processing. <i>Behavioural Neurology</i> , 2013, 26, 7-20.	2.1	20
118	Demonstrating the qualitative differences between semantic aphasia and semantic dementia: a novel exploration of nonverbal semantic processing. <i>Behavioural Neurology</i> , 2013, 26, 7-20.	2.1	8
119	Both the Middle Temporal Gyrus and the Ventral Anterior Temporal Area Are Crucial for Multimodal Semantic Processing: Distortion-corrected fMRI Evidence for a Double Gradient of Information Convergence in the Temporal Lobes. <i>Journal of Cognitive Neuroscience</i> , 2012, 24, 1766-1778.	2.3	294
120	The Differential Contributions of pFC and Temporo-parietal Cortex to Multimodal Semantic Control: Exploring Refractory Effects in Semantic Aphasia. <i>Journal of Cognitive Neuroscience</i> , 2012, 24, 778-793.	2.3	50
121	Executive Semantic Processing Is Underpinned by a Large-scale Neural Network: Revealing the Contribution of Left Prefrontal, Posterior Temporal, and Parietal Cortex to Controlled Retrieval and Selection Using TMS. <i>Journal of Cognitive Neuroscience</i> , 2012, 24, 133-147.	2.3	195
122	How does linguistic knowledge contribute to short-term memory? Contrasting effects of impaired semantic knowledge and executive control. <i>Aphasiology</i> , 2012, 26, 383-403.	2.2	15
123	Unpicking the Semantic Impairment in Alzheimer's Disease: Qualitative Changes with Disease Severity. <i>Behavioural Neurology</i> , 2012, 25, 23-34.	2.1	20
124	Paced reading in semantic dementia: Word knowledge contributes to phoneme binding in rapid speech production. <i>Neuropsychologia</i> , 2012, 50, 723-732.	1.6	8
125	Deficits of semantic control produce absent or reverse frequency effects in comprehension: Evidence from neuropsychology and dual task methodology. <i>Neuropsychologia</i> , 2012, 50, 1968-1979.	1.6	28
126	Unpicking the semantic impairment in Alzheimer's disease: qualitative changes with disease severity. <i>Behavioural Neurology</i> , 2012, 25, 23-34.	2.1	11

#	ARTICLE	IF	CITATIONS
127	Strong and long: Effects of word length on phonological binding in verbal short-term memory. <i>Quarterly Journal of Experimental Psychology</i> , 2011, 64, 241-260.	1.1	6
128	The Neural Organization of Semantic Control: TMS Evidence for a Distributed Network in Left Inferior Frontal and Posterior Middle Temporal Gyrus. <i>Cerebral Cortex</i> , 2011, 21, 1066-1075.	2.9	390
129	Explaining semantic short-term memory deficits: Evidence for the critical role of semantic control. <i>Neuropsychologia</i> , 2011, 49, 368-381.	1.6	25
130	Remembering "zeal" but not "thing": Reverse frequency effects as a consequence of deregulated semantic processing. <i>Neuropsychologia</i> , 2011, 49, 580-584.	1.6	24
131	Phonological learning in semantic dementia. <i>Neuropsychologia</i> , 2011, 49, 1208-1218.	1.6	19
132	Premorbid expertise produces category-specific impairment in a domain-general semantic disorder. <i>Neuropsychologia</i> , 2011, 49, 3213-3223.	1.6	24
133	N-backer: An auditory n-back task with automatic scoring of spoken responses. <i>Behavior Research Methods</i> , 2011, 43, 888-896.	4.0	13
134	Deregulated Semantic Cognition Follows Prefrontal and Temporo-parietal Damage: Evidence from the Impact of Task Constraint on Nonverbal Object Use. <i>Journal of Cognitive Neuroscience</i> , 2011, 23, 1125-1135.	2.3	69
135	Heterogeneity of the Left Temporal Lobe in Semantic Representation and Control: Priming Multiple versus Single Meanings of Ambiguous Words. <i>Cerebral Cortex</i> , 2011, 21, 831-844.	2.9	120
136	"Pre-semantic" cognition revisited: Critical differences between semantic aphasia and semantic dementia. <i>Neuropsychologia</i> , 2010, 48, 248-261.	1.6	31
137	Amodal semantic representations depend on both anterior temporal lobes: Evidence from repetitive transcranial magnetic stimulation. <i>Neuropsychologia</i> , 2010, 48, 1336-1342.	1.6	210
138	Category-Specific versus Category-General Semantic Impairment Induced by Transcranial Magnetic Stimulation. <i>Current Biology</i> , 2010, 20, 964-968.	3.9	244
139	Induction of Semantic Impairments Using rTMS: Evidence for the Hub-And-Spoke Semantic Theory. <i>Behavioural Neurology</i> , 2010, 23, 217-219.	2.1	9
140	The Ventral and Inferolateral Aspects of the Anterior Temporal Lobe Are Crucial in Semantic Memory: Evidence from a Novel Direct Comparison of Distortion-Corrected fMRI, rTMS, and Semantic Dementia. <i>Cerebral Cortex</i> , 2010, 20, 2728-2738.	2.9	378
141	Elucidating the Nature of Deregulated Semantic Cognition in Semantic Aphasia: Evidence for the Roles of Prefrontal and Temporo-parietal Cortices. <i>Journal of Cognitive Neuroscience</i> , 2010, 22, 1597-1613.	2.3	193
142	Ventrolateral Prefrontal Cortex Plays an Executive Regulation Role in Comprehension of Abstract Words: Convergent Neuropsychological and Repetitive TMS Evidence. <i>Journal of Neuroscience</i> , 2010, 30, 15450-15456.	3.6	132
143	Different impairments of semantic cognition in semantic dementia and semantic aphasia: evidence from the non-verbal domain. <i>Brain</i> , 2009, 132, 2593-2608.	7.6	153
144	Lexical coherence in short-term memory: Strategic reconstruction or "semantic glue"? <i>Quarterly Journal of Experimental Psychology</i> , 2009, 62, 1967-1982.	1.1	22

#	ARTICLE	IF	CITATIONS
145	Conceptual Knowledge Is Underpinned by the Temporal Pole Bilaterally: Convergent Evidence from rTMS. <i>Cerebral Cortex</i> , 2009, 19, 832-838.	2.9	282
146	Semantic memory is key to binding phonology: Converging evidence from immediate serial recall in semantic dementia and healthy participants. <i>Neuropsychologia</i> , 2009, 47, 747-760.	1.6	28
147	Exploring multimodal semantic control impairments in semantic aphasia: Evidence from naturalistic object use. <i>Neuropsychologia</i> , 2009, 47, 2721-2731.	1.6	66
148	The role of the anterior temporal lobes in the comprehension of concrete and abstract words: rTMS evidence. <i>Cortex</i> , 2009, 45, 1104-1110.	2.4	106
149	Selective short-term memory deficits arise from impaired domain-general semantic control mechanisms.. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , 2009, 35, 137-156.	0.9	29
150	Comprehension of concrete and abstract words in semantic dementia.. <i>Neuropsychology</i> , 2009, 23, 492-499.	1.3	196
151	The impact of semantic impairment on verbal short-term memory in stroke aphasia and semantic dementia: A comparative study. <i>Journal of Memory and Language</i> , 2008, 58, 66-87.	2.1	52
152	Deficits of knowledge versus executive control in semantic cognition: Insights from cued naming. <i>Neuropsychologia</i> , 2008, 46, 649-658.	1.6	174
153	The use of cueing to alleviate recurrent verbal perseverations: Evidence from transcortical sensory aphasia. <i>Aphasiology</i> , 2008, 22, 363-382.	2.2	17
154	Anterior temporal lobes mediate semantic representation: Mimicking semantic dementia by using rTMS in normal participants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20137-20141.	7.1	366
155	Refractory effects in stroke aphasia: A consequence of poor semantic control. <i>Neuropsychologia</i> , 2007, 45, 1065-1079.	1.6	127
156	Do deep dyslexia, dysphasia and dysgraphia share a common phonological impairment?. <i>Neuropsychologia</i> , 2007, 45, 1553-1570.	1.6	43
157	Lexical and semantic influences on item and order memory in immediate serial recognition: Evidence from a novel task. <i>Quarterly Journal of Experimental Psychology</i> , 2006, 59, 949-964.	1.1	49
158	Lexical and semantic binding in verbal short-term memory. <i>Journal of Memory and Language</i> , 2006, 54, 81-98.	2.1	76
159	Semantic impairment in stroke aphasia versus semantic dementia: a case-series comparison. <i>Brain</i> , 2006, 129, 2132-2147.	7.6	666
160	Presemantic Cognition in Semantic Dementia: Six Deficits in Search of an Explanation. <i>Journal of Cognitive Neuroscience</i> , 2006, 18, 169-183.	2.3	173
161	The Natural History of Late-stage Pure Semantic Dementia. <i>Neurocase</i> , 2006, 12, 1-14.	0.6	20
162	The impact of phonological or semantic impairment on delayed auditory repetition: Evidence from stroke aphasia and semantic dementia. <i>Aphasiology</i> , 2006, 20, 963-992.	2.2	33

#	ARTICLE	IF	CITATIONS
163	"Presemantic" Cognition in Semantic Dementia: Six Deficits in Search of an Explanation. <i>Journal of Cognitive Neuroscience</i> , 2006, 18, 169-183.	2.3	86
164	The role of the temporal lobe semantic system in number knowledge: evidence from late-stage semantic dementia. <i>Neuropsychologia</i> , 2005, 43, 887-905.	1.6	31
165	A semantic contribution to nonword recall? Evidence for intact phonological processes in semantic dementia. <i>Cognitive Neuropsychology</i> , 2005, 22, 183-212.	1.1	62
166	A category-specific advantage for numbers in verbal short-term memory: Evidence from semantic dementia. <i>Neuropsychologia</i> , 2004, 42, 639-660.	1.6	51
167	When does word meaning affect immediate serial recall in semantic dementia?. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2004, 4, 20-42.	2.0	36
168	Automatic and controlled processing in sentence recall: The role of long-term and working memory. <i>Journal of Memory and Language</i> , 2004, 51, 623-643.	2.1	106
169	Surface Dyslexia in Semantic Dementia: A Comparison of the Influence of Consistency and Regularity. <i>Neurocase</i> , 2004, 10, 290-299.	0.6	40