

# Lisa Grazina Johnston

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4228908/publications.pdf>

Version: 2024-02-01

58  
papers

3,150  
citations

218677

26  
h-index

155660

55  
g-index

61  
all docs

61  
docs citations

61  
times ranked

2801  
citing authors

#	ARTICLE	IF	CITATIONS
1	Using Respondent-Driven Sampling Methodology for HIV Biological and Behavioral Surveillance in International Settings: A Systematic Review. <i>AIDS and Behavior</i> , 2008, 12, 105-130.	2.7	358
2	Evaluation of Respondent-driven Sampling. <i>Epidemiology</i> , 2012, 23, 138-147.	2.7	229
3	Implementation Challenges to Using Respondent-Driven Sampling Methodology for HIV Biological and Behavioral Surveillance: Field Experiences in International Settings. <i>AIDS and Behavior</i> , 2008, 12, 131-141.	2.7	208
4	An Empirical Comparison of Respondent-driven Sampling, Time Location Sampling, and Snowball Sampling for Behavioral Surveillance in Men Who Have Sex with Men, Fortaleza, Brazil. <i>AIDS and Behavior</i> , 2008, 12, 97-104.	2.7	190
5	Diagnostics for Respondent-Driven Sampling. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2015, 178, 241-269.	1.1	186
6	Strengthening the Reporting of Observational Studies in Epidemiology for respondent-driven sampling studies: "STROBE-RDS" statement. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1463-1471.	5.0	177
7	HIV prevalence among men who have sex with men in Brazil. <i>Medicine (United States)</i> , 2018, 97, S9-S15.	1.0	139
8	Assessment of Respondent Driven Sampling for Recruiting Female Sex Workers in Two Vietnamese Cities: Reaching the Unseen Sex Worker. <i>Journal of Urban Health</i> , 2006, 83, 16-28.	3.6	130
9	Sampling Hard-to-Reach Populations with Respondent Driven Sampling. <i>Methodological Innovations Online</i> , 2010, 5, 38.1-48.	0.3	130
10	Methods to Recruit Hard-to-Reach Groups: Comparing Two Chain Referral Sampling Methods of Recruiting Injecting Drug Users Across Nine Studies in Russia and Estonia. <i>Journal of Urban Health</i> , 2006, 83, i39-53.	3.6	106
11	Formative research to optimize respondent-driven sampling surveys among hard-to-reach populations in HIV behavioral and biological surveillance: lessons learned from four case studies. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 784-792.	1.2	87
12	Incorporating the Service Multiplier Method in Respondent-Driven Sampling Surveys to Estimate the Size of Hidden and Hard-to-Reach Populations. <i>Sexually Transmitted Diseases</i> , 2013, 40, 304-310.	1.7	86
13	The Effectiveness of Respondent Driven Sampling for Recruiting Males Who have Sex with Males in Dhaka, Bangladesh. <i>AIDS and Behavior</i> , 2008, 12, 294-304.	2.7	85
14	Exploring Barriers to "Respondent Driven Sampling"™ in Sex Worker and Drug-Injecting Sex Worker Populations in Eastern Europe. <i>Journal of Urban Health</i> , 2006, 83, 6-15.	3.6	77
15	HIV and Related Risk Behavior Among Men Who Have Sex with Men in Zanzibar, Tanzania: Results of a Behavioral Surveillance Survey. <i>AIDS and Behavior</i> , 2011, 15, 186-192.	2.7	69
16	A Systematic Review of Published Respondent-Driven Sampling Surveys Collecting Behavioral and Biologic Data. <i>AIDS and Behavior</i> , 2016, 20, 1754-1776.	2.7	59
17	An Empirical Examination of Respondent Driven Sampling Design Effects Among HIV Risk Groups from Studies Conducted Around the World. <i>AIDS and Behavior</i> , 2013, 17, 2202-2210.	2.7	53
18	The Associations of Voluntary Counseling and Testing Acceptance and the Perceived Likelihood of Being HIV-Infected Among Men with Multiple Sex Partners in a South African Township. <i>AIDS and Behavior</i> , 2010, 14, 922-931.	2.7	48

#	ARTICLE	IF	CITATIONS
19	HIV risk and the overlap of injecting drug use and high-risk sexual behaviours among men who have sex with men in Zanzibar (Unguja), Tanzania. <i>International Journal of Drug Policy</i> , 2010, 21, 485-492.	3.3	47
20	Evaluating Recruitment among Female Sex Workers and Injecting Drug Users at Risk for HIV Using Respondent-driven Sampling in Estonia. <i>Journal of Urban Health</i> , 2010, 87, 304-317.	3.6	43
21	Respondent-driven sampling as a recruitment method for men who have sex with men in southern sub-Saharan Africa: a cross-sectional analysis by wave. <i>Sexually Transmitted Infections</i> , 2016, 92, 292-298.	1.9	41
22	Estimating the Size of Hidden Populations Using Respondent-driven Sampling Data. <i>Epidemiology</i> , 2015, 26, 846-852.	2.7	40
23	Respondent Driven Sampling for HIV Biological and Behavioral Surveillance in Latin America and the Caribbean. <i>AIDS and Behavior</i> , 2013, 17, 2313-2340.	2.7	38
24	Estimating HIV Prevalence and Risk Behaviors Among High-Risk Heterosexual Men With Multiple Sex Partners: Use of Respondent-Driven Sampling. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2009, 51, 72-77.	2.1	37
25	High HIV and hepatitis C prevalence amongst injecting drug users in Mauritius: Findings from a population size estimation and respondent driven sampling survey. <i>International Journal of Drug Policy</i> , 2011, 22, 252-258.	3.3	35
26	Prevalence of Sexually Transmitted Infections Among Men Who Have Sex with Men in Zagreb, Croatia. <i>AIDS and Behavior</i> , 2009, 13, 303-309.	2.7	28
27	Correlates of HIV Risk Among Injecting Drug Users in Sixteen Ukrainian Cities. <i>AIDS and Behavior</i> , 2011, 15, 65-74.	2.7	26
28	HIV, syphilis and sexual risk behaviours among men who have sex with men in Agadir and Marrakesh, Morocco: Table A1. <i>Sexually Transmitted Infections</i> , 2013, 89, iii45-iii48.	1.9	26
29	Prevalence of HIV and sexually transmitted infections and patterns of recent HIV testing among men who have sex with men in Zagreb, Croatia. <i>Sexually Transmitted Infections</i> , 2012, 88, 539-544.	1.9	25
30	Epidemiological challenges to the assessment of HIV burdens among key populations. <i>Current Opinion in HIV and AIDS</i> , 2014, 9, 101-106.	3.8	25
31	Efficacy of convenience sampling through the internet versus respondent driven sampling among males who have sex with males in Tallinn and Harju County, Estonia: challenges reaching a hidden population. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009, 21, 1195-1202.	1.2	21
32	A simulative comparison of respondent driven sampling with incentivized snowball sampling – The “strudel effect”. <i>Drug and Alcohol Dependence</i> , 2014, 135, 71-77.	3.2	21
33	The importance of assessing self-reported HIV status in bio-behavioural surveys. <i>Bulletin of the World Health Organization</i> , 2016, 94, 605-612.	3.3	21
34	Effectiveness of Respondent-Driven Sampling to Recruit High Risk Heterosexual Men Who Have Multiple Female Sexual Partners: Differences in HIV Prevalence and Sexual Risk Behaviours Measured at Two Time Points. <i>AIDS and Behavior</i> , 2010, 14, 1330-1339.	2.7	18
35	Recent HIV Testing Among Young Men Who Have Sex with Men in Bangkok and Chiang Mai: HIV Testing and Prevention Strategies Must Be Enhanced in Thailand. <i>AIDS and Behavior</i> , 2016, 20, 2023-2032.	2.7	18
36	Measuring a hidden population: A novel technique to estimate the population size of women with sexual violence-related pregnancies in South Kivu Province, Democratic Republic of Congo. <i>Journal of Epidemiology and Global Health</i> , 2017, 7, 45.	2.9	18

#	ARTICLE	IF	CITATIONS
37	Ãchantillonnage dÃterminÃ selon les rÃpondants pour les populations difficiles Ã joindre. <i>Methodological Innovations Online</i> , 2010, 5, 38.2-48.	0.3	17
38	Respondent-driven sampling: A new method for studying street children with findings from Albania. <i>Vulnerable Children and Youth Studies</i> , 2010, 5, 1-11.	1.1	16
39	Improving survey methods in sero-epidemiological studies of injecting drug users: a case example of two cross sectional surveys in Serbia and Montenegro. <i>BMC Infectious Diseases</i> , 2009, 9, 14.	2.9	15
40	Population Size Estimations Among Hidden Populations Using Respondent-Driven Sampling Surveys: Case Studies From Armenia. <i>JMIR Public Health and Surveillance</i> , 2019, 5, e12034.	2.6	15
41	Unexpectedly High Injection Drug Use, HIV and Hepatitis C Prevalence Among Female Sex Workers in the Republic of Mauritius. <i>AIDS and Behavior</i> , 2013, 17, 574-584.	2.7	14
42	The 12 city HIV Surveillance Survey among MSM in Brazil 2016 using respondent-driven sampling: a description of methods and RDS diagnostics. <i>Revista Brasileira De Epidemiologia</i> , 2019, 22, e190004.	0.8	13
43	Correlates of Forced Sex Among Young Men Who Have Sex With Men in Yangon and Monywa, Myanmar. <i>Archives of Sexual Behavior</i> , 2017, 46, 1001-1010.	1.9	12
44	Associations of HIV Testing, Sexual Risk and Access to Prevention Among Female Sex Workers in the Dominican Republic. <i>AIDS and Behavior</i> , 2017, 21, 2362-2371.	2.7	11
45	Estimating the Population Size of Males Who Inject Drugs in Myanmar: Methods for Obtaining Township and National Estimates. <i>AIDS and Behavior</i> , 2019, 23, 295-301.	2.7	11
46	Sampling Males Who Inject Drugs in Haiphong, Vietnam: Comparison of Time-Location and Respondent-Driven Sampling Methods. <i>Journal of Urban Health</i> , 2015, 92, 744-757.	3.6	10
47	Sex Differences in HIV Prevalence, Behavioral Risks and Prevention Needs Among Anglophone and Francophone Sub-Saharan African Migrants Living in Rabat, Morocco. <i>AIDS and Behavior</i> , 2016, 20, 746-753.	2.7	10
48	Ensuring Inclusion of Adolescent Key Populations at Higher Risk of HIV Exposure: Recommendations for Conducting Biological Behavioral Surveillance Surveys. <i>JMIR Public Health and Surveillance</i> , 2017, 3, e40.	2.6	10
49	Determinants of HIV Infection Among Female Sex Workers in Two Cities in the Republic of Moldova: The Role of Injection Drug Use and Sexual Risk. <i>AIDS and Behavior</i> , 2013, 17, 2588-2596.	2.7	9
50	Measuring self-reported HIV status in bio-behavioural surveys. <i>Bulletin of the World Health Organization</i> , 2015, 93, 287-287A.	3.3	8
51	Strategic information is everyone's business: perspectives from an international stakeholder meeting to enhance strategic information data along the HIV Cascade for people who inject drugs. <i>Harm Reduction Journal</i> , 2015, 12, 41.	3.2	7
52	Risk Factors Associated with Condom Use Among Men Who Have Sex with Men in Ukraine. <i>Journal of LGBT Health Research</i> , 2009, 5, 51-62.	0.8	6
53	High HIV and HCV and the unmet needs of people who inject drugs in Yerevan, Armenia. <i>International Journal of Drug Policy</i> , 2014, 25, 740-743.	3.3	5
54	Defining and surveying key populations at risk of HIV infection: Towards a unified approach to eligibility criteria for respondent-driven sampling HIV biobehavioral surveys. <i>International Journal of STD and AIDS</i> , 2018, 29, 895-903.	1.1	3

#	ARTICLE	IF	CITATIONS
55	Reduced Bias for Respondent-Driven Sampling: Accounting for Non-Uniform Edge Sampling Probabilities in People Who Inject Drugs in Mauritius. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2019, 68, 1411-1429.	1.0	3
56	Populations size estimations using SS-PSE among MSM in four European cities: how many MSM are living with HIV?. <i>European Journal of Public Health</i> , 2021, 31, 1129-1136.	0.3	3
57	The Associations of Perceived Social Support with Key HIV Risk and Protective Factors Among Young Males Who Have Sex with Males in Bangkok and Chiang Mai, Thailand. <i>AIDS and Behavior</i> , 2018, 22, 1899-1907.	2.7	2
58	Increasing HIV prevalence and injection drug use among men who have sex with men in Ho Chi Minh City, Vietnam. <i>International Journal of STD and AIDS</i> , 2020, 31, 1247-1254.	1.1	0