
Rita Hõrak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4229036/publications.pdf Version: 2024-02-01



Ριτλ ΗΔιισλκ

| # | Article | lF | CITATIONS |
|----|---|------|-----------|
| 1 | Involvement of Ï, ^S in Starvation-Induced Transposition of <i>Pseudomonas putida</i> Transposon Tn <i>4652</i> . Journal of Bacteriology, 2001, 183, 5445-5448. | 2.2 | 97 |
| 2 | Promoter-creating mutations in Pseudomonas putida: A model system for the study of mutation in starving bacteria. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 3134-3139. | 7.1 | 94 |
| 3 | Regulation of the catechol 1,2-dioxygenase- and phenol monooxygenase-encoding pheBA operon in Pseudomonas putida PaW85. Journal of Bacteriology, 1993, 175, 8038-8042. | 2.2 | 63 |
| 4 | The ColRS Two-Component System Regulates Membrane Functions and Protects Pseudomonas putida against Phenol. Journal of Bacteriology, 2006, 188, 8109-8117. | 2.2 | 53 |
| 5 | The ColR-ColS two-component signal transduction system is involved in regulation of Tn4652 transposition in Pseudomonas putida under starvation conditions. Molecular Microbiology, 2004, 54, 795-807. | 2.5 | 50 |
| 6 | A DNA Polymerase V Homologue Encoded by TOL Plasmid pWW0 Confers Evolutionary Fitness on Pseudomonas putida under Conditions of Environmental Stress. Journal of Bacteriology, 2005, 187, 5203-5213. | 2.2 | 41 |
| 7 | A Moderate Toxin, GraT, Modulates Growth Rate and Stress Tolerance of Pseudomonas putida. Journal of Bacteriology, 2014, 196, 157-169. | 2.2 | 38 |
| 8 | The ColRS signal transduction system responds to the excess of external zinc, iron, manganese, and cadmium. BMC Microbiology, 2014, 14, 162. | 3.3 | 31 |
| 9 | A dual role in regulation and toxicity for the disordered N-terminus of the toxin GraT. Nature Communications, 2019, 10, 972. | 12.8 | 29 |
| 10 | In-vivo-generated fusion promoters in Pseudomonas putida. Gene, 1993, 127, 23-29. | 2.2 | 27 |
| 11 | The impact of ColRS two-component system and TtgABC efflux pump on phenol tolerance of Pseudomonas putida becomes evident only in growing bacteria. BMC Microbiology, 2010, 10, 110. | 3.3 | 26 |
| 12 | Responses of <i>Pseudomonas putida</i> to Zinc Excess Determined at the Proteome Level: Pathways Dependent and Independent of ColRS. Journal of Proteome Research, 2016, 15, 4349-4368. | 3.7 | 26 |
| 13 | Transcription from Fusion Promoters Generated during Transposition of Transposon Tn 4652 Is Positively Affected by Integration Host Factor in Pseudomonas putida. Journal of Bacteriology, 2000, 182, 589-598. | 2.2 | 21 |
| 14 | IHF is the limiting host factor in transposition of Pseudomonas putida transposon Tn4652 in stationary phase. Molecular Microbiology, 2004, 51, 1773-1785. | 2.5 | 21 |
| 15 | The toxin GraT inhibits ribosome biogenesis. Molecular Microbiology, 2016, 100, 719-734. | 2.5 | 21 |
| 16 | Chromosomal toxin-antitoxin systems in Pseudomonas putida are rather selfish than beneficial. Scientific Reports, 2020, 10, 9230. | 3.3 | 20 |
| 17 | The TonB _m -PocAB System Is Required for Maintenance of Membrane Integrity and Polar Position of Flagella in Pseudomonas putida. Journal of Bacteriology, 2019, 201, . | 2.2 | 15 |
| 18 | Desperate times call for desperate measures: benefits and costs of toxin–antitoxin systems. Current Genetics, 2017, 63, 69-74. | 1.7 | 13 |

Rita ΗÃμrak

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Identification of ColR binding consensus and prediction of regulon of ColRS two-component system. BMC Molecular Biology, 2009, 10, 46. | 3.0 | 12 |
| 20 | The ColRS system is essential for the hunger response of glucose-growing Pseudomonas putida. BMC Microbiology, 2011, 11, 170. | 3.3 | 12 |
| 21 | Target Site Selection of Pseudomonas putida Transposon Tn 4652. Journal of Bacteriology, 2007, 189, 3918-3921. | 2.2 | 11 |
| 22 | ColRS twoâ€component system prevents lysis of subpopulation of glucoseâ€grown <i>Pseudomonas putida</i> . Environmental Microbiology, 2008, 10, 2886-2893. | 3.8 | 11 |
| 23 | Stability of the GraA Antitoxin Depends on Growth Phase, ATP Level, and Global Regulator MexT. Journal of Bacteriology, 2016, 198, 787-796. | 2.2 | 11 |
| 24 | Pseudomonas putida Responds to the Toxin GraT by Inducing Ribosome Biogenesis Factors and Repressing TCA Cycle Enzymes. Toxins, 2019, 11, 103. | 3.4 | 7 |
| 25 | Involvement of specialized DNA polymerases Pol II, Pol IV and DnaE2 in DNA replication in the absence of Pol I in Pseudomonas putida. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2011, 714, 63-77. | 1.0 | 6 |
| 26 | The Disordered C-Terminus of the Chaperone DnaK Increases the Competitive Fitness of Pseudomonas putida and Facilitates the Toxicity of GraT. Microorganisms, 2021, 9, 375. | 3.6 | 5 |
| 27 | A novel papillation assay for the identification of genes affecting mutation rate in Pseudomonas putida and other pseudomonads. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2016, 790, 41-55. | 1.0 | 3 |
| 28 | Production, biophysical characterization and crystallization ofPseudomonas putidaGraA and its complexes with GraT and thegraTAoperator. Acta Crystallographica Section F, Structural Biology Communications, 2017, 73, 455-462. | 0.8 | 2 |