

Lil Valentin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4229982/publications.pdf>

Version: 2024-02-01

333
papers

14,186
citations

18465

62
h-index

25770

108
g-index

399
all docs

399
docs citations

399
times ranked

5959
citing authors

#	ARTICLE	IF	CITATIONS
1	Consensus on revised definitions of Morphological Uterus Sonographic Assessment (<scp>MUSA</scp>) features of adenomyosis: results of modified Delphi procedure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 118-131.	0.9	80
2	The Risk of Endometrial Malignancy and Other Endometrial Pathology in Women with Abnormal Uterine Bleeding: An Ultrasound-Based Model Development Study by the IETA Group. <i>Gynecologic and Obstetric Investigation</i> , 2022, 87, 54-61.	0.7	5
3	Cost-effectiveness of cervical length screening and progesterone treatment to prevent spontaneous preterm delivery in Sweden. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 778-792.	0.9	7
4	Imaging in gynecological disease (24): clinical and ultrasound characteristics of ovarian mature cystic teratomas. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 549-558.	0.9	9
5	Ultrasound features of endometrial pathology in women without abnormal uterine bleeding: results from the International Endometrial Tumor Analysis study (<scp>IETA3</scp>). <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 60, 243-255.	0.9	14
6	Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (<scp>IETA</scp>) terminology in women with abnormal uterine bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 164-172.	0.9	35
7	Imaging in gynecological disease (22): clinical and ultrasound characteristics of ovarian embryonal carcinomas, non-gestational choriocarcinomas and malignant mixed germ cell tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 987-994.	0.9	7
8	Ultrasound, macroscopic and histological features of malignant ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 150-151.	1.2	1
9	Second-trimester transvaginal ultrasound measurement of cervical length for prediction of preterm birth: a blinded prospective multicentre diagnostic accuracy study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 195-206.	1.1	14
10	Vessel morphology depicted by three-dimensional power Doppler ultrasound as second-stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 324-334.	0.9	6
11	Psychological impact of early miscarriage and client satisfaction with treatment: a comparison between expectant management and misoprostol treatment in a randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 757-765.	0.9	2
12	Terms, definitions and measurements to describe sonographic features of lymph nodes: consensus opinion from the Vulvar International Tumor Analysis (<scp>VITA</scp>) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 861-879.	0.9	24
13	Reply. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 57, 1016-1016.	0.9	0
14	Imaging in gynecological disease: clinical and ultrasound characteristics of ovarian carcinosarcomas. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, , .	0.9	5
15	Effect of second-trimester sonographic cervical length on the risk of spontaneous preterm delivery in different risk groups: A prospective observational multicenter study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1644-1655.	1.3	5
16	Ultrasound evaluation of ovarian masses and assessment of the extension of ovarian malignancy. <i>British Journal of Radiology</i> , 2021, 94, 20201375.	1.0	9
17	Reproductive outcome after early miscarriage: comparing vaginal misoprostol treatment with expectant management in planned secondary analysis of randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, , .	0.9	0
18	Re: "Diagnostic Accuracies of the Ultrasound and Magnetic Resonance Imaging ADNEX Scoring Systems for Ovarian Adnexal Mass: Systematic Review and Meta-Analysis". <i>Academic Radiology</i> , 2021, 28, 1643-1644.	1.3	1

#	ARTICLE	IF	CITATIONS
19	Validation of ultrasound strategies to assess tumor extension and to predict high-risk endometrial cancer in women from the prospective IETA (International Endometrial Tumor Analysis) cohort. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 115-124.	0.9	26
20	Imaging in gynecological disease (18): clinical and ultrasound characteristics of urinary bladder malignancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 453-459.	0.9	2
21	Ultrasound-based risk model for preoperative prediction of lymph node metastases in women with endometrial cancer: model development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 443-452.	0.9	13
22	Resources needed to teach midwife sonographers to measure cervical length with transvaginal ultrasound in the second trimester. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1568-1569.	1.3	1
23	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020, 370, m2614.	3.0	54
24	Second trimester cervical length measurements with transvaginal ultrasound: A prospective observational agreement and reliability study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1476-1485.	1.3	9
25	Predictors of complete miscarriage after expectant management or misoprostol treatment of non-viable early pregnancy in women with vaginal bleeding. <i>Archives of Gynecology and Obstetrics</i> , 2020, 302, 1279-1296.	0.8	2
26	Imaging in gynecological disease (20): clinical and ultrasound characteristics of adnexal torsion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 934-943.	0.9	39
27	Sonographic classification and reporting system for diagnosing adenomyosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 576-582.	0.9	157
28	Gestational Trophoblastic Neoplasia Ultrasound assessment: TITANIUM study. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1216-1220.	1.2	7
29	Autoantibodies common in patients with gastrointestinal diseases are not found in patients with endometriosis: A cross-sectional study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 370-374.	0.5	8
30	Imaging in gynecological disease (15): clinical and ultrasound characteristics of uterine sarcoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 676-687.	0.9	69
31	Imaging in gynecological disease (16): clinical and ultrasound characteristics of serous cystadenofibromas in adnexa. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 823-830.	0.9	26
32	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. <i>Lancet Oncology, The</i> , 2019, 20, 448-458.	5.1	110
33	Imaging in gynecological disease (13): clinical and ultrasound characteristics of endometrioid ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 535-543.	0.9	29
34	Mid-trimester sonographic cervical consistency index to predict spontaneous preterm birth in a low-risk population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 629-636.	0.9	20
35	International Endometrial Tumor Analysis (IETA) terminology in women with postmenopausal bleeding and sonographic endometrial thickness ≥ 4.5 mm: agreement and reliability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 259-268.	0.9	20
36	Misoprostol treatment vs expectant management in women with early non-viable pregnancy and vaginal bleeding: a pragmatic randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 24-32.	0.9	16

#	ARTICLE	IF	CITATIONS
37	Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 818-828.	0.9	61
38	Differences in ultrasound features of papillations in unilocular solid adnexal cysts: a retrospective international multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 269-278.	0.9	22
39	Imaging in gynecological disease (14): clinical and ultrasound characteristics of ovarian clear cell carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 792-800.	0.9	36
40	Endometrial cancer off-line staging using two-dimensional transvaginal ultrasound and three-dimensional volume contrast imaging: Intermethod agreement, interrater reliability and diagnostic accuracy. <i>Gynecologic Oncology</i> , 2018, 150, 438-445.	0.6	35
41	Prospective temporal validation of mathematical models to calculate risk of endometrial malignancy in patients with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 649-656.	0.9	13
42	Clinical and ultrasound characteristics of surgically removed adnexal lesions with largest diameter ≥ 2.5 cm: a pictorial essay. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 648-656.	0.9	13
43	Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. <i>Clinical Cancer Research</i> , 2017, 23, 5082-5090.	3.2	37
44	Ovarian masses with papillary projections diagnosed and removed during pregnancy: ultrasound features and histological diagnosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 116-123.	0.9	17
45	Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. <i>Diagnostics</i> , 2017, 7, 32.	1.3	34
46	Transvaginal ultrasound examination of the endometrium in postmenopausal women without vaginal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 390-396.	0.9	20
47	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 677-678.	0.7	0
48	Systematic approach to sonographic evaluation of the pelvis in women with suspected endometriosis, including terms, definitions and measurements: a consensus opinion from the International Deep Endometriosis Analysis (IDEA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 318-332.	0.9	503
49	Prospective validation of two mathematical models to calculate the risk of endometrial malignancy in patients with postmenopausal bleeding and sonographic endometrial thickness ≥ 4.5 mm. <i>European Journal of Cancer</i> , 2016, 59, 179-188.	1.3	7
50	Age-related differences in the sonographic characteristics of endometriomas. <i>Human Reproduction</i> , 2016, 31, 1723-1731.	0.4	43
51	Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 424-437.	0.7	212
52	Morcellation and risk of malignancy in presumed ovarian fibromas/fibrothecomas. <i>Lancet Oncology</i> , The, 2016, 17, 273-274.	5.1	9
53	Re: Accuracy of ultrasonography performed by examiners with varied training and experience in predicting specific pathology of adnexal masses. A. Sayasneh, J. Kaijser, J. Preisler, A. A. Smith, F. Raslan, S. Johnson, R. Husicka, L. Ferrara, C. Stalder, S. Ghaemmaghami, D. Timmerman and T. Bourne. <i>Ultrasound Obstet Gynecol</i> 2015; 45: 605-612. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 513-515.	0.9	0
54	Agreement of two-dimensional and three-dimensional transvaginal ultrasound with magnetic resonance imaging in assessment of parametrial infiltration in cervical cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 459-469.	0.9	19

#	ARTICLE	IF	CITATIONS
55	Terms, definitions and measurements to describe sonographic features of myometrium and uterine masses: a consensus opinion from the Morphological Uterus Sonographic Assessment (MUSA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 46, 284-298.	0.9	461
56	Appearance of the endometrium at saline contrast sonohysterography in the luteal phase of the menstrual cycle: a prospective observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015, 45, 339-345.	0.9	13
57	Interobserver Agreement in Describing the Ultrasound Appearance of Adnexal Masses and in Calculating the Risk of Malignancy Using Logistic Regression Models. <i>Clinical Cancer Research</i> , 2015, 21, 594-601.	3.2	12
58	Gastrointestinal symptoms among endometriosis patientsâ€”A case-cohort study. <i>BMC Women's Health</i> , 2015, 15, 59.	0.8	67
59	Prevalence of extrauterine pelvic lesions on transvaginal ultrasound in asymptomatic 20â€”39â€”year-old women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 228-237.	0.9	2
60	Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. <i>BMJ, The</i> , 2014, 349, g5920-g5920.	3.0	309
61	Imaging in gynecological disease (10): clinical and ultrasound characteristics of decidualized endometriomas surgically removed during pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 354-360.	0.9	67
62	Preface. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 619.	1.4	0
63	The sensitivity and specificity of transvaginal ultrasound with regard to acute pelvic inflammatory disease: a review of the literature. <i>Archives of Gynecology and Obstetrics</i> , 2014, 289, 705-714.	0.8	32
64	Imaging in gynecological disease (9): clinical and ultrasound characteristics of tubal cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 328-335.	0.9	28
65	Imaging techniques in the management of abnormal vaginal bleeding in non-pregnant women before and after menopause. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 637-654.	1.4	44
66	Ultrasound deserves to play a prominent role in the diagnosis and management of endometrial cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 483-487.	0.9	10
67	Bâ€”flow ultrasound facilitates visualization of contrast medium during hysterosalpingoâ€”contrast sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 221-227.	0.9	8
68	Intra- and interobserver agreement with regard to describing adnexal masses using International Ovarian Tumor Analysis terminology: reproducibility study involving seven observers. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 100-108.	0.9	13
69	Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014, 111, 680-688.	2.9	98
70	Prediction of scar integrity and vaginal birth after caesarean delivery. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2013, 27, 285-295.	1.4	72
71	Risk of malignancy in unilocular cysts: a study of 1148 adnexal masses classified as unilocular cysts at transvaginal ultrasound and review of the literature. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 80-89.	0.9	66
72	Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (<sc>IOTA</sc>) studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 9-20.	0.9	153

#	ARTICLE	IF	CITATIONS
73	Imaging in gynecological disease (8): ultrasound characteristics of recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 452-458.	0.9	27
74	Ultrasound for diagnosing acute salpingitis: a prospective observational diagnostic study. <i>Human Reproduction</i> , 2013, 28, 1569-1579.	0.4	28
75	Ultraschall Emissionen: Thermische (TI) und mechanische (MI) Indizes. <i>Ultraschall in Der Medizin</i> , 2013, 34, 422-434.	0.8	18
76	Intra- and interobserver agreement when describing adnexal masses using the International Ovarian Tumor Analysis terms and definitions: a study on three-dimensional ultrasound volumes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 318-327.	0.9	21
77	Intra- and interobserver reproducibility of assessment of Doppler ultrasound findings in adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 93-101.	0.9	14
78	Unilocular adnexal cysts with papillary projections but no other solid components: is there a diagnostic method that can classify them reliably as benign or malignant before surgery?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 570-581.	0.9	26
79	External Validation of Diagnostic Models to Estimate the Risk of Malignancy in Adnexal Masses. <i>Clinical Cancer Research</i> , 2012, 18, 815-825.	3.2	72
80	Agreement Between Prenatal Ultrasonography and Fetal Autopsy Findings: A Retrospective Study of Second Trimester Terminations of Pregnancy. <i>Ultraschall in Der Medizin</i> , 2012, 33, E31-E37.	0.8	11
81	Key findings from the International Ovarian Tumor Analysis (IOTA) study: an approach to the optimal ultrasound based characterisation of adnexal pathology. <i>Australasian Journal of Ultrasound in Medicine</i> , 2012, 15, 82-86.	0.3	5
82	Number of Antral Follicles, Ovarian Volume, and Vascular Indices in Asymptomatic Women 20 to 39 Years Old as Assessed by 3-Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 1635-1649.	0.8	31
83	Imaging in gynecological disease (7): clinical and ultrasound features of Brenner tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 706-713.	0.9	29
84	Clinically oriented three-step strategy for assessment of adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 582-591.	0.9	61
85	Detection of intracavitary uterine pathology using offline analysis of three-dimensional ultrasound volumes: interobserver agreement and diagnostic accuracy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 459-463.	0.9	16
86	Lesion size affects diagnostic performance of IOTA logistic regression models, IOTA simple rules and risk of malignancy index in discriminating between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 345-354.	0.9	23
87	Ovarian size and vascularization as assessed by three-dimensional grayscale and power Doppler ultrasound in asymptomatic women 20-39 years old using combined oral contraceptives. <i>Contraception</i> , 2012, 86, 257-267.	0.8	17
88	A Mathematical Model for Interpretable Clinical Decision Support with Applications in Gynecology. <i>PLoS ONE</i> , 2012, 7, e34312.	1.1	27
89	Triaging women with ovarian masses for surgery: observational diagnostic study to compare RCOG guidelines with an International Ovarian Tumour Analysis (IOTA) group protocol. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 662-671.	1.1	49
90	Improved modeling of clinical data with kernel methods. <i>Artificial Intelligence in Medicine</i> , 2012, 54, 103-114.	3.8	15

#	ARTICLE	IF	CITATIONS
91	Clinical Importance of Appearance of Cesarean Hysterotomy Scar at Transvaginal Ultrasonography in Nonpregnant Women. <i>Obstetrics and Gynecology</i> , 2011, 117, 525-532.	1.2	122
92	Clinical Importance of Appearance of Cesarean Hysterotomy Scar at Transvaginal Ultrasonography in Nonpregnant Women. <i>Obstetrics and Gynecology</i> , 2011, 117, 1438-1439.	1.2	1
93	Performance of the American College of Obstetricians and Gynecologists' Ovarian Tumor Referral Guidelines With a Multivariate Index Assay. <i>Obstetrics and Gynecology</i> , 2011, 118, 1179-1181.	1.2	9
94	Improving the preoperative classification of adnexal masses as benign or malignant by second-stage tests. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 100-106.	0.9	14
95	Prediction of endometrial malignancy in women with postmenopausal bleeding and sonographic endometrial thickness ≥ 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 232-240.	0.9	43
96	Imaging of gynecological disease (6): clinical and ultrasound characteristics of ovarian dysgerminoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 37, 596-602.	0.9	41
97	Adnexal masses difficult to classify as benign or malignant using subjective assessment of gray-scale and Doppler ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 456-465.	0.9	70
98	Early-stage cervical cancer: agreement between ultrasound and histopathological findings with regard to tumor size and extent of local disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 707-715.	0.9	29
99	Effect of gel instillation sonography on Doppler ultrasound findings in endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 355-359.	0.9	19
100	OC17.06: Clinical Data Miner (CDM) a web-based electronic data capture framework for multicentric studies with imaging modalities. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 33-33.	0.9	0
101	OC21.02: Selection of women with an ovarian tumor for surgery in specialist centers: a comparison of two triaging protocols. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 39-39.	0.9	0
102	OC21.04: A prediction model to distinguish between benign, borderline, stage I invasive, higher stage invasive, and metastatic adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 40-40.	0.9	0
103	OC27.03: Incidental ultrasound findings in the ovaries of asymptomatic premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 49-49.	0.9	0
104	OP08.04: Showing pictograms in electronic data capture software improves interrater agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 78-79.	0.9	1
105	OP19.07: Reference values for size and vascularization of ovaries in premenopausal women obtained by three-dimensional gray scale and power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 112-112.	0.9	0
106	OP24.05: Intra- and inter-observer reproducibility of Doppler ultrasound features in adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 126-126.	0.9	0
107	OP24.08: Intra- and inter-observer reproducibility of two morphological ultrasound features of adnexal masses and of ultrasound diagnosis regarding malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 127-127.	0.9	0
108	A Novel Approach to Predict the Likelihood of Specific Ovarian Tumor Pathology Based on Serum CA-125: A Multicenter Observational Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2420-2428.	1.1	32

#	ARTICLE	IF	CITATIONS
109	Use of ultrasound pattern recognition by expert operators to identify borderline ovarian tumors: a study of diagnostic performance and interobserver agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 84-88.	0.9	17
110	Confidence of expert ultrasound operators in making a diagnosis of adnexal tumor: effect on diagnostic accuracy and interobserver agreement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 89-93.	0.9	24
111	Three-dimensional ultrasound imaging for discrimination between benign and malignant endometrium in women with postmenopausal bleeding and sonographic endometrial thickness of at least 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 94-102.	0.9	35
112	Terms, definitions and measurements to describe the sonographic features of the endometrium and intrauterine lesions: a consensus opinion from the International Endometrial Tumor Analysis (IETA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 103-112.	0.9	212
113	Cesarean section scar defects: agreement between transvaginal sonographic findings with and without saline contrast enhancement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 75-83.	0.9	159
114	Acoustic streaming cannot discriminate reliably between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 349-353.	0.9	45
115	Reply by Drs Vikhareva Osser & Valentin. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 251-251.	0.9	0
116	Prospective external validation of the "ovarian crescent sign"™ as a single ultrasound parameter to distinguish between benign and malignant adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 81-87.	0.9	23
117	Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 226-234.	0.9	154
118	Endometriomas: their ultrasound characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 730-740.	0.9	190
119	Polytomous diagnosis of ovarian tumors as benign, borderline, primary invasive or metastatic: development and validation of standard and kernel-based risk prediction models. <i>BMC Medical Research Methodology</i> , 2010, 10, 96.	1.4	27
120	Risk factors for incomplete healing of the uterine incision after caesarean section. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 1119-1126.	1.1	144
121	Ultrasound Experience Substantially Impacts on Diagnostic Performance and Confidence when Adnexal Masses Are Classified Using Pattern Recognition. <i>Gynecologic and Obstetric Investigation</i> , 2010, 69, 160-168.	0.7	54
122	Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ: British Medical Journal</i> , 2010, 341, c6839-c6839.	2.4	336
123	Normal gynaecological anatomy (uterus, tubes, ovaries). , 2009, , 285-297.		0
124	Prospective Internal Validation of Mathematical Models to Predict Malignancy in Adnexal Masses: Results from the International Ovarian Tumor Analysis Study. <i>Clinical Cancer Research</i> , 2009, 15, 684-691.	3.2	97
125	Characterising acute gynaecological pathology with ultrasound: an overview and case examples. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009, 23, 577-593.	1.4	14
126	A scoring system to differentiate malignant from benign masses in specific ultrasound-based subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 92-101.	0.9	36

#	ARTICLE	IF	CITATIONS
127	Re: Prevalence of endometrial polyps and abnormal uterine bleeding in a Danish population aged 20â€“74 years. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 369-370.	0.9	47
128	Two- and three-dimensional saline contrast sonohysterography: interobserver agreement, agreement with hysteroscopy and diagnosis of endometrial malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 574-582.	0.9	34
129	Imaging in gynecological disease (5): clinical and ultrasound characteristics in fibroma and fibrothecoma of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 188-195.	0.9	76
130	High prevalence of defects in Cesarean section scars at transvaginal ultrasound examination. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 90-97.	0.9	219
131	Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 345-354.	0.9	57
132	Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 454-461.	0.9	34
133	Diagnostic accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 462-470.	0.9	156
134	Diagnostic performance of routine ultrasound screening for fetal abnormalities in an unselected Swedish population in 2000â€“2005. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 526-533.	0.9	62
135	Intravenous contrast ultrasound examination using contrast-tuned imaging (CnTi ₂) and the contrast medium SonoVue [®] for discrimination between benign and malignant adnexal masses with solid components. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 699-710.	0.9	50
136	Imaging in gynaecology: How good are we in identifying endometriomas?. <i>Facts, Views & Vision in ObGyn</i> , 2009, 1, 7-17.	0.5	8
137	Using Bayesian neural networks with ARD input selection to detect malignant ovarian masses prior to surgery. <i>Neural Computing and Applications</i> , 2008, 17, 489-500.	3.2	9
138	Imaging of gynecological disease (2): clinical and ultrasound characteristics of Sertoli cell tumors, Sertoli-Leydig cell tumors and Leydig cell tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 85-91.	0.9	72
139	Changes in ultrasound morphology of the uterus and ovaries during the menopausal transition and early postmenopause: a 4-year longitudinal study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 210-217.	0.9	20
140	Imaging of gynecological disease (3): clinical and ultrasound characteristics of granulosa cell tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 450-456.	0.9	71
141	Simple ultrasound-based rules for the diagnosis of ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 31, 681-690.	0.9	435
142	Imaging of gynecological disease (4): clinical and ultrasound characteristics of struma ovarii. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 210-219.	0.9	60
143	OC001: Prospective assessment of simple rules to distinguish between malignant and benign adnexal masses prior to surgery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 243-243.	0.9	0
144	OC021: Assessment of pattern recognition for the ultrasound diagnosis of an endometrioma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 250-250.	0.9	0

#	ARTICLE	IF	CITATIONS
145	OC025: Ultrasound characteristics of typical and atypical endometriomas. Ultrasound in Obstetrics and Gynecology, 2008, 32, 251-251.	0.9	1
146	OC133: High prevalence of defects in caesarean section scars at transvaginal ultrasound examination. Ultrasound in Obstetrics and Gynecology, 2008, 32, 286-286.	0.9	0
147	OC134: Agreement between transvaginal ultrasound examination performed before and after hydrosonegography with regard to caesarean section scar defects. Ultrasound in Obstetrics and Gynecology, 2008, 32, 286-286.	0.9	0
148	OC144: Prospective evaluation of logistic regression models to predict malignancy of adnexal masses prior to surgery. Ultrasound in Obstetrics and Gynecology, 2008, 32, 289-290.	0.9	1
149	OC145: Ultrasound scoring system to differentiate benign from malignant masses in specific subgroups of adnexal tumors. Ultrasound in Obstetrics and Gynecology, 2008, 32, 290-290.	0.9	1
150	OC146: Multicenter prospective testing to predict malignancy in adnexal masses using Bayesian network models. Ultrasound in Obstetrics and Gynecology, 2008, 32, 290-290.	0.9	0
151	OC147: Confirming the limited role of CA-125 for adnexal mass diagnosis. Ultrasound in Obstetrics and Gynecology, 2008, 32, 290-291.	0.9	0
152	OC149: The ability of four ultrasound methods to discriminate between benign and malignant tumors considered difficult to classify by ultrasound examiners. Ultrasound in Obstetrics and Gynecology, 2008, 32, 291-291.	0.9	0
153	OC150: Investigation of the performance of mathematical models on small ovarian masses in the IOTA phase 1 and 2 study. Ultrasound in Obstetrics and Gynecology, 2008, 32, 292-292.	0.9	0
154	OC151: Pattern recognition by less experienced examiners and use of mathematical models to discriminate between static ultrasound images of benign and malignant adnexal masses. Ultrasound in Obstetrics and Gynecology, 2008, 32, 292-292.	0.9	0
155	OC152: Prevalence of cancer and optimal cut-off levels for mathematical models to distinguish between benign and malignant adnexal masses. Ultrasound in Obstetrics and Gynecology, 2008, 32, 292-293.	0.9	0
156	OC153: Prospective evaluation of a model to diagnose adnexal masses as benign, primary invasive, borderline, or metastatic. Ultrasound in Obstetrics and Gynecology, 2008, 32, 293-293.	0.9	0
157	OC154: Prospective external validation of an ultrasound scoring system to differentiate benign from malignant masses in specific subgroups of adnexal tumors. Ultrasound in Obstetrics and Gynecology, 2008, 32, 293-293.	0.9	0
158	OC162: Presence of acoustic streaming in different types of adnexal masses. Ultrasound in Obstetrics and Gynecology, 2008, 32, 296-296.	0.9	0
159	OC164: Ultrasound contrast examination to discriminate benign and malignant adnexal masses. Ultrasound in Obstetrics and Gynecology, 2008, 32, 297-297.	0.9	0
160	OP05.07: Just images on sono-endoscopic findings of adnexal torsion: A retrospective multicenter study by the IOTA group. Ultrasound in Obstetrics and Gynecology, 2008, 32, 327-327.	0.9	0
161	OP17.01: Prospective comparison of one-step and two-step models for the classification of adnexal masses as benign or malignant. Ultrasound in Obstetrics and Gynecology, 2008, 32, 368-368.	0.9	0
162	OP23.01: Long duration of labor and post-partum anemia increase the risk of large defects in caesarean section scars. Ultrasound in Obstetrics and Gynecology, 2008, 32, 389-389.	0.9	2

#	ARTICLE	IF	CITATIONS
163	P46.03: The protodiastolic notch in extraovarian adnexal lesions: A useful diagnostic feature?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 464-465.	0.9	0
164	Real-time ultrasound vs. evaluation of static images in the preoperative assessment of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 828-831.	0.9	30
165	ULTRASOUND EVALUATION OF THE ADNEXA (OVARY AND FALLOPIAN TUBES). , 2008, , 968-985.		3
166	External Validation of Mathematical Models to Distinguish Between Benign and Malignant Adnexal Tumors: A Multicenter Study by the International Ovarian Tumor Analysis Group. <i>Clinical Cancer Research</i> , 2007, 13, 4440-4447.	3.2	65
167	Discrimination Between Benign and Malignant Adnexal Masses by Specialist Ultrasound Examination Versus Serum CA-125. <i>Journal of the National Cancer Institute</i> , 2007, 99, 1706-1714.	3.0	184
168	Inclusion of CA-125 Does Not Improve Mathematical Models Developed to Distinguish Between Benign and Malignant Adnexal Tumors. <i>Journal of Clinical Oncology</i> , 2007, 25, 4194-4200.	0.8	75
169	Effect of vaginal delivery on endosonographic anal sphincter morphology. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 130, 193-201.	0.5	20
170	By how much does increased nuchal translucency increase the risk of adverse pregnancy outcome in chromosomally normal fetuses? A study of 16 260 fetuses derived from an unselected pregnant population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 150-158.	0.9	31
171	Does three-dimensional power Doppler ultrasound help in discrimination between benign and malignant ovarian masses?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 215-225.	0.9	91
172	Preoperative diagnosis of ovarian tumors using Bayesian kernel-based methods. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 496-504.	0.9	36
173	Imaging in gynecological disease (1): ultrasound features of metastases in the ovaries differ depending on the origin of the primary tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 505-511.	0.9	102
174	Imaging in gynecological disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 29, 483-484.	0.9	7
175	Ultrasound assessment of endometrial morphology and vascularity to predict endometrial malignancy in women with postmenopausal bleeding and sonographic endometrial thickness \geq 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 332-340.	0.9	74
176	OC56: Miscarriage after a normal scan at 12-14 gestational weeks in women at low risk of carrying a fetus with chromosomal anomaly according to nuchal translucency screening. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 384-385.	0.9	0
177	OC127: Two-dimensional (2D) or three-dimensional (3D) hydrosonography for discrimination between benign and malignant endometrium in women with postmenopausal bleeding?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 406-406.	0.9	0
178	OC128: Agreement of two-dimensional (2D) and three-dimensional (3D) hydrosonography with hysteroscopy regarding number, regularity and localization of intracavitary focal lesions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 406-406.	0.9	0
179	OC153: Logistic regression models to distinguish between benign, primary invasive, borderline malignant and metastatic ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 414-414.	0.9	1
180	OC154: Accuracy of transvaginal ultrasound examination for assigning a specific diagnosis to adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 414-414.	0.9	0

#	ARTICLE	IF	CITATIONS
181	OC155: The first prospective evaluation of the IOTA phase 1 mathematical models to predict the character of an adnexal mass. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 414-415.	0.9	3
182	OC156: CA-125 does not add to and is not superior to pattern recognition for discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 415-415.	0.9	0
183	OC203: How accurate is ultrasound pattern recognition at predicting the histological diagnosis of an ovarian mass?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 429-430.	0.9	0
184	OC204: Analysis of sonographic and Doppler features of struma ovarii: insights into a diagnostic dilemma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 430-430.	0.9	0
185	OC205: Ultrasound characteristics of clear cell and endometrioid carcinoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 430-430.	0.9	0
186	OC206: Pictorial assay of the granulosa cell tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 430-431.	0.9	0
187	OC228: Imaging in gynecological disease (1): ultrasound features of metastases in the ovaries differ depending on the origin of the primary tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 437-437.	0.9	0
188	Miscarriage after a normal scan at 12-14 gestational weeks in women at low risk of carrying a fetus with chromosomal anomaly according to nuchal translucency screening. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 728-736.	0.9	10
189	Contribution of morphological assessment of the vessel tree by three-dimensional ultrasound to a correct diagnosis of malignancy in ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007, 30, 874-882.	0.9	41
190	No cervical changes during the last week before spontaneous start of labor as assessed by three-dimensional (3D) ultrasound in women with prolonged pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 496-497.	1.3	1
191	Comparing Analytical Decision Support Models Through Boolean Rule Extraction: A Case Study of Ovarian Tumour Malignancy. <i>Lecture Notes in Computer Science</i> , 2007, , 1177-1186.	1.0	6
192	Routine ultrasound examination at 12 or 18 gestational weeks for prenatal detection of major congenital heart malformations? A randomised controlled trial comprising 36 299 fetuses. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 675-682.	1.1	73
193	Detection of malformations in chromosomally normal fetuses by routine ultrasound at 12 or 18 weeks of gestation-a randomised controlled trial in 39 572 pregnancies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 664-674.	1.1	105
194	If nuchal translucency screening is combined with first-trimester serum screening the need for fetal karyotyping decreases. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 534-538.	1.3	3
195	The extent of endosonographic anal sphincter defects after primary repair of obstetric sphincter tears increases over time and is related to anal incontinence. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 188-197.	0.9	90
196	Reference data representative of normal findings at two-dimensional and three-dimensional gray-scale ultrasound examination of the cervix from 17 to 41 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 392-402.	0.9	21
197	Which extrauterine pelvic masses are difficult to correctly classify as benign or malignant on the basis of ultrasound findings and is there a way of making a correct diagnosis?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 438-444.	0.9	144
198	Assessment of changes in endometrial and subendometrial volume and vascularity during the normal menstrual cycle using three-dimensional power Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 672-679.	0.9	53

#	ARTICLE	IF	CITATIONS
199	Bishop score and ultrasound assessment of the cervix for prediction of time to onset of labor and time to delivery in prolonged pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 298-305.	0.9	45
200	Gray-scale ultrasound morphology in the presence or absence of intrauterine fluid and vascularity as assessed by color Doppler for discrimination between benign and malignant endometrium in women with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 89-95.	0.9	49
201	Is measurement of nuchal translucency thickness a useful screening tool for heart defects? A study of 16 383 fetuses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 27, 632-639.	0.9	52
202	Three-dimensional ultrasound assessment of the cervix for predicting time to spontaneous onset of labor and time to delivery in prolonged pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 306-311.	0.9	17
203	Pregnancies of unknown location: consensus statement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 121-122.	0.9	120
204	Reference data representative of normal findings at three-dimensional power Doppler ultrasound examination of the cervix from 17 to 41 gestational weeks. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 761-767.	0.9	21
205	OC127: Endometrial morphology and vascularity to predict endometrial malignancy in women with postmenopausal bleeding and endometrial thickness ≥ 4.5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 395-396.	0.9	0
206	OC130: The value of three-dimensional (3D) gray-scale and power Doppler ultrasound for discrimination between benign and malignant endometria. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 396-396.	0.9	0
207	OP09.24: Cervical changes during the week before spontaneous start of labor as assessed by three-dimensional (3D) ultrasound in women with prolonged pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 478-478.	0.9	0
208	OP19.02: Interobserver agreement for subjective evaluation of endometrial morphology and vascularity in women with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 501-501.	0.9	0
209	OP20.07: Assessment of changes in number of follicles during the normal menstrual cycle using three-dimensional (3D) ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 505-505.	0.9	0
210	OP21.01: Prospective internal evaluation of IOTA logistic regression model. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 506-506.	0.9	0
211	OP22.03: Fibroma and fibrothecoma of the ovary-clinical and ultrasound findings in a multicenter series of 63 cases. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 509-510.	0.9	0
212	P20.02: Changes in uterine and ovarian ultrasound morphology and in uterine vascularization in menopausal transition and early postmenopause. A longitudinal ultrasound study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006, 28, 609-609.	0.9	0
213	Ultrasound characteristics of different types of adnexal malignancies. <i>Gynecologic Oncology</i> , 2006, 102, 41-48.	0.6	106
214	Imaging in gynecology. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2006, 20, 881-906.	1.4	44
215	Assessment of changes in volume and vascularity of the ovaries during the normal menstrual cycle using three-dimensional power Doppler ultrasound. <i>Human Reproduction</i> , 2006, 21, 2661-2668.	0.4	63
216	Classifying ovarian tumors using Bayesian Multi-Layer Perceptrons and Automatic Relevance Determination: A multi-center study. , 2006, 2006, 5342-5.		8

#	ARTICLE	IF	CITATIONS
217	Classifying ovarian tumors using Bayesian Multi-Layer Perceptrons and Automatic Relevance Determination: A multi-center study. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2006, , .	0.5	1
218	Endosonography of the anal sphincter in women of different ages and parity. Ultrasound in Obstetrics and Gynecology, 2005, 25, 169-176.	0.9	59
219	Intraobserver and interobserver reproducibility of three-dimensional gray-scale and power Doppler ultrasound examinations of the cervix in pregnant women. Ultrasound in Obstetrics and Gynecology, 2005, 26, 132-137.	0.9	40
220	Screening for Down syndrome based on maternal age or fetal nuchal translucency: a randomized controlled trial in 39 572 pregnancies. Ultrasound in Obstetrics and Gynecology, 2005, 25, 537-545.	0.9	39
221	Ultrasound dating at 12-14 weeks of gestation. A prospective cross-validation of established dating formulae in in-vitro fertilized pregnancies. Ultrasound in Obstetrics and Gynecology, 2005, 26, 504-511.	0.9	99
222	OC12.06: Reference data representative of normal findings at 3D power Doppler ultrasound examination of the cervix from 17 to 41 gestational weeks. Ultrasound in Obstetrics and Gynecology, 2005, 26, 328-329.	0.9	0
223	OC16.01: The pros and cons of using mathematical models to predict malignancy in ovarian masses. Ultrasound in Obstetrics and Gynecology, 2005, 26, 334-335.	0.9	0
224	OC16.04: Three-dimensional power Doppler ultrasound for discrimination between benign and malignant ovarian tumors. Ultrasound in Obstetrics and Gynecology, 2005, 26, 335-335.	0.9	0
225	OC16.07: Assessment of the vascular tree in ovarian tumors using 3D power Doppler ultrasound. Ultrasound in Obstetrics and Gynecology, 2005, 26, 336-336.	0.9	0
226	OC23.01: Reference data representative of normal findings at 2D and 3D gray scale ultrasound examination of the cervix from 17 to 41 gestational weeks. Ultrasound in Obstetrics and Gynecology, 2005, 26, 346-346.	0.9	0
227	P11.05: Two-dimensional ultrasound assessment of the cervix in prolonged pregnancy for prediction of time to start of labor and time to delivery. Ultrasound in Obstetrics and Gynecology, 2005, 26, 451-451.	0.9	0
228	P11.06: 3D ultrasound assessment of the cervix for predicting time to spontaneous onset of labor and time to delivery in prolonged pregnancy. Ultrasound in Obstetrics and Gynecology, 2005, 26, 451-451.	0.9	1
229	P11.15: 3D power Doppler ultrasound assessment of the cervix for prediction of successful induction of labor with prostaglandins in prolonged pregnancy. Ultrasound in Obstetrics and Gynecology, 2005, 26, 453-453.	0.9	0
230	P13.08: Assessment of changes in volume and vascularity of the ovaries during the normal menstrual cycle using three-dimensional power Doppler ultrasound. Ultrasound in Obstetrics and Gynecology, 2005, 26, 460-460.	0.9	0
231	Three-Dimensional Power Doppler Ultrasound Assessment of the Cervix for the Prediction of Successful Induction of Labor With Prostaglandin in Prolonged Pregnancy. Journal of Ultrasound in Medicine, 2005, 24, 933-939.	0.8	24
232	Logistic Regression Model to Distinguish Between the Benign and Malignant Adnexal Mass Before Surgery: A Multicenter Study by the International Ovarian Tumor Analysis Group. Journal of Clinical Oncology, 2005, 23, 8794-8801.	0.8	396
233	The role of ultrasound in the management of women with acute and chronic pelvic pain. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2004, 18, 105-123.	1.4	20
234	Managing women with post-menopausal bleeding. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2004, 18, 125-143.	1.4	54

#	ARTICLE	IF	CITATIONS
235	Use of morphology to characterize and manage common adnexal masses. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2004, 18, 71-89.	1.4	146
236	Ultrasound dating at 12-14 or 15-20 weeks of gestation? A prospective cross-validation of established dating formulae in a population of in-vitro fertilized pregnancies randomized to early or late dating scan. Ultrasound in Obstetrics and Gynecology, 2004, 24, 42-50.	0.9	57
237	OC107: Are Doppler, sonohysterography, and evaluation greyscale morphology useful in the assessment of postmenopausal bleeding?. Ultrasound in Obstetrics and Gynecology, 2004, 24, 245-245.	0.9	0
238	OC110: Detection of Down's syndrome by routine ultrasound examination at 12-14 vs. at 15-20 gestational weeks. A randomised controlled trial in 40 000 women-preliminary results. Ultrasound in Obstetrics and Gynecology, 2004, 24, 246-246.	0.9	1
239	OC169: Classifying ovarian masses and lessons from the IOTA trial. Ultrasound in Obstetrics and Gynecology, 2004, 24, 261-262.	0.9	1
240	OC187: Results of the Swedish NUPP-study. Ultrasound in Obstetrics and Gynecology, 2004, 24, 266-266.	0.9	0
241	P04.20: Changes in endometrium and ovaries during the normal menstrual cycle as assessed by three-dimensional (3D) power Doppler ultrasound. Ultrasound in Obstetrics and Gynecology, 2004, 24, 292-292.	0.9	0
242	Transvaginal sonography in gynaecology. Reviews in Gynaecological Practice, 2004, 4, 50-57.	0.1	3
243	Results of Endosonographic Imaging of the Anal Sphincter 2 to 7 Days After Primary Repair of Third- or Fourth-Degree Obstetric Sphincter Tears. Obstetrical and Gynecological Survey, 2004, 59, 418-419.	0.2	0
244	Cervical changes in twin pregnancies observed by transvaginal ultrasound during the latter half of pregnancy: a longitudinal, observational study. Ultrasound in Obstetrics and Gynecology, 2003, 21, 556-563.	0.9	28
245	Frequency and type of adnexal lesions in autopsy material from postmenopausal women: ultrasound study with histological correlation. Ultrasound in Obstetrics and Gynecology, 2003, 22, 284-289.	0.9	53
246	OC141: Chair overview: the endometrium?what a practicing gynecologist needs to know from an imaging technique. Ultrasound in Obstetrics and Gynecology, 2003, 22, 38-39.	0.9	0
247	OC142: Ultrasound and the management of women with postmenopausal bleeding. Ultrasound in Obstetrics and Gynecology, 2003, 22, 39-39.	0.9	0
248	OC158: Ultrasound should not be used to assess the ovaries or endometrium of asymptomatic women. Ultrasound in Obstetrics and Gynecology, 2003, 22, 43-43.	0.9	0
249	OC178: Endosonographic anal sphincter defect classification after primary repair of obstetric sphincter tears: relation to sphincter pressure and anal incontinence. Ultrasound in Obstetrics and Gynecology, 2003, 22, 49-49.	0.9	0
250	OC258a: Colour Doppler and morphological assessment of ovarian masses. Ultrasound in Obstetrics and Gynecology, 2003, 22, 69-69.	0.9	0
251	Ultrasound examination of the cervix to predict preterm delivery: we still know too little to use it in clinical practice. Ultrasound in Obstetrics and Gynecology, 2003, 21, 106-110.	0.9	8
252	Results of endosonographic imaging of the anal sphincter 2-7 days after primary repair of third- or fourth-degree obstetric sphincter tears. Ultrasound in Obstetrics and Gynecology, 2003, 22, 609-615.	0.9	105

#	ARTICLE	IF	CITATIONS
253	Effects of maternal anxiety on perception of fetal movements in late pregnancy. <i>Early Human Development</i> , 2003, 72, 111-122.	0.8	20
254	Rectal endosonography can distinguish benign rectal lesions from invasive early rectal cancers. <i>Colorectal Disease</i> , 2003, 5, 246-250.	0.7	45
255	Colour Doppler. , 2003, , 153-164.		1
256	Early Amniocentesis and Congenital Foot Deformities. <i>Fetal Diagnosis and Therapy</i> , 2002, 17, 129-132.	0.6	14
257	Incidentally Detected Ovarian Cysts in Postmenopausal Women. <i>BMUS Bulletin</i> , 2002, 10, 15-16.	0.0	0
258	The natural history of adnexal cysts incidentally detected at transvaginal ultrasound examination in postmenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 174-180.	0.9	34
259	Intra- and interobserver reproducibility of ultrasound measurements of cervical length and width in the second and third trimesters of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 256-262.	0.9	67
260	An algorithm including results of gray-scale and power Doppler ultrasound examination to predict endometrial malignancy in women with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 370-376.	0.9	82
261	Intraobserver and interobserver reproducibility of ultrasound measurements of endometrial thickness in postmenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 486-491.	0.9	36
262	Maternal anxiety in late pregnancy: effect on fetal movements and fetal heart rate. <i>Early Human Development</i> , 2002, 67, 87-100.	0.8	70
263	Normal cervical changes in parous women during the second half of pregnancy - a prospective, longitudinal ultrasound study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 31-38.	1.3	31
264	Comparison of "pattern recognition"™ and logistic regression models for discrimination between benign and malignant pelvic masses: a prospective cross validation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 357-365.	0.9	175
265	Comparison of Endorette® and dilatation and curettage for sampling of the endometrium in women with postmenopausal bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 959-964.	1.3	21
266	Dilatation and curettage fails to detect most focal lesions in the uterine cavity in women with postmenopausal bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 1131-1136.	1.3	168
267	Intraobserver reproducibility of Doppler measurements of uterine artery blood flow velocity in premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 17, 431-433.	0.9	5
268	Transvaginal sonography, saline contrast sonohysterography and hysteroscopy for the investigation of women with postmenopausal bleeding and endometrium > 5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 157-162.	0.9	128
269	Patterns of normal change in cervical length and width during pregnancy in nulliparous women: a prospective, longitudinal ultrasound study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 217-222.	0.9	46
270	Rebleeding and endometrial growth in women with postmenopausal bleeding and endometrial thickness <5 mm managed by dilatation and curettage or ultrasound follow-up: a randomized controlled study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001, 18, 499-504.	0.9	40

#	ARTICLE	IF	CITATIONS
271	Comparison of Endorette® and dilatation and curettage for sampling of the endometrium in women with postmenopausal bleeding. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2001, 80, 959-964.	1.3	22
272	Effects of a Vasopressin Antagonist in Women with Dysmenorrhea. <i>Gynecologic and Obstetric Investigation</i> , 2000, 50, 170-177.	0.7	45
273	WS05-03Ultrasound in the diagnosis of endometrial abnormalities. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 12-12.	0.9	0
274	WS09-02Ultrasound diagnosis of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 18-18.	0.9	0
275	F06Transvaginal sonography, hydrososonography and hysteroscopy for the investigation of women with postmenopausal bleeding and endometrium ≥ 5 mm. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 36-36.	0.9	0
276	Comparison of Lerner score, Doppler ultrasound examination, and their combination for discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 15, 143-147.	0.9	21
277	Terms, definitions and measurements to describe the sonographic features of adnexal tumors: a consensus opinion from the International Ovarian Tumor Analysis (IOTA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 500-505.	0.9	747
278	MULTISCAN - A Scandinavian multicenter second trimester obstetric ultrasound and serum screening study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1999, 78, 501-510.	1.3	11
279	High-quality gynecological ultrasound can be highly beneficial, but poor-quality gynecological ultrasound can do harm. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999, 13, 1-7.	0.9	18
280	Prospective cross-validation of Doppler ultrasound examination and gray-scale ultrasound imaging for discrimination of benign and malignant pelvic masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999, 14, 273-283.	0.9	128
281	Pattern recognition of pelvic masses by gray-scale ultrasound imaging: the contribution of Doppler ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999, 14, 338-347.	0.9	141
282	Do pre-, early, and mid-pregnancy life events influence gestational length?. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 1999, 20, 170-176.	1.1	12
283	MULTISCAN - A Scandinavian multicenter second trimester obstetric ultrasound and serum screening study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1999, 78, 501-510.	1.3	30
284	Ultrasound Measurements of Subcutaneous Adipose Tissue in Infants Are Reproducible. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1999, 28, 492-494.	0.9	3
285	MULTISCAN—a Scandinavian multicenter second trimester obstetric ultrasound and serum screening study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1999, 78, 501-10.	1.3	9
286	Does the Prenatal Diagnosis of Fetal Urinary Tract Anomalies Affect Perinatal Outcome?. <i>Annals of the New York Academy of Sciences</i> , 1998, 847, 59-73.	1.8	9
287	Factors affecting color Doppler energy ultrasound recordings in an in-vitro model. <i>Ultrasound in Medicine and Biology</i> , 1998, 24, 899-902.	0.7	36
288	Gray scale sonography, subjective evaluation of the color Doppler image and measurement of blood flow velocity for distinguishing benign and malignant tumors of suspected adnexal origin. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 72, 63-72.	0.5	78

#	ARTICLE	IF	CITATIONS
289	Maternal anxiety in late pregnancy and fetal hemodynamics. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 74, 149-155.	0.5	142
290	Use of colour and spectral Doppler ultrasound examination in gynaecology. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1997, 6, 143-163.	1.4	5
291	Uteroplacental and luteal circulation in normal first-trimester pregnancies: Doppler ultrasonographic and morphologic study. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 768-775.	0.7	95
292	Transvaginal Doppler examination of uteri with myomas. , 1996, 24, 135-140.		35
293	Transvaginal Ultrasonography of the Endometrium in Women With Postmenopausal Bleeding--A Nordic Multicenter Study. <i>Obstetrical and Gynecological Survey</i> , 1996, 51, 100-101.	0.2	8
294	Transvaginal gray-scale and Doppler ultrasound examinations of the uterus and ovaries in healthy postmenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 1995, 6, 81-90.	0.9	42
295	Interobserver agreement in the results of Doppler examinations of extrauterine pelvic tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 1995, 6, 91-96.	0.9	17
296	Reproducibility of Doppler measurements of blood flow velocity in the uterine and ovarian arteries in premenopausal women. <i>Ultrasound in Medicine and Biology</i> , 1995, 21, 313-319.	0.7	19
297	Reproducibility of Doppler blood flow velocity measurements in the uterine and ovarian arteries of postmenopausal women. <i>European Journal of Ultrasound: Official Journal of the European Federation of Societies for Ultrasound in Medicine and Biology</i> , 1995, 2, 3-9.	1.4	4
298	Transvaginal Doppler examination for the differential diagnosis of solid pelvic tumors.. <i>Journal of Ultrasound in Medicine</i> , 1995, 14, 377-380.	0.8	25
299	Transvaginal ultrasonography of the endometrium in women with postmenopausal bleeding " a Nordic multicenter study. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 172, 1488-1494.	0.7	517
300	Effect of a prostaglandin E1 analogue (gemeprost) on uterine and luteal circulation in normal first trimester pregnancies. A Doppler velocimetry study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1995, 59, 25-34.	0.5	6
301	Vascular Changes During the Ovarian Cycle. , 1995, , 107-118.		0
302	Fetal cerebral blood flow velocity during labor and the early neonatal period. <i>Ultrasound in Obstetrics and Gynecology</i> , 1994, 4, 372-376.	0.9	27
303	Blood flow velocity in the uterine and ovarian arteries during menstruation. <i>Ultrasound in Obstetrics and Gynecology</i> , 1994, 4, 421-427.	0.9	36
304	Endometrial thickness and Doppler velocimetry of the uterine arteries as discriminators of endometrial status in women with postmenopausal bleeding. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 722-728.	0.7	87
305	Limited contribution of Doppler velocimetry to the differential diagnosis of extrauterine pelvic tumors. <i>Obstetrics and Gynecology</i> , 1994, 83, 425-33.	1.2	101
306	Blood flow velocity in the uterine and ovarian arteries during the normal menstrual cycle. <i>Ultrasound in Obstetrics and Gynecology</i> , 1993, 3, 199-208.	0.9	142

#	ARTICLE	IF	CITATIONS
307	Clinical evaluation of the fetus and neonate. Archives of Gynecology and Obstetrics, 1993, 253, 103-115.	0.8	14
308	ROUTINE FORMAL FETAL MOVEMENT COUNTING AND RISK OF ANTEPARTUM LATE DEATH IN NORMALLY FORMED SINGLETONS. Lancet, The, 1989, 334, 345-349.	6.3	224
309	Epostane in nonpregnant females: effects on progesterone, 17 β -hydroxyprogesterone, and 17 β -estradiol of two dose levels given for one month*â€. Fertility and Sterility, 1988, 50, 893-902.	0.5	2
310	Pregnancy outcome in women perceiving decreased fetal movement. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1987, 24, 23-32.	0.5	27
311	Subjective Recording of Fetal Movements: II. Screening of a Pregnant Population; Methodological Aspects. Acta Obstetricia Et Gynecologica Scandinavica, 1986, 65, 639-644.	1.3	15
312	Fetal movement in the third trimester of normal pregnancy. Early Human Development, 1986, 14, 295-306.	0.8	17
313	Fertility and outcome of pregnancy in patients operated on for Crohn's disease. International Journal of Colorectal Disease, 1986, 1, 25-27.	1.0	23
314	Subjective Recording of Fetal Movements. Acta Obstetricia Et Gynecologica Scandinavica, 1986, 65, 753-758.	1.3	22
315	Recording of foetal movements: a comparison of three methods. Journal of Medical Engineering and Technology, 1986, 10, 239-247.	0.8	15
316	Subjective Recording of Fetal Movements. Acta Obstetricia Et Gynecologica Scandinavica, 1984, 63, 223-228.	1.3	32
317	Normal pelvic anatomy. , 0, , 7-16.		0
318	Ovarian cysts in pregnancy. , 0, , 211-228.		1
319	HRT, contraceptives and other drugs affecting the endometrium. , 0, , 43-54.		0
320	Ultrasound of non-gynaecological pelvic lesions. , 0, , 77-90.		0
321	Ultrasound and diagnosis of obstetric anal sphincter injuries. , 0, , 121-132.		0
322	Organisation of the early pregnancy unit. , 0, , 133-142.		0
323	Postmenopausal bleeding: presentation and investigation. , 0, , 29-42.		0
324	Ultrasound assessment of women with pelvic pain. , 0, , 67-76.		0

#	ARTICLE	IF	CITATIONS
325	Ultrasound imaging of the lower urinary tract and uterovaginal prolapse. , 0, , 107-120.		0
326	Diagnosis and management of miscarriage. , 0, , 159-178.		0
327	Tubal ectopic pregnancy. , 0, , 179-192.		0
328	Non-tubal ectopic pregnancies. , 0, , 193-210.		0
329	Ultrasound imaging in reproductive medicine. , 0, , 91-106.		0
330	The uterus. , 0, , 17-28.		0
331	Sonoembryology: ultrasound examination of early pregnancy. , 0, , 143-158.		1
332	Diagnosis and management of adnexal masses. , 0, , 55-66.		16
333	Ultrasound imaging in gynaecological practice. , 0, , 1-6.		0