

# Maria Antonia Poca

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4230184/publications.pdf>

Version: 2024-02-01

97  
papers

6,105  
citations

101543

36  
h-index

74163

75  
g-index

104  
all docs

104  
docs citations

104  
times ranked

7909  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis and treatment of Chiari malformation and syringomyelia in adults: international consensus document. <i>Neurological Sciences</i> , 2022, 43, 1327-1342.	1.9	42
2	Diagnosis and treatment of Chiari malformation type 1 in children: the International Consensus Document. <i>Neurological Sciences</i> , 2022, 43, 1311-1326.	1.9	24
3	Is Spreading Depolarization a Risk Factor for Late Epilepsy? A Prospective Study in Patients with Traumatic Brain Injury and Malignant Ischemic Stroke Undergoing Decompressive Craniectomy. <i>Neurocritical Care</i> , 2021, 34, 876-888.	2.4	6
4	Cortical Spreading Depression Phenomena Are Frequent in Ischemic and Traumatic Penumbra: A Prospective Study in Patients With Traumatic Brain Injury and Large Hemispheric Ischemic Stroke. <i>Journal of Clinical Neurophysiology</i> , 2021, 38, 47-55.	1.7	13
5	Considerations in the Use of Gravitational Valves in the Management of Hydrocephalus. Some Lessons Learned with the Dual-Switch Valve. <i>Journal of Clinical Medicine</i> , 2021, 10, 246.	2.4	6
6	Reduced hippocampal subfield volumes and memory performance in preterm children with and without germinal matrix-intraventricular hemorrhage. <i>Scientific Reports</i> , 2021, 11, 2420.	3.3	8
7	Brain Microdialysis Monitoring. , 2021, , 91-111.		0
8	CO <sub>2</sub> -induced intracranial hypertension and high-amplitude B-waves in a patient with Chiari 1 malformation and sleep apnea syndrome that resolved following CPAP therapy. <i>Acta Neurochirurgica</i> , 2021, 163, 3075-3082.	1.7	1
9	How to Choose a Shunt for Patients with Normal Pressure Hydrocephalus: A Short Guide to Selecting the Best Shunt Assembly. <i>Journal of Clinical Medicine</i> , 2021, 10, 1210.	2.4	3
10	Rare functional genetic variants in COL7A1, COL6A5, COL1A2 and COL5A2 frequently occur in Chiari Malformation Type 1. <i>PLoS ONE</i> , 2021, 16, e0251289.	2.5	12
11	Neurodevelopmental profile in children with benign external hydrocephalus syndrome. A pilot cohort study. <i>Child's Nervous System</i> , 2021, 37, 2799-2806.	1.1	4
12	Circulating tumour DNA from the cerebrospinal fluid allows the characterisation and monitoring of medulloblastoma. <i>Nature Communications</i> , 2020, 11, 5376.	12.8	67
13	Non-Invasive Estimation of Intracranial Pressure by Diffuse Optics: A Proof-of-Concept Study. <i>Journal of Neurotrauma</i> , 2020, 37, 2569-2579.	3.4	22
14	Distal catheter lengthening in pediatric patients with hydrocephalus using a guidewire-assisted technique. <i>Child's Nervous System</i> , 2020, 36, 2733-2740.	1.1	0
15	Non-invasive estimation of intracranial pressure by diffuse correlation spectroscopy. , 2020, , .		0
16	To Shunt or Not to Shunt Patients with Idiopathic Normal Pressure Hydrocephalus? A Reappraisal of an Old Question. <i>Journal of Clinical Medicine</i> , 2020, 9, 4120.	2.4	4
17	Kir6.2, the Pore-Forming Subunit of ATP-Sensitive K <sup>+</sup> Channels, Is Overexpressed in Human Posttraumatic Brain Contusions. <i>Journal of Neurotrauma</i> , 2019, 36, 165-175.	3.4	11
18	The Sport Concussion Assessment Tool (SCAT2) for evaluating civilian mild traumatic brain injury. A pilot normative study. <i>PLoS ONE</i> , 2019, 14, e0212541.	2.5	8

#	ARTICLE	IF	CITATIONS
19	A Conditional Inference Tree Model for Predicting Sleep-Related Breathing Disorders in Patients With Chiari Malformation Type 1: Description and External Validation. <i>Journal of Clinical Sleep Medicine</i> , 2019, 15, 89-99.	2.6	12
20	Central versus Local Radiological Reading of Acute Computed Tomography Characteristics in Multi-Center Traumatic Brain Injury Research. <i>Journal of Neurotrauma</i> , 2019, 36, 1080-1092.	3.4	30
21	Molecular Diagnosis of Diffuse Gliomas through Sequencing of Cell-Free Circulating Tumor DNA from Cerebrospinal Fluid. <i>Clinical Cancer Research</i> , 2018, 24, 2812-2819.	7.0	128
22	Alteraciones neuropsicológicas y hallazgos neurorradiológicos en pacientes con conmoción cerebral postraumática. Resultados de un estudio piloto. <i>Neurología</i> , 2018, 33, 427-437.	0.7	1
23	Machine learning applied to neuroimaging for diagnosis of adult classic Chiari malformation: role of the basion as a key morphometric indicator. <i>Journal of Neurosurgery</i> , 2018, 129, 779-791.	1.6	21
24	Neuropsychological alterations and neuroradiological findings in patients with post-traumatic concussion: results of a pilot study. <i>Neurología (English Edition)</i> , 2018, 33, 427-437.	0.4	1
25	Characterization of the Ionic Profile of the Extracellular Space of the Injured and Ischemic Brain: A Microdialysis Study. <i>Journal of Neurotrauma</i> , 2017, 34, 74-85.	3.4	8
26	Cephalometric oropharynx and oral cavity analysis in Chiari malformation Type I: a retrospective case-control study. <i>Journal of Neurosurgery</i> , 2017, 126, 626-633.	1.6	12
27	Are evoked potentials clinically useful in the study of patients with Chiari malformation Type 1?. <i>Journal of Neurosurgery</i> , 2017, 126, 606-619.	1.6	20
28	Target location after deep cerebral biopsies using low-volume air injection in 75 patients. Results and technical note. <i>Acta Neurochirurgica</i> , 2017, 159, 1939-1946.	1.7	4
29	Sleep-Related Breathing Disorders in Chiari Malformation Type 1: A Prospective Study of 90 Patients. <i>Sleep</i> , 2017, 40, .	1.1	32
30	Does Normobaric Hyperoxia Cause Oxidative Stress in the Injured Brain? A Microdialysis Study Using 8-Iso-Prostaglandin F <sub>2α</sub> as a Biomarker. <i>Journal of Neurotrauma</i> , 2017, 34, 2731-2742.	3.4	16
31	Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. <i>Lancet Neurology</i> , The, 2017, 16, 987-1048.	10.2	1,571
32	Reappraisal of the reference levels for energy metabolites in the extracellular fluid of the human brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 2742-2755.	4.3	11
33	Interside Latency Differences in Brainstem Auditory and Somatosensory Evoked Potentials. Defining Upper Limits to Determine Asymmetry. <i>Journal of Clinical Neurophysiology</i> , 2015, 32, 424-427.	1.7	5
34	Brainstem Auditory and Somatosensory Evoked Potentials in Relation to Clinical and Neuroimaging Findings in Chiari Type 1 Malformation. <i>Journal of Clinical Neurophysiology</i> , 2015, 32, 130-138.	1.7	11
35	Sulfonylurea Receptor 1 in Humans with Post-Traumatic Brain Contusions. <i>Journal of Neurotrauma</i> , 2015, 32, 1478-1487.	3.4	41
36	Consensus statement from the 2014 International Microdialysis Forum. <i>Intensive Care Medicine</i> , 2015, 41, 1517-1528.	8.2	263

#	ARTICLE	IF	CITATIONS
37	Brain Microdialysis as a Tool To Explore the Ionic Profile of the Brain Extracellular Space in Neurocritical Patients: A Methodological Approach and Feasibility Study. <i>Journal of Neurotrauma</i> , 2015, 32, 7-16.	3.4	14
38	Brainstem auditory and somatosensory evoked potentials: a methodological study to evaluate the reproducibility of two devices. <i>Physiological Measurement</i> , 2014, 35, N51-N63.	2.1	1
39	Nitric Oxide Synthase Inhibition with the Antipterin VAS203 Improves Outcome in Moderate and Severe Traumatic Brain Injury: A Placebo-Controlled Randomized Phase IIa Trial (NOSTRA). <i>Journal of Neurotrauma</i> , 2014, 31, 1599-1606.	3.4	50
40	Alteraciones del sueño, un síndrome olvidado en los pacientes con malformación de Chiari tipo I. <i>Neurología</i> , 2014, 29, 294-304.	0.7	23
41	MRI-based Morphometric Analysis of Posterior Cranial Fossa in the Diagnosis of Chiari Malformation Type I. <i>Journal of Neuroimaging</i> , 2014, 24, 250-256.	2.0	57
42	Lactate and the Lactate-to-Pyruvate Molar Ratio Cannot Be Used as Independent Biomarkers for Monitoring Brain Energetic Metabolism: A Microdialysis Study in Patients with Traumatic Brain Injuries. <i>PLoS ONE</i> , 2014, 9, e102540.	2.5	36
43	Brain activation during speech perception in a patient with a massive left hemisphere infarction. <i>Brain Injury</i> , 2013, 27, 1470-1474.	1.2	1
44	Head circumference: The forgotten tool for hydrocephalus management. A reference interval study in the Spanish population. <i>Clinical Neurology and Neurosurgery</i> , 2013, 115, 2382-2387.	1.4	4
45	Pupilometría por infrarrojos. Descripción y fundamentos de la técnica y su aplicación en la monitorización no invasiva del paciente neurocrítico. <i>Neurología</i> , 2013, 28, 41-51.	0.7	28
46	Decompressive craniectomy in traumatic brain injury after the DECRA trial. Where do we stand?. <i>Current Opinion in Critical Care</i> , 2013, 19, 101-106.	3.2	53
47	Chiari Malformation Type I: A Case-Control Association Study of 58 Developmental Genes. <i>PLoS ONE</i> , 2013, 8, e57241.	2.5	61
48	Cognitive Disturbances and Neuropsychological Changes after Surgical Treatment in a Cohort of 185 Patients with Idiopathic Normal Pressure Hydrocephalus. <i>Archives of Clinical Neuropsychology</i> , 2012, 27, 304-317.	0.5	34
49	Idiopathic Normal Pressure Hydrocephalus: Results of a Prospective Cohort of 236 Shunted Patients. <i>Acta Neurochirurgica Supplementum</i> , 2012, 114, 247-253.	1.0	42
50	Normal Hypocretin-1 (Orexin A) Levels in Cerebrospinal Fluid in Patients with Idiopathic Intracranial Hypertension. <i>Acta Neurochirurgica Supplementum</i> , 2012, 114, 221-225.	1.0	2
51	Normobaric Hyperoxia in Traumatic Brain Injury: Does Brain Metabolic State Influence the Response to Hyperoxic Challenge?. <i>Journal of Neurotrauma</i> , 2011, 28, 1139-1148.	3.4	39
52	TGF- $\beta$ 2 Receptor Inhibitors Target the CD44 <sup>high</sup> /Id1 <sup>high</sup> Glioma-Initiating Cell Population in Human Glioblastoma. <i>Cancer Cell</i> , 2010, 18, 655-668.	16.8	534
53	Monitoring intracranial pressure in patients with malignant middle cerebral artery infarction: is it useful?. <i>Journal of Neurosurgery</i> , 2010, 112, 648-657.	1.6	103
54	Cognitive event-related brain potentials (P300) in patients with normal pressure hydrocephalus. Results of a prospective study. <i>Neurología (English Edition)</i> , 2010, 25, 32-39.	0.4	1

#	ARTICLE	IF	CITATIONS
55	Cognitive and motor improvement after retesting in normal-pressure hydrocephalus: a real change or merely a learning effect?. <i>Journal of Neurosurgery</i> , 2010, 112, 399-409.	1.6	47
56	TGF- $\beta$ 2 Increases Glioma-Initiating Cell Self-Renewal through the Induction of LIF in Human Glioblastoma. <i>Cancer Cell</i> , 2009, 15, 315-327.	16.8	489
57	Quality of life and neurobehavioral changes in survivors of malignant middle cerebral artery infarction. <i>Journal of Neurology</i> , 2009, 256, 1126-1133.	3.6	65
58	Intravascular cooling for rapid induction of moderate hypothermia in severely head-injured patients: results of a multicenter study (IntraCool). <i>Intensive Care Medicine</i> , 2009, 35, 890-898.	8.2	22
59	Moderate and severe traumatic brain injury induce early overexpression of systemic and brain gelatinases. <i>Intensive Care Medicine</i> , 2008, 34, 1384-1392.	8.2	77
60	Intracranial pressure monitoring with the Neurodur-P epidural sensor: a prospective study in patients with adult hydrocephalus or idiopathic intracranial hypertension. <i>Journal of Neurosurgery</i> , 2008, 108, 934-942.	1.6	15
61	INTRA-ABDOMINAL PRESSURE. <i>Neurosurgery</i> , 2008, 62, 143-150.	1.1	51
62	Lack of utility of arteriojugular venous differences of lactate as a reliable indicator of increased brain anaerobic metabolism in traumatic brain injury. <i>Journal of Neurosurgery</i> , 2007, 106, 530-537.	1.6	17
63	Is intracranial pressure monitoring in the epidural space reliable? Fact and fiction. <i>Journal of Neurosurgery</i> , 2007, 106, 548-556.	1.6	36
64	Paroxysmal cervicobrachial cough-induced pain in a patient with syringomyelia extending into spinal cord posterior gray horns. <i>Journal of Neurology</i> , 2007, 254, 678-681.	3.6	7
65	Differences in visual vs. verbal memory impairments as a result of focal temporal lobe damage in patients with traumatic brain injury. <i>Brain Injury</i> , 2006, 20, 1053-1059.	1.2	21
66	Posture-induced Changes in Intracranial Pressure: A Comparative Study in Patients with and without a Cerebrospinal Fluid Block at the Craniovertebral Junction. <i>Neurosurgery</i> , 2006, 58, 899-906.	1.1	40
67	Influence of Angiotensin-Converting Enzyme Polymorphism on Neuropsychological Subacute Performance in Moderate and Severe Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006, 18, 39-44.	1.8	33
68	Corpus callosum functioning in patients with normal pressure hydrocephalus before and after surgery. <i>Journal of Neurology</i> , 2006, 253, 625-630.	3.6	16
69	Hippocampal head atrophy after traumatic brain injury. <i>Neuropsychologia</i> , 2006, 44, 1956-1961.	1.6	118
70	Influence of APOE polymorphism on cognitive and behavioural outcome in moderate and severe traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 1191-1193.	1.9	101
71	Post-surgical changes in brain metabolism detected by magnetic resonance spectroscopy in normal pressure hydrocephalus: results of a pilot study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 78, 760-763.	1.9	15
72	Functional and magnetic resonance imaging correlates of corpus callosum in normal pressure hydrocephalus before and after shunting. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 78, 395-398.	1.9	65

#	ARTICLE	IF	CITATIONS
73	Neuroprotection in Malignant MCA Infarction. <i>Cerebrovascular Diseases</i> , 2006, 21, 99-105.	1.7	7
74	Percutaneous Implantation of Cerebral Microdialysis Catheters by Twist-Drill Craniostomy in Neurocritical Patients: Description of the Technique and Results of a Feasibility Study in 97 Patients. <i>Journal of Neurotrauma</i> , 2006, 23, 1510-1517.	3.4	27
75	Angiotensin I converting enzyme polymorphism effects in patients with normal pressure hydrocephalus syndrome before and after surgery. <i>Journal of Neurology</i> , 2005, 252, 191-196.	3.6	2
76	Good outcome in patients with normal-pressure hydrocephalus and factors indicating poor prognosis. <i>Journal of Neurosurgery</i> , 2005, 103, 455-463.	1.6	36
77	Ventricular Enlargement after Moderate or Severe Head Injury: A Frequent and Neglected Problem. <i>Journal of Neurotrauma</i> , 2005, 22, 1303-1310.	3.4	81
78	Short-term medical management of hydrocephalus. <i>Expert Opinion on Pharmacotherapy</i> , 2005, 6, 1525-1538.	1.8	32
79	Prospective study of methodological issues in intracranial pressure monitoring in patients with hydrocephalus. <i>Journal of Neurosurgery</i> , 2004, 100, 260-265.	1.6	17
80	Reliability of clinical guidelines in the detection of patients at risk following mild head injury: results of a prospective study. <i>Journal of Neurosurgery</i> , 2004, 100, 825-834.	1.6	128
81	Influence of Extraneurological Insults on Ventricular Enlargement and Neuropsychological Functioning after Moderate and Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2004, 21, 864-876.	3.4	33
82	Is the placement of shunts in patients with idiopathic normal pressure hydrocephalus worth the risk? Results of a study based on continuous monitoring of intracranial pressure. <i>Journal of Neurosurgery</i> , 2004, 100, 855-866.	1.6	69
83	Neuropsychological Correlates of Basal Ganglia and Medial Temporal Lobe NAA/Cho Reductions in Traumatic Brain Injury. <i>Archives of Neurology</i> , 2004, 61, 541.	4.5	45
84	Moderate Hypothermia in the Management of Severe Traumatic Brain Injury: A Good Idea Proved Ineffective?. <i>Current Pharmaceutical Design</i> , 2004, 10, 2193-2204.	1.9	15
85	Postsurgical cerebral perfusion changes in idiopathic normal pressure hydrocephalus: a statistical parametric mapping study of SPECT images. <i>Journal of Nuclear Medicine</i> , 2003, 44, 1884-9.	5.0	31
86	Fiberoptic Intraparenchymal Brain Pressure Monitoring with the Camino V420 Monitor: Reflections on Our Experience in 163 Severely Head-Injured Patients. <i>Journal of Neurotrauma</i> , 2002, 19, 439-448.	3.4	67
87	Neuropsychological Outcome in Relation to the Traumatic Coma Data Bank Classification of Computed Tomography Imaging. <i>Journal of Neurotrauma</i> , 2001, 18, 869-879.	3.4	38
88	Neuropsychological findings in congenital and acquired childhood hydrocephalus. <i>Neuropsychology Review</i> , 2001, 11, 169-178.	4.9	64
89	Increased intracranial pressure in myelomeningocele (MMC) patients never shunted: Results of a prospective preliminary study. <i>Spinal Cord</i> , 2000, 38, 495-497.	1.9	22
90	Cerebral Hemodynamic Effects of 7.2% Hypertonic Saline in Patients with Head Injury and Raised Intracranial Pressure. <i>Journal of Neurotrauma</i> , 2000, 17, 41-51.	3.4	171

#	ARTICLE	IF	CITATIONS
91	Interhemispheric supratentorial intracranial pressure gradients in head-injured patients: are they clinically important?. <i>Journal of Neurosurgery</i> , 1999, 90, 16-26.	1.6	122
92	Decreased cholecystokinin levels in cerebrospinal fluid of patients with adult chronic hydrocephalus syndrome. <i>Biological Psychiatry</i> , 1997, 41, 804-809.	1.3	16
93	Arterio-jugular differences of oxygen (AVDO <sub>2</sub> ) for bedside assessment of CO <sub>2</sub> -reactivity and autoregulation in the acute phase of severe head injury. <i>Acta Neurochirurgica</i> , 1996, 138, 435-444.	1.7	38
94	Neuropeptide Y cerebrospinal fluid levels in patients with normal pressure hydrocephalus syndrome. <i>Biological Psychiatry</i> , 1994, 36, 61-63.	1.3	13
95	Posterior Fossa Reconstruction. <i>Neurosurgery</i> , 1994, 35, 874-885.	1.1	140
96	Early ischaemia after severe head injury preliminary results in patients with diffuse brain injuries. <i>Acta Neurochirurgica</i> , 1993, 122, 204-214.	1.7	39
97	Reappraisal of the intracranial pressure and cerebrospinal fluid dynamics in patients with the so-called 'Normal pressure hydrocephalus' syndrome. <i>Acta Neurochirurgica</i> , 1991, 112, 50-61.	1.7	108