

# Fiona C Warren

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4231112/publications.pdf>

Version: 2024-02-01

59  
papers

2,564  
citations

201674

27  
h-index

206112

48  
g-index

59  
all docs

59  
docs citations

59  
times ranked

4103  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. <i>Lancet</i> , The, 2016, 388, 871-880.	13.7	427
2	Impact of Exercise Rehabilitation on Exercise Capacity and Quality-of-Life in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1430-1443.	2.8	172
3	The acute effects of physical activity on cigarette cravings: systematic review and meta-analysis with individual participant data. <i>Addiction</i> , 2013, 108, 26-37.	3.3	158
4	Telephone triage for management of same-day consultation requests in general practice (the ESTEEM) Tj ETQq0 0 0 rgBT /Overlock 10 T 1859-1868.	13.7	156
5	Internet-based behavioral activation Treatment for postnatal depression (Netmums): A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2013, 150, 814-822.	4.1	134
6	Impact of exercise-based cardiac rehabilitation in patients with heart failure (ExTraMATCH II) on mortality and hospitalisation: an individual patient data meta-analysis of randomised trials. <i>European Journal of Heart Failure</i> , 2018, 20, 1735-1743.	7.1	125
7	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. <i>Trials</i> , 2015, 16, 1.	1.6	108
8	The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: The REACH-HF multicentre randomized controlled trial. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 262-272.	1.8	96
9	Time trends in autism diagnosis over 20 years: a UK population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 674-682.	5.2	89
10	A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. <i>BMJ Open</i> , 2018, 8, e019649.	1.9	66
11	Singing for people with aphasia (SPA): a protocol for a pilot randomised controlled trial of a group singing intervention to improve well-being. <i>BMJ Open</i> , 2018, 8, e025167.	1.9	54
12	The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). <i>Health Technology Assessment</i> , 2015, 19, 1-212.	2.8	50
13	Validation of Exercise Capacity as a Surrogate Endpoint in Exercise-Based Rehabilitation for Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 596-604.	4.1	47
14	Adjunctive Ketamine With Relapse Prevention-Based Psychological Therapy in the Treatment of Alcohol Use Disorder. <i>American Journal of Psychiatry</i> , 2022, 179, 152-162.	7.2	46
15	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. <i>BMJ Open</i> , 2019, 9, e032081.	1.9	42
16	Randomised controlled trial and health economic evaluation of the impact of diagnostic testing for influenza, respiratory syncytial virus and Streptococcus pneumoniae infection on the management of acute admissions in the elderly and high-risk 18- to 64-year-olds. <i>Health Technology Assessment</i> , 2014, 18, 1-274, vii-viii.	2.8	39
17	Quitting patient care and career break intentions among general practitioners in South West England: findings of a census survey of general practitioners. <i>BMJ Open</i> , 2017, 7, e015853.	1.9	37
18	Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. <i>British Journal of General Practice</i> , 2016, 66, e214-e218.	1.4	36

#	ARTICLE	IF	CITATIONS
19	Feasibility, acceptability and effectiveness of an online alternative to face-to-face consultation in general practice: a mixed-methods study of webGP in six Devon practices. <i>BMJ Open</i> , 2018, 8, e018688.	1.9	36
20	The cost effectiveness of REACH-HF and home-based cardiac rehabilitation compared with the usual medical care for heart failure with reduced ejection fraction: A decision model-based analysis. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1252-1261.	1.8	36
21	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. <i>Health Technology Assessment</i> , 2014, 18, 1-324.	2.8	36
22	Caregiver outcomes of the REACH-HF multicentre randomized controlled trial of home-based rehabilitation for heart failure with reduced ejection fraction. <i>European Journal of Cardiovascular Nursing</i> , 2019, 18, 611-620.	0.9	35
23	Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality. <i>Hypertension</i> , 2021, 77, 650-661.	2.7	34
24	Exercise-based cardiac rehabilitation for chronic heart failure: the EXTRAMATCH II individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2019, 23, 1-98.	2.8	34
25	Continuation of Antidepressants vs Sequential Psychological Interventions to Prevent Relapse in Depression. <i>JAMA Psychiatry</i> , 2021, 78, 868.	11.0	33
26	Combining behavioural activation with physical activity promotion for adults with depression: findings of a parallel-group pilot randomised controlled trial (BACPAc). <i>Trials</i> , 2015, 16, 367.	1.6	30
27	Systematic review of methods used in meta-analyses where a primary outcome is an adverse or unintended event. <i>BMC Medical Research Methodology</i> , 2012, 12, 64.	3.1	29
28	Do difficulties in accessing in-hours primary care predict higher use of out-of-hours GP services? Evidence from an English National Patient Survey. <i>Emergency Medicine Journal</i> , 2015, 32, 373-378.	1.0	28
29	Characteristics of service users and provider organisations associated with experience of out of hours general practitioner care in England: population based cross sectional postal questionnaire survey. <i>BMJ</i> , The, 2015, 350, h2040-h2040.	6.0	25
30	Home-based rehabilitation for heart failure with reduced ejection fraction: mixed methods process evaluation of the REACH-HF multicentre randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e026039.	1.9	24
31	Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017, 21, 1-366.	2.8	24
32	Exercise training for chronic heart failure (ExTraMATCH II): Protocol for an individual participant data meta-analysis. <i>International Journal of Cardiology</i> , 2014, 174, 683-687.	1.7	23
33	Improving patient experience in primary care: a multimethod programme of research on the measurement and improvement of patient experience. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-452.	1.0	23
34	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. <i>Nicotine and Tobacco Research</i> , 2016, 18, 289-297.	2.6	20
35	Hierarchical network meta-analysis models to address sparsity of events and differing treatment classifications with regard to adverse outcomes. <i>Statistics in Medicine</i> , 2014, 33, 2449-2466.	1.6	19
36	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 59.	1.6	19

#	ARTICLE	IF	CITATIONS
37	Evaluation of different recruitment and randomisation methods in a trial of general practitioner-led interventions to increase physical activity: a randomised controlled feasibility study with factorial design. <i>Trials</i> , 2014, 15, 134.	1.6	18
38	The effect of nurses' preparedness and nurse practitioner status on triage call management in primary care: A secondary analysis of cross-sectional data from the ESTEEM trial. <i>International Journal of Nursing Studies</i> , 2016, 58, 12-20.	5.6	15
39	Singing for people with aphasia (SPA): results of a pilot feasibility randomised controlled trial of a group singing intervention investigating acceptability and feasibility. <i>BMJ Open</i> , 2021, 11, e040544.	1.9	14
40	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018, 19, 211.	1.6	12
41	Policies and strategies to retain and support the return of experienced GPs in direct patient care: the ReGROUP mixed-methods study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-288.	1.4	11
42	Exploring demographic and lifestyle associations with patient experience following telephone triage by a primary care doctor or nurse: secondary analyses from a cluster randomised controlled trial. <i>BMJ Quality and Safety</i> , 2015, 24, 572-582.	3.7	10
43	Western medical acupuncture in a group setting for knee osteoarthritis: results of a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 10.	1.2	10
44	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-220.	2.8	10
45	Detecting Risk Of Postural hypotension (DROP): derivation and validation of a prediction score for primary care. <i>BMJ Open</i> , 2018, 8, e020740.	1.9	9
46	The value of social practice theory for implementation science: learning from a theory-based mixed methods process evaluation of a randomised controlled trial. <i>BMC Medical Research Methodology</i> , 2020, 20, 181.	3.1	9
47	Process evaluation of a randomised pilot trial of home-based rehabilitation compared to usual care in patients with heart failure with preserved ejection fraction and their caregiver's. <i>Pilot and Feasibility Studies</i> , 2021, 7, 11.	1.2	9
48	A facilitated home-based cardiac rehabilitation intervention for people with heart failure and their caregivers: a research programme including the REACH-HF RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-100.	1.0	8
49	Individual participant data (IPD) meta-analysis of psychological relapse prevention interventions versus control for patients in remission from depression: a protocol. <i>BMJ Open</i> , 2020, 10, e034158.	1.9	7
50	Distance from practice moderates the relationship between patient management involving nurse telephone triage consulting and patient satisfaction with care. <i>Health and Place</i> , 2015, 34, 92-96.	3.3	6
51	Patient perspectives on telephone triage in general practice – Authors' reply. <i>Lancet</i> , 2015, 385, 688.	13.7	5
52	Associations between interarm differences in blood pressure and cardiovascular disease outcomes: protocol for an individual patient data meta-analysis and development of a prognostic algorithm. <i>BMJ Open</i> , 2017, 7, e016844.	1.9	5
53	COVID-NURSE: evaluation of a fundamental nursing care protocol compared with care as usual on experience of care for noninvasively ventilated patients in hospital with the SARS-CoV-2 virus protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e046436.	1.9	5
54	Exercise training for chronic heart failure (ExTraMATCH II): Why all data are not equal. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1229-1231.	1.8	3

#	ARTICLE	IF	CITATIONS
55	The clinical and cost effectiveness of adapted dialectical behaviour therapy (DBT) for bipolar mood instability in primary care (ThrIVe-B programme): a feasibility study. <i>Trials</i> , 2018, 19, 560.	1.6	2
56	Randomised feasibility trial and embedded qualitative process evaluation of a new intervention to facilitate the involvement of older patients with multimorbidity in decision-making about their healthcare during general practice consultations: the VOLITION study protocol. <i>Pilot and Feasibility Studies</i> , 2020, 6, 161.	1.2	2
57	Economic evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: a cost-utility and cost-consequences analysis. <i>European Journal of Health Economics</i> , 2021, , 1.	2.8	2
58	Clinical and cost-effectiveness of teen online problem-solving for adolescents who have survived an acquired brain injury in the UK: protocol for a randomised, controlled feasibility study (TOPS-UK). <i>BMJ Open</i> , 2019, 9, e029349.	1.9	1
59	Vitamin D and COVID-19 in older age: evidence versus expectations. <i>British Journal of General Practice</i> , 2021, 71, 10-11.	1.4	1