

Fiona C Britton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4232062/publications.pdf>

Version: 2024-02-01

34
papers

1,484
citations

394421

19
h-index

477307

29
g-index

34
all docs

34
docs citations

34
times ranked

1456
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of β_1/β_2 -adrenoceptor blockade on β_3 -adrenoceptor activity in the rat cremaster muscle artery. <i>British Journal of Pharmacology</i> , 2021, 178, 1789-1804.	5.4	4
2	β_3 -Adrenergic Receptors in the Rat Cremaster Muscle Artery. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO2-3-13.	0.0	0
3	TRPV3 expression and vasodilator function in isolated uterine radial arteries from non-pregnant and pregnant rats. <i>Vascular Pharmacology</i> , 2016, 83, 66-77.	2.1	20
4	Molecular and Functional Significance of Ca^{2+} -Activated Cl^{-} Channels in Pulmonary Arterial Smooth Muscle. <i>Pulmonary Circulation</i> , 2015, 5, 244-268.	1.7	33
5	Electrical Slow Waves in the Mouse Oviduct Are Dependent upon a Calcium Activated Chloride Conductance Encoded by Tmem16a1. <i>Biology of Reproduction</i> , 2012, 86, 1-7.	2.7	29
6	Anoctamins and gastrointestinal smooth muscle excitability. <i>Experimental Physiology</i> , 2012, 97, 200-206.	2.0	93
7	Direct interaction of Bestrophin 3 channels with Hrc calcium-handling protein. <i>FASEB Journal</i> , 2012, 26, 695.5.	0.5	0
8	Identification of histamine receptors and effects of histamine on murine and simian colonic excitability. <i>Neurogastroenterology and Motility</i> , 2011, 23, 949.	3.0	13
9	Inhibitory effect of caffeine on pacemaker activity in the oviduct is mediated by cAMP-regulated conductances. <i>British Journal of Pharmacology</i> , 2011, 163, 745-754.	5.4	13
10	Muscarinic activation of Ca^{2+} -activated Cl^{-} current in interstitial cells of Cajal. <i>Journal of Physiology</i> , 2011, 589, 4565-4582.	2.9	71
11	Electrical slow waves in the mouse oviduct are dependent on extracellular and intracellular calcium sources. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C1458-C1469.	4.6	15
12	Increased complexity of Tmem16a/Anoctamin 1 transcript alternative splicing. <i>BMC Molecular Biology</i> , 2011, 12, 35.	3.0	39
13	Calcium-Activated Chloride Channels. , 2010, , 233-256.		1
14	Role of TREK-1 Potassium Channel in Bladder Overactivity After Partial Bladder Outlet Obstruction in Mouse. <i>Journal of Urology</i> , 2010, 183, 793-800.	0.4	32
15	Cardiac-specific, inducible CLC-3 gene deletion eliminates native volume-sensitive chloride channels and produces myocardial hypertrophy in adult mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 48, 211-219.	1.9	43
16	Alternative Splicing of the murine Tmem16a Transcript in Heart. <i>FASEB Journal</i> , 2010, 24, 1002.28.	0.5	2
17	Expression of anoctamin 1/TMEM16A by interstitial cells of Cajal is fundamental for slow wave activity in gastrointestinal muscles. <i>Journal of Physiology</i> , 2009, 587, 4887-4904.	2.9	348
18	Functional properties of murine bestrophin 1 channel. <i>Biochemical and Biophysical Research Communications</i> , 2009, 384, 476-481.	2.1	31

#	ARTICLE	IF	CITATIONS
19	Functional role of CLC-2 chloride inward rectifier channels in cardiac sinoatrial nodal pacemaker cells. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 47, 121-132.	1.9	38
20	Heart-specific Inducible Inactivation of CLC-3 Gene Eliminates Native Volume-sensitive Outwardly Rectifying Anion Currents (VSOACs) and Results in Cardiac Hypertrophy and Compromised Heart Function. <i>FASEB Journal</i> , 2009, 23, 624.6.	0.5	0
21	Methionine and its derivatives increase bladder excitability by inhibiting stretch-dependent K^{+} channels. <i>British Journal of Pharmacology</i> , 2008, 153, 1259-1271.	5.4	35
22	Functional and molecular identification of pH-sensitive K^{+} channels in murine urinary bladder smooth muscle. <i>BJU International</i> , 2008, 102, 113-124.	2.5	11
23	Expression, localization, and functional properties of Bestrophin 3 channel isolated from mouse heart. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 295, C1610-C1624.	4.6	45
24	Molecular and Functional Characterization of Murine Bestrophin 1 Cloned from Heart. <i>FASEB Journal</i> , 2008, 22, 1201.25.	0.5	3
25	Functional role of amino terminus in CLC-3 chloride channel regulation by phosphorylation and cell volume. <i>Acta Physiologica</i> , 2006, 187, 5-19.	3.8	13
26	Regulation of calcium-activated chloride channels in smooth muscle cells: a complex picture is emerging. <i>Canadian Journal of Physiology and Pharmacology</i> , 2005, 83, 541-556.	1.4	112
27	Functional Characterization of Novel Alternatively Spliced CLC-2 Chloride Channel Variants in the Heart. <i>Journal of Biological Chemistry</i> , 2005, 280, 25871-25880.	3.4	20
28	Comparison of the properties of <i>CLCA1</i> generated currents and $I_{Cl(Ca)}$ in murine portal vein smooth muscle cells. <i>Journal of Physiology</i> , 2002, 539, 107-117.	2.9	59
29	Molecular distribution of volume-regulated chloride channels (CLC-2 and CLC-3) in cardiac tissues. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H2225-H2233.	3.2	47
30	A Novel Anionic Inward Rectifier in Native Cardiac Myocytes. <i>Circulation Research</i> , 2000, 86, .	4.5	58
31	Cyclic GMP-dependent Protein Kinase Activates Cloned BKCa Channels Expressed in Mammalian Cells by Direct Phosphorylation at Serine 1072. <i>Journal of Biological Chemistry</i> , 1999, 274, 10927-10935.	3.4	184
32	Purinoreceptor-coupled Cl^{-} channels in mouse heart: a novel, alternative pathway for CFTR regulation. <i>Journal of Physiology</i> , 1999, 521, 43-56.	2.9	40
33	Regulation of Recombinant Cardiac Cystic Fibrosis Transmembrane Conductance Regulator Chloride Channels by Protein Kinase C. <i>Biophysical Journal</i> , 1999, 76, 1972-1987.	0.5	32
34	72 An investigation of thymidine kinase 1 from normal and transformed mammary cell lines. <i>Biochemical Society Transactions</i> , 1998, 26, S63-S63.	3.4	0