## Anne Spinewine

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4232665/publications.pdf

Version: 2024-02-01

		201674	138484
67	3,503	27	58
papers	citations	h-index	g-index
70	70	70	3627

times ranked

citing authors

docs citations

all docs

#	Article	IF	CITATIONS
1	Appropriate prescribing in elderly people: how well can it be measured and optimised?. Lancet, The, 2007, 370, 173-184.	13.7	893
2	The challenge of managing drug interactions in elderly people. Lancet, The, 2007, 370, 185-191.	13.7	445
3	Effect of a Collaborative Approach on the Quality of Prescribing for Geriatric Inpatients: A Randomized, Controlled Trial. Journal of the American Geriatrics Society, 2007, 55, 658-665.	2.6	262
4	Inappropriate Prescribing and Related Hospital Admissions in Frail Older Persons According to the STOPP and START Criteria. Drugs and Aging, 2012, 29, 829-837.	2.7	134
5	The Role of the Pharmacist in Optimizing Pharmacotherapy in Older People. Drugs and Aging, 2012, 29, 495-510.	2.7	119
6	Implementation of Ward-Based Clinical Pharmacy Services in Belgium—Description of the Impact on a Geriatric Unit. Annals of Pharmacotherapy, 2006, 40, 720-728.	1.9	85
7	International core outcome set for clinical trials of medication review in multi-morbid older patients with polypharmacy. BMC Medicine, 2018, 16, 21.	5.5	84
8	Optimizing Therapy to Prevent Avoidable Hospital Admissions in Multimorbid Older Adults (OPERAM): cluster randomised controlled trial. BMJ, The, 2021, 374, n1585.	6.0	84
9	Appropriateness of use of medicines in elderly inpatients: qualitative study. BMJ: British Medical Journal, 2005, 331, 935.	2.3	81
10	Appropriateness of Prescribing Dabigatran Etexilate and Rivaroxaban in Patients With Nonvalvular Atrial Fibrillation. Annals of Pharmacotherapy, 2014, 48, 1258-1268.	1.9	81
11	Rivaroxaban plasma levels in patients admitted for bleeding events: insights from a prospective study. Thrombosis Journal, 2018, 16, 28.	2.1	63
12	Current practices and barriers impairing physicians' and nurses' adherence to analgo-sedation recommendations in the intensive care unit - a national survey. Critical Care, 2014, 18, 655.	5.8	55
13	Performance of the Adverse Drug Event Trigger Tool and the Global Trigger Tool for Identifying Adverse Drug Events: Experience in a Belgian Hospital. Annals of Pharmacotherapy, 2013, 47, 1414-1419.	1.9	52
14	Approaches for improving continuity of care in medication management: a systematic review. International Journal for Quality in Health Care, 2013, 25, 403-417.	1.8	52
15	MEDICATION APPROPRIATENESS INDEX: RELIABILITY AND RECOMMENDATIONS FOR FUTURE USE. Journal of the American Geriatrics Society, 2006, 54, 720-722.	2.6	50
16	A systematic review of the outcomes reported in trials of medication review in older patients: the need for a core outcome set. British Journal of Clinical Pharmacology, 2017, 83, 942-952.	2.4	49
17	Electronic tools to support medication reconciliation: a systematic review. Journal of the American Medical Informatics Association: JAMIA, 2017, 24, 227-240.	4.4	45
18	Development of a standardized chart review method to identify drugâ€related hospital admissions in older people. British Journal of Clinical Pharmacology, 2018, 84, 2600-2614.	2.4	38

#	Article	lF	Citations
19	Rationale and design of OPtimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM): a cluster randomised controlled trial. BMJ Open, 2019, 9, e026769.	1.9	36
20	Potentially Inappropriate Prescribing in Belgian Nursing Homes: Prevalence and Associated Factors. Journal of the American Medical Directors Association, 2018, 19, 884-890.	2.5	35
21	Attitudes towards COVID-19 Vaccination among Hospital Staff—Understanding What Matters to Hesitant People. Vaccines, 2021, 9, 469.	4.4	35
22	Collaborative approach to Optimise MEdication use for Older people in Nursing homes (COME-ON): study protocol of a cluster controlled trial. Implementation Science, 2015, 11, 35.	6.9	32
23	Drug-drug interactions in the intensive care unit: Do they really matter?. Journal of Critical Care, 2017, 38, 97-103.	2.2	32
24	A User-Centered design and usability testing of a web-based medication reconciliation application integrated in an eHealth network. International Journal of Medical Informatics, 2019, 126, 138-146.	3.3	32
25	Cluster-Controlled Trial of an Intervention to Improve Prescribing in Nursing Homes Study. Journal of the American Medical Directors Association, 2019, 20, 1404-1411.	2.5	31
26	Risk scores and geriatric profile: can they really help us in anticoagulation decision making among older patients suffering from atrial fibrillation?. Clinical Interventions in Aging, 2014, 9, 1091.	2.9	30
27	STOPP/START version 2—development of software applications: easier said than done?. Age and Ageing, 2016, 45, 590-593.	1.6	28
28	Detection of potentially inappropriate prescribing in the very old: cross-sectional analysis of the data from the BELFRAIL observational cohort study. BMC Geriatrics, 2015, 15, 156.	2.7	26
29	Impact of a clinical decision support system for drug dosage in patients with renal failure. International Journal of Clinical Pharmacy, 2018, 40, 1225-1233.	2.1	23
30	Intervention protocol: OPtimising the Rapy to prevent avoidable hospital Admission in the Multi-morbid elderly (OPERAM): a structured medication review with support of a computerised decision support system. BMC Health Services Research, 2020, 20, 220.	2.2	23
31	An International Consensus List of Potentially Clinically Significant Drug-Drug Interactions in Older People. Journal of the American Medical Directors Association, 2021, 22, 2121-2133.e24.	2.5	22
32	Prevalence of drug-drug interactions in older people before and after hospital admission: analysis from the OPERAM trial. BMC Geriatrics, 2021, 21, 571.	2.7	22
33	The challenge of safer prescribing. BMJ: British Medical Journal, 2008, 336, 956.2-957.	2.3	20
34	2012 Updated <scp>B</scp> eers Criteria: Greater Applicability to <scp>E</scp> urope?. Journal of the American Geriatrics Society, 2012, 60, 2188-2189.	2.6	20
35	What stops us from following sedation recommendations in intensive care units? A multicentric qualitative study. Journal of Critical Care, 2014, 29, 291-297.	2.2	20
36	Clinical Use and Adverse Drug Reactions of Linezolid: A Retrospective Study in Four Belgian Hospital Centers. Antibiotics, 2021, 10, 530.	3.7	20

3

#	Article	IF	Citations
37	Process evaluation of a complex intervention to optimize quality of prescribing in nursing homes (COME-ON study). Implementation Science, 2019, 14, 104.	6.9	19
38	Initiatives promoting seamless care in medication management: an international review of the grey literature. International Journal of Clinical Pharmacy, 2013, 35, 1040-1052.	2.1	17
39	Preventability of serious thromboembolic and bleeding events related to the use of oral anticoagulants: a prospective study. British Journal of Clinical Pharmacology, 2018, 84, 1544-1556.	2.4	17
40	Cross-cultural adaptation and psychometric validation of the revised Patients' Attitudes Towards Deprescribing (rPATD) questionnaire in French. Research in Social and Administrative Pharmacy, 2021, 17, 1453-1462.	3.0	17
41	Do computerized clinical decision support systems improve the prescribing of oral anticoagulants? A systematic review. Thrombosis Research, 2020, 187, 79-87.	1.7	16
42	Benzodiazepine Use and Deprescribing in Belgian Nursing Homes: Results from the COMEâ€ON Study. Journal of the American Geriatrics Society, 2020, 68, 2768-2777.	2.6	16
43	Trends in benzodiazepine receptor agonists use and associated factors in the Belgian general older population: analysis of the Belgian health interview survey data. Therapeutic Advances in Psychopharmacology, 2021, 11, 204512532110118.	2.7	16
44	The Impact of Strong Inducers on Direct Oral Anticoagulant Levels. American Journal of Medicine, 2021, 134, 1295-1299.	1.5	16
45	Interventions to optimize medication use in nursing homes: a narrative review. European Geriatric Medicine, 2021, 12, 551-567.	2.8	15
46	Frequency and Acceptance of Clinical Decision Support System-Generated STOPP/START Signals for Hospitalised Older Patients with Polypharmacy and Multimorbidity. Drugs and Aging, 2022, 39, 59-73.	2.7	15
47	An optimized dRVVT-based assay to estimate the intensity of anticoagulation in patients treated with direct oral anticoagulants. Thrombosis Research, 2017, 157, 29-37.	1.7	14
48	Development of a process-oriented quality improvement strategy for the medicines pathway in nursing homes using the SEIPS model. Research in Social and Administrative Pharmacy, 2020, 16, 360-376.	3.0	14
49	Review of the cost-effectiveness of interventions to improve seamless care focusing on medication. International Journal of Clinical Pharmacy, 2011, 33, 909-917.	2.1	13
50	Development of a core outcome set for medication review in older patients with multimorbidity and polypharmacy: a study protocol. Clinical Interventions in Aging, 2017, Volume 12, 1379-1389.	2.9	12
51	Effect of ABCB1 genetic polymorphisms on the transport of rivaroxaban in HEK293 recombinant cell lines. Scientific Reports, 2018, 8, 10514.	3.3	12
52	Problems in continuity of medication management upon transition between primary and secondary care: patients' and professionals' experiences. Acta Clinica Belgica, 2019, 74, 263-271.	1.2	12
53	Use and Deprescribing of Potentially Inappropriate Medications in Frail Nursing Home Residents. Drugs and Aging, 2020, 37, 917-924.	2.7	12
54	Development and validation of a high performance liquid chromatography assay for the determination of temocillin in serum of haemodialysis patients. Journal of Pharmaceutical and Biomedical Analysis, 2014, 90, 192-197.	2.8	11

#	Article	IF	Citations
55	Optimizing the Safe Use of Direct Oral Anticoagulants in Older Patients. JAMA Internal Medicine, 2015, 175, 1608.	5.1	11
56	Medication Counselling in Older Patients Prior to Hospital Discharge: A Systematic Review. Drugs and Aging, 2020, 37, 635-655.	2.7	11
57	Development of a tool for benchmarking of clinical pharmacy activities. International Journal of Clinical Pharmacy, 2018, 40, 1462-1473.	2.1	10
58	A web application to involve patients in the medication reconciliation process: a user-centered usability and usefulness study. Journal of the American Medical Informatics Association: JAMIA, 2018, 25, 1488-1500.	4.4	10
59	Implementing a screening tool to improve prescribing in hospitalized older patients: a pilot study. International Journal of Clinical Pharmacy, 2018, 40, 15-19.	2.1	9
60	Experience of hospital-initiated medication changes in older people with multimorbidity: a multicentre mixed-methods study embedded in the OPtimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM) trial. BMJ Quality and Safety, 2022, 31, 888-898.	3.7	7
61	Performance of a trigger tool for detecting drug-related hospital admissions in older people: analysis from the OPERAM trial. Age and Ageing, 2022, 51, .	1.6	6
62	Current practice in benzodiazepine receptor agonists deprescribing on acute geriatric wards: a cohort study. BMC Geriatrics, 2022, 22, 88.	2.7	6
63	Temocillin dosing in haemodialysis patients based on population pharmacokinetics of total and unbound concentrations and Monte Carlo simulations. Journal of Antimicrobial Chemotherapy, 2018, 73, 1630-1638.	3.0	4
64	Predictors of 1â€year drugâ€related admissions in older multimorbid hospitalized adults. Journal of the American Geriatrics Society, 2022, 70, 1510-1516.	2.6	4
65	Interprofessional Teamwork in Acute Geriatric Care: Where Are the Pharmacists?. Journal of the American Geriatrics Society, 2018, 66, 416-417.	2.6	1
66	An International Consensus List of Potentially Clinically Significant Drug-Drug Interactions in Older People: Clinical Utility?. Journal of the American Medical Directors Association, 2022, 23, 522.	2.5	1
67	Premier pas vers l'optimalisation de l'usage des alimentations parentéralesÂdans un hà pital universitaireÂ: audit de prescription, d'administration et de suivi. Nutrition Clinique Et Metabolisme, 2017, 31, 116-124.	0.5	0