

Qingyi Wei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4237175/publications.pdf>

Version: 2024-02-01

592
papers

26,477
citations

7568

77
h-index

15732

125
g-index

598
all docs

598
docs citations

598
times ranked

25903
citing authors

#	ARTICLE	IF	CITATIONS
1	Interaction between Tobacco and Alcohol Use and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 541-550.	2.5	908
2	Alcohol Drinking in Never Users of Tobacco, Cigarette Smoking in Never Drinkers, and the Risk of Head and Neck Cancer: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>Journal of the National Cancer Institute</i> , 2007, 99, 777-789.	6.3	837
3	Repair of Tobacco Carcinogen-Induced DNA Adducts and Lung Cancer Risk: a Molecular Epidemiologic Study. <i>Journal of the National Cancer Institute</i> , 2000, 92, 1764-1772.	6.3	413
4	Gastric cancer—molecular and clinical dimensions. <i>Nature Reviews Clinical Oncology</i> , 2013, 10, 643-655.	27.6	376
5	DNA repair and aging in basal cell carcinoma: a molecular epidemiology study.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 1614-1618.	7.1	366
6	Shortened Telomere Length Is Associated with Increased Risk of Cancer: A Meta-Analysis. <i>PLoS ONE</i> , 2011, 6, e20466.	2.5	292
7	Polymorphisms of DNA repair gene XRCC1 in squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 1999, 20, 2125-2129.	2.8	267
8	Modulation of repair of ultraviolet damage in the host-cell reactivation assay by polymorphic XPC and XPD/ERCC2 genotypes. <i>Carcinogenesis</i> , 2002, 23, 295-299.	2.8	248
9	Clinical Correlates of <i>NRAS</i> and <i>BRAF</i> Mutations in Primary Human Melanoma. <i>Clinical Cancer Research</i> , 2011, 17, 229-235.	7.0	237
10	Polymorphisms in microRNA targets: a gold mine for molecular epidemiology. <i>Carcinogenesis</i> , 2008, 29, 1306-1311.	2.8	235
11	Genome-wide association study identifies three new melanoma susceptibility loci. <i>Nature Genetics</i> , 2011, 43, 1108-1113.	21.4	230
12	Cigarette, Cigar, and Pipe Smoking and the Risk of Head and Neck Cancers: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>American Journal of Epidemiology</i> , 2013, 178, 679-690.	3.4	220
13	Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. <i>International Journal of Epidemiology</i> , 2010, 39, 182-196.	1.9	210
14	Identification of Genetic Variants in Base Excision Repair Pathway and Their Associations with Risk of Esophageal Squamous Cell Carcinoma. <i>Cancer Research</i> , 2004, 64, 4378-4384.	0.9	208
15	Reduced DNA repair capacity in lung cancer patients. <i>Cancer Research</i> , 1996, 56, 4103-7.	0.9	208
16	XRCC1 Polymorphisms and Cancer Risk: A Meta-analysis of 38 Case-Control Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1810-1818.	2.5	200
17	Pooled Analysis of Alcohol Dehydrogenase Genotypes and Head and Neck Cancer: A HuGE Review. <i>American Journal of Epidemiology</i> , 2004, 159, 1-16.	3.4	198
18	Plasma microRNAs as early biomarkers for detecting hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2015, 137, 1679-1690.	5.1	188

#	ARTICLE	IF	CITATIONS
19	Genome-wide association study identifies novel loci predisposing to cutaneous melanoma. Human Molecular Genetics, 2011, 20, 5012-5023.	2.9	187
20	Descriptive epidemiology and risk factors for head and neck cancer. Seminars in Oncology, 2004, 31, 726-733.	2.2	184
21	XPD/ERCC2 polymorphisms and risk of head and neck cancer: a case-control analysis. Carcinogenesis, 2000, 21, 2219-2223.	2.8	170
22	Single Nucleotide Polymorphism at rs1982073:T869C of the <i>TGFβ1</i> Gene Is Associated With the Risk of Radiation Pneumonitis in Patients With Non-Small-Cell Lung Cancer Treated With Definitive Radiotherapy. Journal of Clinical Oncology, 2009, 27, 3370-3378.	1.6	167
23	Identification of risk loci and a polygenic risk score for lung cancer: a large-scale prospective cohort study in Chinese populations. Lancet Respiratory Medicine, 2019, 7, 881-891.	10.7	167
24	Polymorphisms of the DNA repair gene XRCC1 and risk of gastric cancer in a Chinese population. International Journal of Cancer, 2000, 88, 601-606.	5.1	165
25	Rapid assessment of repair of ultraviolet DNA damage with a modified host-cell reactivation assay using a luciferase reporter gene and correlation with polymorphisms of DNA repair genes in normal human lymphocytes. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2002, 509, 165-174.	1.0	164
26	Squamous cell carcinoma of the head and neck in never smokers: never drinkers: A descriptive epidemiologic study. Head and Neck, 2008, 30, 75-84.	2.0	161
27	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. PLoS Genetics, 2011, 7, e1001333.	3.5	158
28	An Analysis of DNA Repair as a Determinant of Survival in Patients With Non-Small-Cell Lung Cancer. Journal of the National Cancer Institute, 2002, 94, 1091-1099.	6.3	156
29	Polymorphisms of DNA Repair Genes and Risk of Glioma. Cancer Research, 2004, 64, 5560-5563.	0.9	155
30	Genetic variants in selected pre-microRNA genes and the risk of squamous cell carcinoma of the head and neck. Cancer, 2010, 116, 4753-4760.	4.1	152
31	XPA polymorphism associated with reduced lung cancer risk and a modulating effect on nucleotide excision repair capacity. Carcinogenesis, 2003, 24, 505-509.	2.8	149
32	Repair of UV Light-Induced DNA Damage and Risk of Cutaneous Malignant Melanoma. Journal of the National Cancer Institute, 2003, 95, 308-315.	6.3	149
33	An Expanded Risk Prediction Model for Lung Cancer. Cancer Prevention Research, 2008, 1, 250-254.	1.5	143
34	Total Exposure and Exposure Rate Effects for Alcohol and Smoking and Risk of Head and Neck Cancer: A Pooled Analysis of Case-Control Studies. American Journal of Epidemiology, 2009, 170, 937-947.	3.4	143
35	Genome-wide association study identifies a new melanoma susceptibility locus at 1q21.3. Nature Genetics, 2011, 43, 1114-1118.	21.4	140
36	<i>ERCC1</i> and <i>ERCC2</i> Polymorphisms Predict Clinical Outcomes of Oxaliplatin-Based Chemotherapies in Gastric and Colorectal Cancer: A Systemic Review and Meta-analysis. Clinical Cancer Research, 2011, 17, 1632-1640.	7.0	138

#	ARTICLE	IF	CITATIONS
37	A novel polymorphism in human cytosine DNA-methyltransferase-3B promoter is associated with an increased risk of lung cancer. <i>Cancer Research</i> , 2002, 62, 4992-5.	0.9	137
38	Nucleotide excision repair as a marker for susceptibility to tobacco-related cancers: A review of molecular epidemiological studies. <i>Molecular Carcinogenesis</i> , 2005, 42, 65-92.	2.7	134
39	DNA Repair: a Double-Edged Sword. <i>Journal of the National Cancer Institute</i> , 2000, 92, 440-441.	6.3	128
40	Risk factors for head and neck cancer in young adults: a pooled analysis in the INHANCE consortium. <i>International Journal of Epidemiology</i> , 2015, 44, 169-185.	1.9	128
41	Polymorphisms in DNA base excision repair genes ADPRT and XRCC1 and risk of lung cancer. <i>Cancer Research</i> , 2005, 65, 722-6.	0.9	127
42	Association and Interactions between DNA Repair Gene Polymorphisms and Adult Glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 204-214.	2.5	126
43	Smoking, DNA repair capacity and risk of nonsmall cell lung cancer. <i>International Journal of Cancer</i> , 2003, 107, 84-88.	5.1	125
44	Genetic risk, incident gastric cancer, and healthy lifestyle: a meta-analysis of genome-wide association studies and prospective cohort study. <i>Lancet Oncology</i> , The, 2020, 21, 1378-1386.	10.7	123
45	Genetic susceptibility to lung cancer: the role of DNA damage and repair. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 689-98.	2.5	123
46	Family history of cancer: Pooled analysis in the International Head and Neck Cancer Epidemiology Consortium. <i>International Journal of Cancer</i> , 2009, 124, 394-401.	5.1	122
47	Polymorphisms of 5,10-methylenetetrahydrofolate reductase and risk of gastric cancer in a Chinese population: A case-control study. <i>International Journal of Cancer</i> , 2001, 95, 332-336.	5.1	119
48	Reduced expression levels of nucleotide excision repair genes in lung cancer: a case-control analysis. <i>Carcinogenesis</i> , 2000, 21, 1527-1530.	2.8	118
49	Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 case-control studies from 27 countries. <i>International Journal of Cancer</i> , 2015, 136, 1125-1139.	5.1	112
50	Human papillomavirus type 16 infection and squamous cell carcinoma of the head and neck in never-smokers: a matched pair analysis. <i>Clinical Cancer Research</i> , 2003, 9, 2620-6.	7.0	112
51	A variant in FTO shows association with melanoma risk not due to BMI. <i>Nature Genetics</i> , 2013, 45, 428-432.	21.4	111
52	Cyclin D1 polymorphism and risk for squamous cell carcinoma of the head and neck: a case-control study. <i>Carcinogenesis</i> , 2001, 22, 1195-1199.	2.8	109
53	DNA Repair Gene ERCC1 and ERCC2/XPD Polymorphisms and Risk of Squamous Cell Carcinoma of the Head and Neck. <i>JAMA Otolaryngology</i> , 2002, 128, 1084.	1.2	108
54	An miR-502-binding Site Single-Nucleotide Polymorphism in the 3'-Untranslated Region of the SET8 Gene Is Associated with Early Age of Breast Cancer Onset. <i>Clinical Cancer Research</i> , 2009, 15, 6292-6300.	7.0	106

#	ARTICLE	IF	CITATIONS
55	Low-dose genistein induces cyclin-dependent kinase inhibitors and G1 cell-cycle arrest in human prostate cancer cells. <i>Molecular Carcinogenesis</i> , 2000, 29, 92-102.	2.7	105
56	Genome-wide association studies identify several new loci associated with pigmentation traits and skin cancer risk in European Americans. <i>Human Molecular Genetics</i> , 2013, 22, 2948-2959.	2.9	104
57	Expression of nucleotide excision repair genes and the risk for squamous cell carcinoma of the head and neck. <i>Cancer</i> , 2002, 94, 393-397.	4.1	102
58	Genetic Polymorphisms of Selected DNA Repair Genes, Estrogen and Progesterone Receptor Status, and Breast Cancer Risk. <i>Clinical Cancer Research</i> , 2005, 11, 4620-4626.	7.0	98
59	Circulating human papillomavirus DNA as a marker for disease extent and recurrence among patients with oropharyngeal cancer. <i>Cancer</i> , 2015, 121, 3455-3464.	4.1	97
60	Functional Polymorphisms of Matrix Metalloproteinase-9 Are Associated with Risk of Occurrence and Metastasis of Lung Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 5433-5439.	7.0	96
61	Reduced DNA repair of benzo[a]pyrene diol epoxide-induced adducts and common XPD polymorphisms in breast cancer patients. <i>Carcinogenesis</i> , 2004, 25, 1695-1700.	2.8	95
62	P53 codon 72 polymorphism and risk of squamous cell carcinoma of the head and neck: a case-control study. <i>Cancer Letters</i> , 2002, 183, 123-130.	7.2	94
63	Glutathione-S-transferase polymorphisms and risk of squamous-cell carcinoma of the head and neck. , 1999, 84, 220-224.		93
64	Â-Radiation Sensitivity and Risk of Glioma. <i>Journal of the National Cancer Institute</i> , 2001, 93, 1553-1557.	6.3	92
65	Genome-wide association study identifies novel alleles associated with risk of cutaneous basal cell carcinoma and squamous cell carcinoma. <i>Human Molecular Genetics</i> , 2011, 20, 3718-3724.	2.9	92
66	Body mass index and risk of head and neck cancer in a pooled analysis of caseâ€“control studies in the International Head and Neck Cancer Epidemiology (INHANCE) Consortium. <i>International Journal of Epidemiology</i> , 2010, 39, 1091-1102.	1.9	89
67	Squamous cell carcinoma of the oral cavity often overexpresses p16 but is rarely driven by human papillomavirus. <i>Oral Oncology</i> , 2016, 56, 47-53.	1.5	88
68	DNA repair gene XPC genotypes/haplotypes and risk of lung cancer in a Chinese population. <i>International Journal of Cancer</i> , 2005, 115, 478-483.	5.1	87
69	Type of Alcoholic Beverage and Risk of Head and Neck Cancerâ€“A Pooled Analysis Within the INHANCE Consortium. <i>American Journal of Epidemiology</i> , 2009, 169, 132-142.	3.4	85
70	Interleukin-1B gene promoter variants are associated with an increased risk of gastric cancer in a Chinese population. <i>Cancer Letters</i> , 2004, 215, 191-198.	7.2	84
71	DNA repair phenotype and cancer susceptibilityâ€“A mini review. <i>International Journal of Cancer</i> , 2009, 124, 999-1007.	5.1	84
72	PGC-1 Coactivators Regulate MITF and the Tanning Response. <i>Molecular Cell</i> , 2013, 49, 145-157.	9.7	84

#	ARTICLE	IF	CITATIONS
73	Polymorphisms of the DNA repair gene XPD and risk of lung cancer in a Chinese population. Lung Cancer, 2002, 38, 123-129.	2.0	83
74	Genetic susceptibilityâ€“molecular epidemiology of head and neck cancer. Current Opinion in Oncology, 2002, 14, 310-317.	2.4	82
75	Association of a p73 exon 2 G4C14-to-A4T14 polymorphism with risk of squamous cell carcinoma of the head and neck. Carcinogenesis, 2004, 25, 1911-1916.	2.8	82
76	Tagging SNPs in non-homologous end-joining pathway genes and risk of glioma. Carcinogenesis, 2007, 28, 1906-1913.	2.8	82
77	Matched-Pair Analysis of Survival of Never Smokers and Ever Smokers With Squamous Cell Carcinoma of the Head and Neck. Journal of Clinical Oncology, 2004, 22, 3981-3988.	1.6	81
78	Glutathione S-Transferase Polymorphisms and Survival in Primary Malignant Glioma. Clinical Cancer Research, 2004, 10, 2618-2625.	7.0	80
79	Polymorphisms in the DNA Repair Genes XPC, XPD, and XPG and Risk of Cutaneous Melanoma: a Case-Control Analysis. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2526-2532.	2.5	80
80	Association of Sequence Variants on Chromosomes 20, 11, and 5 (20q13.33, 11q23.3, and 5p15.33) With Glioma Susceptibility in a Chinese Population. American Journal of Epidemiology, 2011, 173, 915-922.	3.4	79
81	Potential clinical application of lncRNAs in non-small cell lung cancer. OncoTargets and Therapy, 2018, Volume 11, 8045-8052.	2.0	79
82	Smokeless Tobacco Use and the Risk of Head and Neck Cancer: Pooled Analysis of US Studies in the INHANCE Consortium. American Journal of Epidemiology, 2016, 184, 703-716.	3.4	78
83	Genetic variants of the ADPRT, XRCC1 and APE1 genes and risk of cutaneous melanoma. Carcinogenesis, 2006, 27, 1894-1901.	2.8	77
84	Involuntary Smoking and Head and Neck Cancer Risk: Pooled Analysis in the International Head and Neck Cancer Epidemiology Consortium. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1974-1981.	2.5	76
85	Benzo(a)pyrene diol epoxide-induced chromosomal aberrations and risk of lung cancer. Cancer Research, 1996, 56, 3975-9.	0.9	76
86	DNA Repair Capacity for Ultraviolet Light-Induced Damage Is Reduced in Peripheral Lymphocytes from Patients with Basal Cell Carcinoma. Journal of Investigative Dermatology, 1995, 104, 933-936.	0.7	74
87	Sex Differences in Risk of Lung Cancer Associated with Methylene-tetrahydrofolate Reductase Polymorphisms. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1477-1484.	2.5	74
88	Polymorphisms of FAS and FAS Ligand Genes Involved in the Death Pathway and Risk and Progression of Squamous Cell Carcinoma of the Head and Neck. Clinical Cancer Research, 2006, 12, 5596-5602.	7.0	74
89	The role of DNA repair capacity in susceptibility to lung cancer: a review. , 1997, 16, 295-307.		73
90	Socioeconomic characteristics of patients with oropharyngeal carcinoma according to tumor HPV status, patient smoking status, and sexual behavior. Oral Oncology, 2015, 51, 832-838.	1.5	73

#	ARTICLE	IF	CITATIONS
91	Single-nucleotide polymorphisms at the TP53-binding or responsive promoter regions of BAX and BCL2 genes and risk of squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 2007, 28, 2008-2012.	2.8	71
92	Increased Genetic Vulnerability to Smoking at CHRNA5 in Early-Onset Smokers. <i>Archives of General Psychiatry</i> , 2012, 69, 854.	12.3	71
93	C-Reactive Protein As a Marker of Melanoma Progression. <i>Journal of Clinical Oncology</i> , 2015, 33, 1389-1396.	1.6	71
94	Cyclin D1 Polymorphism and Increased Risk of Colorectal Cancer at Young Age. <i>Journal of the National Cancer Institute</i> , 2001, 93, 1106-1108.	6.3	70
95	Genetic polymorphisms in DNA base excision repair genes <i>ADPRT</i> , <i>XRCC1</i> , and <i>APE1</i> and the risk of squamous cell carcinoma of the head and neck. <i>Cancer</i> , 2007, 110, 867-875.	4.1	70
96	Differences in history of sexual behavior between patients with oropharyngeal squamous cell carcinoma and patients with squamous cell carcinoma at other head and neck sites. <i>Head and Neck</i> , 2011, 33, 847-855.	2.0	70
97	Epidemiology of carcinogen metabolism genes and risk of squamous cell carcinoma of the head and neck. <i>Head and Neck</i> , 2007, 29, 682-699.	2.0	69
98	Genetic polymorphisms of p21 are associated with risk of squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 2005, 26, 1596-1602.	2.8	68
99	Survival Prediction in Patients With Glioblastoma Multiforme by Human Telomerase Genetic Variation. <i>Journal of Clinical Oncology</i> , 2006, 24, 1627-1632.	1.6	67
100	A functional variant at the miR-184 binding site in TNFAIP2 and risk of squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 2011, 32, 1668-1674.	2.8	67
101	Genetic variants of the nonhomologous end joining gene <i>LIG4</i> and severe radiation pneumonitis in nonsmall cell lung cancer patients treated with definitive radiotherapy. <i>Cancer</i> , 2012, 118, 528-535.	4.1	67
102	Association of Marijuana Smoking with Oropharyngeal and Oral Tongue Cancers: Pooled Analysis from the INHANCE Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 160-171.	2.5	67
103	Genomic instability and endoreduplication triggered by RAD17 deletion. <i>Genes and Development</i> , 2003, 17, 965-970.	5.9	65
104	Functional characterization of a promoter polymorphism in <i>APE1/Ref-1</i> that contributes to reduced lung cancer susceptibility. <i>FASEB Journal</i> , 2009, 23, 3459-3469.	0.5	65
105	Sensitivity to benzo(a)pyrene diol-epoxide associated with risk of breast cancer in young women and modulation by glutathione S-transferase polymorphisms: a case-control study. <i>Cancer Research</i> , 2001, 61, 8465-9.	0.9	65
106	p73 G4C14-to-A4T14 Polymorphism and Risk of Lung Cancer. <i>Cancer Research</i> , 2004, 64, 6863-6866.	0.9	64
107	Polymorphisms of <i>LIG4</i> and <i>XRCC4</i> involved in the NHEJ pathway interact to modify risk of glioma. <i>Human Mutation</i> , 2008, 29, 381-389.	2.5	64
108	The role of polymorphisms in circadian pathway genes in breast tumorigenesis. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 531-540.	2.5	64

#	ARTICLE	IF	CITATIONS
109	Functional variants in TNFAIP8 associated with cervical cancer susceptibility and clinical outcomes. <i>Carcinogenesis</i> , 2013, 34, 770-778.	2.8	64
110	Association of Vitamin D Levels With Outcome in Patients With Melanoma After Adjustment For C-Reactive Protein. <i>Journal of Clinical Oncology</i> , 2016, 34, 1741-1747.	1.6	64
111	Disruption of the Rad9/Rad1/Hus1 (9â€“1â€“1) complex leads to checkpoint signaling and replication defects. <i>Oncogene</i> , 2004, 23, 5586-5593.	5.9	63
112	Body Mass Index, Cigarette Smoking, and Alcohol Consumption and Cancers of the Oral Cavity, Pharynx, and Larynx: Modeling Odds Ratios in Pooled Case-Control Data. <i>American Journal of Epidemiology</i> , 2010, 171, 1250-1261.	3.4	63
113	Functional Polymorphisms of Base Excision Repair Genes XRCC1 and APEX1 Predict Risk of Radiation Pneumonitis in Patients With Nonâ€“Small Cell Lung Cancer Treated With Definitive Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 81, e67-e73.	0.8	63
114	Identification of an eight-gene prognostic signature for lung adenocarcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 3383-3392.	1.9	63
115	Fas A670G polymorphism, apoptotic capacity in lymphocyte cultures, and risk of lung cancer. <i>Lung Cancer</i> , 2003, 42, 1-8.	2.0	62
116	Serum Cotinine Concentration and Wound Complications in Head and Neck Reconstruction. <i>Plastic and Reconstructive Surgery</i> , 2008, 121, 451-457.	1.4	62
117	DNA Repair and Susceptibility to Basal Cell Carcinoma: A Case-Control Study. <i>American Journal of Epidemiology</i> , 1994, 140, 598-607.	3.4	61
118	Polymorphisms of Methionine Synthase and Methionine Synthase Reductase and Risk of Squamous Cell Carcinoma of the Head and Neck: a Case-Control Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1188-1193.	2.5	61
119	Incidence and pattern of second primary malignancies in patients with index oropharyngeal cancers versus index nonoropharyngeal head and neck cancers. <i>Cancer</i> , 2013, 119, 2593-2601.	4.1	61
120	Two-stage genome-wide association study identifies a novel susceptibility locus associated with melanoma. <i>Oncotarget</i> , 2017, 8, 17586-17592.	1.8	61
121	Association of a functional tandem repeats in the downstream of human telomerase gene and lung cancer. <i>Oncogene</i> , 2003, 22, 7123-7129.	5.9	60
122	Association of hsp70 polymorphisms with risk of noise-induced hearing loss in Chinese automobile workers. <i>Cell Stress and Chaperones</i> , 2006, 11, 233.	2.9	60
123	MDM2 gene promoter polymorphisms and risk of lung cancer: a case-control analysis. <i>Carcinogenesis</i> , 2006, 27, 2028-2033.	2.8	60
124	Meta-analysis and pooled analysis of GSTM1 and CYP1A1 polymorphisms and oral and pharyngeal cancers: a HuGE-GSEC review. <i>Genetics in Medicine</i> , 2008, 10, 369-384.	2.4	60
125	Incorporating Single-nucleotide Polymorphisms Into the Lyman Model to Improve Prediction of Radiation Pneumonitis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 251-257.	0.8	59
126	Pri-miR-124 rs531564 and pri-miR-34b/c rs4938723 Polymorphisms Are Associated with Decreased Risk of Esophageal Squamous Cell Carcinoma in Chinese Populations. <i>PLoS ONE</i> , 2014, 9, e100055.	2.5	59

#	ARTICLE	IF	CITATIONS
127	Genome-wide association study identifies new susceptibility loci for epithelial ovarian cancer in Han Chinese women. <i>Nature Communications</i> , 2014, 5, 4682.	12.8	59
128	Reduced DNA repair capacity in head and neck cancer patients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1998, 7, 465-8.	2.5	59
129	Polymorphisms and haplotypes of the NBS1 gene are associated with risk of sporadic breast cancer in non-Hispanic white women ≤55 years. <i>Carcinogenesis</i> , 2006, 27, 2209-2216.	2.8	58
130	Haplotype and genotypes of the <i>VDR</i> gene and cutaneous melanoma risk in non-Hispanic whites in Texas: A case-control study. <i>International Journal of Cancer</i> , 2008, 122, 2077-2084.	5.1	58
131	A novel functional variant (-842G>C) in the PIN1 promoter contributes to decreased risk of squamous cell carcinoma of the head and neck by diminishing the promoter activity. <i>Carcinogenesis</i> , 2009, 30, 1717-1721.	2.8	58
132	Potentially Functional Single Nucleotide Polymorphisms in the Core Nucleotide Excision Repair Genes and Risk of Squamous Cell Carcinoma of the Head and Neck. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1633-1638.	2.5	57
133	Polymorphisms of the DNMT3B gene and risk of squamous cell carcinoma of the head and neck: A case-control study. <i>Cancer Letters</i> , 2008, 268, 158-165.	7.2	57
134	Association between single nucleotide polymorphisms of the transforming growth factor β 1 gene and the risk of severe radiation esophagitis in patients with lung cancer. <i>Radiotherapy and Oncology</i> , 2012, 105, 299-304.	0.6	57
135	ATM Polymorphisms Predict Severe Radiation Pneumonitis in Patients With Non-Small Cell Lung Cancer Treated With Definitive Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 1066-1073.	0.8	57
136	Genome-wide association study identifies three susceptibility loci for laryngeal squamous cell carcinoma in the Chinese population. <i>Nature Genetics</i> , 2014, 46, 1110-1114.	21.4	57
137	Promoter polymorphism (α 786T>C) in the endothelial nitric oxide synthase gene is associated with risk of sporadic breast cancer in non-Hispanic white women age younger than 55 years. <i>Cancer</i> , 2006, 107, 2245-2253.	4.1	56
138	Dietary magnesium and DNA repair capacity as risk factors for lung cancer. <i>Carcinogenesis</i> , 2008, 29, 949-956.	2.8	56
139	DNA Repair Capacity in Peripheral Lymphocytes Predicts Survival of Patients With Non-Small-Cell Lung Cancer Treated With First-Line Platinum-Based Chemotherapy. <i>Journal of Clinical Oncology</i> , 2011, 29, 4121-4128.	1.6	56
140	Genetic Susceptibility to Tobacco Carcinogenesis. <i>Cancer Investigation</i> , 1999, 17, 645-659.	1.3	55
141	A promoter polymorphism (α 777T>C) of DNA repair gene XRCC1 is associated with risk of lung cancer in relation to tobacco smoking. <i>Pharmacogenetics and Genomics</i> , 2005, 15, 457-463.	1.5	55
142	Marijuana Smoking and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1544-1551.	2.5	55
143	Roles of genetic variants in the PI3K and RAS/RAF pathways in susceptibility to endometrial cancer and clinical outcomes. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 377-385.	2.5	55
144	Polymorphisms of Homologous Recombination Genes and Clinical Outcomes of Non-Small Cell Lung Cancer Patients Treated with Definitive Radiotherapy. <i>PLoS ONE</i> , 2011, 6, e20055.	2.5	54

#	ARTICLE	IF	CITATIONS
145	Serial dilution curve: a new method for analysis of reverse phase protein array data. <i>Bioinformatics</i> , 2009, 25, 650-654.	4.1	53
146	Functional Promoter Variant rs2868371 of HSPB1 Is Associated With Risk of Radiation Pneumonitis After Chemoradiation for Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 1332-1339.	0.8	53
147	A variant of the DNA repair gene XRCC3 and risk of squamous cell carcinoma of the head and neck: A case-control analysis. <i>International Journal of Cancer</i> , 2002, 99, 869-872.	5.1	52
148	In Vitro Sensitivity to Ultraviolet B Light and Skin Cancer Risk: A Caseâ€“Control Analysis. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1822-1831.	6.3	52
149	DNMT3b Polymorphism and Hereditary Nonpolyposis Colorectal Cancer Age of Onset. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 886-891.	2.5	51
150	Matched-Pair Analysis of Race or Ethnicity in Outcomes of Head and Neck Cancer Patients Receiving Similar Multidisciplinary Care. <i>Cancer Prevention Research</i> , 2009, 2, 782-791.	1.5	51
151	Genome-wide association study identifies nidogen 1 (NID1) as a susceptibility locus to cutaneous nevi and melanoma risk. <i>Human Molecular Genetics</i> , 2011, 20, 2673-2679.	2.9	51
152	Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. <i>Scientific Reports</i> , 2015, 5, 14237.	3.3	51
153	HPV16 antibodies as risk factors for oropharyngeal cancer and their association with tumor HPV and smoking status. <i>Oral Oncology</i> , 2015, 51, 662-667.	1.5	51
154	Identification of SPP1 as a promising biomarker to predict clinical outcome of lung adenocarcinoma individuals. <i>Gene</i> , 2018, 679, 398-404.	2.2	51
155	Methylenetetrahydrofolate reductase polymorphisms and risk of squamous cell carcinoma of the head and neck: A case-control analysis. <i>International Journal of Cancer</i> , 2005, 115, 131-136.	5.1	50
156	Genetic Variants of the Vitamin D Receptor Gene Alter Risk of Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2007, 127, 276-280.	0.7	50
157	Common genetic variants on 8q24 contribute to susceptibility to bladder cancer in a Chinese population. <i>Carcinogenesis</i> , 2009, 30, 991-996.	2.8	50
158	Reduced DNA Repair Capacity for Removing Tobacco Carcinogenâ€“Induced DNA Adducts Contributes to Risk of Head and Neck Cancer but not Tumor Characteristics. <i>Clinical Cancer Research</i> , 2010, 16, 764-774.	7.0	50
159	Genetic variants and haplotypes of thecaspase-8andcaspase-10genes contribute to susceptibility to cutaneous melanoma. <i>Human Mutation</i> , 2008, 29, 1443-1451.	2.5	49
160	Association of human aryl hydrocarbon receptor gene polymorphisms with risk of lung cancer among cigarette smokers in a Chinese population. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 25-34.	1.5	49
161	Potentially Functional Variants of PLCE1 Identified by GWASs Contribute to Gastric Adenocarcinoma Susceptibility in an Eastern Chinese Population. <i>PLoS ONE</i> , 2012, 7, e31932.	2.5	49
162	Genetic Polymorphisms of Ataxia Telangiectasia Mutated and Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 821-825.	2.5	48

#	ARTICLE	IF	CITATIONS
163	Association of XRCC1 Polymorphisms and Risk of Differentiated Thyroid Carcinoma: A Caseâ€“Control Analysis. <i>Thyroid</i> , 2009, 19, 129-135.	4.5	48
164	An examination of male and female odds ratios by BMI, cigarette smoking, and alcohol consumption for cancers of the oral cavity, pharynx, and larynx in pooled data from 15 caseâ€“control studies. <i>Cancer Causes and Control</i> , 2011, 22, 1217-1231.	1.8	48
165	Associations of PI3KR1 and mTOR Polymorphisms with Esophageal Squamous Cell Carcinoma Risk and Gene-Environment Interactions in Eastern Chinese Populations. <i>Scientific Reports</i> , 2015, 5, 8250.	3.3	48
166	Genetic variants in Hippo pathway genes<i>YAP</i><i>1</i>,<i>TEAD</i><i>1</i>and<i>TEAD</i><i>4</i>are associated with melanoma-specific survival. <i>International Journal of Cancer</i> , 2015, 137, 638-645.	5.1	48
167	A Novel Genetic Variant in Long Non-coding RNA Gene NEXN-AS1 is Associated with Risk of Lung Cancer. <i>Scientific Reports</i> , 2016, 6, 34234.	3.3	48
168	Genetic Risk for Overall Cancer and the Benefit of Adherence to a Healthy Lifestyle. <i>Cancer Research</i> , 2021, 81, 4618-4627.	0.9	48
169	Thymidylate Synthase 5â€²- and 3â€²-Untranslated Region Polymorphisms Associated with Risk and Progression of Squamous Cell Carcinoma of the Head and Neck. <i>Clinical Cancer Research</i> , 2004, 10, 7903-7910.	7.0	47
170	Association of hsp70-2 and hsp-hom gene polymorphisms with risk of acute high-altitude illness in a Chinese population. <i>Cell Stress and Chaperones</i> , 2005, 10, 349.	2.9	47
171	Dinucleotide polymorphism of p73 gene is associated with a reduced risk of lung cancer in a Chinese population. <i>International Journal of Cancer</i> , 2005, 114, 455-460.	5.1	47
172	CASP3 Polymorphisms and Risk of Squamous Cell Carcinoma of the Head and Neck. <i>Clinical Cancer Research</i> , 2008, 14, 6343-6349.	7.0	47
173	Association of ABCC2 polymorphisms with platinum-based chemotherapy response and severe toxicity in non-small cell lung cancer patients. <i>Lung Cancer</i> , 2011, 72, 238-243.	2.0	47
174	Association between novel PLCE1 variants identified in published esophageal cancer genome-wide association studies and risk of squamous cell carcinoma of the head and neck. <i>BMC Cancer</i> , 2011, 11, 258.	2.6	47
175	Genetic variants in MGMT and risk of lung cancer in Southeastern Chinese: a haplotype-based analysis. <i>Human Mutation</i> , 2007, 28, 431-440.	2.5	46
176	Combined effects of the p53 codon 72 and p73 G4C14-to-A4T14 polymorphisms on the risk of HPV16-associated oral cancer in never-smokers. <i>Carcinogenesis</i> , 2008, 29, 2120-2125.	2.8	46
177	The VEGF -634C>G promoter polymorphism is associated with risk of gastric cancer. <i>BMC Gastroenterology</i> , 2009, 9, 77.	2.0	46
178	Low risk of second primary malignancies among never smokers with human papillomavirusâ€“associated index oropharyngeal cancers. <i>Head and Neck</i> , 2013, 35, 794-799.	2.0	46
179	P53 codon 72 polymorphism and risk of gastric cancer in a Chinese population. <i>Oncology Reports</i> , 2004, 11, 1115-20.	2.6	46
180	p53 Codon 72 Arg Homozygotes Are Associated with an Increased Risk of Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2003, 121, 1510-1514.	0.7	45

#	ARTICLE	IF	CITATIONS
181	Polymorphisms of vitamin D receptor gene protect against the risk of head and neck cancer. <i>Pharmacogenetics and Genomics</i> , 2005, 15, 159-165.	1.5	45
182	Polymorphisms in the Two Helicases ERCC2/XPD and ERCC3/XPB of the Transcription Factor IIIH Complex and Risk of Lung Cancer: A Case-Control Analysis in a Chinese Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1336-1340.	2.5	45
183	172G>T variant in the 5' untranslated region of DNA repair gene RAD51 reduces risk of squamous cell carcinoma of the head and neck and interacts with a P53 codon 72 variant. <i>Carcinogenesis</i> , 2006, 28, 988-994.	2.8	45
184	Combined Effects of the p53 and p73 Polymorphisms on Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 158-161.	2.5	45
185	<i>BRCA1</i> and <i>BRCA2</i> mutations in ovarian cancer patients from China: ethnic-related mutations in <i>BRCA1</i> associated with an increased risk of ovarian cancer. <i>International Journal of Cancer</i> , 2017, 140, 2051-2059.	5.1	45
186	Robotic sleeve lobectomy for centrally located non-small cell lung cancer: A propensity score-weighted comparison with thoracoscopic and open surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 160, 838-846.e2.	0.8	45
187	Polymorphisms of DNA repair gene XRCC3 Thr241Met and risk of gastric cancer in a Chinese population. <i>Cancer Letters</i> , 2004, 206, 51-58.	7.2	44
188	Polymorphisms of the FAS and FAS ligand genes associated with risk of cutaneous malignant melanoma. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 253-263.	1.5	44
189	Repair Capacity for UV Light-Induced DNA Damage Associated with Risk of Nonmelanoma Skin Cancer and Tumor Progression. <i>Clinical Cancer Research</i> , 2007, 13, 6532-6539.	7.0	44
190	Association of <i>TGF-Î21</i> Genetic Variants with HPV16-positive Oropharyngeal Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 1416-1422.	7.0	44
191	No evidence of an association of ERCC1 and ERCC2 polymorphisms with clinical outcomes of platinum-based chemotherapies in non-small cell lung cancer: A meta-analysis. <i>Lung Cancer</i> , 2011, 72, 370-377.	2.0	44
192	Genome-Wide Association Study Reveals Novel Genetic Determinants of DNA Repair Capacity in Lung Cancer. <i>Cancer Research</i> , 2013, 73, 256-264.	0.9	44
193	Functional polymorphisms in the promoter regions of the FAS and FAS ligand genes and risk of bladder cancer in south China: a case-control analysis. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 245-251.	1.5	44
194	Mutagen sensitivity to benzo(a)pyrene diol epoxide and the risk of squamous cell carcinoma of the head and neck. <i>Clinical Cancer Research</i> , 1998, 4, 1773-8.	7.0	44
195	DNA repair capacity in healthy medical students during and after exam stress. <i>Journal of Behavioral Medicine</i> , 2000, 23, 531-544.	2.1	43
196	Polymorphisms of methionine synthase and methionine synthase reductase and risk of lung cancer: a case-control analysis. <i>Pharmacogenetics and Genomics</i> , 2005, 15, 547-555.	1.5	43
197	p53 codon 72 polymorphism associated with risk of human papillomavirus-associated squamous cell carcinoma of the oropharynx in never-smokers. <i>Carcinogenesis</i> , 2008, 29, 875-879.	2.8	43
198	A pri-miR-218 variant and risk of cervical carcinoma in Chinese women. <i>BMC Cancer</i> , 2013, 13, 19.	2.6	43

#	ARTICLE	IF	CITATIONS
199	Polymorphisms of Nucleotide Excision Repair Genes Predict Melanoma Survival. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1813-1821.	0.7	43
200	Case-control analysis of thymidylate synthase polymorphisms and risk of lung cancer. <i>Carcinogenesis</i> , 2004, 26, 649-656.	2.8	42
201	Association between the V109G Polymorphism of the <i>p27</i> Gene and the Risk and Progression of Oral Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2004, 10, 3996-4002.	7.0	42
202	Human Papillomavirus Seropositivity Synergizes with MDM2 Variants to Increase the Risk of Oral Squamous Cell Carcinoma. <i>Cancer Research</i> , 2010, 70, 7199-7208.	0.9	42
203	Radiation Response Genotype and Risk of Differentiated Thyroid Cancer: A Case-Control Analysis. <i>Laryngoscope</i> , 2005, 115, 938-945.	2.0	41
204	Variant genotypes of <i>CDKN1A</i> and <i>CDKN1B</i> are associated with an increased risk of breast cancer in Chinese women. <i>International Journal of Cancer</i> , 2006, 119, 2173-2178.	5.1	41
205	<i>XRCC3</i> haplotypes and risk of gliomas in a Chinese population: A hospital-based case-control study. <i>International Journal of Cancer</i> , 2009, 124, 2948-2953.	5.1	41
206	Genetic variations in <i>TERT-CLPTM1L</i> genes and risk of squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 2010, 31, 1977-1981.	2.8	41
207	Identification of a melanoma susceptibility locus and somatic mutation in <i>TET2</i> . <i>Carcinogenesis</i> , 2014, 35, 2097-2101.	2.8	41
208	Genetic variants in <i>ABCG1</i> are associated with survival of non-small-cell lung cancer patients. <i>International Journal of Cancer</i> , 2016, 138, 2592-2601.	5.1	41
209	Reduced expression of mismatch repair genes measured by multiplex reverse transcription-polymerase chain reaction in human gliomas. <i>Cancer Research</i> , 1997, 57, 1673-7.	0.9	41
210	A functional variant (\sim 1304T>G) in the <i>MKK4</i> promoter contributes to a decreased risk of lung cancer by increasing the promoter activity. <i>Carcinogenesis</i> , 2010, 31, 1405-1411.	2.8	40
211	Neighborhood deprivation and clinical outcomes among head and neck cancer patients. <i>Health and Place</i> , 2012, 18, 861-868.	3.3	40
212	Polymorphisms of the Interleukin 6 gene contribute to cervical cancer susceptibility in Eastern Chinese women. <i>Human Genetics</i> , 2013, 132, 301-312.	3.8	40
213	The miR-184 Binding-Site rs8126 T>C Polymorphism in <i>TNFAIP2</i> Is Associated with Risk of Gastric Cancer. <i>PLoS ONE</i> , 2013, 8, e64973.	2.5	40
214	Joint Effect of Multiple Common SNPs Predicts Melanoma Susceptibility. <i>PLoS ONE</i> , 2013, 8, e85642.	2.5	40
215	Low frequency of cigarette smoking and the risk of head and neck cancer in the INHANCE consortium pooled analysis. <i>International Journal of Epidemiology</i> , 2016, 45, 835-845.	1.9	40
216	Association between Body Mass Index, C-Reactive Protein Levels, and Melanoma Patient Outcomes. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1792-1795.	0.7	40

#	ARTICLE	IF	CITATIONS
217	Joint effects of single nucleotide polymorphisms in P53BP1 and p53 on breast cancer risk in a Chinese population. <i>Carcinogenesis</i> , 2006, 27, 766-771.	2.8	39
218	A Novel Functional Polymorphism C1797G in the MDM2 Promoter Is Associated with Risk of Bladder Cancer in a Chinese Population. <i>Clinical Cancer Research</i> , 2008, 14, 3633-3640.	7.0	39
219	Smoking-related Genomic Signatures in Non-Small Cell Lung Cancer. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008, 178, 1164-1172.	5.6	39
220	Functional promoter rs2868371 variant of HSPB1 associates with radiation-induced esophageal toxicity in patients with non-small-cell lung cancer treated with radio(chemo)therapy. <i>Radiotherapy and Oncology</i> , 2011, 101, 271-277.	0.6	39
221	Genetic variants in miR-196a2 and miR-499 are associated with susceptibility to esophageal squamous cell carcinoma in Chinese Han population. <i>Tumor Biology</i> , 2016, 37, 4777-4784.	1.8	39
222	In vitro BPDE-induced DNA adducts in peripheral lymphocytes as a risk factor for squamous cell carcinoma of the head and neck. <i>International Journal of Cancer</i> , 2001, 93, 436-440.	5.1	38
223	CASP8 polymorphisms contribute to cancer susceptibility: evidence from a meta-analysis of 23 publications with 55 individual studies. <i>Carcinogenesis</i> , 2010, 31, 850-857.	2.8	38
224	Genetic variants of the LIN28B gene predict severe radiation pneumonitis in patients with non-small cell lung cancer treated with definitive radiation therapy. <i>European Journal of Cancer</i> , 2014, 50, 1706-1716.	2.8	38
225	Functional variants in the promoter of interleukin-1 β are associated with an increased risk of breast cancer: A case-control analysis in a Chinese population. <i>International Journal of Cancer</i> , 2006, 118, 2554-2558.	5.1	37
226	Potentially functional polymorphisms of EXO1 and risk of lung cancer in a Chinese population: A case-control analysis. <i>Lung Cancer</i> , 2008, 60, 340-346.	2.0	37
227	Effects of MDM2 promoter polymorphisms and p53 codon 72 polymorphism on risk and age at onset of squamous cell carcinoma of the head and neck. <i>Molecular Carcinogenesis</i> , 2011, 50, 697-706.	2.7	37
228	Combined p53-related genetic variants together with HPV infection increase oral cancer risk. <i>International Journal of Cancer</i> , 2012, 131, E251-8.	5.1	37
229	Association between PARP1 V762A polymorphism and cancer susceptibility: a meta-analysis. <i>Genetic Epidemiology</i> , 2012, 36, 56-65.	1.3	37
230	Assessing the spectrum of germline variation in Fanconi anemia genes among patients with head and neck carcinoma before age 50. <i>Cancer</i> , 2017, 123, 3943-3954.	4.1	37
231	A pilot study of Helicobacter pylori infection and risk of laryngopharyngeal cancer. <i>Head and Neck</i> , 2005, 27, 22-27.	2.0	36
232	Family history of cancer and risk of sporadic differentiated thyroid carcinoma. <i>Cancer</i> , 2012, 118, 1228-1235.	4.1	36
233	Meta-analysis of genome-wide association studies and functional assays decipher susceptibility genes for gastric cancer in Chinese populations. <i>Gut</i> , 2020, 69, 641-651.	12.1	36
234	Functional Polymorphisms of CHRNA3 Predict Risks of Chronic Obstructive Pulmonary Disease and Lung Cancer in Chinese. <i>PLoS ONE</i> , 2012, 7, e46071.	2.5	36

#	ARTICLE	IF	CITATIONS
235	Serum and lymphocyte levels of heat shock protein 70 in aging: a study in the normal Chinese population. <i>Cell Stress and Chaperones</i> , 2004, 9, 69-75.	2.9	35
236	Exploratory Analysis of Fas Gene Polymorphisms in Pediatric Osteosarcoma Patients. <i>Journal of Pediatric Hematology/Oncology</i> , 2007, 29, 815-821.	0.6	35
237	G4C14A4T14 polymorphism and risk of human papillomavirus-associated squamous cell carcinoma of the oropharynx in never smokers and never drinkers. <i>Cancer</i> , 2008, 113, 3307-3314.	4.1	35
238	The functional promoter polymorphism (842G>C) in the PIN1 gene is associated with decreased risk of breast cancer in non-Hispanic white women 55 years and younger. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 243-249.	2.5	35
239	A novel XPF 357A>C polymorphism predicts risk and recurrence of bladder cancer. <i>Oncogene</i> , 2010, 29, 1920-1928.	5.9	35
240	Genotypes and haplotypes of ERCC1 and ERCC2/XPD genes predict levels of benzo[a]pyrene diol epoxide-induced DNA adducts in cultured primary lymphocytes from healthy individuals: a genotype-phenotype correlation analysis. <i>Carcinogenesis</i> , 2008, 29, 1560-1566.	2.8	34
241	DNA Repair Capacity and Lung Cancer Risk in Never Smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1322-1328.	2.5	34
242	Association of G4C14A4T14 polymorphism with human papillomavirus type 16 status in squamous cell carcinoma of the head and neck in non-Hispanic whites. <i>Cancer</i> , 2009, 115, 1660-1668.	4.1	34
243	No Evidence of Sex-Related Survival Disparities among Head and Neck Cancer Patients Receiving Similar Multidisciplinary Care: A Matched-Pair Analysis. <i>Clinical Cancer Research</i> , 2010, 16, 5019-5027.	7.0	34
244	miR-449b rs10061133 and miR-4293 rs12220909 polymorphisms are associated with decreased esophageal squamous cell carcinoma in a Chinese population. <i>Tumor Biology</i> , 2015, 36, 8789-8795.	1.8	34
245	Polymorphisms of thymidylate synthase in the 5'- and 3'-untranslated regions associated with risk of gastric cancer in South China: a case-control analysis. <i>Carcinogenesis</i> , 2005, 26, 1764-1769.	2.8	33
246	Polymorphisms in thymidylate synthase gene and susceptibility to breast cancer in a Chinese population: a case-control analysis. <i>BMC Cancer</i> , 2006, 6, 138.	2.6	33
247	A Genome-Wide Association Study Identifies Two Novel Susceptible Regions for Squamous Cell Carcinoma of the Head and Neck. <i>Cancer Research</i> , 2020, 80, 2451-2460.	0.9	33
248	Effect of Polymorphisms in XPD on Clinical Outcomes of Platinum-Based Chemotherapy for Chinese Non-Small Cell Lung Cancer Patients. <i>PLoS ONE</i> , 2012, 7, e33200.	2.5	32
249	A functional variant at the miR-885-5p binding site of CASP3 confers risk of both index and second primary malignancies in patients with head and neck cancer. <i>FASEB Journal</i> , 2013, 27, 1404-1412.	0.5	32
250	Distinct Loci in the CHRNA5/CHRNA3/CHRNA4 Gene Cluster Are Associated With Onset of Regular Smoking. <i>Genetic Epidemiology</i> , 2013, 37, 846-859.	1.3	32
251	Robotic Bronchial Sleeve Lobectomy for Central Lung Tumors: Technique and Outcome. <i>Annals of Thoracic Surgery</i> , 2019, 108, 211-218.	1.3	32
252	Gender Difference in Smoking Effect on Chromosome Sensitivity to Gamma Radiation in a Healthy Population. <i>Radiation Research</i> , 2000, 154, 20-27.	1.5	31

#	ARTICLE	IF	CITATIONS
253	Expression of Nucleotide Excision Repair Proteins in Lymphocytes as a Marker of Susceptibility to Squamous Cell Carcinomas of the Head and Neck. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1961-1966.	2.5	31
254	Sequence variations in DNA repair gene XPC is associated with lung cancer risk in a Chinese population: a case-control study. <i>BMC Cancer</i> , 2007, 7, 81.	2.6	31
255	Functional Variants of the <i>NEIL1</i> and <i>NEIL2</i> Genes and Risk and Progression of Squamous Cell Carcinoma of the Oral Cavity and Oropharynx. <i>Clinical Cancer Research</i> , 2008, 14, 4345-4352.	7.0	31
256	Genotypes and haplotypes of the VEGF gene and survival in locally advanced non-small cell lung cancer patients treated with chemoradiotherapy. <i>BMC Cancer</i> , 2010, 10, 431.	2.6	31
257	The Six-Nucleotide Deletion/Insertion Variant in the CASP8 Promoter Region Is Inversely Associated with Risk of Squamous Cell Carcinoma of the Head and Neck. <i>Cancer Prevention Research</i> , 2010, 3, 246-253.	1.5	31
258	Association between XPF Polymorphisms and Cancer Risk: A Meta-Analysis. <i>PLoS ONE</i> , 2012, 7, e38606.	2.5	31
259	Polymorphisms in the <i>AKT1</i> and <i>AKT2</i> genes and oesophageal squamous cell carcinoma risk in an Eastern Chinese population. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 666-677.	3.6	31
260	Polymorphisms in the mTOR Gene and Risk of Sporadic Prostate Cancer in an Eastern Chinese Population. <i>PLoS ONE</i> , 2013, 8, e71968.	2.5	31
261	Expression of Five Selected Human Mismatch Repair Genes Simultaneously Detected in Normal and Cancer Cell Lines by a Nonradioactive Multiplex Reverse Transcription-Polymerase Chain Reaction. <i>Pathobiology</i> , 1997, 65, 293-300.	3.8	30
262	In vitro Benzo[a]pyrene Diol Epoxide-Induced DNA Adducts and Risk of Squamous Cell Carcinoma of Head and Neck. <i>Cancer Research</i> , 2007, 67, 5628-5634.	0.9	30
263	Polymorphisms in hMLH1 and risk of early-onset lung cancer in a southeast Chinese population. <i>Lung Cancer</i> , 2008, 59, 164-170.	2.0	30
264	Genetic susceptibility of lung cancer associated with common variants in the 3' untranslated regions of the adenosine triphosphate-binding cassette B1 (<i>ABCB1</i>) and <i>ABCC1</i> candidate transporter genes for carcinogen export. <i>Cancer</i> , 2009, 115, 595-607.	4.1	30
265	Molecular epidemiology of DNA repair gene polymorphisms and head and neck cancer. <i>Journal of Biomedical Research</i> , 2013, 27, 179-92.	1.6	30
266	Simultaneous amplification of four DNA repair genes and beta-actin in human lymphocytes by multiplex reverse transcriptase-PCR. <i>Cancer Research</i> , 1995, 55, 5025-9.	0.9	30
267	Polymorphisms of TGF β 1 and VEGF genes and survival of patients with gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2009, 28, 94.	8.6	29
268	Potentially Functional Variants of ATG16L2 Predict Radiation Pneumonitis and Outcomes in Patients with Non-Small Cell Lung Cancer after Definitive Radiotherapy. <i>Journal of Thoracic Oncology</i> , 2018, 13, 660-675.	1.1	29
269	Molecular epidemiology of genetic susceptibility to gastric cancer: focus on single nucleotide polymorphisms in gastric carcinogenesis. <i>American Journal of Translational Research (discontinued)</i> , 2009, 1, 44-54.	0.0	29
270	Combined effects of <i>E2F1</i> and <i>E2F2</i> polymorphisms on risk and early onset of squamous cell carcinoma of the head and neck. <i>Molecular Carcinogenesis</i> , 2012, 51, E132-41.	2.7	28

#	ARTICLE	IF	CITATIONS
271	Genetic Variants in Fanconi Anemia Pathway Genes BRCA2 and FANCA Predict Melanoma Survival. <i>Journal of Investigative Dermatology</i> , 2015, 135, 542-550.	0.7	28
272	Genome-wide association studies identify susceptibility loci for epithelial ovarian cancer in east Asian women. <i>Gynecologic Oncology</i> , 2019, 153, 343-355.	1.4	28
273	Beta-2 adrenergic receptor gene (ADRB2) polymorphism and risk for lung adenocarcinoma: A caseâ€control study in a Chinese population. <i>Cancer Letters</i> , 2006, 240, 297-305.	7.2	27
274	Association of Genetic Variants of O6-Methylguanine-DNA Methyltransferase with Risk of Lung Cancer in Non-Hispanic Whites. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2364-2369.	2.5	27
275	Tagging single nucleotide polymorphisms in excision repair cross-complementing group 1 (ERCC1) and risk of primary lung cancer in a Chinese population. <i>Pharmacogenetics and Genomics</i> , 2007, 17, 417-423.	1.5	27
276	Telomere Length and <i>TERT</i> Functional Polymorphisms Are Not Associated with Risk of Squamous Cell Carcinoma of the Head and Neck. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2642-2645.	2.5	27
277	Association between Single Nucleotide Polymorphisms in ERCC4 and Risk of Squamous Cell Carcinoma of the Head and Neck. <i>PLoS ONE</i> , 2012, 7, e41853.	2.5	27
278	Polymorphisms of the vascular endothelial growth factor gene and severe radiation pneumonitis in nonâ€small cell lung cancer patients treated with definitive radiotherapy. <i>Cancer Science</i> , 2012, 103, 945-950.	3.9	27
279	Expression in normal human tissues of five nucleotide excision repair genes measured simultaneously by multiplex reverse transcription-polymerase chain reaction. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1999, 8, 801-7.	2.5	27
280	CYP2E1 G1532C, NQO1 Pro187Ser, and CYP1B1 Val432Leu Polymorphisms Are Not Associated with Risk of Squamous Cell Carcinoma of the Head and Neck. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1034-1036.	2.5	26
281	Polymorphisms of cytosolic serine hydroxymethyltransferase and risk of lung cancer: A caseâ€control analysis. <i>Lung Cancer</i> , 2007, 57, 143-151.	2.0	26
282	Trends in head and neck cancer incidence in Tianjin, China, between 1981 and 2002. <i>Head and Neck</i> , 2009, 31, 175-182.	2.0	26
283	ERCC6/CSB gene polymorphisms and lung cancer risk. <i>Cancer Letters</i> , 2009, 273, 172-176.	7.2	26
284	A variant in the CHEK2 promoter at a methylation site relieves transcriptional repression and confers reduced risk of lung cancer. <i>Carcinogenesis</i> , 2010, 31, 1251-1258.	2.8	26
285	An analysis of single nucleotide polymorphisms of 125 DNA repair genes in the Texas genome-wide association study of lung cancer with a replication for the XRCC4 SNPs. <i>DNA Repair</i> , 2011, 10, 398-407.	2.8	26
286	Polymorphisms of XPG/ERCC5 and risk of squamous cell carcinoma of the head and neck. <i>Pharmacogenetics and Genomics</i> , 2012, 22, 50-57.	1.5	26
287	Serum inflammatory miRNAs predict radiation esophagitis in patients receiving definitive radiochemotherapy for non-small cell lung cancer. <i>Radiotherapy and Oncology</i> , 2014, 113, 379-384.	0.6	26
288	DNA Repair in Lymphoblastoid Cell Lines From Patients With Head and Neck Cancer. <i>JAMA Otolaryngology</i> , 1999, 125, 185.	1.2	25

#	ARTICLE	IF	CITATIONS
289	Methylation and Messenger RNA Expression of p15INK4b but Not p16INK4a Are Independent Risk Factors for Ovarian Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 4968-4976.	7.0	25
290	Polymorphic <i>TP53BP1</i> and <i>TP53</i> Gene Interactions Associated with Risk of Squamous Cell Carcinoma of the Head and Neck. <i>Clinical Cancer Research</i> , 2007, 13, 4300-4305.	7.0	25
291	Polymorphisms of TP53 Arg72Pro, but not p73 G4C14>A4TA4 and p21 Ser31Arg, Contribute to Risk of Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1585-1588.	0.7	25
292	Genetic polymorphisms in the PTPN13 gene and risk of squamous cell carcinoma of head and neck. <i>Carcinogenesis</i> , 2009, 30, 2053-2058.	2.8	25
293	A single nucleotide polymorphism in the alcohol dehydrogenase 7 gene (alanine to glycine) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T55 neck. <i>Cancer</i> , 2010, 116, 2984-2992.	4.1	25
294	Functional Variations in the <i>ATM</i> Gene and Susceptibility to Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1913-1921.	3.6	25
295	Genetic variants of p27 and p21 as predictors for risk of second primary malignancy in patients with index squamous cell carcinoma of head and neck. <i>Molecular Cancer</i> , 2012, 11, 17.	19.2	25
296	Obesity-related genetic variants, human pigmentation, and risk of melanoma. <i>Human Genetics</i> , 2013, 132, 793-801.	3.8	25
297	Pre-microRNA variants predict HPV16-positive tumors and survival in patients with squamous cell carcinoma of the oropharynx. <i>Cancer Letters</i> , 2013, 330, 233-240.	7.2	25
298	Plasma antibodies to heat shock protein 60 and heat shock protein 70 are associated with increased risk of electrocardiograph abnormalities in automobile workers exposed to noise. <i>Cell Stress and Chaperones</i> , 2005, 10, 126.	2.9	24
299	RET Polymorphisms and Haplotypes and Risk of Differentiated Thyroid Cancer. <i>Laryngoscope</i> , 2005, 115, 1035-1041.	2.0	24
300	Joint Effects of Dietary Trace Metals and DNA Repair Capacity in Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2756-2762.	2.5	24
301	Polymorphisms of the neuronal and inducible nitric oxide synthase genes and the risk of cutaneous melanoma. <i>Cancer</i> , 2007, 109, 1570-1578.	4.1	24
302	Genetic variants in the H2AFX promoter region are associated with risk of sporadic breast cancer in non-Hispanic white women aged ≥55 years. <i>Breast Cancer Research and Treatment</i> , 2008, 110, 357-366.	2.5	24
303	Genetic variants in peroxisome proliferator-activated receptor- β gene are associated with risk of lung cancer in a Chinese population. <i>Carcinogenesis</i> , 2008, 29, 342-350.	2.8	24
304	Evidence That Gsta4 Modifies Susceptibility to Skin Tumor Development in Mice and Humans. <i>Journal of the National Cancer Institute</i> , 2010, 102, 1663-1675.	6.3	24
305	TNFRSF1B +676 T>G polymorphism predicts survival of non-Small cell lung cancer patients treated with chemoradiotherapy. <i>BMC Cancer</i> , 2011, 11, 447.	2.6	24
306	Telomere Length in Peripheral Blood Lymphocytes Contributes to the Development of HPV-Associated Oropharyngeal Carcinoma. <i>Cancer Research</i> , 2013, 73, 5996-6003.	0.9	24

#	ARTICLE	IF	CITATIONS
307	MicroRNA Variants Increase the Risk of HPV-Associated Squamous Cell Carcinoma of the Oropharynx in Never Smokers. PLoS ONE, 2013, 8, e56622.	2.5	24
308	Impact of visceral pleural invasion on the association of extent of lymphadenectomy and survival in stage I nonâ€small cell lung cancer. Cancer Medicine, 2019, 8, 669-678.	2.8	24
309	Dietary folate intake and lung cancer risk in former smokers: a case-control analysis. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 980-6.	2.5	24
310	Exon 3 polymorphisms and haplotypes of O6-methylguanine-DNA methyltransferase and risk of bladder cancer in southern China: A caseâ€control analysis. Cancer Letters, 2005, 227, 49-57.	7.2	23
311	Association of the variable number of tandem repeats polymorphism in the promoter region of the SMYD3 gene with risk of esophageal squamous cell carcinoma in relation to tobacco smoking. Cancer Science, 2008, 99, 787-791.	3.9	23
312	Nucleotide excision repair core gene polymorphisms and risk of second primary malignancy in patients with index squamous cell carcinoma of the head and neck. Carcinogenesis, 2009, 30, 997-1002.	2.8	23
313	Prospective analysis of DNA damage and repair markers of lung cancer risk from the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial. Carcinogenesis, 2011, 32, 69-73.	2.8	23
314	Association of tumor necrosis factor-alpha promoter variants with risk of HPV-associated oral squamous cell carcinoma. Molecular Cancer, 2013, 12, 80.	19.2	23
315	A <i>NEIL1</i> single nucleotide polymorphism (rs4462560) predicts the risk of radiationâ€induced toxicities in esophageal cancer patients treated with definitive radiotherapy. Cancer, 2013, 119, 4205-4211.	4.1	23
316	Teenage acne and cancer risk in US women: A prospective cohort study. Cancer, 2015, 121, 1681-1687.	4.1	23
317	Role of Immune Response, Inflammation, and Tumor Immune Responseâ€Related Cytokines/Chemokines in Melanoma Progression. Journal of Investigative Dermatology, 2019, 139, 2352-2358.e3.	0.7	23
318	RAD52 Variants Predict Platinum Resistance and Prognosis of Cervical Cancer. PLoS ONE, 2012, 7, e50461.	2.5	23
319	Association between low dietary folate intake and suboptimal cellular DNA repair capacity. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 963-9.	2.5	23
320	Correlation of lymphocyte heat shock protein 70 levels with neurologic deficits in elderly patients with cerebral infarction. American Journal of Medicine, 2004, 117, 406-411.	1.5	22
321	P53 codon 72 polymorphism and risk of gastric cancer in a Chinese population. Oncology Reports, 2004, 11, 1115.	2.6	22
322	Glutathione S-Transferase Polymorphisms and Risk of Differentiated Thyroid Carcinomas. JAMA Otolaryngology, 2006, 132, 756.	1.2	22
323	Putative functional polymorphisms of <i>MMP9</i> predict survival of NSCLC in a Chinese population. International Journal of Cancer, 2009, 124, 2172-2178.	5.1	22
324	Exonuclease 1 (EXO1) gene variation and melanoma risk. DNA Repair, 2012, 11, 304-309.	2.8	22

#	ARTICLE	IF	CITATIONS
325	Polymorphisms in MicroRNAs Are Associated with Survival in Non-Small Cell Lung Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2503-2511.	2.5	22
326	Carbon Quantum Dots Decorated C ₃ N ₄ /TiO ₂ Heterostructure Nanorod Arrays for Enhanced Photoelectrochemical Performance. <i>Journal of the Electrochemical Society</i> , 2017, 164, H515-H520.	2.9	22
327	Common genetic variation and risk of osteosarcoma in a multi-ethnic pediatric and adolescent population. <i>Bone</i> , 2020, 130, 115070.	2.9	22
328	A modified host-cell reactivation assay to measure repair of alkylating DNA damage for assessing risk of lung adenocarcinoma. <i>Carcinogenesis</i> , 2007, 28, 1430-1436.	2.8	21
329	<i>In vitro</i> benzo[a]pyrene diol epoxide-induced DNA damage and chromosomal aberrations in primary lymphocytes, smoking, and risk of squamous cell carcinoma of the head and neck. <i>International Journal of Cancer</i> , 2007, 121, 2735-2740.	5.1	21
330	Single Nucleotide Polymorphisms in Selected Apoptotic Genes and BPDE-Induced Apoptotic Capacity in Apparently Normal Primary Lymphocytes: A Genotype-Phenotype Correlation Analysis. <i>Journal of Cancer Epidemiology</i> , 2008, 2008, 1-8.	1.1	21
331	<i>FAS</i> and <i>FASLG</i> Genetic Variants and Risk for Second Primary Malignancy in Patients with Squamous Cell Carcinoma of the Head and Neck. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1484-1491.	2.5	21
332	<i>p14</i> <i>ARF</i> genetic polymorphisms and susceptibility to second primary malignancy in patients with index squamous cell carcinoma of the head and neck. <i>Cancer</i> , 2011, 117, 1227-1235.	4.1	21
333	Modifying effect of <i>MDM4</i> variants on risk of HPV16-associated squamous cell carcinoma of oropharynx. <i>Cancer</i> , 2012, 118, 1684-1692.	4.1	21
334	Genetic variants in the PIWI-piRNA pathway gene <i>DCP1A</i> predict melanoma disease-specific survival. <i>International Journal of Cancer</i> , 2016, 139, 2730-2737.	5.1	21
335	Genetic variants in <i>RUNX3</i> , <i>AMD1</i> and <i>MSRA</i> in the methionine metabolic pathway and survival in nonsmall cell lung cancer patients. <i>International Journal of Cancer</i> , 2019, 145, 621-631.	5.1	21
336	Circular RNA circCSNK1G3 induces HOXA10 signaling and promotes the growth and metastasis of lung adenocarcinoma cells through hsa-miR-143-3p sponging. <i>Cellular Oncology (Dordrecht)</i> , 2021, 44, 297-310.	4.4	21
337	Polymorphisms in nucleotide excision repair genes and risk of primary prostate cancer in Chinese Han populations. <i>Oncotarget</i> , 2017, 8, 24362-24371.	1.8	21
338	Polymorphisms in DNA damage binding protein 2 (DDB2) and susceptibility of primary lung cancer in the Chinese: a case-control study. <i>Carcinogenesis</i> , 2006, 27, 1475-1480.	2.8	20
339	Association Between CASP8 and CASP10 Polymorphisms and Toxicity Outcomes With Platinum-Based Chemotherapy in Chinese Patients With Non-Small Cell Lung Cancer. <i>Oncologist</i> , 2012, 17, 1551-1561.	3.7	20
340	Identification of prohibitin and prohibiton as novel factors binding to the p53 induced gene 3 (PIG3) promoter (TGYCC)15 motif. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 1239-1244.	2.1	20
341	Functional Variants in Notch Pathway Genes <i>NCOR2</i> , <i>NCSTN</i> , and <i>MAML2</i> Predict Survival of Patients with Cutaneous Melanoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1101-1110.	2.5	20
342	Genetic polymorphisms in the microRNA binding-sites of the thymidylate synthase gene predict risk and survival in gastric cancer. <i>Molecular Carcinogenesis</i> , 2015, 54, 880-888.	2.7	20

#	ARTICLE	IF	CITATIONS
343	Polymorphisms at the microRNA binding-site of the stem cell marker gene <i>CD133</i> modify susceptibility to and survival of gastric cancer. <i>Molecular Carcinogenesis</i> , 2015, 54, 449-458.	2.7	20
344	Associations between RNA splicing regulatory variants of stemness-related genes and racial disparities in susceptibility to prostate cancer. <i>International Journal of Cancer</i> , 2017, 141, 731-743.	5.1	20
345	Towards precision prevention: Technologies for identifying healthy individuals with high risk of disease. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2017, 800-802, 14-28.	1.0	20
346	<i>TGFβ1</i> Genetic Variants Predict Clinical Outcomes of HPV-Positive Oropharyngeal Cancer Patients after Definitive Radiotherapy. <i>Clinical Cancer Research</i> , 2018, 24, 2225-2233.	7.0	20
347	Inverse Relationship between Vitiligo-Related Genes and Skin Cancer Risk. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2072-2075.	0.7	20
348	Genetic variants in the platelet-derived growth factor subunit B gene associated with pancreatic cancer risk. <i>International Journal of Cancer</i> , 2018, 142, 1322-1331.	5.1	20
349	Genetic determinants of childhood and adult height associated with osteosarcoma risk. <i>Cancer</i> , 2018, 124, 3742-3752.	4.1	20
350	Genetic Variation in MDM2 and p14ARF and Susceptibility to Salivary Gland Carcinoma. <i>PLoS ONE</i> , 2012, 7, e49361.	2.5	20
351	Polymorphisms in the survivin promoter are associated with age of onset of ovarian cancer. <i>International Journal of Clinical and Experimental Medicine</i> , 2009, 2, 289-99.	1.3	20
352	Direct Correlation Between DNA Repair Capacity and Metastatic Potential of K-1735 Murine Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 1997, 108, 3-6.	0.7	19
353	Reduced expression of hMSH2 and hMLH1 and risk of prostate cancer: A case-control study. <i>Prostate</i> , 2001, 47, 269-275.	2.3	19
354	Overexpression of hMTH in peripheral lymphocytes and risk of prostate cancer: a case-control analysis. <i>Molecular Carcinogenesis</i> , 2003, 36, 123-129.	2.7	19
355	Polymorphisms in excision repair cross-complementing group 4 (ERCC4) and susceptibility to primary lung cancer in a Chinese Han population. <i>Lung Cancer</i> , 2008, 60, 332-339.	2.0	19
356	Genetic variants in the vitamin D pathway genes <i>VDBP</i> and <i>RXRA</i> modulate cutaneous melanoma disease-specific survival. <i>Pigment Cell and Melanoma Research</i> , 2016, 29, 176-185.	3.3	19
357	Apoptotic capacity and risk of squamous cell carcinoma of the head and neck. <i>European Journal of Cancer</i> , 2017, 72, 166-176.	2.8	19
358	Messenger RNA expression and methylation of candidate tumor-suppressor genes and risk of ovarian cancer-a case-control analysis. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 1-10.	0.4	19
359	Reliability of mutagen sensitivity assay: an inter-laboratory comparison. <i>Mutagenesis</i> , 2006, 21, 261-264.	2.6	18
360	Glutathione S-Transferase Polymorphisms and Risk of Second Primary Malignancy after Index Squamous Cell Carcinoma of the Head and Neck. <i>Cancer Prevention Research</i> , 2009, 2, 432-439.	1.5	18

#	ARTICLE	IF	CITATIONS
361	Polymorphisms in the SULF1 gene are associated with early age of onset and survival of ovarian cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2011, 30, 5.	8.6	18
362	Variants in nucleotide excision repair core genes and susceptibility to recurrence of squamous cell carcinoma of the oropharynx. <i>International Journal of Cancer</i> , 2013, 133, 695-704.	5.1	18
363	Predictive value of a prognostic model based on pathologic features in lung invasive adenocarcinoma. <i>Lung Cancer</i> , 2019, 131, 14-22.	2.0	18
364	On the Interplay of Telomeres, Nevi and the Risk of Melanoma. <i>PLoS ONE</i> , 2012, 7, e52466.	2.5	18
365	Polymorphism of DNA ligase I and risk of lung cancer—a case-control analysis. <i>Lung Cancer</i> , 2002, 36, 243-247.	2.0	17
366	X-ray repair cross-complementing group 1 (XRCC1) single-nucleotide polymorphisms and the risk of salivary gland carcinomas. <i>Cancer</i> , 2007, 110, 318-325.	4.1	17
367	Estimation of the effects of smoking and DNA repair capacity on coefficients of a carcinogenesis model for lung cancer. <i>International Journal of Cancer</i> , 2009, 124, 2152-2158.	5.1	17
368	Genetic Variants of p21 and p27 and Pancreatic Cancer Risk in Non-Hispanic Whites. <i>Pancreas</i> , 2010, 39, 1-4.	1.1	17
369	Polymorphisms of the DNA repair gene MGMT and risk and progression of head and neck cancer. <i>DNA Repair</i> , 2010, 9, 558-566.	2.8	17
370	Polymorphisms of MDM4 and risk of squamous cell carcinoma of the head and neck. <i>Pharmacogenetics and Genomics</i> , 2011, 21, 388-396.	1.5	17
371	HSPB1 Gene Polymorphisms Predict Risk of Mortality for US Patients After Radio(chemo)therapy for Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e229-e235.	0.8	17
372	Gene Variants in Angiogenesis and Lymphangiogenesis and Cutaneous Melanoma Progression. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 827-834.	2.5	17
373	A functional variant at miRNA-122 binding site in IL-1 β 3' UTR predicts risk and HPV-positive tumours of oropharyngeal cancer. <i>European Journal of Cancer</i> , 2015, 51, 1415-1423.	2.8	17
374	Potential functional variants in SMC2 and TP53 in the AURORA pathway genes and risk of pancreatic cancer. <i>Carcinogenesis</i> , 2019, 40, 521-528.	2.8	17
375	Genetic variants of genes in the Notch signaling pathway predict overall survival of non-small cell lung cancer patients in the PLCO study. <i>Oncotarget</i> , 2016, 7, 61716-61727.	1.8	17
376	Repair of mitomycin C cross-linked DNA in mammalian cells measured by a host cell reactivation assay. <i>Molecules and Cells</i> , 2004, 18, 249-55.	2.6	17
377	Increased chromosomal instability in peripheral lymphocytes and risk of human gliomas. <i>Carcinogenesis</i> , 1999, 20, 811-815.	2.8	16
378	<i>Fas</i> single nucleotide polymorphisms and risk of thyroid and salivary gland carcinomas: A case-control analysis. <i>Head and Neck</i> , 2008, 30, 297-305.	2.0	16

#	ARTICLE	IF	CITATIONS
379	A genetic variant in the APE1/Ref-1 gene promoter -141T/G may modulate risk of glioblastoma in a Chinese Han population. <i>BMC Cancer</i> , 2011, 11, 104.	2.6	16
380	No Association between Parkinson Disease Alleles and the Risk of Melanoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 243-245.	2.5	16
381	Association of BRCA1 Functional Single Nucleotide Polymorphisms with Risk of Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2012, 22, 35-43.	4.5	16
382	DNA polymerase η as a potential biomarker of chemoradiation resistance and poor prognosis for cervical cancer. <i>Medical Oncology</i> , 2013, 30, 500.	2.5	16
383	Significance of MDM2 and P14ARF polymorphisms in susceptibility to differentiated thyroid carcinoma. <i>Surgery</i> , 2013, 153, 711-717.	1.9	16
384	TGF β 1 Polymorphisms Predict Distant Metastasis-Free Survival in Patients with Inoperable Non-Small-Cell Lung Cancer after Definitive Radiotherapy. <i>PLoS ONE</i> , 2013, 8, e65659.	2.5	16
385	Integrated pathway and epistasis analysis reveals interactive effect of genetic variants at <i>TERF1</i> and <i>AFAP1L2</i> loci on melanoma risk. <i>International Journal of Cancer</i> , 2015, 137, 1901-1909.	5.1	16
386	Single Nucleotide Polymorphisms in CBLB, a Regulator of T-Cell Response, Predict Radiation Pneumonitis and Outcomes After Definitive Radiotherapy for Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2016, 17, 253-262.e5.	2.6	16
387	Functional variants in DCAF4 associated with lung cancer risk in European populations. <i>Carcinogenesis</i> , 2017, 38, 541-551.	2.8	16
388	Diagnostic accuracy of serum antibodies to human papillomavirus type 16 early antigens in the detection of human papillomavirus-related oropharyngeal cancer. <i>Cancer</i> , 2017, 123, 4886-4894.	4.1	16
389	The Rare Variant rs35356162 in UHRF1BP1 Increases Bladder Cancer Risk in Han Chinese Population. <i>Frontiers in Oncology</i> , 2020, 10, 134.	2.8	16
390	Frequency-specific association of antibodies against heat shock proteins 60 and 70 with noise-induced hearing loss in Chinese workers. <i>Cell Stress and Chaperones</i> , 2004, 9, 207.	2.9	16
391	Reduced expression of hMLH1 and hGTBP/hMSH6: a risk factor for head and neck cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1998, 7, 309-14.	2.5	16
392	XPB/ERCC2 EXON 8 Polymorphisms: rarity and lack of significance in risk of squamous cell carcinoma of the head and neck. <i>Oral Oncology</i> , 2002, 38, 475-477.	1.5	15
393	Polymorphisms and haplotypes of serine hydroxymethyltransferase and risk of squamous cell carcinoma of the head and neck: a case-control analysis. <i>Pharmacogenetics and Genomics</i> , 2005, 15, 557-564.	1.5	15
394	A Pilot Case-Control Study of Gamma-Radiation Sensitivity and Risk of Papillary Thyroid Cancer. <i>Thyroid</i> , 2005, 15, 94-99.	4.5	15
395	4-Nitroquinoline-1-Oxide-Induced Mutagen Sensitivity and Risk of Nonmelanoma Skin Cancer: A Case-Control Analysis. <i>Journal of Investigative Dermatology</i> , 2007, 127, 196-205.	0.7	15
396	Tagging single nucleotide polymorphisms in MBD4 are associated with risk of lung cancer in a Chinese population. <i>Lung Cancer</i> , 2008, 62, 281-286.	2.0	15

#	ARTICLE	IF	CITATIONS
397	Association of a novel functional promoter variant (rs2075533 C>T) in the apoptosis gene TNFSF 8 with risk of lung cancer—a finding from Texas lung cancer genome-wide association study. <i>Carcinogenesis</i> , 2011, 32, 507-515.	2.8	15
398	Influence of single nucleotide polymorphisms in the MMP1 promoter region on cutaneous melanoma progression. <i>Melanoma Research</i> , 2012, 22, 169-175.	1.2	15
399	Potentially functional variants of p14ARF are associated with HPV-positive oropharyngeal cancer patients and survival after definitive chemoradiotherapy. <i>Carcinogenesis</i> , 2014, 35, 62-68.	2.8	15
400	Genetic variant rs16430 6bp>â%Obp at the microRNAâ€binding site in <i>TYMS</i> and risk of sporadic breast cancer risk in nonâ€hispanic white women aged â%55â%years. <i>Molecular Carcinogenesis</i> , 2015, 54, 281-290.	2.7	15
401	Genetic variant in DNA repair gene <i>GTF2H4</i> is associated with lung cancer risk: a large-scale analysis of six published GWAS datasets in the TRICL consortium. <i>Carcinogenesis</i> , 2016, 37, 888-896.	2.8	15
402	Associations between smoking behavior-related alleles and the risk of melanoma. <i>Oncotarget</i> , 2016, 7, 47366-47375.	1.8	15
403	Genetic variations of the ADIPOQ gene and risk of prostate cancer in Chinese Han men. <i>Asian Journal of Andrology</i> , 2014, 16, 878.	1.6	15
404	Chromosome Instability and Risk of Squamous Cell Carcinomas of Head and Neck. <i>Cancer Research</i> , 2008, 68, 4479-4485.	0.9	14
405	Genetic polymorphisms of p21 and risk of second primary malignancy in patients with index squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 2010, 31, 222-227.	2.8	14
406	Association of Combined p73 and p53 Genetic Variants with Tumor HPV16-Positive Oropharyngeal Cancer. <i>PLoS ONE</i> , 2012, 7, e35522.	2.5	14
407	Genetic variants in p53-related genes confer susceptibility to second primary malignancy in patients with index squamous cell carcinoma of head and neck. <i>Carcinogenesis</i> , 2013, 34, 1551-1557.	2.8	14
408	Genetic variants in TNF-Î± promoter are predictors of recurrence in patients with squamous cell carcinoma of oropharynx after definitive radiotherapy. <i>International Journal of Cancer</i> , 2014, 134, 1907-1915.	5.1	14
409	Potentially functional variants in the core nucleotide excision repair genes predict survival in Japanese gastric cancer patients. <i>Carcinogenesis</i> , 2014, 35, 2031-2038.	2.8	14
410	Apoptotic variants as predictors of risk of oropharyngeal cancer recurrence after definitive radiotherapy. <i>International Journal of Cancer</i> , 2015, 137, 2454-2461.	5.1	14
411	Reduced DNA double-strand break repair capacity and risk of squamous cell carcinoma of the head and neck—a case-control study. <i>DNA Repair</i> , 2016, 40, 18-26.	2.8	14
412	Variants in Notch signalling pathway genes, <i><scp>PSEN</scp>1</i> and <i><scp>MAML</scp>2,</i> predict overall survival in Chinese patients with epithelial ovarian cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 4975-4984.	3.6	14
413	Genetic variant of IRAK2 in the tollâ€like receptor signaling pathway and survival of nonâ€small cell lung cancer. <i>International Journal of Cancer</i> , 2018, 143, 2400-2408.	5.1	14
414	Three novel genetic variants in NRF2 signaling pathway genes are associated with pancreatic cancer risk. <i>Cancer Science</i> , 2019, 110, 2022-2032.	3.9	14

#	ARTICLE	IF	CITATIONS
415	Genetic variants in the liver kinase B1&&activated protein kinase pathway genes and pancreatic cancer risk. <i>Molecular Carcinogenesis</i> , 2019, 58, 1338-1348.	2.7	14
416	Potentially functional genetic variants in the complement&related immunity gene&set are associated with non&small cell lung cancer survival. <i>International Journal of Cancer</i> , 2019, 144, 1867-1876.	5.1	14
417	Potentially functional variants of HBEGF and ITPR3 in GnRH signaling pathway genes predict survival of non-small cell lung cancer patients. <i>Translational Research</i> , 2021, 233, 92-103.	5.0	14
418	Association between p21 Ser31Arg polymorphism and cancer risk: a meta-analysis. <i>Chinese Journal of Cancer</i> , 2011, 30, 254-263.	4.9	14
419	Molecular epidemiology of gastric cancer: current status and future prospects. <i>Gastrointestinal Cancer Research: GCR</i> , 2007, 1, 12-9.	0.7	14
420	Fluorescence In Situ Hybridization Method for Measuring Transfection Efficiency. <i>BioTechniques</i> , 1996, 21, 486-491.	1.8	13
421	Risk assessment for developing gliomas: a comparison of two cytogenetic approaches. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2001, 490, 35-44.	1.7	13
422	A Functional Variant of Tandem Repeats in Human Telomerase Gene Was Associated with Survival of Patients with Early Stages of Non&Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 3779-3785.	7.0	13
423	Promoter polymorphisms in matrix metalloproteinase 1 and risk of cutaneous melanoma. <i>European Journal of Cancer</i> , 2011, 47, 107-115.	2.8	13
424	Correlation between Base-Excision Repair Gene Polymorphisms and Levels of In-Vitro BPDE&Induced DNA Adducts in Cultured Peripheral Blood Lymphocytes. <i>PLoS ONE</i> , 2012, 7, e40131.	2.5	13
425	CASP7 variants modify susceptibility to cervical cancer in Chinese women. <i>Scientific Reports</i> , 2015, 5, 9225.	3.3	13
426	Genetic Variants of the MDM2 Gene Are Predictive of Treatment-Related Toxicities and Overall Survival in Patients With Advanced NSCLC. <i>Clinical Lung Cancer</i> , 2015, 16, e37-e53.	2.6	13
427	Pathway&analysis of published genome&wide association studies of lung cancer: A potential role for the <i>CYP4F3</i> locus. <i>Molecular Carcinogenesis</i> , 2017, 56, 1663-1672.	2.7	13
428	E2F transcription factor 2 variants as predictive biomarkers for recurrence risk in patients with squamous cell carcinoma of the oropharynx. <i>Molecular Carcinogenesis</i> , 2017, 56, 1335-1343.	2.7	13
429	Genetic variants in <i>RORA</i> and <i>DNMT1</i> associated with cutaneous melanoma survival. <i>International Journal of Cancer</i> , 2018, 142, 2303-2312.	5.1	13
430	Predictors of nodal metastasis and prognostic significance of lymph node ratio and total lymph node count in tracheobronchial adenoid cystic carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 5919-5925.	1.9	13
431	Genetic variants of genes in the NER pathway associated with risk of breast cancer: A large&scale analysis of 14 published GWAS datasets in the DRIVE study. <i>International Journal of Cancer</i> , 2019, 145, 1270-1279.	5.1	13
432	Novel genetic variants in <i>HDAC2</i> and <i>PPARGC1A</i> of the CREB&binding protein pathway predict survival of non&small&cell lung cancer. <i>Molecular Carcinogenesis</i> , 2020, 59, 104-115.	2.7	13

#	ARTICLE	IF	CITATIONS
433	Relevance and prognostic ability of Twist, Slug and tumor spread through air spaces in lung adenocarcinoma. <i>Cancer Medicine</i> , 2020, 9, 1986-1998.	2.8	13
434	Gamma radiation sensitivity and risk of malignant and benign salivary gland tumors. <i>Cancer</i> , 2004, 100, 561-567.	4.1	12
435	<i>p73</i> G4C14A4T14 polymorphism and risk of second primary malignancy after index squamous cell carcinoma of head and neck. <i>International Journal of Cancer</i> , 2009, 125, 2660-2665.	5.1	12
436	Possible association between genetic variants in the H2AFX promoter region and risk of adult glioma in a Chinese Han population. <i>Journal of Neuro-Oncology</i> , 2011, 105, 211-218.	2.9	12
437	Genetic variants of the <i>p53</i> and <i>p73</i> genes jointly increase risk of second primary malignancies in patients after index squamous cell carcinoma of the head and neck. <i>Cancer</i> , 2012, 118, 485-492.	4.1	12
438	Interleukin-10 promoter variants predict HPV-positive tumors and survival of squamous cell carcinoma of the oropharynx. <i>FASEB Journal</i> , 2013, 27, 2496-2503.	0.5	12
439	A variant at a potentially functional microRNA-binding site in BRIP1 was associated with risk of squamous cell carcinoma of the head and neck. <i>Tumor Biology</i> , 2016, 37, 8057-8066.	1.8	12
440	Genetic variants in ERCC1 and XPC predict survival outcome of non-small cell lung cancer patients treated with platinum-based therapy. <i>Scientific Reports</i> , 2017, 7, 10702.	3.3	12
441	A functional variant at the miRNA binding site in <i>E2F1</i> gene is associated with risk and tumor HPV16 status of oropharynx squamous cell carcinoma. <i>Molecular Carcinogenesis</i> , 2017, 56, 1100-1106.	2.7	12
442	Genetic variants of the XRCC1 gene and susceptibility to esophageal cancer: a meta-analysis. <i>International Journal of Clinical and Experimental Medicine</i> , 2009, 2, 26-35.	1.3	12
443	DNA repair capacity correlates with mutagen sensitivity in lymphoblastoid cell lines. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 1996, 5, 199-204.	2.5	12
444	Polymorphism at the 3'-UTR of the thymidylate synthase gene: A potential predictor for outcomes in Caucasian patients with esophageal adenocarcinoma treated with preoperative chemoradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 64, 700-708.	0.8	11
445	Association of <i>p53</i> codon 72 polymorphism with risk of second primary malignancy in patients with squamous cell carcinoma of the head and neck. <i>Cancer</i> , 2010, 116, 2350-2359.	4.1	11
446	Gamma-radiation sensitivity and polymorphisms in RAD51L1 modulate glioma risk. <i>Carcinogenesis</i> , 2010, 31, 1762-1769.	2.8	11
447	The functional IGFBP7 promoter -418G>A polymorphism and risk of head and neck cancer. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010, 702, 32-39.	1.7	11
448	Sequence Variants and the Risk of Head and Neck Cancer: Pooled Analysis in the INHANCE Consortium. <i>Frontiers in Oncology</i> , 2011, 1, 13.	2.8	11
449	Association between a rare novel <i>TP53</i> variant (rs78378222) and melanoma, squamous cell carcinoma of head and neck and lung cancer susceptibility in non-Hispanic Whites. <i>Journal of Cellular and Molecular Medicine</i> , 2013, 17, 873-878.	3.6	11
450	Short-term outcomes of typical versus atypical lung segmentectomy by minimally invasive surgeries. <i>Thoracic Cancer</i> , 2019, 10, 1812-1818.	1.9	11

#	ARTICLE	IF	CITATIONS
451	Genetic variants in <i>ELOVL2</i> and <i>HSD17B12</i> predict melanoma-specific survival. <i>International Journal of Cancer</i> , 2019, 145, 2619-2628.	5.1	11
452	Genetic variants of the peroxisome proliferator-activated receptor (PPAR) signaling pathway genes and risk of pancreatic cancer. <i>Molecular Carcinogenesis</i> , 2020, 59, 930-939.	2.7	11
453	Pre-miRNA variants as predictors of clinical outcome in patients with squamous cell carcinomas of the nonoropharynx. <i>Oncotarget</i> , 2016, 7, 26444-26453.	1.8	11
454	Significance of microRNA-related variants in susceptibility to recurrence of oropharyngeal cancer patients after definitive radiotherapy. <i>Oncotarget</i> , 2016, 7, 35015-35025.	1.8	11
455	Effect of aging on DNA repair and skin carcinogenesis: a minireview of population-based studies. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 1998, 3, 19-22.	0.8	11
456	Gamma radiation-induced apoptosis, G2 delay, and the risk of salivary and thyroid carcinomas? a preliminary report. <i>Head and Neck</i> , 2004, 26, 612-618.	2.0	10
457	InVitroExpression Levels of Cell-Cycle Checkpoint Proteins Are Associated with Cellular DNA Repair Capacity in Peripheral Blood Lymphocytes: A Multivariate Analysis. <i>Journal of Proteome Research</i> , 2007, 6, 1560-1567.	3.7	10
458	Genetic variants in GTF2H1 and risk of lung cancer: A case-control analysis in a Chinese population. <i>Lung Cancer</i> , 2009, 63, 180-186.	2.0	10
459	Genetic variants of NOXA and MCL1 modify the risk of HPV16-associated squamous cell carcinoma of the head and neck. <i>BMC Cancer</i> , 2012, 12, 159.	2.6	10
460	Association between functional polymorphisms in genes involved in the MAPK signaling pathways and cutaneous melanoma risk. <i>Carcinogenesis</i> , 2013, 34, 885-892.	2.8	10
461	Natural and orthogonal model for estimating gene-gene interactions applied to cutaneous melanoma. <i>Human Genetics</i> , 2014, 133, 559-574.	3.8	10
462	Genetic variations in the homologous recombination repair pathway genes modify risk of glioma. <i>Journal of Neuro-Oncology</i> , 2016, 126, 11-17.	2.9	10
463	Genetic variants of PTPN2 are associated with lung cancer risk: a re-analysis of eight GWASs in the TRICL-ILCCO consortium. <i>Scientific Reports</i> , 2017, 7, 825.	3.3	10
464	Associations between genetic variants in mRNA splicing-related genes and risk of lung cancer: a pathway-based analysis from published GWASs. <i>Scientific Reports</i> , 2017, 7, 44634.	3.3	10
465	Susceptibility loci of <i>CNOT6</i> in the general mRNA degradation pathway and lung cancer risk: A re-analysis of eight GWASs. <i>Molecular Carcinogenesis</i> , 2017, 56, 1227-1238.	2.7	10
466	Sample Size for Biomarker Studies. <i>Annals of Epidemiology</i> , 2003, 13, 204-208.	1.9	9
467	Tagging Single Nucleotide Polymorphisms in Phosphoinositide-3-Kinase-Related Protein Kinase Genes Involved in DNA Damage Checkpoints and Lung Cancer Susceptibility. <i>Clinical Cancer Research</i> , 2008, 14, 2887-2891.	7.0	9
468	<i>TNF-α</i> promoter polymorphisms and risk of recurrence in patients with squamous cell carcinomas of the nonoropharynx. <i>International Journal of Cancer</i> , 2014, 135, 1615-1624.	5.1	9

#	ARTICLE	IF	CITATIONS
469	TNF rs1799964 as a Predictive Factor of Acute Toxicities in Chinese Rectal Cancer Patients Treated With Chemoradiotherapy. <i>Medicine (United States)</i> , 2015, 94, e1955.	1.0	9
470	Continuous IV infusion of MESNA can prevent hemorrhagic cystitis in HSCT and retain MESNA concentration in urine. <i>Bone Marrow Transplantation</i> , 2015, 50, 1490-1492.	2.4	9
471	Genetic variants in microRNA-binding sites of DNA repair genes as predictors of recurrence in patients with squamous cell carcinoma of the oropharynx. <i>International Journal of Cancer</i> , 2017, 141, 1355-1364.	5.1	9
472	Novel genetic variants in the P38MAPK pathway gene <i>ZAK</i> and susceptibility to lung cancer. <i>Molecular Carcinogenesis</i> , 2018, 57, 216-224.	2.7	9
473	Genetic variants in nucleotide excision repair pathway predict survival of esophageal squamous cell cancer patients receiving platinum-based chemotherapy. <i>Molecular Carcinogenesis</i> , 2018, 57, 1553-1565.	2.7	9
474	Single-nucleotide polymorphisms of stemness genes predicted to regulate RNA splicing, microRNA and oncogenic signaling are associated with prostate cancer survival. <i>Carcinogenesis</i> , 2018, 39, 879-888.	2.8	9
475	Potentially functional genetic variants in the TNF/TNFR signaling pathway genes predict survival of patients with non-small cell lung cancer in the PLCO cancer screening trial. <i>Molecular Carcinogenesis</i> , 2019, 58, 1094-1104.	2.7	9
476	Genetic variants in <i>PDSS1</i> and <i>SLC16A6</i> of the ketone body metabolic pathway predict cutaneous melanoma-specific survival. <i>Molecular Carcinogenesis</i> , 2020, 59, 640-650.	2.7	9
477	Genetic variants of <i>CHEK1</i> , <i>PRIM2</i> and <i>CDK6</i> in the mitotic phase-related pathway are associated with nonsmall cell lung cancer survival. <i>International Journal of Cancer</i> , 2021, 149, 1302-1312.	5.1	9
478	DNA repair and genomic instability in tobacco induced malignancies of the lung and upper aerodigestive tract. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 1998, 16, 1-30.	2.9	8
479	Polymorphic hCHK2/hCds1 codon 84 allele and risk of squamous cell carcinoma of the head and neck—a case-control analysis. <i>Carcinogenesis</i> , 2001, 22, 2005-2008.	2.8	8
480	A novel functional DEC1 promoter polymorphism -249T>C reduces risk of squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 2010, 31, 2082-2090.	2.8	8
481	Association of CASP7 Polymorphisms and Survival of Patients With Non-small Cell Lung Cancer With Platinum-Based Chemotherapy Treatment. <i>Chest</i> , 2012, 142, 680-689.	0.8	8
482	Gamma-ray-induced mutagen sensitivity and risk of sporadic breast cancer in young women: a case-control study. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 1147-1155.	2.5	8
483	Functional repeats (TGYCC) _n in the p53-inducible gene 3 (<i>PIG3</i>) promoter and susceptibility to squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 2013, 34, 812-817.	2.8	8
484	Functional single nucleotide polymorphisms of the RASSF3 gene and susceptibility to squamous cell carcinoma of the head and neck. <i>European Journal of Cancer</i> , 2014, 50, 582-592.	2.8	8
485	Genetic polymorphisms of PAI-1 and PAR-1 are associated with acute normal tissue toxicity in Chinese rectal cancer patients treated with pelvic radiotherapy. <i>OncoTargets and Therapy</i> , 2015, 8, 2291.	2.0	8
486	A functional variant at <i>miRNA</i> -122 binding site in <i>IL-1β</i> 3' UTR predicts risk of recurrence in patients with oropharyngeal cancer. <i>Oncotarget</i> , 2016, 7, 34472-34479.	1.8	8

#	ARTICLE	IF	CITATIONS
487	A comprehensive genome-wide analysis of melanoma Breslow thickness identifies interaction between <i>CDC42</i> and <i>SCIN</i> genetic variants. <i>International Journal of Cancer</i> , 2016, 139, 2012-2020.	5.1	8
488	4-Nitroquinoline-1-oxide-induced mutagen sensitivity and risk of cutaneous melanoma. <i>Melanoma Research</i> , 2016, 26, 181-187.	1.2	8
489	Genetic variants of DNA repair genes predict the survival of patients with esophageal squamous cell cancer receiving platinum-based adjuvant chemotherapy. <i>Journal of Translational Medicine</i> , 2016, 14, 154.	4.4	8
490	Genetic variants in the genes encoding rho GTPases and related regulators predict cutaneous melanoma-specific survival. <i>International Journal of Cancer</i> , 2017, 141, 721-730.	5.1	8
491	Genetic variants of JNK and p38 β pathways and risk of non-small cell lung cancer in an Eastern Chinese population. <i>International Journal of Cancer</i> , 2017, 140, 807-817.	5.1	8
492	Potentially functional genetic variants in <i>PLIN2</i> , <i>SULT2A1</i> and <i>UGT1A9</i> genes of the ketone pathway and survival of nonsmall cell lung cancer. <i>International Journal of Cancer</i> , 2020, 147, 1559-1570.	5.1	8
493	Potentially functional variants of ERAP1, PSMF1 and NCF2 in the MHC-I-related pathway predict non-small cell lung cancer survival. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 2819-2833.	4.2	8
494	Association between polymorphisms in the <i>GSTA4</i> gene and risk of lung cancer: A case-control study in a Southeastern Chinese population. <i>Molecular Carcinogenesis</i> , 2009, 48, 253-259.	2.7	7
495	Functional polymorphisms in the <i>insulin-like binding protein</i> gene may modulate susceptibility to differentiated thyroid carcinoma in Caucasian Americans. <i>Molecular Carcinogenesis</i> , 2012, 51, E158-67.	2.7	7
496	Association of Common Genetic Polymorphisms with Melanoma Patient IL-12p40 Blood Levels, Risk, and Outcomes. <i>Journal of Investigative Dermatology</i> , 2015, 135, 2266-2272.	0.7	7
497	Polymorphisms of the centrosomal gene (<i>FGFR1OP</i>) and lung cancer risk: a meta-analysis of 14 463 cases and 44 188 controls. <i>Carcinogenesis</i> , 2016, 37, 280-289.	2.8	7
498	A <i>TGFβ1</i> genetic variant at the miRNA187 binding site significantly modifies risk of HPV16-associated oropharyngeal cancer. <i>International Journal of Cancer</i> , 2018, 143, 1327-1334.	5.1	7
499	An <i>ERCC4</i> regulatory variant predicts grade 3 or 4 toxicities in patients with advanced non-small cell lung cancer treated by platinum-based therapy. <i>International Journal of Cancer</i> , 2018, 142, 1218-1229.	5.1	7
500	Novel Genetic Variants of ALG6 and GALNTL4 of the Glycosylation Pathway Predict Cutaneous Melanoma-Specific Survival. <i>Cancers</i> , 2020, 12, 288.	3.7	7
501	<i>APOB</i> Genotypes and <i>CDH13</i> Haplotypes in the Cholesterol-Related Pathway Genes Predict Non-Small Cell Lung Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1204-1213.	2.5	7
502	Genetic correction improves prediction efficiency of serum tumor biomarkers on digestive cancer risk in the elderly Chinese cohort study. <i>Oncotarget</i> , 2018, 9, 7389-7397.	1.8	7
503	Genetic variants in <i>CYP2B6</i> and <i>HSD17B12</i> associated with risk of squamous cell carcinoma of the head and neck. <i>International Journal of Cancer</i> , 2022, 151, 553-564.	5.1	7
504	Transplantation and Aging. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 893-898.	2.0	6

#	ARTICLE	IF	CITATIONS
505	Methyl-CpG binding domain 1 gene polymorphisms and lung cancer risk in a Chinese population. <i>Biomarkers</i> , 2008, 13, 607-617.	1.9	6
506	Genetic variants of a BH3-only pro-apoptotic gene, <i>PUMA</i> , and risk of HPV16-associated squamous cell carcinoma of the head and neck. <i>Molecular Carcinogenesis</i> , 2012, 51, E54-64.	2.7	6
507	Variants in <i>melanocortin 1 receptor</i> gene contribute to risk of melanoma – a direct sequencing analysis in a Texas population. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 422-425.	3.3	6
508	Reduced mRNA expression of nucleotide excision repair genes in lymphocytes and risk of squamous cell carcinoma of the head and neck. <i>Carcinogenesis</i> , 2017, 38, 504-510.	2.8	6
509	Association between miRNA-binding site polymorphisms in double-strand break repair genes and risk of recurrence in patients with squamous cell carcinomas of the non-opharynx. <i>Carcinogenesis</i> , 2017, 38, 432-438.	2.8	6
510	Mouse double minute 4 variants modify susceptibility to risk of recurrence in patients with squamous cell carcinoma of the oropharynx. <i>Molecular Carcinogenesis</i> , 2018, 57, 361-369.	2.7	6
511	Genetic variants in the calcium signaling pathway genes are associated with cutaneous melanoma-specific survival. <i>Carcinogenesis</i> , 2019, 40, 279-288.	2.8	6
512	Novel genetic variants in KIF16B and NEDD4L in the endosome-related genes are associated with nonsmall cell lung cancer survival. <i>International Journal of Cancer</i> , 2020, 147, 392-403.	5.1	6
513	Novel genetic variants in genes of the Fc gamma receptor-mediated phagocytosis pathway predict non-small cell lung cancer survival. <i>Translational Lung Cancer Research</i> , 2020, 9, 575-586.	2.8	6
514	Functional genetic variants of <i>CTNNBIP1</i> predict platinum treatment response of Chinese epithelial ovarian cancer patients. <i>Journal of Cancer</i> , 2020, 11, 6850-6860.	2.5	6
515	Genetic variants of <i>GADD45A</i> , <i>GADD45B</i> and <i>MAPK14</i> predict platinum-based chemotherapy-induced toxicities in Chinese patients with non-small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 25291-25303.	1.8	6
516	Genetic Variants of CLEC4E and BIRC3 in Damage-Associated Molecular Patterns-Related Pathway Genes Predict Non-Small Cell Lung Cancer Survival. <i>Frontiers in Oncology</i> , 2021, 11, 717109.	2.8	6
517	Genetic variants of and in the NLRP3 inflammasome pathway are associated with non-small cell lung cancer survival. <i>American Journal of Cancer Research</i> , 2020, 10, 2582-2595.	1.4	6
518	p73 G4C14-to-A4T14 gene polymorphism and interaction with p53 exon 4 Arg72Pro on cancer susceptibility: a meta-analysis of the literature. <i>Mutagenesis</i> , 2012, 27, 267-273.	2.6	5
519	Functional single-nucleotide polymorphisms in the BRCA1 gene and risk of salivary gland carcinoma. <i>Oral Oncology</i> , 2012, 48, 842-847.	1.5	5
520	Association between putative functional variants in the <i>PSMB9</i> gene and risk of melanoma – reanalysis of published melanoma genome-wide association studies. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 392-401.	3.3	5
521	Influence of Smoking History on Imaging Characteristics Among Patients With Human Papillomavirus-Positive Oropharyngeal Cancer. <i>Journal of Computer Assisted Tomography</i> , 2014, 38, 667-673.	0.9	5
522	The relationship between blood <i>IL12p40</i> level and melanoma progression. <i>International Journal of Cancer</i> , 2015, 136, 1874-1880.	5.1	5

#	ARTICLE	IF	CITATIONS
523	Polymorphisms in the kinesin-like factor 1 B gene and risk of epithelial ovarian cancer in Eastern Chinese women. <i>Tumor Biology</i> , 2015, 36, 6919-6927.	1.8	5
524	Effect of human papillomavirus seropositivity and <i>E2F2</i> promoter variants on risk of squamous cell carcinomas of oropharynx and oral cavity. <i>Carcinogenesis</i> , 2016, 37, 1070-1078.	2.8	5
525	Genetic Variants in WNT2B and BTRC Predict Melanoma Survival. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1749-1756.	0.7	5
526	A <i>PGC1β</i> genetic variant associated with nevus count and melanoma mortality. <i>International Journal of Cancer</i> , 2017, 141, 1066-1067.	5.1	5
527	Functional variants in the low-density lipoprotein receptor gene are associated with clear cell renal cell carcinoma susceptibility. <i>Carcinogenesis</i> , 2017, 38, 1241-1248.	2.8	5
528	Associations between expression levels of nucleotide excision repair proteins in lymphoblastoid cells and risk of squamous cell carcinoma of the head and neck. <i>Molecular Carcinogenesis</i> , 2018, 57, 784-793.	2.7	5
529	Genetic variants in the metzincin metallopeptidase family genes predict melanoma survival. <i>Molecular Carcinogenesis</i> , 2018, 57, 22-31.	2.7	5
530	Functional variant of <i>MTOR</i> rs2536 and survival of Chinese gastric cancer patients. <i>International Journal of Cancer</i> , 2019, 144, 251-262.	5.1	5
531	A genetic variant within <i>MDM4</i> 3'UTR miRNA binding site is associated with HPV16 α -positive tumors and survival of oropharyngeal cancer. <i>Molecular Carcinogenesis</i> , 2019, 58, 2276-2285.	2.7	5
532	Genetic variants in glutamine metabolic pathway genes predict cutaneous melanoma-specific survival. <i>Molecular Carcinogenesis</i> , 2019, 58, 2091-2103.	2.7	5
533	Functional genetic variants of RUVBL1 predict overall survival of Chinese patients with epithelial ovarian cancer. <i>Carcinogenesis</i> , 2019, 40, 1209-1219.	2.8	5
534	Lymphocyte telomere length predicts clinical outcomes of HPV-positive oropharyngeal cancer patients after definitive radiotherapy. <i>Carcinogenesis</i> , 2019, 40, 735-741.	2.8	5
535	A recessive variant of <i>XRCC4</i> predisposes to non- <i>BRCA1/2</i> breast cancer in chinese women and impairs the DNA damage response via dysregulated nuclear localization. <i>Oncotarget</i> , 2014, 5, 12218-12232.	1.8	5
536	Genome-wide association and functional interrogation identified a variant at 3p26.1 modulating ovarian cancer survival among Chinese women. <i>Cell Discovery</i> , 2021, 7, 121.	6.7	5
537	Two novel <i>PRKCI</i> polymorphisms and prostate cancer risk in an Eastern Chinese Han population. <i>Molecular Carcinogenesis</i> , 2015, 54, 632-641.	2.7	4
538	Modifying effect of mouse double minute-2 promoter variants on risk of recurrence for patients with squamous cell carcinoma of oropharynx. <i>Scientific Reports</i> , 2017, 7, 39765.	3.3	4
539	Genetic variants in the integrin signaling pathway genes predict cutaneous melanoma survival. <i>International Journal of Cancer</i> , 2017, 140, 1270-1279.	5.1	4
540	Functional genetic variants of <i>XRCC4</i> and <i>ERCC1</i> predict survival of gastric cancer patients treated with chemotherapy by regulating the gene expression. <i>Molecular Carcinogenesis</i> , 2017, 56, 2706-2717.	2.7	4

#	ARTICLE	IF	CITATIONS
541	Robotic circumferential tracheal resection and reconstruction via a completely portal approach. <i>Thoracic Cancer</i> , 2019, 10, 378-380.	1.9	4
542	Genetic variants in the folate metabolic pathway genes predict cutaneous melanoma-specific survival. <i>British Journal of Dermatology</i> , 2020, 183, 719-728.	1.5	4
543	Association of genetic variants of <i>FBXO32</i> and <i>FOXO6</i> in the FOXO pathway with breast cancer risk. <i>Molecular Carcinogenesis</i> , 2021, 60, 661-670.	2.7	4
544	Predictive value of a novel Asian lung cancer screening nomogram based on artificial intelligence and epidemiological characteristics. <i>Thoracic Cancer</i> , 2021, 12, 3130-3140.	1.9	4
545	Age Should Be Considered as a Risk Factor for Basal Cell Carcinoma and DNA Repair Capacity. <i>Journal of Investigative Dermatology</i> , 1996, 106, 798-799.	0.7	3
546	The P38 rs3804451 Variant Predicts Chemotherapy Response and Survival of Patients with Non-Small Cell Lung Cancer Treated with Platinum-Based Chemotherapy. <i>Translational Oncology</i> , 2016, 9, 531-539.	3.7	3
547	Genetic variants of PDGF signaling pathway genes predict cutaneous melanoma survival. <i>Oncotarget</i> , 2017, 8, 74595-74606.	1.8	3
548	Genetic variation associated with childhood and adult stature and risk of <i>MYCN</i> -amplified neuroblastoma. <i>Cancer Medicine</i> , 2020, 9, 8216-8225.	2.8	3
549	Genetic variants in TKT and DERA in the nicotinamide adenine dinucleotide phosphate pathway predict melanoma survival. <i>European Journal of Cancer</i> , 2020, 136, 84-94.	2.8	3
550	Genetic variants in the human leukocyte antigen region and survival of Chinese patients with non-small cell lung carcinoma. <i>Carcinogenesis</i> , 2020, 41, 1203-1212.	2.8	3
551	Novel functional variants in the Notch pathway and survival of Chinese colorectal cancer. <i>International Journal of Cancer</i> , 2021, 149, 84-96.	5.1	3
552	Association of genetic variants of TMEM135 and PEX5 in the peroxisome pathway with cutaneous melanoma-specific survival. <i>Annals of Translational Medicine</i> , 2021, 9, 396-396.	1.7	3
553	Risk of Acute Lung Injury after Esophagectomy. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2022, 34, 737-746.	0.6	3
554	Electromagnetic navigational bronchoscopy-guided dye marking to identify the subsegmental bronchus in thoracoscopic anatomic subsegmentectomy. <i>Thoracic Cancer</i> , 2021, 12, 2819-2821.	1.9	3
555	Glutathione-S-Transferase Polymorphisms and Complications of Microvascular Head and Neck Reconstruction. <i>Archives of Facial Plastic Surgery</i> , 2010, 12, 373-8.	0.7	2
556	Role of human papillomavirus and cell cycle-related variants in squamous cell carcinoma of the oropharynx. <i>Journal of Biomedical Research</i> , 2010, 24, 339-346.	1.6	2
557	Reply to K.A. Olausson et al. <i>Journal of Clinical Oncology</i> , 2012, 30, 1568-1569.	1.6	2
558	Site disparities in apoptotic variants as predictors of risk for second primary malignancy in patients with squamous cell carcinoma of the head and neck. <i>BMC Cancer</i> , 2016, 16, 70.	2.6	2

#	ARTICLE	IF	CITATIONS
559	Melanoma Expression Genes Identified through Genome-Wide Association Study of Breslow Tumor Thickness. <i>Journal of Investigative Dermatology</i> , 2017, 137, 253-257.	0.7	2
560	Novel Variants of ELP2 and PIAS1 in the Interferon Gamma Signaling Pathway Are Associated with Non-Small Cell Lung Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1679-1688.	2.5	2
561	Systems biomarker characteristics of circulating alkaline phosphatase activities for 48 types of human diseases. <i>Current Medical Research and Opinion</i> , 2022, 38, 201-209.	1.9	2
562	GSTM1 and GSTT1 null polymorphisms and risk of salivary gland carcinoma. <i>International Journal of Clinical and Experimental Medicine</i> , 2009, 2, 68-75.	1.3	2
563	Novel genetic variants of and involved in immunoregulatory interactions are associated with non-small cell lung cancer survival. <i>American Journal of Cancer Research</i> , 2020, 10, 1770-1784.	1.4	2
564	Variants in , and in vitamin D pathway genes are associated with breast cancer risk: a large-scale analysis of 14 GWASs in the DRIVE study. <i>American Journal of Cancer Research</i> , 2020, 10, 2160-2173.	1.4	2
565	Associations of novel variants in , and of the ATM pathway genes with pancreatic cancer risk. <i>American Journal of Cancer Research</i> , 2020, 10, 2128-2144.	1.4	2
566	Association of pretreatment body mass index with risk of head and neck cancer: a large single-center study. <i>American Journal of Cancer Research</i> , 2021, 11, 2343-2350.	1.4	2
567	Genetic variants in <i>DDO</i> and <i>PEX5L</i> in peroxisome-related pathways predict non-small cell lung cancer survival. <i>Molecular Carcinogenesis</i> , 2022, 61, 619-628.	2.7	2
568	Molecular Epidemiology of Head and Neck Cancer. , 2003, , 213-226.		1
569	DNA repair capacity correlates with standardized uptake values from 18 F-fluorodeoxyglucose positron emission tomography/CT in patients with advanced non-small-cell lung cancer. <i>Chronic Diseases and Translational Medicine</i> , 2018, 4, 109-116.	1.2	1
570	Associations between genetic variants of KIF5B , FMN1 , and MGAT3 in the cadherin pathway and pancreatic cancer risk. <i>Cancer Medicine</i> , 2020, 9, 9620-9631.	2.8	1
571	Necessity of preoperative bone scintigraphy for cT1N0 lung cancer: Evidence from retrospective to prospective study. <i>Thoracic Cancer</i> , 2021, 12, 413-414.	1.9	1
572	Genetic variants of SDCCAG8 and MAGI2 in mitosis-related pathway genes are independent predictors of cutaneous melanoma-specific survival. <i>Cancer Science</i> , 2021, 112, 4355-4364.	3.9	1
573	Genetic Variants of CLPP and M1AP Are Associated With Risk of Non-Small Cell Lung Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 709829.	2.8	1
574	A pleiotropic ATM variant (rs1800057 C>G) is associated with risk of multiple cancers. <i>Carcinogenesis</i> , 2021, , .	2.8	1
575	Glutathione-S-Transferase Polymorphisms and Complications of Microvascular Head and Neck Reconstruction. <i>Archives of Facial Plastic Surgery</i> , 2010, 12, 373-378.	0.7	1
576	BRCA1 and BRCA2 mutations in ovarian cancer patients from China: Association of ethnic-specific mutations in BRCA1 with an increased risk of ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 1583-1583.	1.6	1

#	ARTICLE	IF	CITATIONS
577	Repair of UV-Induced DNA Damage and Melanoma Risk. , 2006, , 441-453.		1
578	Novel genetic variants of and related lymphangiogenesis signaling pathway predict non-small cell lung cancer survival. American Journal of Cancer Research, 2020, 10, 2603-2616.	1.4	1
579	Deciphering associations between three RNA splicing-related genetic variants and lung cancer risk. Npj Precision Oncology, 2022, 6, .	5.4	1
580	Potentially functional genetic variants of the notch signaling pathway genes predict survival of Chinese patients with esophageal squamous cell carcinoma. Journal of Gene Medicine, 2022, 24, .	2.8	1
581	Single-Nucleotide Polymorphisms, DNA Repair, and Cancer. , 2003, , 299-323.		0
582	Association of BRCA1 Single Nucleotide Polymorphisms with Risk of Differentiated Thyroid Carcinoma. Laryngoscope, 2011, 121, S110-S110.	2.0	0
583	Comparative Effectiveness of 5 Local-Regional Control Strategies for IIIA (N2) Non-small Cell Lung Cancer Using SEER Data: Outcomes After Treatment of 20,468 Patients. Chest, 2016, 149, A275.	0.8	0
584	THE AUTHORS REPLY. American Journal of Epidemiology, 2017, 186, 625-626.	3.4	0
585	Evaluated Lymph Node Number in Population-Based Analyses: Significant Prognostic Factor, but Assess With Caution. Journal of Thoracic Oncology, 2020, 15, e77-e78.	1.1	0
586	Host Susceptibility and Molecular Epidemiology. , 2010, , 155-185.		0
587	Abstract 3284: Genome-wide association study identifies new susceptibility loci of epithelial ovarian cancer in Han Chinese. , 2014, , .		0
588	Abstract 4597: A novel variant in DNA repair gene GTF2H4 is associated with lung cancer risk: A reanalysis of GWAS datasets from the TRICL consortium. , 2015, , .		0
589	Abstract B58: Single-nucleotide polymorphisms of race-related alternatively spliced genes associate with prostate cancer risk, aggressiveness and/or survival. , 2017, , .		0
590	Novel genetic variants of and of the endosome-related pathway predict cutaneous melanoma-specific survival. American Journal of Cancer Research, 2020, 10, 3382-3394.	1.4	0
591	Genetic variants of , and in the natural killer cell-related pathway are associated with non-small cell lung cancer survival. American Journal of Cancer Research, 2021, 11, 2264-2277.	1.4	0
592	Genetic variants of and in myeloid cell-related pathway genes independently predict cutaneous melanoma-specific survival. American Journal of Cancer Research, 2021, 11, 3252-3262.	1.4	0