

Christian Wolfrum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4245208/publications.pdf>

Version: 2024-02-01

156
papers

11,066
citations

34105
52
h-index

33894
99
g-index

168
all docs

168
docs citations

168
times ranked

15812
citing authors

#	ARTICLE	IF	CITATIONS
1	Adipose-derived circulating miRNAs regulate gene expression in other tissues. <i>Nature</i> , 2017, 542, 450-455.	27.8	1,107
2	Mechanisms and optimization of in vivo delivery of lipophilic siRNAs. <i>Nature Biotechnology</i> , 2007, 25, 1149-1157.	17.5	854
3	Bi-directional interconversion of brite and whiteÂadipocytes. <i>Nature Cell Biology</i> , 2013, 15, 659-667.	10.3	666
4	A Family with Severe Insulin Resistance and Diabetes Due to a Mutation in <i>AKT2</i> . <i>Science</i> , 2004, 304, 1325-1328.	12.6	509
5	Foxa2 regulates lipid metabolism and ketogenesis in the liver during fasting and in diabetes. <i>Nature</i> , 2004, 432, 1027-1032.	27.8	372
6	Effects of obesity, diabetes and exercise on <i>Fndc5</i> gene expression and irisin release in human skeletal muscle and adipose tissue: <i>in vivo</i> and <i>in vitro</i> studies. <i>Journal of Physiology</i> , 2014, 592, 1091-1107.	2.9	329
7	A stromal cell population that inhibits adipogenesis in mammalian fat depots. <i>Nature</i> , 2018, 559, 103-108.	27.8	327
8	Apolipoprotein M is required for pre β -HDL formation and cholesterol efflux to HDL and protects against atherosclerosis. <i>Nature Medicine</i> , 2005, 11, 418-422.	30.7	276
9	Endothelial Lactate Controls Muscle Regeneration from Ischemia by Inducing M2-like Macrophage Polarization. <i>Cell Metabolism</i> , 2020, 31, 1136-1153.e7.	16.2	233
10	snRNA-seq reveals a subpopulation of adipocytes that regulates thermogenesis. <i>Nature</i> , 2020, 587, 98-102.	27.8	221
11	Hemostasis, endothelial stress, inflammation, and the metabolic syndrome. <i>Seminars in Immunopathology</i> , 2018, 40, 215-224.	6.1	194
12	Insulin regulates the activity of forkhead transcription factor Hnf-3 β /Foxa-2 by Akt-mediated phosphorylation and nuclear/cytosolic localization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 11624-11629.	7.1	185
13	The origin and definition of brite versus white and classical brown adipocytes. <i>Adipocyte</i> , 2014, 3, 4-9.	2.8	157
14	Phytanic Acid Activates the Peroxisome Proliferator-activated Receptor β (PPAR β) in Sterol Carrier Protein 2-/- Sterol Carrier Protein x-deficient Mice. <i>Journal of Biological Chemistry</i> , 1999, 274, 2766-2772.	3.4	156
15	Coactivation of Foxa2 through Pgc-1 β promotes liver fatty acid oxidation and triglyceride/VLDL secretion. <i>Cell Metabolism</i> , 2006, 3, 99-110.	16.2	156
16	Brown Fat AKT2 Is a Cold-Induced Kinase that Stimulates ChREBP-Mediated De Novo Lipogenesis to Optimize Fuel Storage and Thermogenesis. <i>Cell Metabolism</i> , 2018, 27, 195-209.e6.	16.2	151
17	Maternal high-fat diet in mice programs emotional behavior in adulthood. <i>Behavioural Brain Research</i> , 2012, 233, 398-404.	2.2	144
18	The glucose-dependent insulinotropic polypeptide (GIP) regulates body weight and food intake via CNS-GIPR signaling. <i>Cell Metabolism</i> , 2021, 33, 833-844.e5.	16.2	128

#	ARTICLE	IF	CITATIONS
19	Interleukin-33-Activated Islet-Resident Innate Lymphoid Cells Promote Insulin Secretion through Myeloid Cell Retinoic Acid Production. <i>Immunity</i> , 2017, 47, 928-942.e7.	14.3	123
20	Regulation of Apolipoprotein M Gene Expression by MODY3 Gene Hepatocyte Nuclear Factor-1 α : Haploinsufficiency Is Associated With Reduced Serum Apolipoprotein M Levels. <i>Diabetes</i> , 2003, 52, 2989-2995.	0.6	121
21	Maternal overnutrition programs hedonic and metabolic phenotypes across generations through sperm tsRNAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 10547-10556.	7.1	118
22	Role of Foxa-2 in adipocyte metabolism and differentiation. <i>Journal of Clinical Investigation</i> , 2003, 112, 345-356.	8.2	115
23	Phytanic acid is ligand and transcriptional activator of murine liver fatty acid binding protein. <i>Journal of Lipid Research</i> , 1999, 40, 708-714.	4.2	114
24	Chronic High-Fat Diet Impairs Collecting Lymphatic Vessel Function in Mice. <i>PLoS ONE</i> , 2014, 9, e94713.	2.5	113
25	Brown Adipose Crosstalk in Tissue Plasticity and Human Metabolism. <i>Endocrine Reviews</i> , 2020, 41, 53-65.	20.1	109
26	An AMP-activated protein kinase α -stabilizing peptide ameliorates adipose tissue wasting in cancer cachexia in mice. <i>Nature Medicine</i> , 2016, 22, 1120-1130.	30.7	106
27	Blockade of VEGF-C and VEGF-D modulates adipose tissue inflammation and improves metabolic parameters under high-fat diet. <i>Molecular Metabolism</i> , 2015, 4, 93-105.	6.5	105
28	Rapid and Body Weight α -Independent Improvement of Endothelial and High-Density Lipoprotein Function After Roux-en-Y Gastric Bypass. <i>Circulation</i> , 2015, 131, 871-881.	1.6	103
29	Human brown adipose tissue is phenocopied by classical brown adipose tissue in physiologically humanized mice. <i>Nature Metabolism</i> , 2019, 1, 830-843.	11.9	103
30	Regulation of Adipocyte Formation by GLP-1/GLP-1R Signaling. <i>Journal of Biological Chemistry</i> , 2012, 287, 6421-6430.	3.4	101
31	Identification of the transcription factor ZEB1 as a central component of the adipogenic gene regulatory network. <i>ELife</i> , 2014, 3, e03346.	6.0	101
32	Bmp4 Promotes a Brown to White-like Adipocyte α Shift. <i>Cell Reports</i> , 2016, 16, 2243-2258.	6.4	95
33	Title is missing!. <i>Molecular and Cellular Biochemistry</i> , 2002, 239, 227-234.	3.1	91
34	BATLAS: Deconvoluting Brown Adipose Tissue. <i>Cell Reports</i> , 2018, 25, 784-797.e4.	6.4	89
35	Variation of liver-type fatty acid binding protein content in the human hepatoma cell line HepG2 by peroxisome proliferators and antisense RNA affects the rate of fatty acid uptake. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999, 1437, 194-201.	2.4	88
36	Adipogenesis and insulin sensitivity in obesity are regulated by retinoid α -related orphan receptor gamma. <i>EMBO Molecular Medicine</i> , 2011, 3, 637-651.	6.9	87

#	ARTICLE	IF	CITATIONS
37	Cold-induced epigenetic programming of the sperm enhances brown adipose tissue activity in the offspring. <i>Nature Medicine</i> , 2018, 24, 1372-1383.	30.7	87
38	Peroxisome Proliferator Activated Receptor Gamma Controls Mature Brown Adipocyte Inducibility through Glycerol Kinase. <i>Cell Reports</i> , 2018, 22, 760-773.	6.4	86
39	Sexual dimorphism in COVID-19: potential clinical and public health implications. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 221-230.	11.4	78
40	Binding of Fatty Acids and Peroxisome Proliferators to Orthologous Fatty Acid Binding Proteins from Human, Murine, and Bovine Liver. <i>Biochemistry</i> , 2000, 39, 1469-1474.	2.5	74
41	A Stat6/Pten Axis Links Regulatory T Cells with Adipose Tissue Function. <i>Cell Metabolism</i> , 2017, 26, 475-492.e7.	16.2	71
42	Peroxisomal β -oxidation acts as a sensor for intracellular fatty acids and regulates lipolysis. <i>Nature Metabolism</i> , 2021, 3, 1648-1661.	11.9	70
43	Regulation of adaptive behaviour during fasting by hypothalamic Foxa2. <i>Nature</i> , 2009, 462, 646-650.	27.8	68
44	Harnessing a Physiologic Mechanism for siRNA Delivery With Mimetic Lipoprotein Particles. <i>Molecular Therapy</i> , 2012, 20, 1582-1589.	8.2	65
45	Short-term feeding of a ketogenic diet induces more severe hepatic insulin resistance than an obesogenic high-fat diet. <i>Journal of Physiology</i> , 2018, 596, 4597-4609.	2.9	64
46	Foxa2 Activity Increases Plasma High Density Lipoprotein Levels by Regulating Apolipoprotein M. <i>Journal of Biological Chemistry</i> , 2008, 283, 16940-16949.	3.4	63
47	Structure-function relationships of HDL in diabetes and coronary heart disease. <i>JCI Insight</i> , 2020, 5, .	5.0	62
48	Subcutaneous adipose tissue zinc-2-glycoprotein is associated with adipose tissue and whole-body insulin sensitivity. <i>Obesity</i> , 2014, 22, 1821-1829.	3.0	61
49	Age-Induced Changes in White, Brite, and Brown Adipose Depots: A Mini-Review. <i>Gerontology</i> , 2018, 64, 229-236.	2.8	61
50	Proteomic Analysis of Human Brown Adipose Tissue Reveals Utilization of Coupled and Uncoupled Energy Expenditure Pathways. <i>Scientific Reports</i> , 2016, 6, 30030.	3.3	60
51	Adam17 Deficiency Promotes Atherosclerosis by Enhanced TNFR2 Signaling in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 247-257.	2.4	59
52	Liver ASK1 protects from non-alcoholic fatty liver disease and fibrosis. <i>EMBO Molecular Medicine</i> , 2019, 11, e10124.	6.9	59
53	Inhibition of Mevalonate Pathway Prevents Adipocyte Browning in Mice and Men by Affecting Protein Prenylation. <i>Cell Metabolism</i> , 2019, 29, 901-916.e8.	16.2	59
54	Branched Chain Fatty Acids Induce Nitric Oxide-dependent Apoptosis in Vascular Smooth Muscle Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 49319-49325.	3.4	57

#	ARTICLE	IF	CITATIONS
55	Transgenic overexpression of VEGF-C induces weight gain and insulin resistance in mice. Scientific Reports, 2016, 6, 31566.	3.3	52
56	Plasma concentration of intestinal- and liver-FABP in neonates suffering from necrotizing enterocolitis and in healthy preterm neonates. Molecular and Cellular Biochemistry, 2002, 239, 227-34.	3.1	49
57	Regulation of adipogenesis by paracrine factors from adipose stromal-vascular fraction - a link to fat depot-specific differences. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2016, 1861, 1121-1131.	2.4	47
58	Exercise-mimicking treatment fails to increase Fndc5 mRNA & irisin secretion in primary human myotubes. Peptides, 2014, 56, 1-7.	2.4	46
59	Regulation of glycolysis in brown adipocytes by HIF-1 α . Scientific Reports, 2017, 7, 4052.	3.3	46
60	Transcriptional Cofactor TBLR1 Controls Lipid Mobilization in White Adipose Tissue. Cell Metabolism, 2013, 17, 575-585.	16.2	41
61	Secretin activates brown fat and induces satiation. Nature Metabolism, 2021, 3, 798-809.	11.9	41
62	Transgenerational transmission of hedonic behaviors and metabolic phenotypes induced by maternal overnutrition. Translational Psychiatry, 2018, 8, 195.	4.8	39
63	Identification of a regulatory pathway inhibiting adipogenesis via RSPO2. Nature Metabolism, 2022, 4, 90-105.	11.9	39
64	Antioxidants protect against diabetes by improving glucose homeostasis in mouse models of inducible insulin resistance and obesity. Diabetologia, 2019, 62, 2094-2105.	6.3	38
65	Experimental study of metal nanoparticle synthesis by an arc evaporation/condensation process. Journal of Nanoparticle Research, 2012, 14, 1.	1.9	37
66	Regulation of De Novo Adipocyte Differentiation Through Cross Talk Between Adipocytes and Preadipocytes. Diabetes, 2015, 64, 4075-4087.	0.6	33
67	Bone morphogenic proteins signaling in adipogenesis and energy homeostasis. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2013, 1831, 915-923.	2.4	31
68	A Genetic Model to Study the Contribution of Brown and Brite Adipocytes to Metabolism. Cell Reports, 2020, 30, 3424-3433.e4.	6.4	31
69	ASK1 inhibits browning of white adipose tissue in obesity. Nature Communications, 2020, 11, 1642.	12.8	31
70	High-Throughput Single-Cell Mass Spectrometry Reveals Abnormal Lipid Metabolism in Pancreatic Ductal Adenocarcinoma. Angewandte Chemie - International Edition, 2021, 60, 24534-24542.	13.8	31
71	TaqIA polymorphism in dopamine D2 receptor gene complicates weight maintenance in younger obese patients. Nutrition, 2012, 28, 996-1001.	2.4	30
72	FGF21, energy expenditure and weight loss – How much brown fat do you need?. Molecular Metabolism, 2015, 4, 605-609.	6.5	30

#	ARTICLE	IF	CITATIONS
73	The dual role of BMP4 in adipogenesis and metabolism. <i>Adipocyte</i> , 2017, 6, 141-146.	2.8	30
74	Identification of chemotypes in bitter melon by metabolomics: a plant with potential benefit for management of diabetes in traditional Chinese medicine. <i>Metabolomics</i> , 2019, 15, 104.	3.0	30
75	ZFP30 promotes adipogenesis through the KAP1-mediated activation of a retrotransposon-derived Pparg2 enhancer. <i>Nature Communications</i> , 2019, 10, 1809.	12.8	30
76	FGF-2â€“dependent signaling activated in aged human skeletal muscle promotes intramuscular adipogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	30
77	Fueling the fire of adipose thermogenesis. <i>Science</i> , 2022, 375, 1229-1231.	12.6	30
78	Decreased Glibenclamide Uptake in Hepatocytes of Hepatocyte Nuclear Factor-1Îˆ-Deficient Mice: A Mechanism for Hypersensitivity to Sulfonylurea Therapy in Patients With Maturity-Onset Diabetes of the Young, Type 3 (MODY3). <i>Diabetes</i> , 2002, 51, S343-S348.	0.6	29
79	TUSC5 regulates insulin-mediated adipose tissue glucose uptake by modulation of GLUT4 recycling. <i>Molecular Metabolism</i> , 2015, 4, 795-810.	6.5	29
80	Depot specific differences in the adipogenic potential of precursors are mediated by collagenous extracellular matrix and Flotillin 2Îˆdependent signaling. <i>Molecular Metabolism</i> , 2016, 5, 937-947.	6.5	29
81	Plasticity and heterogeneity of thermogenic adipose tissue. <i>Nature Metabolism</i> , 2021, 3, 751-761.	11.9	29
82	Outdoor Temperature Influences Cold Induced Thermogenesis in Humans. <i>Frontiers in Physiology</i> , 2018, 9, 1184.	2.8	28
83	Challenges in tackling energy expenditure as obesity therapy: From preclinical models to clinical application. <i>Molecular Metabolism</i> , 2021, 51, 101237.	6.5	27
84	Brown adipose tissue is the key depot for glucose clearance in microbiota depleted mice. <i>Nature Communications</i> , 2021, 12, 4725.	12.8	25
85	Fatty acids as regulators of lipid metabolism. <i>European Journal of Lipid Science and Technology</i> , 2000, 102, 746-762.	1.5	24
86	Hepatic lipid composition differs between ob/ob and ob/+ control mice as determined by using in vivo localized proton magnetic resonance spectroscopy. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2012, 25, 381-389.	2.0	24
87	Maternal overnutrition leads to cognitive and neurochemical abnormalities in C57BL/6 mice. <i>Nutritional Neuroscience</i> , 2019, 22, 688-699.	3.1	23
88	SRF and MKL1 Independently Inhibit Brown Adipogenesis. <i>PLoS ONE</i> , 2017, 12, e0170643.	2.5	23
89	Overexpression of cyclooxygenase-2 in adipocytes reduces fat accumulation in inguinal white adipose tissue and hepatic steatosis in high-fat fed mice. <i>Scientific Reports</i> , 2019, 9, 8979.	3.3	22
90	Novel insights into adipose tissue heterogeneity. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2022, 23, 5-12.	5.7	22

#	ARTICLE	IF	CITATIONS
91	Increased Ifi202b/IFI16 expression stimulates adipogenesis in mice and humans. Diabetologia, 2018, 61, 1167-1179.	6.3	21
92	Pristanic acid is activator of peroxisome proliferator activated receptor alpha. European Journal of Lipid Science and Technology, 2001, 103, 75-80.	1.5	20
93	Malfunctioning of adipocytes in obesity is linked to quantitative surfaceome changes. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2013, 1831, 1208-1216.	2.4	20
94	Anatomical Grading for Metabolic Activity of Brown Adipose Tissue. PLoS ONE, 2016, 11, e0149458.	2.5	20
95	Relation of diet-induced thermogenesis to brown adipose tissue activity in healthy men. American Journal of Physiology - Endocrinology and Metabolism, 2021, 320, E93-E101.	3.5	20
96	Puerariae lobatae root extracts and the regulation of brown fat activity. Phytomedicine, 2019, 64, 153075.	5.3	19
97	Feeding brown fat: dietary phytochemicals targeting non-shivering thermogenesis to control body weight. Proceedings of the Nutrition Society, 2020, 79, 338-356.	1.0	19
98	Asymmetric cell division shapes naive and virtual memory T-cell immunity during ageing. Nature Communications, 2021, 12, 2715.	12.8	19
99	Environmental and Nutritional Effects Regulating Adipose Tissue Function and Metabolism Across Generations. Advanced Science, 2019, 6, 1900275.	11.2	18
100	Synthetic Inositol Phosphoglycans Related to GPI Lack Insulin-Mimetic Activity. ACS Chemical Biology, 2010, 5, 1075-1086.	3.4	17
101	Lipidomic and metabolic changes in the P4-type ATPase ATP10D deficient C57BL/6J wild type mice upon rescue of ATP10D function. PLoS ONE, 2017, 12, e0178368.	2.5	17
102	A high-throughput, image-based screen to identify kinases involved in brown adipocyte development. Science Signaling, 2017, 10, .	3.6	16
103	Novel Natural Products for Healthy Ageing from the Mediterranean Diet and Food Plants of Other Global Sourcesâ€”The MediHealth Project. Molecules, 2018, 23, 1097.	3.8	16
104	Brown fat does not cause cachexia in cancer patients: A large retrospective longitudinal FDG-PET/CT cohort study. PLoS ONE, 2020, 15, e0239990.	2.5	16
105	Cold Exposure Distinctively Modulates Parathyroid and Thyroid Hormones in Cold-Acclimatized and Non-Acclimatized Humans. Endocrinology, 2020, 161, .	2.8	16
106	Effectiveness of a Low-Calorie Weight Loss Program in Moderately and Severely Obese Patients. Obesity Facts, 2013, 6, 469-480.	3.4	15
107	Proliferation of nutrition sensing preadipocytes upon short term HFD feeding. Adipocyte, 2019, 8, 16-25.	2.8	15
108	Local acetate inhibits brown adipose tissue function. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	15

#	ARTICLE	IF	CITATIONS
109	TRPC1 regulates brown adipose tissue activity in a PPAR β -dependent manner. American Journal of Physiology - Endocrinology and Metabolism, 2018, 315, E825-E832.	3.5	14
110	GPR180 is a component of TGF β ² signalling that promotes thermogenic adipocyte function and mediates the metabolic effects of the adipocyte-secreted factor CTHRC1. Nature Communications, 2021, 12, 7144.	12.8	14
111	Longitudinal evaluation of hepatic lipid deposition and composition in ob/ob and ob/+ control mice. NMR in Biomedicine, 2013, 26, 1079-1088.	2.8	13
112	Improved adipose tissue metabolism after 5-year growth hormone replacement therapy in growth hormone deficient adults: The role of zinc- α 2-glycoprotein. Adipocyte, 2015, 4, 113-122.	2.8	12
113	Chemical Synthesis of the 12 α -Hydroxy- β -Ketoacid-Hydroxylamine (KAHA) Ligation. Helvetica Chimica Acta, 2016, 99, 897-907.	1.6	12
114	Quantitative trait locus mapping in mice identifies phospholipase Pla2g12a as novel atherosclerosis modifier. Atherosclerosis, 2017, 265, 197-206.	0.8	12
115	Quantification of adipocyte numbers following adipose tissue remodeling. Cell Reports, 2021, 35, 109023.	6.4	12
116	Further cadinene derivatives from Heterotheca latifolia. Phytochemistry, 1985, 24, 1101-1103.	2.9	11
117	Adipose Tissue Stem Cells. Handbook of Experimental Pharmacology, 2015, 233, 251-263.	1.8	11
118	Transcriptional regulation of adipocyte formation by the liver receptor homologue 1 (Lrh1)-Small hetero-dimerization partner (Shp) network. Molecular Metabolism, 2013, 2, 314-323.	6.5	10
119	Mildly compromised tetrahydrobiopterin cofactor biosynthesis due to α -Gluconidase variants leads to unusual body fat distribution and abdominal obesity in mice. Journal of Inherited Metabolic Disease, 2016, 39, 309-319.	3.6	10
120	Gene Delivery to Adipose Tissue Using Transcriptionally Targeted rAAV8 Vectors. PLoS ONE, 2014, 9, e116288.	2.5	10
121	Adipokine zinc- α 2-glycoprotein regulated by growth hormone and linked to insulin sensitivity. Obesity, 2015, 23, 322-328.	3.0	9
122	Plasma concentration of intestinal- and liver-FABP in neonates suffering from necrotizing enterocolitis and in healthy preterm neonates. , 2002, , 227-234.		9
123	Metabolomic Analysis Reveals Changes in Plasma Metabolites in Response to Acute Cold Stress and Their Relationships to Metabolic Health in Cold-Acclimatized Humans. Metabolites, 2021, 11, 619.	2.9	8
124	Synthese weiterer nat�rlich vorkommender 5-Methylcumarine. Liebigs Annalen Der Chemie, 1989, 1989, 295-298.	0.8	7
125	ESRRG and PERM1 Govern Mitochondrial Conversion in Brite/Beige Adipocyte Formation. Frontiers in Endocrinology, 2020, 11, 387.	3.5	7
126	Reply to "Confounding issues in the "humanized" brown fat of mice". Nature Metabolism, 2020, 2, 305-306.	11.9	7

#	ARTICLE	IF	CITATIONS
127	Low-dose 18F-FDG TOF-PET/MR for accurate quantification of brown adipose tissue in healthy volunteers. EJNMMI Research, 2020, 10, 5.	2.5	7
128	Hairless promotes PPAR β expression and is required for white adipogenesis. EMBO Reports, 2012, 13, 1012-1020.	4.5	6
129	Adipocytes at the Core of Bone Function. Cell Stem Cell, 2017, 20, 739-740.	11.1	6
130	In-depth analysis of interreader agreement and accuracy in categorical assessment of brown adipose tissue in (18)F-FDG-PET/CT. European Journal of Radiology, 2017, 91, 41-46.	2.6	6
131	Lessons from Cre-Mice and Indicator Mice. Handbook of Experimental Pharmacology, 2018, 251, 37-54.	1.8	6
132	Free Thyroxine Levels are Associated with Cold Induced Thermogenesis in Healthy Euthyroid Individuals. Frontiers in Endocrinology, 2021, 12, 666595.	3.5	6
133	Genetic modulation of the serotonergic pathway: influence on weight reduction and weight maintenance. Genes and Nutrition, 2013, 8, 601-610.	2.5	5
134	Effect of sex and bezafibrate on incorporation of blood borne palmitate into lipids of rat liver nuclei. Molecular and Cellular Biochemistry, 2000, 214, 57-62.	3.1	4
135	Liver ubiquitome uncovers nutrient-stress-mediated trafficking and secretion of complement C3. Cell Death and Disease, 2016, 7, e2411-e2411.	6.3	4
136	Weight Loss and Adipose Tissue Browning in Humans: The Chicken or the Egg?. Trends in Endocrinology and Metabolism, 2018, 29, 450-452.	7.1	4
137	A radical opposition in body weight control. EMBO Molecular Medicine, 2013, 5, 1147-1148.	6.9	3
138	Phenotypic Analysis of BAT versus WAT Differentiation. Current Protocols in Mouse Biology, 2013, 3, 205-216.	1.2	3
139	New horizons for future research – Critical issues to consider for maximizing research excellence and impact. Molecular Metabolism, 2018, 14, 53-59.	6.5	3
140	Statins: benefits and risks revisited. Aging, 2019, 11, 4300-4302.	3.1	3
141	Functional diversity of human adipose tissue revealed by spatial mapping. Nature Reviews Endocrinology, 2021, 17, 713-714.	9.6	3
142	A “replace me” signal from dying brown fat fires up weight loss. Nature, 2022, 609, 252-253.	27.8	3
143	Chlorophyll-derived fatty acids regulate expression of lipid metabolizing enzymes in liver - a nutritional opportunity. Oleagineux Corps Gras Lipides, 2001, 8, 39-44.	0.2	2
144	Large-scale purification of oligonucleotides by extraction and precipitation with butanole. Biotechnology and Bioengineering, 2005, 89, 551-555.	3.3	2

#	ARTICLE	IF	CITATIONS
145	Optimization and scale-up of oligonucleotide synthesis in packed bed reactors using computational fluid dynamics modeling. <i>Biotechnology Progress</i> , 2014, 30, 1048-1056.	2.6	2
146	LSD1 Makes Fat Colorful. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 1-2.	7.1	2
147	Fat cells with a sweet tooth. <i>Nature</i> , 2019, 565, 167-168.	27.8	2
148	GHS-R in brown fat potentiates differential thermogenic responses under metabolic and thermal stresses. <i>PLoS ONE</i> , 2021, 16, e0249420.	2.5	2
149	Fluvastatin Reduces Glucose Tolerance in Healthy Young Individuals Independently of Cold Induced BAT Activity. <i>Frontiers in Endocrinology</i> , 2021, 12, 765807.	3.5	2
150	Cross-Talk between Intracellular Lipid Binding Proteins and Ligand Activated Nuclear Receptors – A Signaling Pathway for Fatty Acids. , 0, , 267-283.		1
151	The role of retinoids and their receptors in metabolic disorders. <i>European Journal of Lipid Science and Technology</i> , 2008, 110, 191-205.	1.5	1
152	Creatine supplementation and thermogenesis in humans – a futile exercise?. <i>Nature Metabolism</i> , 2021, 3, 9-10.	11.9	1
153	SORLA is required for insulin-induced expansion of the adipocyte precursor pool in visceral fat. <i>Journal of Cell Biology</i> , 2021, 220, .	5.2	1
154	GPR3 sets brown fat on fire. <i>Cell Metabolism</i> , 2021, 33, 1271-1273.	16.2	0
155	Quantification of adipocyte numbers in transgenic mice via the Cre-LoxP recombination sites. <i>STAR Protocols</i> , 2021, 2, 100761.	1.2	0
156	The Glucose-Dependent Insulinotropic Polypeptide (GIP) Regulates Body Weight and Food Intake Via CNS-GIPR Signaling. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0