

# Christoph D Spinner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4251362/publications.pdf>

Version: 2024-02-01

124  
papers

4,849  
citations

236912

25  
h-index

114455

63  
g-index

161  
all docs

161  
docs citations

161  
times ranked

9262  
citing authors

#	ARTICLE	IF	CITATIONS
1	Remdesivir for 5 or 10 Days in Patients with Severe Covid-19. <i>New England Journal of Medicine</i> , 2020, 383, 1827-1837.	27.0	1,152
2	Effect of Remdesivir vs Standard Care on Clinical Status at 11 Days in Patients With Moderate COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 1048.	7.4	1,032
3	Dolutegravir plus lamivudine versus dolutegravir plus tenofovir disoproxil fumarate and emtricitabine in antiretroviral-naïve adults with HIV-1 infection (GEMINI-1 and GEMINI-2): week 48 results from two multicentre, double-blind, randomised, non-inferiority, phase 3 trials. <i>Lancet</i> , The, 2019, 393, 143-155.	13.7	265
4	COVID-19 in people living with human immunodeficiency virus: a case series of 33 patients. <i>Infection</i> , 2020, 48, 681-686.	4.7	191
5	HIV pre-exposure prophylaxis (PrEP): a review of current knowledge of oral systemic HIV PrEP in humans. <i>Infection</i> , 2016, 44, 151-158.	4.7	173
6	Immune deficiency is a risk factor for severe COVID-19 in people living with HIV. <i>HIV Medicine</i> , 2021, 22, 372-378.	2.2	123
7	Ledipasvir plus sofosbuvir fixed-dose combination for 6 weeks in patients with acute hepatitis C virus genotype 1 mono-infection (HepNet Acute HCV IV): an open-label, single-arm, phase 2 study. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 215-222.	9.1	109
8	Rates of bacterial co-infections and antimicrobial use in COVID-19 patients: a retrospective cohort study in light of antibiotic stewardship. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 859-869.	2.9	98
9	SARS-CoV-2 infection is associated with a pro-thrombotic platelet phenotype. <i>Cell Death and Disease</i> , 2021, 12, 50.	6.3	77
10	Invasive pulmonary aspergillosis in critically ill patients with severe COVID-19 pneumonia: Results from the prospective AspCOVID-19 study. <i>PLoS ONE</i> , 2021, 16, e0238825.	2.5	72
11	Age-dependent impact of the major common genetic risk factor for COVID-19 on severity and mortality. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	72
12	First results of the "Lean European Open Survey on SARS-CoV-2-Infected Patients (LEOSS)". <i>Infection</i> , 2021, 49, 63-73.	4.7	62
13	Intensive Care Risk Estimation in COVID-19 Pneumonia Based on Clinical and Imaging Parameters: Experiences from the Munich Cohort. <i>Journal of Clinical Medicine</i> , 2020, 9, 1514.	2.4	60
14	Detailed stratified GWAS analysis for severe COVID-19 in four European populations. <i>Human Molecular Genetics</i> , 2022, 31, 3945-3966.	2.9	46
15	Addiction: an underestimated problem in psoriasis health care. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1308-1315.	2.4	43
16	Dolutegravir Monotherapy as Treatment De-Escalation in HIV-Infected Adults with Virological Control: DoluMono Cohort Results. <i>Antiviral Therapy</i> , 2017, 22, 169-172.	1.0	39
17	Mortality Risk for Acute Cholangitis (MAC): a risk prediction model for in-hospital mortality in patients with acute cholangitis. <i>BMC Gastroenterology</i> , 2016, 16, 15.	2.0	39
18	Novel genes and sex differences in COVID-19 severity. <i>Human Molecular Genetics</i> , 2022, 31, 3789-3806.	2.9	38

#	ARTICLE	IF	CITATIONS
19	COVID-19 in Patients Receiving CD20-depleting Immunochemotherapy for B-cell Lymphoma. <i>HemaSphere</i> , 2021, 5, e603.	2.7	35
20	Recommendations on Inpatient Treatment of Patients With COVID-19. <i>Deutsches Arzteblatt International</i> , 2021, 118, .	0.9	35
21	Happiness in dermatology: a holistic evaluation of the mental burden of skin diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1331-1339.	2.4	34
22	Mucosal-Associated Invariant T (MAIT) Cells Are Highly Activated and Functionally Impaired in COVID-19 Patients. <i>Viruses</i> , 2021, 13, 241.	3.3	31
23	Key summary of German national treatment guidance for hospitalized COVID-19 patients. <i>Infection</i> , 2022, 50, 93-106.	4.7	30
24	Fungal colonisation is Associated with Increased Mortality in Medical Intensive Care Unit Patients with Liver Cirrhosis. <i>Mycopathologia</i> , 2015, 179, 63-71.	3.1	27
25	Unified European support framework to sustain the HIV cascade of care for people living with HIV including in displaced populations of war-struck Ukraine. <i>Lancet HIV</i> , 2022, 9, e438-e448.	4.7	27
26	Molecular Epidemiology of the HIV Epidemic in Three German Metropolitan Regions – Cologne/Bonn, Munich and Hannover, 1999–2016. <i>Scientific Reports</i> , 2018, 8, 6799.	3.3	25
27	Title: Cytokine release syndrome is not usually caused by secondary hemophagocytic lymphohistiocytosis in a cohort of 19 critically ill COVID-19 patients. <i>Scientific Reports</i> , 2020, 10, 18277.	3.3	25
28	Cost-effectiveness and budget effect of pre-exposure prophylaxis for HIV-1 prevention in Germany from 2018 to 2058. <i>Eurosurveillance</i> , 2019, 24, .	7.0	21
29	Acute hypophysitis and hypopituitarism in early syphilitic meningitis in a HIV-infected patient: a case report. <i>BMC Infectious Diseases</i> , 2013, 13, 481.	2.9	20
30	Pharmacokinetics of chewed vs. swallowed raltegravir in a patient with AIDS and MAI infection: some new conflicting data. <i>AIDS Research and Therapy</i> , 2015, 12, 1.	1.7	20
31	Highly specific reasons for nonadherence to antiretroviral therapy: results from the German adherence study. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 1897-1906.	1.8	20
32	Assessment of effective mitigation and prediction of the spread of SARS-CoV-2 in Germany using demographic information and spatial resolution. <i>Mathematical Biosciences</i> , 2021, 339, 108648.	1.9	20
33	Nonmelanoma skin cancer in mountain guides: high prevalence and lack of awareness warrant development of evidence-based prevention tools. <i>Swiss Medical Weekly</i> , 2016, 146, w14380.	1.6	20
34	SARS-CoV-2-neutralising monoclonal antibodies to prevent COVID-19. <i>The Cochrane Library</i> , 2022, 2022, .	2.8	20
35	Prevalence of asymptomatic sexually transmitted infections in HIV-positive men who have sex with men in Germany: results of a multicentre cross-sectional study. <i>Infection</i> , 2018, 46, 341-347.	4.7	19
36	2016 PREP attitudes in Germany: high awareness and acceptance in MSM at risk of HIV. <i>Infection</i> , 2018, 46, 405-408.	4.7	19

#	ARTICLE	IF	CITATIONS
37	Coronary calcium scoring assessed on native screening chest CT imaging as predictor for outcome in COVID-19: An analysis of a hospitalized German cohort. <i>PLoS ONE</i> , 2020, 15, e0244707.	2.5	19
38	CMV seropositivity is a potential novel risk factor for severe COVID-19 in non-geriatric patients. <i>PLoS ONE</i> , 2022, 17, e0268530.	2.5	19
39	Self-sampling versus health care professional-guided swab collection for SARS-CoV-2 testing. <i>Infection</i> , 2021, 49, 927-934.	4.7	18
40	Prediction of COVID-19 deterioration in high-risk patients at diagnosis: an early warning score for advanced COVID-19 developed by machine learning. <i>Infection</i> , 2021, , 1.	4.7	18
41	Efficacy and Safety of Switching to Dolutegravir With Boosted Darunavir in Virologically Suppressed Adults With HIV-1: A Randomized, Open-Label, Multicenter, Phase 3, Noninferiority Trial: The DUALIS Study. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa356.	0.9	17
42	Successful bedaquiline-containing antimycobacterial treatment in post-traumatic skin and soft-tissue infection by <i>Mycobacterium fortuitum</i> complex: a case report. <i>BMC Infectious Diseases</i> , 2020, 20, 365.	2.9	15
43	PEPDar: A randomized prospective noninferiority study of ritonavir-boosted darunavir for HIV post-exposure prophylaxis. <i>HIV Medicine</i> , 2016, 17, 453-459.	2.2	12
44	Association of increased CD8 + and persisting C-reactive protein levels with restenosis in HIV patients after coronary stenting. <i>Aids</i> , 2016, 30, 1413-1421.	2.2	12
45	Impact of Gliding on the Prevalence of Keratinocyte Carcinoma and its Precursors: A Cross-sectional Study Among Male Pilots in Bavaria. <i>Acta Dermato-Venereologica</i> , 2017, 97, 393-394.	1.3	12
46	The impact of the SARS-CoV-2 pandemic on the prevalence of respiratory tract pathogens in patients with community-acquired pneumonia in Germany. <i>Emerging Microbes and Infections</i> , 2021, 10, 1515-1518.	6.5	12
47	Increased extravascular lung water index (EVLWI) reflects rapid non-cardiogenic oedema and mortality in COVID-19 associated ARDS. <i>Scientific Reports</i> , 2021, 11, 11524.	3.3	12
48	Specific Risk Factors for Fatal Outcome in Critically Ill COVID-19 Patients: Results from a European Multicenter Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3855.	2.4	12
49	Dexamethasone therapy and rates of secondary pulmonary and bloodstream infections in critically ill COVID-19 patients. <i>Multidisciplinary Respiratory Medicine</i> , 2021, 16, 793.	1.5	12
50	High prevalence of comorbidities and use of concomitant medication in treated people living with HIV in Germany – results of the BESIDE study. <i>International Journal of STD and AIDS</i> , 2021, 32, 152-161.	1.1	12
51	Phase IIa Proof-of-Concept Evaluation of the Antiviral Efficacy, Safety, Tolerability, and Pharmacokinetics of the Next-Generation Maturation Inhibitor GSK3640254. <i>Clinical Infectious Diseases</i> , 2022, 75, 786-794.	5.8	12
52	Primary and secondary prevention of skin cancer in mountain guides: attitude and motivation for or against participation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 2153-2161.	2.4	11
53	Summary of German–Austrian HIV PrEP guideline. <i>HIV Medicine</i> , 2019, 20, 368-376.	2.2	11
54	Antimicrobial resistance of bacteraemia in the emergency department of a German university hospital (2013–2018): potential carbapenem-sparing empiric treatment options in light of the new EUCAST recommendations. <i>BMC Infectious Diseases</i> , 2019, 19, 1091.	2.9	11

#	ARTICLE	IF	CITATIONS
55	Remdesivir for Early COVID-19 Treatment of High-Risk Individuals Prior to or at Early Disease Onset—Lessons Learned. <i>Viruses</i> , 2021, 13, 963.	3.3	11
56	HIV pre-exposure prophylaxis was associated with no impact on sexually transmitted infection prevalence in a high-prevalence population of predominantly men who have sex with men, Germany, 2018 to 2019. <i>Eurosurveillance</i> , 2022, 27, .	7.0	11
57	Cholecalciferol 20 000 IU Once Weekly in HIV-Positive Patients with Low Vitamin D Levels: Result from a Cohort Study. <i>Journal of the International Association of Providers of AIDS Care</i> , 2017, 16, 315-320.	1.5	10
58	Changes in pathogen spectrum and antimicrobial resistance development in the time-course of acute necrotizing pancreatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 2096-2103.	2.8	10
59	<i>Strongyloides stercoralis</i> hyperinfection syndrome presenting as mechanical ileus after short-course oral steroids for chronic obstructive pulmonary disease (COPD) exacerbation. <i>Parasitology International</i> , 2020, 76, 102087.	1.3	10
60	Use of monoclonal antibody therapy for nosocomial SARS-CoV-2 infection in patients at high risk for severe COVID-19: experience from a tertiary-care hospital in Germany. <i>Infection</i> , 2021, 49, 1313-1318.	4.7	10
61	Infection Control Measures and Prevalence of SARS-CoV-2 IgG among 4,554 University Hospital Employees, Munich, Germany. <i>Emerging Infectious Diseases</i> , 2022, 28, 572-581.	4.3	10
62	Overdose of dolutegravir in combination with tenofovir disoproxil fumarate/emtricitabine in suicide attempt in a 21-year old patient. <i>AIDS Research and Therapy</i> , 2015, 12, 18.	1.7	9
63	Neither boosted elvitegravir nor darunavir with emtricitabine/tenofovir disoproxil fumarate increase insulin resistance in healthy volunteers: results from the STRIBILD-IR study. <i>Antiviral Therapy</i> , 2016, 21, 627-631.	1.0	9
64	Pharmacokinetics of once-daily dolutegravir and ritonavir-boosted darunavir in HIV patients: the DUALIS study. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2679-2681.	3.0	9
65	High effectiveness of recommended first-line antiretroviral therapies in Germany: a nationwide, prospective cohort study. <i>Infection</i> , 2020, 48, 453-461.	4.7	9
66	Platelet Surface Protein Expression and Reactivity upon TRAP Stimulation after BNT162b2 Vaccination. <i>Thrombosis and Haemostasis</i> , 2022, 122, 1706-1711.	3.4	9
67	First case of human peritoneal cysticercosis mimicking peritoneal carcinosis: necessity of laparoscopy and histologic assessment for the correct diagnosis. <i>JMM Case Reports</i> , 2017, 4, e005097.	1.3	9
68	Evaluation of anal carcinoma screening in male and female HIV patients at an interdisciplinary HIV therapy centre. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1595-1601.	2.4	8
69	Hepatitis C virus: Current steps toward elimination in Germany and barriers to reaching the 2030 goal. <i>Health Science Reports</i> , 2021, 4, e290.	1.5	8
70	Evaluation of a multiplex PCR screening approach to identify community-acquired bacterial co-infections in COVID-19: a multicenter prospective cohort study of the German competence network of community-acquired pneumonia (CAPNETZ). <i>Infection</i> , 2021, 49, 1299-1306.	4.7	8
71	Obstacles to HBV functional cure: Late presentation in HIV and its impact on HBV seroconversion in HIV/HBV coinfection. <i>Liver International</i> , 2020, 40, 2978-2981.	3.9	7
72	Clinical management of ageing people living with HIV in Europe: the view of the care providers. <i>Infection</i> , 2020, 48, 497-506.	4.7	7

#	ARTICLE	IF	CITATIONS
73	Reconvalescent plasma/camostat mesylate in early SARS-CoV-2 Q-PCR positive high-risk individuals (RES-Q-HR): a structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 343.	1.6	7
74	Week 96 subgroup analyses of the phase 3, randomized AMBER and EMERALD trials evaluating the efficacy and safety of the once daily darunavir/cobicistat/emtricitabine/tenofovir alafenamide (D/C/F/TAF) single-tablet regimen in antiretroviral treatment (ART)-naïve and -experienced, virologically-suppressed adults living with HIV-1. <i>HIV Research and Clinical Practice</i> , 2020, 21, 151-167.	1.1	7
75	Forced Centralized Allocation of Patients to Temporarily "Closed" Emergency Departments. <i>Deutsches Arzteblatt International</i> , 2020, 117, 465-471.	0.9	7
76	Alopecia syphilitica diffusa. <i>Infection</i> , 2015, 43, 783-784.	4.7	6
77	A retrospective clinical and microbial analysis of 32 patients with bilomas. <i>BMC Gastroenterology</i> , 2019, 19, 50.	2.0	6
78	No SARS-CoV-2 detection in the German CAPNETZ cohort of community acquired pneumonia before COVID-19 peak in March 2020. <i>Infection</i> , 2020, 48, 971-974.	4.7	6
79	Retracing the COVID-19 Pandemic in Germany from a Public Perspective using Google Search Queries Related to "coronavirus". <i>Gesundheitswesen</i> , 2021, 83, e9-e14.	0.5	6
80	Development and validation of a simplified risk score for the prediction of critical COVID-19 illness in newly diagnosed patients. <i>Journal of Medical Virology</i> , 2021, 93, 6703-6713.	5.0	6
81	Intensive Care Risk Estimation in COVID-19 Pneumonia Based on Clinical and Imaging Parameters: Experiences from the Munich Cohort. <i>SSRN Electronic Journal</i> , 0, , .	0.4	6
82	All-cause mortality and disease progression in SARS-CoV-2-infected patients with or without antibiotic therapy: an analysis of the LEOSS cohort. <i>Infection</i> , 2021, 50, 423.	4.7	6
83	A proof of concept study for the differentiation of SARS-CoV-2, hCoV-NL63, and IAV-H1N1 in vitro cultures using ion mobility spectrometry. <i>Scientific Reports</i> , 2021, 11, 20143.	3.3	6
84	Strategies for increasing diagnostic yield of community-onset bacteraemia within the emergency department: A retrospective study. <i>PLoS ONE</i> , 2019, 14, e0222545.	2.5	5
85	Darunavir/cobicistat/emtricitabine/tenofovir alafenamide in treatment-naïve patients with HIV-1: subgroup analyses of the phase 3 AMBER study. <i>HIV Research and Clinical Practice</i> , 2019, 20, 24-33.	1.1	5
86	Influence of antiretroviral therapy and cardiovascular disease on the immature platelet fraction in patients living with HIV. <i>Platelets</i> , 2020, 31, 756-762.	2.3	5
87	High prevalence of recreational and illicit drug use in German people living with HIV with a potential for drug-drug interactions with antiretroviral therapy. <i>International Journal of STD and AIDS</i> , 2021, 32, 75-82.	1.1	5
88	Angiotensin II receptor blocker intake associates with reduced markers of inflammatory activation and decreased mortality in patients with cardiovascular comorbidities and COVID-19 disease. <i>PLoS ONE</i> , 2021, 16, e0258684.	2.5	5
89	Longitudinal Assessment of Health and Quality of Life of COVID-19 Patients Requiring Intensive Care: An Observational Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5469.	2.4	5
90	Early reduction of SARS-CoV-2-replication in bronchial epithelium by kinin B2 receptor antagonism. <i>Journal of Molecular Medicine</i> , 2022, 100, 613-627.	3.9	5

#	ARTICLE	IF	CITATIONS
91	Declining COVID-19 morbidity and case fatality in Germany: the pandemic end?. <i>Infection</i> , 2022, 50, 1625-1626.	4.7	5
92	Effects of antiretroviral combination therapies F/TAF, E/C/F/TAF and R/F/TAF on insulin resistance in healthy volunteers: The TAF-IR Study. <i>Antiviral Therapy</i> , 2018, 23, 629-632.	1.0	4
93	Suspected penicillin allergy: risk assessment using an algorithm as an antibiotic stewardship project. <i>Allergo Journal International</i> , 2020, 29, 174-180.	2.0	4
94	SARS-CoV-2 serology increases diagnostic accuracy in CT-suspected, PCR-negative COVID-19 patients during pandemic. <i>Respiratory Research</i> , 2021, 22, 119.	3.6	4
95	Factors associated with testing for HIV and hepatitis C among behaviorally vulnerable men in Germany: a cross-sectional analysis upon enrollment into an observational cohort. <i>AIDS Research and Therapy</i> , 2021, 18, 52.	1.7	4
96	A Moderate Case of COVID-19 Viral Pneumonia During the SARS-CoV-2 Pandemic. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , 2020, 117, 219.	0.9	4
97	Adequate plasma levels of dolutegravir in combination with ritonavir-boosted darunavir: a pharmacokinetic subgroup analysis of the DUALIS study. <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 3082-3084.	3.0	3
98	Extracorporeal multiorgan support including CO <sub>2</sub> -removal with the ADVanced Organ Support (ADVOS) system for COVID-19: A case report. <i>International Journal of Artificial Organs</i> , 2021, 44, 288-294.	1.4	3
99	DGI recommendations for COVID-19 pharmacotherapy. <i>Infection</i> , 2021, 49, 369-370.	4.7	3
100	Treatment of intestinal tuberculosis with small bowel perforation: a case report. <i>Journal of Medical Case Reports</i> , 2021, 15, 144.	0.8	3
101	Virologic outcomes of switching to boosted darunavir plus dolutegravir with respect to history of drug resistance. <i>AIDS Research and Therapy</i> , 2021, 18, 58.	1.7	3
102	SARS-CoV-2 viral load dynamics in immunocompromised critically ill patients on remdesivir treatment. <i>Multidisciplinary Respiratory Medicine</i> , 0, 17, .	1.5	3
103	Are 96-week data enough for doravirine to DRIVE FORWARD?. <i>Lancet HIV,the</i> , 2020, 7, e2-e3.	4.7	2
104	Acute HIV infection syndrome mimicking COVID-19 vaccination side effects: a case report. <i>AIDS Research and Therapy</i> , 2021, 18, 78.	1.7	2
105	Reopening the Bavarian State Opera Safely: Hygiene Strategies and Incidence of COVID-19 in Artistic Staff During Theater Season 2020/2021. <i>Journal of Voice</i> , 2021, , .	1.5	2
106	Severe hydrocarbon pneumonitis in African refugees after fuel ingestion. <i>Lancet, The</i> , 2016, 388, 2350-2351.	13.7	1
107	Primary skin manifestation of plasmoblastic lymphoma in an <sc>AIDS</sc> patient with longâ€term survival. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e428-e429.	2.4	1
108	Seasonal variations in vitamin D levels in HIV-infected patients. <i>HIV and AIDS Review</i> , 2017, 1, 50-53.	0.2	1

#	ARTICLE	IF	CITATIONS
109	Monthly or Weekly Supplementation with Cholecalciferol 20,000 IU in People Living with HIV: Results from a Nested Cohort Study. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2018, 2018, 1-6.	1.4	1
110	Drug Resistance Spread in 6 Metropolitan Regions, Germany, 2001–2018. <i>Emerging Infectious Diseases</i> , 2020, 26, 2439-2443.	4.3	1
111	An Eschar-like souvenir from a journey to Colombia: Ecthyma gangrenosum as a differential diagnosis of tropical diseases in immunocompromised patients – a case report. <i>BMC Infectious Diseases</i> , 2021, 21, 344.	2.9	1
112	A diagnostic algorithm for detection of urinary tract infections in hospitalized patients with bacteriuria: The “Triple F” approach supported by Procalcitonin and paired blood and urine cultures. <i>PLoS ONE</i> , 2020, 15, e0240981.	2.5	1
113	72. Remdesivir vs Standard Care in Patients with Moderate covid-19. <i>Open Forum Infectious Diseases</i> , 2020, 7, S166-S167.	0.9	1
114	A Telemedicine-Guided Self-Collection Approach for PCR-Based SARS-CoV-2 Testing: Comparative Study. <i>JMIR Formative Research</i> , 2022, 6, e32564.	1.4	1
115	SARS-CoV-2 infection in chronic kidney disease patients with pre-existing dialysis: description across different pandemic intervals and effect on disease course (mortality). <i>Infection</i> , 2023, 51, 71-81.	4.7	1
116	Reply to: Beyond viral suppression. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab073.	0.9	0
117	Rapid clinical evolution for COVID-19 translates into early hospital admission and unfavourable outcome: A preliminary report. <i>Multidisciplinary Respiratory Medicine</i> , 2021, 16, 744.	1.5	0
118	Health-related quality-of-life in people living with HIV after switching to dual therapy with ritonavir-boosted darunavir + dolutegravir: a DUALIS sub-study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, , 1-10.	1.2	0
119	73. Geographical Disparities in Clinical Outcomes of Severe COVID-19 Patients Treated with Remdesivir. <i>Open Forum Infectious Diseases</i> , 2020, 7, S167-S167.	0.9	0
120	Title is missing!. , 2020, 15, e0244707.		0
121	Title is missing!. , 2020, 15, e0244707.		0
122	Title is missing!. , 2020, 15, e0244707.		0
123	Title is missing!. , 2020, 15, e0244707.		0
124	Switching to a NRTI-free 2 drug regimen (2DR) -a sub-analysis of the 48 weeks DUALIS study on metabolic and renal changes.. <i>HIV Research and Clinical Practice</i> , 2022, , 1-7.	1.1	0