Hong Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4251570/publications.pdf

Version: 2024-02-01

279798 254184 2,064 63 23 43 h-index citations g-index papers 70 70 70 3275 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Stimuli-responsive polymeric micelles for drug delivery and cancer therapy. International Journal of Nanomedicine, 2018, Volume 13, 2921-2942.	6.7	278
2	Proteinâ€Nanoreactorâ€Assisted Synthesis of Semiconductor Nanocrystals for Efficient Cancer Theranostics. Advanced Materials, 2016, 28, 5923-5930.	21.0	175
3	Bifunctional Tellurium Nanodots for Photo-Induced Synergistic Cancer Therapy. ACS Nano, 2017, 11, 10012-10024.	14.6	151
4	Mutually Synergistic Nanoparticles for Effective Thermoâ€Molecularly Targeted Therapy. Advanced Functional Materials, 2017, 27, 1702834.	14.9	93
5	Paeoniflorin induced immune tolerance of mesenteric lymph node lymphocytes via enhancing beta 2-adrenergic receptor desensitization in rats with adjuvant arthritis. International Immunopharmacology, 2007, 7, 662-673.	3.8	80
6	Dual-pH Sensitive Charge-reversal Nanocomplex for Tumor-targeted Drug Delivery with Enhanced Anticancer Activity. Theranostics, 2017, 7, 1806-1819.	10.0	66
7	Effects and mechanisms of Geniposide on rats with adjuvant arthritis. International Immunopharmacology, 2014, 20, 46-53.	3.8	63
8	Metabolites from Bufo gargarizans (Cantor, 1842): A review of traditional uses, pharmacological activity, toxicity and quality control. Journal of Ethnopharmacology, 2020, 246, 112178.	4.1	62
9	Nanomaterials for cancer therapies. Nanotechnology Reviews, 2017, 6, 473-496.	5.8	61
10	Anti-inflammatory effects and pharmacokinetics study of geniposide on rats with adjuvant arthritis. International Immunopharmacology, 2015, 24, 102-109.	3.8	55
11	Cyanineâ€Anchored Silica Nanochannels for Lightâ€Driven Synergistic Thermoâ€Chemotherapy. Small, 2017, 13, 1602747.	10.0	55
12	Anti-inflammatory Mechanism of Geniposide: Inhibiting the Hyperpermeability of Fibroblast-Like Synoviocytes via the RhoA/p38MAPK/NF-κB/F-Actin Signal Pathway. Frontiers in Pharmacology, 2018, 9, 105.	3.5	45
13	Three serum metabolite signatures for diagnosing low-grade and high-grade bladder cancer. Scientific Reports, 2017, 7, 46176.	3.3	44
14	Angiogenesis as a potential treatment strategy for rheumatoid arthritis. European Journal of Pharmacology, 2021, 910, 174500.	3.5	43
15	Novel anti-inflammatory target of geniposide: Inhibiting ltg^21/Ras -Erk $1/2$ signal pathway via the miRNA-124a in rheumatoid arthritis synovial fibroblasts. International Immunopharmacology, 2018, 65, 284-294.	3.8	42
16	Lasting Tracking and Rapid Discrimination of Live Gram-Positive Bacteria by Peptidoglycan-Targeting Carbon Quantum Dots. ACS Applied Materials & Interfaces, 2021, 13, 1277-1287.	8.0	40
17	Selfâ€assembled nanoparticles from folateâ€decorated maleilated pullulan–doxorubicin conjugate for improved drug delivery to cancer cells. Polymer International, 2013, 62, 165-171.	3.1	32
18	Chemical and metabolic analysis of Achyranthes bidentate saponins with intestinal microflora-mediated biotransformation by ultra-performance liquid chromatography-quadrupole time-of-flight mass spectrometry coupled with metabolism platform. Journal of Pharmaceutical and Biomedical Analysis, 2019, 170, 305-320.	2.8	32

#	Article	IF	CITATIONS
19	Properties and molecular mechanisms underlying geniposide-mediated therapeutic effects in chronic inflammatory diseases. Journal of Ethnopharmacology, 2021, 273, 113958.	4.1	31
20	Antiinflammation Effects and Mechanisms Study of Geniposide on Rats with Collagen-Induced Arthritis. Phytotherapy Research, 2017, 31, 631-637.	5.8	25
21	Sphingosine kinase 1/sphingosine 1-phosphate/sphingosine 1-phosphate receptor 1 pathway: A novel target of geniposide to inhibit angiogenesis. Life Sciences, 2020, 256, 117988.	4.3	25
22	Geniposide downregulates the <scp>VEGF</scp> / <scp>SphK1</scp> / <scp>S1P</scp> pathway and alleviates angiogenesis in rheumatoid arthritis in vivo and in vitro. Phytotherapy Research, 2021, 35, 4347-4362.	5.8	25
23	Identification and distribution of four metabolites of geniposide in rats with adjuvant arthritis. Fìtoterapìâ, 2014, 97, 111-121.	2.2	24
24	Therapeutic Potential of SphK1 Inhibitors Based on Abnormal Expression of SphK1 in Inflammatory Immune Related-Diseases. Frontiers in Pharmacology, 2021, 12, 733387.	3.5	24
25	A strategy for rapid analysis of xenobiotic metabolome of Sini decoction in vivo using ultra-performance liquid chromatography-electrospray ionization quadrupole-time-of-flight mass spectrometry combined with pattern recognition approach. Journal of Pharmaceutical and Biomedical Analysis. 2014. 96. 187-196.	2.8	20
26	Negatively charged AuNP modified with monoclonal antibody against novel tumor antigen FAT1 for tumor targeting. Journal of Experimental and Clinical Cancer Research, 2015, 34, 103.	8.6	20
27	Determination of geniposide in adjuvant arthritis rat plasma by ultra-high performance liquid chromatography tandem mass spectrometry method and its application to oral bioavailability and plasma protein binding ability studies. Journal of Pharmaceutical and Biomedical Analysis, 2015, 108, 122-128.	2.8	19
28	A Nano Drug Delivery System Based on Angelica sinensis Polysaccharide for Combination of Chemotherapy and Immunotherapy. Molecules, 2020, 25, 3096.	3.8	19
29	Deciphering the metabolic profile and pharmacological mechanisms of Achyranthes bidentata blume saponins using ultra-performance liquid chromatography quadrupole time-of-flight mass spectrometry coupled with network pharmacology-based investigation. Journal of Ethnopharmacology, 2021, 274, 114067.	4.1	19
30	Study of dual responsive poly[(maleilated dextran)â€ <i>graft</i> â€(<i>N</i> â€isopropylacrylamide)] hydrogel nanoparticles: preparation, characterization and biological evaluation. Polymer International, 2009, 58, 1023-1033.	3.1	18
31	Preparation of Two Types of Polymeric Micelles Based on Poly(\hat{l}^2 -L-Malic Acid) for Antitumor Drug Delivery. PLoS ONE, 2016, 11, e0162607.	2.5	17
32	Multifunctional pH-sensitive micelles for tumor-specific uptake and cellular delivery. Polymer Chemistry, 2015, 6, 1373-1382.	3.9	16
33	Cross-platform metabolic profiling deciphering the potential targets of Shenfu injection against acute viral myocarditis in mice. Journal of Pharmaceutical and Biomedical Analysis, 2018, 160, 1-11.	2.8	16
34	Immunosuppressive Effect of Geniposide on Mitogen-Activated Protein Kinase Signalling Pathway and Their Cross-Talk in Fibroblast-Like Synoviocytes of Adjuvant Arthritis Rats. Molecules, 2018, 23, 91.	3.8	16
35	Use of cellular metabolomics and lipidomics to decipher the mechanism of Huachansu injection-based intervention against human hepatocellular carcinoma cells. Journal of Pharmaceutical and Biomedical Analysis, 2022, 212, 114654.	2.8	16
36	Ambient air pollutants increase the risk of immunoglobulin E–mediated allergic diseases: a systematic review and meta-analysis. Environmental Science and Pollution Research, 2022, 29, 49534-49552.	5.3	16

#	Article	IF	CITATIONS
37	Joint Synovial Fluid Metabolomics Method to Decipher the Metabolic Mechanisms of Adjuvant Arthritis and Geniposide Intervention. Journal of Proteome Research, 2020, 19, 3769-3778.	3.7	15
38	Geniposide alleviates VEGF-induced angiogenesis by inhibiting VEGFR2/PKC/ERK1/2-mediated SphK1 translocation. Phytomedicine, 2022, 100, 154068.	5.3	15
39	MMP-2 sensitive poly(malic acid) micelles stabilized by π–π stacking enable high drug loading capacity. Journal of Materials Chemistry B, 2020, 8, 8527-8535.	5.8	14
40	Characterization of Compounds in <i>Psoralea corylifolia</i> Using High-Performance Liquid Chromatography Diode Array Detection, Time-of-Flight Mass Spectrometry and Quadrupole Ion Trap Mass Spectrometry. Journal of Chromatographic Science, 2015, 53, 1455-1462.	1.4	13
41	Anti-Inflammatory Effect of Geniposide on Regulating the Functions of Rheumatoid Arthritis Synovial Fibroblasts via Inhibiting Sphingosine-1-Phosphate Receptors $1/3$ Coupling $\hat{G}_{\pm i}/\hat{G}_{\pm s}$ Conversion. Frontiers in Pharmacology, 2020, 11 , 584176.	3.5	13
42	The interplay between fibroblastâ€like synovial and vascular endothelial cells leads to angiogenesis via the sphingosineâ€1â€phosphateâ€induced <scp>RhoAâ€F</scp> â€Actin and <scp>Rasâ€Erk1</scp> /2 pathways intervention of geniposide. Phytotherapy Research, 2021, 35, 5305-5317.	anal the	13
43	pHâ€sensitive Podophyllotoxin carrier for cancer cells specific delivery. Polymer Composites, 2010, 31, 51-59.	4.6	12
44	Comparative Pharmacokinetics Study after Oral Administration of Geniposide in Normal Rats and Adjuvantâ€induced Arthritis Rats by <scp>UPLC </scp> â€ <scp>MS </scp> / <scp>MS </scp> . Basic and Clinical Pharmacology and Toxicology, 2013, 113, 294-299.	2.5	12
45	Immune Tolerance Effect in Mesenteric Lymph Node Lymphocytes of Geniposide on Adjuvant Arthritis Rats. Phytotherapy Research, 2017, 31, 1249-1256.	5.8	12
46	Quantitative Analysis of Multi-components by Single Marker and Fingerprint Analysis of Achyranthes bidentata Blume. Journal of Chromatographic Science, 2018, 56, 595-603.	1.4	12
47	Synthesis of controlled molecular weight poly (\hat{l}^2 -malic acid) and conjugation with HCPT as a polymeric drug carrier. Journal of Polymer Research, 2014, 21, 1.	2.4	11
48	BNIP3 mediates the different adaptive responses of fibroblast-like synovial cells to hypoxia in patients with osteoarthritis and rheumatoid arthritis. Molecular Medicine, 2022, 28, .	4.4	11
49	Preparation of poly(β-L-malic acid)-based charge-conversional nanoconjugates for tumor-specific uptake and cellular delivery. International Journal of Nanomedicine, 2015, 10, 1941.	6.7	10
50	A Microdialysis in Adjuvant Arthritic Rats for Pharmacokinetics–Pharmacodynamics Modeling Study of Geniposide with Determination of Drug Concentration and Efficacy Levels in Dialysate. Molecules, 2018, 23, 987.	3.8	10
51	Preparation and characteristics of pHâ€sensitive derivated dextran hydrogel nanoparticles. Polymer Composites, 2009, 30, 1243-1250.	4.6	9
52	The anti-angiogenesis mechanism of Geniposide on rheumatoid arthritis is related to the regulation of PTEN. Inflammopharmacology, 2022, 30, 1047-1062.	3.9	9
53	Ternary cocktail nanoparticles for sequential chemo-photodynamic therapy. Journal of Experimental and Clinical Cancer Research, 2017, 36, 119.	8.6	7
54	Ratiometric co-delivery of doxorubicin and docetaxel by covalently conjugating with mPEG-poly(\hat{l}^2 -malic acid) for enhanced synergistic breast tumor therapy. Polymer Chemistry, 2020, 11, 7330-7339.	3.9	7

#	Article	IF	CITATIONS
55	Design, synthesis and preliminary evaluation of the anti-inflammatory of the specific selective targeting druggable enzymome cyclooxygenase-2 (COX-2) small molecule. Pharmaceutical Biology, 2016, 54, 2505-2514.	2.9	6
56	Microdialysis sampling combined with ultraâ€highâ€performance liquid chromatography/tandem mass spectrometry for the determination of geniposide in dialysate of joint cavities in adjuvant arthritis rats. Rapid Communications in Mass Spectrometry, 2018, 32, 516-522.	1.5	6
57	UHPLC–MS/MS analysis of sphingosine 1â€phosphate in joint cavity dialysate and hemodialysis solution of adjuvant arthritis rats: Application to geniposide pharmacodynamic study. Biomedical Chromatography, 2019, 33, e4526.	1.7	6
58	Preparation and biological evaluation of a novel pH-sensitive poly (β-malic acid) conjugate for antitumor drug delivery. International Journal of Molecular Medicine, 2018, 42, 3495-3502.	4.0	5
59	Paricalcitol versus Calcitriol + Cinacalcet for the Treatment of Secondary Hyperparathyroidism in Chronic Kidney Disease in China: A Cost-Effectiveness Analysis. Frontiers in Public Health, 2021, 9, 712027.	2.7	5
60	Inhibition of sphingosine 1â€phosphate (S1P) receptor 1/2/3 ameliorates biological dysfunction in rheumatoid arthritis fibroblastâ€like synoviocyte MH7A cells through Gαi/Gαs rebalancing. Clinical and Experimental Pharmacology and Physiology, 2021, 48, 1080-1089.	1.9	5
61	Effect of sodium ozagrel on the activity of rat CYP2D6. European Journal of Pharmacology, 2007, 573, 55-59.	3.5	3
62	Synthesis and micellar characterization of luteinizing hormone-releasing hormone poly(ethylene) Tj ETQq0 0 0 r ₂ 55, 277-286.	gBT /Overlo 3.1	ock 10 Tf 50 2
63	Improved Synthesis of a Novel Biodegradable Tunable Micellar Polymer Based on Partially Hydrogenated Poly(\hat{l}^2 -malic Acid-co-benzyl Malate). Molecules, 2021, 26, 7169.	3.8	1