

Stephen R Wisniewski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4252540/publications.pdf>

Version: 2024-02-01

369
papers

44,363
citations

2098

100
h-index

2330

199
g-index

370
all docs

370
docs citations

370
times ranked

30205
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of vitamin D supplementation on total and allergen-specific IgE in children with asthma and low vitamin D levels. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 440-444.e2.	1.5	13
2	Violence-related distress and lung function in two longitudinal studies of youth. <i>European Respiratory Journal</i> , 2022, 59, 2102329.	3.1	9
3	Use of Antifibrinolytics in Pediatric Life-Threatening Hemorrhage: A Prospective Observational Multicenter Study. <i>Critical Care Medicine</i> , 2022, 50, e382-e392.	0.4	23
4	Comparison of Intracranial Pressure Measurements Before and After Hypertonic Saline or Mannitol Treatment in Children With Severe Traumatic Brain Injury. <i>JAMA Network Open</i> , 2022, 5, e220891.	2.8	29
5	Assessing Unexpected Circumstances That Lead to Modifications in Clinical Trial Design, Conduct, or Analysis. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 868.	3.8	0
6	Comparative Effectiveness of Diversion of Cerebrospinal Fluid for Children With Severe Traumatic Brain Injury. <i>JAMA Network Open</i> , 2022, 5, e2220969.	2.8	12
7	Gene coexpression networks reveal novel molecular endotypes in alpha-1 antitrypsin deficiency. <i>Thorax</i> , 2021, 76, 134-143.	2.7	5
8	Characteristics Associated with the Use of an Inpatient Rehabilitation or Skilled Nursing Facility after Acute Care in Children with Severe Traumatic Brain Injury. <i>Developmental Neurorehabilitation</i> , 2021, 24, 466-477.	0.5	2
9	Association of Pharmacological Interventions With Symptom Burden Reduction in Patients With Mild Traumatic Brain Injury. <i>JAMA Neurology</i> , 2021, 78, 596.	4.5	12
10	Effect of Antimicrobial Therapy on Respiratory Hospitalization or Death in Adults With Idiopathic Pulmonary Fibrosis. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1841.	3.8	43
11	Life-Threatening Bleeding in Children: A Prospective Observational Study. <i>Critical Care Medicine</i> , 2021, 49, 1943-1954.	0.4	44
12	Cerebrospinal Fluid Sulfonylurea Receptor-1 is Associated with Intracranial Pressure and Outcome after Pediatric TBI: An Exploratory Analysis of the Cool Kids Trial. <i>Journal of Neurotrauma</i> , 2021, 38, 1615-1619.	1.7	9
13	Survey to inform trial of low-titer group O whole blood compared to conventional blood components for children with severe traumatic bleeding. <i>Transfusion</i> , 2021, 61, S43-S48.	0.8	2
14	Vitamin D supplementation, lung function and asthma control in children with asthma and low vitamin D levels. <i>European Respiratory Journal</i> , 2021, 58, 2100989.	3.1	6
15	Multi-omic analysis in injured humans: Patterns align with outcomes and treatment responses. <i>Cell Reports Medicine</i> , 2021, 2, 100478.	3.3	35
16	Paths to Successful Translation of New Therapies for Severe Traumatic Brain Injury in the Golden Age of Traumatic Brain Injury Research: A Pittsburgh Vision. <i>Journal of Neurotrauma</i> , 2020, 37, 2353-2371.	1.7	31
17	Effect of Vitamin D ³ Supplementation on Severe Asthma Exacerbations in Children With Asthma and Low Vitamin D Levels. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 752.	3.8	99
18	Improving Cost-effectiveness and Access to Cognitive Behavior Therapy for Depression: Providing Remote-Ready, Computer-Assisted Psychotherapy in Times of Crisis and Beyond. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 307-313.	4.0	39

#	ARTICLE	IF	CITATIONS
19	Effects of Collaborative Care for Comorbid Attention Deficit Hyperactivity Disorder Among Children With Behavior Problems in Pediatric Primary Care. <i>Clinical Pediatrics</i> , 2020, 59, 787-800.	0.4	5
20	Design and rationale of a multi-center, pragmatic, open-label randomized trial of antimicrobial therapy – the study of clinical efficacy of antimicrobial therapy strategy using pragmatic design in Idiopathic Pulmonary Fibrosis (CleanUP-IPF) clinical trial. <i>Respiratory Research</i> , 2020, 21, 68.	1.4	17
21	Practice Patterns in Pharmacological and Non-Pharmacological Therapies for Children with Mild Traumatic Brain Injury: A Survey of 15 Canadian and United States Centers. <i>Journal of Neurotrauma</i> , 2019, 36, 2886-2894.	1.7	14
22	Use of magnetic resonance imaging in severe pediatric traumatic brain injury: assessment of current practice. <i>Journal of Neurosurgery: Pediatrics</i> , 2019, 23, 471-479.	0.8	25
23	Age and Mortality in Pediatric Severe Traumatic Brain Injury: Results from an International Study. <i>Neurocritical Care</i> , 2018, 28, 302-313.	1.2	38
24	The Rapid Escalation of Fentanyl in Illicit Drug Evidence in Allegheny County, Pennsylvania, 2010-2016. <i>Public Health Reports</i> , 2018, 133, 142-146.	1.3	11
25	Initiating Nutritional Support Before 72 Hours Is Associated With Favorable Outcome After Severe Traumatic Brain Injury in Children: A Secondary Analysis of a Randomized, Controlled Trial of Therapeutic Hypothermia. <i>Pediatric Critical Care Medicine</i> , 2018, 19, 345-352.	0.2	22
26	Adjunctive Bright Light Therapy for Bipolar Depression: A Randomized Double-Blind Placebo-Controlled Trial. <i>American Journal of Psychiatry</i> , 2018, 175, 131-139.	4.0	125
27	Improving the Efficiency of Psychotherapy for Depression: Computer-Assisted Versus Standard CBT. <i>American Journal of Psychiatry</i> , 2018, 175, 242-250.	4.0	93
28	Presenting Characteristics Associated With Outcome in Children With Severe Traumatic Brain Injury: A Secondary Analysis From a Randomized, Controlled Trial of Therapeutic Hypothermia*. <i>Pediatric Critical Care Medicine</i> , 2018, 19, 957-964.	0.2	15
29	AF-CBT for Families Experiencing Physical Aggression or Abuse Served by the Mental Health or Child Welfare System: An Effectiveness Trial. <i>Child Maltreatment</i> , 2018, 23, 319-333.	2.0	17
30	Tripartite Stratification of the Glasgow Coma Scale in Children with Severe Traumatic Brain Injury and Mortality: An Analysis from a Multi-Center Comparative Effectiveness Study. <i>Journal of Neurotrauma</i> , 2017, 34, 2220-2229.	1.7	29
31	Effect of aerosolized antipseudomonals on <i>Pseudomonas</i> positivity and bronchiolitis obliterans syndrome after lung transplantation. <i>Transplant Infectious Disease</i> , 2017, 19, e12688.	0.7	13
32	Abusive Head Trauma and Mortality – An Analysis From an International Comparative Effectiveness Study of Children With Severe Traumatic Brain Injury. <i>Critical Care Medicine</i> , 2017, 45, 1398-1407.	0.4	51
33	Correlates of Postpartum Maternal Functioning in a Low-Income Obstetric Population. <i>Journal of the American Psychiatric Nurses Association</i> , 2017, 23, 149-158.	0.4	29
34	Rescue alemtuzumab for refractory acute cellular rejection and bronchiolitis obliterans syndrome after lung transplantation. <i>Clinical Transplantation</i> , 2017, 31, e12899.	0.8	26
35	Generating an efficient version of the Edinburgh Postnatal Depression Scale in an urban obstetrical population. <i>Journal of Affective Disorders</i> , 2017, 208, 615-620.	2.0	16
36	Challenges and opportunities for pediatric severe TBI – review of the evidence and exploring a way forward. <i>Child's Nervous System</i> , 2017, 33, 1663-1667.	0.6	36

#	ARTICLE	IF	CITATIONS
37	Mood symptoms in pregnant and postpartum women with bipolar disorder: a naturalistic study. <i>Bipolar Disorders</i> , 2017, 19, 295-304.	1.1	17
38	Cost-Effective Drug Switch Options After Unsuccessful Treatment With an SSRI for Depression. <i>Psychiatric Services</i> , 2017, 68, 81-87.	1.1	5
39	Reply. <i>Arthritis and Rheumatology</i> , 2017, 69, 242-242.	2.9	0
40	Are Patients with Childhood Onset of Insomnia and Depression More Difficult to Treat Than Are Those with Adult Onsets of These Disorders? A Report from the TRIAD Study. <i>Journal of Clinical Sleep Medicine</i> , 2017, 13, 205-213.	1.4	6
41	Phase I randomized clinical trial of N-acetylcysteine in combination with an adjuvant probenecid for treatment of severe traumatic brain injury in children. <i>PLoS ONE</i> , 2017, 12, e0180280.	1.1	39
42	One-Year Developmental Outcomes for Infants of Mothers With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1083-1090.	1.1	12
43	Telephone-Based Depression Care Management for Postpartum Women. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1369-1375.	1.1	8
44	Effectiveness of Pharmacological Therapies for Intracranial Hypertension in Children With Severe Traumatic Brain Injury—Results From an Automated Data Collection System Time-Synched to Drug Administration. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 236-245.	0.2	56
45	Agreement of Physicians and Nurses Performing Tender and Swollen Joint Counts in Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , 2016, 22, 30-34.	0.5	4
46	Factors Associated with Postpartum Maternal Functioning in Women with Positive Screens for Depression. <i>Journal of Women's Health</i> , 2016, 25, 707-713.	1.5	36
47	Cerebrospinal Fluid Biomarkers of Simian Immunodeficiency Virus Encephalitis. <i>Journal of NeuroImmune Pharmacology</i> , 2016, 11, 332-347.	2.1	4
48	Clinical Profile, Etiology, and Treatment of Chronic Pancreatitis in North American Women. <i>Pancreas</i> , 2016, 45, 934-940.	0.5	25
49	Severe traumatic brain injury in children: a vision for the future. <i>Intensive Care Medicine</i> , 2016, 42, 1618-1620.	3.9	6
50	Factors associated with onset timing, symptoms, and severity of depression identified in the postpartum period. <i>Journal of Affective Disorders</i> , 2016, 203, 111-120.	2.0	41
51	Derivation and External Validation of a Prediction Rule for Five-Year Mortality in Patients With Early Diffuse Cutaneous Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2016, 68, 993-1003.	2.9	29
52	Intracranial Hypertension and Cerebral Hypoperfusion in Children With Severe Traumatic Brain Injury: Thresholds and Burden in Accidental and Abusive Insults. <i>Pediatric Critical Care Medicine</i> , 2016, 17, 444-450.	0.2	40
53	On-pump versus off-pump coronary artery bypass graft surgery among patients with type 2 diabetes in the Bypass Angioplasty Revascularization Investigation 2 Diabetes trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 406-416.	0.6	19
54	Structure, Process, and Culture Differences of Pediatric Trauma Centers Participating in an International Comparative Effectiveness Study of Children with Severe Traumatic Brain Injury. <i>Neurocritical Care</i> , 2016, 24, 353-360.	1.2	19

#	ARTICLE	IF	CITATIONS
55	Is third trimester serotonin reuptake inhibitor use associated with postpartum hemorrhage?. Journal of Psychiatric Research, 2016, 73, 79-85.	1.5	8
56	Efficacy of Cognitive-Behavioral Therapy for Insomnia Combined With Antidepressant Pharmacotherapy in Patients With Comorbid Depression and Insomnia. Journal of Clinical Psychiatry, 2016, 77, e1316-e1323.	1.1	106
57	DOES SCREENING WITH THE MDQ AND EPDS IMPROVE IDENTIFICATION OF BIPOLAR DISORDER IN AN OBSTETRICAL SAMPLE?. Depression and Anxiety, 2015, 32, 518-526.	2.0	97
58	Effect of Administration of Neuromuscular Blocking Agents in Children With Severe Traumatic Brain Injury on Acute Complication Rates and Outcomes. Pediatric Critical Care Medicine, 2015, 16, 352-358.	0.2	13
59	Chronic Pancreatitis Pain Pattern and Severity Are Independent of Abdominal Imaging Findings. Clinical Gastroenterology and Hepatology, 2015, 13, 552-560.	2.4	145
60	Viral infections in outpatients with medically attended acute respiratory illness during the 2012-2013 influenza season. BMC Infectious Diseases, 2015, 15, 87.	1.3	22
61	Intention to Receive Influenza Vaccine after an Acute Respiratory Illness. American Journal of Health Behavior, 2015, 39, 573-581.	0.6	2
62	Anaphylaxis management before and after implementation of guidelines in the pediatric emergency department. Journal of Allergy and Clinical Immunology: in Practice, 2015, 3, 604-606.e2.	2.0	10
63	Maternal-Infant interaction in women with unipolar and bipolar depression. Applied Nursing Research, 2015, 28, 381-383.	1.0	14
64	Suicidal ideation in depressed postpartum women: Associations with childhood trauma, sleep disturbance and anxiety. Journal of Psychiatric Research, 2015, 66-67, 95-104.	1.5	81
65	Symptoms of Depressed Mood, Disturbed Sleep, and Sexual Problems in Midlife Women: Cross-Sectional Data from the Study of Women's Health Across the Nation. Journal of Women's Health, 2015, 24, 119-126.	1.5	74
66	Rationale and Design of the Genomic Research in Alpha-1 Antitrypsin Deficiency and Sarcoidosis (GRADS) Study. Sarcoidosis Protocol. Annals of the American Thoracic Society, 2015, 12, 1561-1571.	1.5	64
67	Surgery Versus Nonsurgical Treatment of Lumbar Spinal Stenosis. Annals of Internal Medicine, 2015, 162, 465-473.	2.0	115
68	Rationale and Design of the Genomic Research in Alpha-1 Antitrypsin Deficiency and Sarcoidosis Study. Alpha-1 Protocol. Annals of the American Thoracic Society, 2015, 12, 1551-1560.	1.5	12
69	Pre-treatment insomnia as a predictor of single and combination antidepressant outcomes: A CO-MED report. Journal of Affective Disorders, 2015, 174, 157-164.	2.0	19
70	Transdermal Estradiol Treatment for Postpartum Depression. Journal of Clinical Psychopharmacology, 2015, 35, 389-395.	0.7	28
71	Prevalence and Impact of Obsessive-Compulsive Symptoms in Depression. Journal of Clinical Psychiatry, 2015, 76, 1668-1674.	1.1	16
72	Hemorrhagic Shock Shifts the Serum Cytokine Profile from Pro- to Anti-Inflammatory after Experimental Traumatic Brain Injury in Mice. Journal of Neurotrauma, 2014, 31, 1386-1395.	1.7	43

#	ARTICLE	IF	CITATIONS
73	Influenza and other respiratory virus infections in outpatients with medically attended acute respiratory infection during the 2011-12 influenza season. <i>Influenza and Other Respiratory Viruses</i> , 2014, 8, 397-405.	1.5	38
74	Derivation and Validation of a Prediction Rule for Two-Year Mortality in Early Diffuse Cutaneous Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2014, 66, 1616-1624.	2.9	37
75	Abnormal screening for gestational diabetes, maternal mood disorder, and preterm birth. <i>Bipolar Disorders</i> , 2014, 16, 308-317.	1.1	11
76	Clinical and Functional Outcomes of Patients Who Experience Partial Response to Citalopram. <i>Journal of Psychiatric Practice</i> , 2014, 20, 178-187.	0.3	22
77	Collaborative Care Outcomes for Pediatric Behavioral Health Problems: A Cluster Randomized Trial. <i>Pediatrics</i> , 2014, 133, e981-e992.	1.0	186
78	Detection of Influenza Virus Infection Using Two PCR Methods. <i>Advances in Virology</i> , 2014, 2014, 1-3.	0.5	5
79	Energy Expenditure in Children After Severe Traumatic Brain Injury. <i>Pediatric Critical Care Medicine</i> , 2014, 15, 242-249.	0.2	33
80	Brief, unidimensional melancholia rating scales are highly sensitive to the effect of citalopram and may have biological validity: Implications for the Research Domain Criteria (RDoC). <i>Journal of Affective Disorders</i> , 2014, 163, 18-24.	2.0	36
81	Theoretical Approaches to Maternal-Infant Interaction: Which Approach Best Discriminates Between Mothers With and Without Postpartum Depression?. <i>Archives of Psychiatric Nursing</i> , 2014, 28, 384-388.	0.7	1
82	The Psychometric Properties of the Barkin Index of Maternal Functioning. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2014, 43, 792-802.	0.2	41
83	Impact of Prenatal Exposure to Serotonin Reuptake Inhibitors or Maternal Major Depressive Disorder on Infant Developmental Outcomes. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 1088-1095.	1.1	45
84	CBT for treatment resistant depression. <i>Lancet, The</i> , 2013, 381, 352-353.	6.3	5
85	Brain imaging predictors and the international study to predict optimized treatment for depression: study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 224.	0.7	34
86	Hypothermia in paediatric traumatic brain injury - Authors' reply. <i>Lancet Neurology, The</i> , 2013, 12, 849-850.	4.9	1
87	Prospective evaluation of nighttime hot flashes during pregnancy and postpartum. <i>Fertility and Sterility</i> , 2013, 100, 1667-1672.	0.5	9
88	The Clinical Relevance of Self-Reported Premenstrual Worsening of Depressive Symptoms in the Management of Depressed Outpatients: A STAR*D Report. <i>Journal of Women's Health</i> , 2013, 22, 219-229.	1.5	23
89	Comparison of hypothermia and normothermia after severe traumatic brain injury in children (Cool) Tj ETQq1 1 0.784314 rgBT /Overlaid	4.9	226
90	Do Menopausal Status and Use of Hormone Therapy Affect Antidepressant Treatment Response? Findings from the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Study. <i>Journal of Women's Health</i> , 2013, 22, 121-131.	1.5	34

#	ARTICLE	IF	CITATIONS
91	Response to Grzeskowiak and Morrison. American Journal of Psychiatry, 2013, 170, 1364-1365.	4.0	0
92	Mri Assessment of Cerebral Blood Flow after Experimental Traumatic Brain Injury Combined with Hemorrhagic Shock in Mice. Journal of Cerebral Blood Flow and Metabolism, 2013, 33, 129-136.	2.4	38
93	Relationship Between Obesity and Depression. Psychosomatic Medicine, 2013, 75, 863-872.	1.3	47
94	Disturbed Sleep and Inflammatory Cytokines in Depressed and Nondepressed Pregnant Women. Psychosomatic Medicine, 2013, 75, 670-681.	1.3	75
95	Differences in Medical Therapy Goals for Children With Severe Traumatic Brain Injury—An International Study. Pediatric Critical Care Medicine, 2013, 14, 811-818.	0.2	69
96	Onset Timing, Thoughts of Self-harm, and Diagnoses in Postpartum Women With Screen-Positive Depression Findings. JAMA Psychiatry, 2013, 70, 490.	6.0	738
97	Increase in Work Productivity of Depressed Individuals With Improvement in Depressive Symptom Severity. American Journal of Psychiatry, 2013, 170, 633-641.	4.0	104
98	Clinical and Sociodemographic Characteristics Associated with Suicidal Ideation in Depressed Outpatients. Canadian Journal of Psychiatry, 2013, 58, 113-122.	0.9	35
99	Effect of Hyperoxia on Resuscitation of Experimental Combined Traumatic Brain Injury and Hemorrhagic Shock in Mice. Anesthesiology, 2013, 118, 649-663.	1.3	25
100	The Impact of HAART on the Respiratory Complications of HIV Infection: Longitudinal Trends in the MACS and WIHS Cohorts. PLoS ONE, 2013, 8, e58812.	1.1	42
101	Depression Treatment in Patients With General Medical Conditions: Results From the CO-MED Trial. Annals of Family Medicine, 2012, 10, 23-33.	0.9	33
102	Implementation of AF-CBT by Community Practitioners Serving Child Welfare and Mental Health. Child Maltreatment, 2012, 17, 32-46.	2.0	53
103	Brain tissue oxygen monitoring after severe traumatic brain injury in children: relationship to outcome and association with other clinical parameters. Journal of Neurosurgery: Pediatrics, 2012, 10, 383-391.	0.8	49
104	Response to Blier Letter. American Journal of Psychiatry, 2012, 169, 95-96.	4.0	2
105	Severe Brief Pressure-Controlled Hemorrhagic Shock after Traumatic Brain Injury Exacerbates Functional Deficits and Long-Term Neuropathological Damage in Mice. Journal of Neurotrauma, 2012, 29, 2192-2208.	1.7	53
106	Postpartum Lipid Levels in Women with Major Depression. Journal of Women's Health, 2012, 21, 534-538.	1.5	13
107	Disturbed Sleep, a Novel Risk Factor for Preterm Birth?. Journal of Women's Health, 2012, 21, 54-60.	1.5	53
108	Correlates and outcomes of depressed out-patients with greater and fewer anxious symptoms: a CO-MED report. International Journal of Neuropsychopharmacology, 2012, 15, 1387-1399.	1.0	21

#	ARTICLE	IF	CITATIONS
109	Relationship between hyperglycemia and outcome in children with severe traumatic brain injury. <i>Pediatric Critical Care Medicine</i> , 2012, 13, 85-91.	0.2	77
110	Combining Medications to Enhance Depression Outcomes (CO-MED): Acute and Long-Term Outcomes of a Single-Blind Randomized Study. <i>Focus (American Psychiatric Publishing)</i> , 2012, 10, 492-505.	0.4	1
111	What Did STAR*D Teach Us? Results From a Large-Scale, Practical, Clinical Trial for Patients With Depression. <i>Focus (American Psychiatric Publishing)</i> , 2012, 10, 510-517.	0.4	1
112	Common genetic variants in the CLDN2 and PRSS1-PRSS2 loci alter risk for alcohol-related and sporadic pancreatitis. <i>Nature Genetics</i> , 2012, 44, 1349-1354.	9.4	303
113	Baseline depression severity as a predictor of single and combination antidepressant treatment outcome: Results from the CO-MED trial. <i>European Neuropsychopharmacology</i> , 2012, 22, 183-199.	0.3	65
114	Risk Factors for Mortality in Children with Abusive Head Trauma. <i>Journal of Pediatrics</i> , 2012, 161, 716-722.e1.	0.9	63
115	How influenza vaccination policy may affect vaccine logistics. <i>Vaccine</i> , 2012, 30, 4517-4523.	1.7	23
116	Validity of a Pediatric Version of the Glasgow Outcome Scale—Extended. <i>Journal of Neurotrauma</i> , 2012, 29, 1126-1139.	1.7	237
117	Mortality Among Foreign Nationals in Chiang Mai City, Thailand, 2010 to 2011. <i>Journal of Travel Medicine</i> , 2012, 19, 344-351.	1.4	6
118	Cognitive therapy for anxious depression in STAR*D: What have we learned?. <i>Journal of Affective Disorders</i> , 2012, 142, 213-218.	2.0	41
119	Local Spatial and Temporal Processes of Influenza in Pennsylvania, USA: 2003–2009. <i>PLoS ONE</i> , 2012, 7, e34245.	1.1	19
120	Sensitivity, specificity, and predictive power of the Brief Risk Resilience Index for screening a brief pan-diagnostic web screen for emotional health. <i>Brain and Behavior</i> , 2012, 2, 576-589.	1.0	15
121	What are the clinical implications of new onset or worsening anxiety during the first two weeks of SSRI treatment for depression?. <i>Depression and Anxiety</i> , 2012, 29, 94-101.	2.0	26
122	EFFECT OF CONCURRENT SUBSTANCE USE DISORDER ON THE EFFECTIVENESS OF SINGLE AND COMBINATION ANTIDEPRESSANT MEDICATIONS FOR THE TREATMENT OF MAJOR DEPRESSION: AN EXPLORATORY ANALYSIS OF A SINGLE-BLIND RANDOMIZED TRIAL. <i>Depression and Anxiety</i> , 2012, 29, 111-122.	2.0	15
123	Effects of heart disease on depression treatment: results from the COMED study. <i>General Hospital Psychiatry</i> , 2012, 34, 24-34.	1.2	4
124	Local Variations in Spatial Synchrony of Influenza Epidemics. <i>PLoS ONE</i> , 2012, 7, e43528.	1.1	15
125	The Impact of Chronic Depression on Acute and Long-Term Outcomes in a Randomized Trial Comparing Selective Serotonin Reuptake Inhibitor Monotherapy Versus Each of 2 Different Antidepressant Medication Combinations. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 967-976.	1.1	25
126	The Efficacy of Omega-3 Supplementation for Major Depression. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1054-1062.	1.1	123

#	ARTICLE	IF	CITATIONS
127	Short-Term Repeatability of Diurnal Intraocular Pressure Patterns in Glaucomatous Individuals. <i>Ophthalmology</i> , 2011, 118, 47-51.	2.5	76
128	Residual Symptoms in Depressed Outpatients Who Respond by 50% But Do Not Remit to Antidepressant Medication. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 180-186.	0.7	166
129	The Relationship Between Adverse Events During Selective Serotonin Reuptake Inhibitor Treatment for Major Depressive Disorder and Nonremission in the Suicide Assessment Methodology Study. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 31-38.	0.7	15
130	Changes in Depressive Symptoms and Social Functioning in the Sequenced Treatment Alternatives to Relieve Depression Study. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 807-810.	0.5	16
131	Reduction in the Incidence of Influenza A But Not Influenza B Associated With Use of Hand Sanitizer and Cough Hygiene in Schools. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 921-926.	1.1	78
132	Intracranial pressure-monitoring systems in children with traumatic brain injury: Combining therapeutic and diagnostic tools*. <i>Pediatric Critical Care Medicine</i> , 2011, 12, 560-565.	0.2	55
133	International Study to Predict Optimized Treatment for Depression (iSPOT-D), a randomized clinical trial: rationale and protocol. <i>Trials</i> , 2011, 12, 4.	0.7	163
134	Changes in sleep quality, but not hormones predict time to postpartum depression recurrence. <i>Journal of Affective Disorders</i> , 2011, 130, 378-384.	2.0	137
135	Randomized comparison of selective serotonin reuptake inhibitor (escitalopram) monotherapy and antidepressant combination pharmacotherapy for major depressive disorder with melancholic features: A CO-MED report. <i>Journal of Affective Disorders</i> , 2011, 133, 467-476.	2.0	45
136	Suicide and suicide attempts in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Journal of Affective Disorders</i> , 2011, 133, 423-427.	2.0	54
137	Impact of changing the measles vaccine vial size on Niger's vaccine supply chain: a computational model. <i>BMC Public Health</i> , 2011, 11, 425.	1.2	61
138	Assessing anxious features in depressed outpatients. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, e69-82.	1.1	16
139	Sleep disturbances in depressed and nondepressed pregnant women. <i>Depression and Anxiety</i> , 2011, 28, 676-685.	2.0	86
140	Depression treatment and maternal functioning. <i>Depression and Anxiety</i> , 2011, 28, 1020-1026.	2.0	29
141	Children of Depressed Mothers 1 Year After Remission of Maternal Depression: Findings From the STAR*D-Child Study. <i>American Journal of Psychiatry</i> , 2011, 168, 593-602.	4.0	149
142	Combining Medications to Enhance Depression Outcomes (CO-MED): Acute and Long-Term Outcomes of a Single-Blind Randomized Study. <i>American Journal of Psychiatry</i> , 2011, 168, 689-701.	4.0	329
143	Agility and Perturbation Training Techniques in Exercise Therapy for Reducing Pain and Improving Function in People With Knee Osteoarthritis: A Randomized Clinical Trial. <i>Physical Therapy</i> , 2011, 91, 452-469.	1.1	103
144	Effects of Race and Ethnicity on Depression Treatment Outcomes: The CO-MED Trial. <i>Psychiatric Services</i> , 2011, 62, 1167-1179.	1.1	30

#	ARTICLE	IF	CITATIONS
145	Mother-Infant Antidepressant Concentrations, Maternal Depression, and Perinatal Events. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 994-1001.	1.1	52
146	Effect of Antidepressant Medication Treatment on Suicidal Ideation and Behavior in a Randomized Trial. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1322-1332.	1.1	44
147	Concise Health Risk Tracking Scale. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 757-764.	1.1	124
148	Concise Associated Symptoms Tracking Scale. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 765-774.	1.1	58
149	Do atypical features affect outcome in depressed outpatients treated with citalopram?. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 15.	1.0	50
150	Disposition of Chiral and Racemic Fluoxetine and Norfluoxetine Across Childbearing. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 381-386.	0.7	23
151	Early Adverse Events and Attrition in Selective Serotonin Reuptake Inhibitor Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 259-266.	0.7	21
152	The influence of menopause status and postmenopausal use of hormone therapy on presentation of major depression in women. <i>Menopause</i> , 2010, 17, 828-839.	0.8	47
153	Insomnia in Patients With Depression: <i><i>A STAR*D Report</i></i> . <i>CNS Spectrums</i> , 2010, 15, 394-404.	0.7	125
154	Dysfunctional Attitudes, Attributional Styles, and Phase of Illness in Bipolar Disorder. <i>Cognitive Therapy and Research</i> , 2010, 34, 24-34.	1.2	18
155	The impact of diabetes on depression treatment outcomes. <i>General Hospital Psychiatry</i> , 2010, 32, 33-41.	1.2	26
156	Endothelin-1 Is Increased in Cerebrospinal Fluid and Associated with Unfavorable Outcomes in Children after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 1819-1825.	1.7	61
157	Assessment of Functioning in New Mothers. <i>Journal of Women's Health</i> , 2010, 19, 1493-1499.	1.5	50
158	Development of the Barkin Index of Maternal Functioning. <i>Journal of Women's Health</i> , 2010, 19, 2239-2246.	1.5	84
159	Î±-Synuclein Levels Are Elevated in Cerebrospinal Fluid following Traumatic Brain Injury in Infants and Children: The Effect of Therapeutic Hypothermia. <i>Developmental Neuroscience</i> , 2010, 32, 385-395.	1.0	45
160	Relationship of Intracranial Pressure and Cerebral Perfusion Pressure with Outcome in Young Children after Severe Traumatic Brain Injury. <i>Developmental Neuroscience</i> , 2010, 32, 413-9.	1.0	50
161	Mechanical vs Manual Manipulation for Low Back Pain: An Observational Cohort Study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2010, 33, 193-200.	0.4	14
162	Does comorbid substance use disorder impair recovery from major depression with SSRI treatment? An analysis of the STAR*D level one treatment outcomes. <i>Drug and Alcohol Dependence</i> , 2010, 107, 161-170.	1.6	71

#	ARTICLE	IF	CITATIONS
163	Diurnal Intraocular Pressure Patterns are Not Repeatable in the Short Term in Healthy Individuals. <i>Ophthalmology</i> , 2010, 117, 1700-1704.	2.5	68
164	Factors Associated with Concomitant Psychotropic Drug Use in the Treatment of Major Depression: A STAR*D Report. <i>CNS Spectrums</i> , 2009, 14, 487-498.	0.7	10
165	What Did STAR*D Teach Us? Results From a Large-Scale, Practical, Clinical Trial for Patients With Depression. <i>Psychiatric Services</i> , 2009, 60, 1439-1445.	1.1	508
166	Predictors of pain and function outcome after rehabilitation in patients with patellofemoral pain syndrome. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 604-612.	0.8	107
167	Effectiveness Study of Venlafaxine-XR Combined with Aripiprazole for Chronic or Recurrent Major Depressive Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 956-967.	1.3	9
168	Identifying Risk for Attrition during Treatment for Depression. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 372-379.	4.0	25
169	Cognitive Therapy Augmentation versus CT Switch Treatment: A STAR*D Report. <i>International Journal of Cognitive Therapy</i> , 2009, 2, 66-87.	1.3	1
170	Can Phase III Trial Results of Antidepressant Medications Be Generalized to Clinical Practice? A STAR*D Report. <i>American Journal of Psychiatry</i> , 2009, 166, 599-607.	4.0	209
171	What predicts attrition in second step medication treatments for depression?: a STAR*D Report. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 459.	1.0	69
172	Sex differences in response to citalopram: A STAR*D report. <i>Journal of Psychiatric Research</i> , 2009, 43, 503-511.	1.5	164
173	The functional impact of subsyndromal depressive symptoms in bipolar disorder: Data from STEP-BD. <i>Journal of Affective Disorders</i> , 2009, 114, 58-67.	2.0	94
174	Clinical correlates of the worsening or emergence of suicidal ideation during SSRI treatment of depression: An examination of citalopram in the STAR*D study. <i>Journal of Affective Disorders</i> , 2009, 117, 63-73.	2.0	88
175	Income and attrition in the treatment of depression: a STAR*D report. <i>Depression and Anxiety</i> , 2009, 26, 622-633.	2.0	44
176	Diurnal mood variation in outpatients with major depressive disorder. <i>Depression and Anxiety</i> , 2009, 26, 851-863.	2.0	23
177	Sociodemographic, clinical, and treatment characteristics associated with worsened depression during treatment with citalopram: results of the NIMH STAR*D trial. <i>Depression and Anxiety</i> , 2009, 26, 612-621.	2.0	28
178	Early adversity in chronic depression: clinical correlates and response to pharmacotherapy. <i>Depression and Anxiety</i> , 2009, 26, 701-710.	2.0	136
179	Release bias in accessing medical records in clinical trials: a STAR*D report. <i>International Journal of Methods in Psychiatric Research</i> , 2009, 18, 147-158.	1.1	1
180	Running in Place: Implications of HIV Incidence Estimates among Urban Men Who Have Sex with Men in the United States and Other Industrialized Countries. <i>AIDS and Behavior</i> , 2009, 13, 615-629.	1.4	98

#	ARTICLE	IF	CITATIONS
181	Relationship Between Increases in Pancreatic Enzymes and Cerebral Events in Children After Traumatic Brain Injury. <i>Neurocritical Care</i> , 2009, 11, 322-329.	1.2	6
182	Global benefitâ€“risk analysis of adjunctive aripiprazole in the treatment of patients with major depressive disorder. <i>Pharmacoeconomics and Drug Safety</i> , 2009, 18, 965-972.	0.9	8
183	Retrospective age at onset of bipolar disorder and outcome during twoâ€“year followâ€“up: results from the STEPâ€“BD study. <i>Bipolar Disorders</i> , 2009, 11, 391-400.	1.1	229
184	Concurrent anxiety and substance use disorders among outpatients with major depression: Clinical features and effect on treatment outcome. <i>Drug and Alcohol Dependence</i> , 2009, 99, 248-260.	1.6	124
185	Associates of Physical Function and Pain in Patients with Patellofemoral Pain Syndrome. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 285-295.	0.5	105
186	Relationships of Fear, Anxiety, and Depression With Physical Function in Patients With Knee Osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1866-1873.	0.5	150
187	GABAB Receptors, Schizophrenia and Sleep Dysfunction. <i>CNS Drugs</i> , 2009, PAP, 627-47.	2.7	220
188	The Impact of Nonclinical Factors on Care Use for Patients with Depression: A STAR*D Report. <i>CNS Neuroscience and Therapeutics</i> , 2009, 15, 320-332.	1.9	11
189	Metabolic Assessment of Aripiprazole as Adjunctive Therapy in Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2009, 29, 362-367.	0.7	19
190	Therapeutic hypothermia preserves antioxidant defenses after severe traumatic brain injury in infants and children*. <i>Critical Care Medicine</i> , 2009, 37, 689-695.	0.4	141
191	Family History of Depression and Therapeutic Outcome. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 185-195.	1.1	19
192	Do Depressed Patients With Diabetes Experience More Side Effects When Treated With Citalopram Than Their Counterparts Without Diabetes?. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009, 11, 186-196.	0.6	2
193	Do depressed patients with diabetes experience more side effects when treated with Citalopram Than their counterparts without diabetes? a STAR*D study. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009, 11, 186-96.	0.6	0
194	Voice response system to measure healthcare costs: a STAR*D report. <i>American Journal of Managed Care</i> , 2009, 15, 153-62.	0.8	3
195	Course and Severity of Maternal Depression: Associations with Family Functioning and Child Adjustment. <i>Journal of Youth and Adolescence</i> , 2008, 37, 906-916.	1.9	81
196	Primary Versus Specialty Care Outcomes for Depressed Outpatients Managed with Measurement-Based Care: Results from STAR*D. <i>Journal of General Internal Medicine</i> , 2008, 23, 551-560.	1.3	92
197	Increases in Cerebrospinal Fluid Caffeine Concentration are Associated with Favorable Outcome after Severe Traumatic Brain injury in Humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 395-401.	2.4	42
198	A comparison of baseline sociodemographic and clinical characteristics between major depressive disorder patients with and without diabetes: A STARâ€“D report. <i>Journal of Affective Disorders</i> , 2008, 108, 113-120.	2.0	15

#	ARTICLE	IF	CITATIONS
199	Family history of completed suicide and characteristics of major depressive disorder: A STAR*D (sequenced treatment alternatives to relieve depression) study. <i>Journal of Affective Disorders</i> , 2008, 108, 129-134.	2.0	16
200	Antidepressant-associated chronic irritable dysphoria (ACID) in STEP-BD patients. <i>Journal of Affective Disorders</i> , 2008, 111, 372-377.	2.0	64
201	The FKBP5-Gene in Depression and Treatment Response—An Association Study in the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Cohort. <i>Biological Psychiatry</i> , 2008, 63, 1103-1110.	0.7	240
202	Sex differences in depression symptoms in treatment-seeking adults: confirmatory analyses from the Sequenced Treatment Alternatives to Relieve Depression study. <i>Comprehensive Psychiatry</i> , 2008, 49, 238-246.	1.5	209
203	Treatment Outcomes for Older Depressed Patients With Earlier Versus Late Onset of First Depressive Episode: A Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Report. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 58-64.	0.6	40
204	Remission of Maternal Depression: Relations to Family Functioning and Youth Internalizing and Externalizing Symptoms. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2008, 37, 714-724.	2.2	60
205	Antecedentes familiares de suicidio consumado y características del trastorno depresivo mayor: estudio STAR*D (sequenced treatment alternatives to relieve depression). <i>Psiquiatria Biologica</i> , 2008, 15, 195-201.	0.0	0
206	Selecting Among Second-Step Antidepressant Medication Monotherapies. <i>Archives of General Psychiatry</i> , 2008, 65, 870.	13.8	152
207	The Prospective Course of Rapid-Cycling Bipolar Disorder: Findings From the STEP-BD. <i>American Journal of Psychiatry</i> , 2008, 165, 370-377.	4.0	153
208	Difference in Treatment Outcome in Outpatients With Anxious Versus Nonanxious Depression: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2008, 165, 342-351.	4.0	741
209	Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment Steps: A STAR*D Report. <i>Focus (American Psychiatric Publishing)</i> , 2008, 6, 128-142.	0.4	17
210	Children of Depressed Mothers 1 Year After the Initiation of Maternal Treatment: Findings From the STAR*D-Child Study. <i>American Journal of Psychiatry</i> , 2008, 165, 1136-1147.	4.0	169
211	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. <i>Focus (American Psychiatric Publishing)</i> , 2008, 6, 104-119.	0.4	2
212	Depression Outcomes of Spanish- and English-Speaking Hispanic Outpatients in STAR*D. <i>Psychiatric Services</i> , 2008, 59, 1273-1284.	1.1	26
213	Caregiver Burden and Health in Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 484-491.	0.5	64
214	An Open Pilot Study of the Combination of Escitalopram and Bupropion-SR for Outpatients with Major Depressive Disorder. <i>Journal of Psychiatric Practice</i> , 2008, 14, 271-280.	0.3	44
215	Clinically Relevant Findings from STAR*D. <i>Psychiatric Annals</i> , 2008, 38, .	0.1	12
216	Does the Duration of Index Episode Affect the Treatment Outcome of Major Depressive Disorder?. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1246-1256.	1.1	39

#	ARTICLE	IF	CITATIONS
217	Response to a Selective Serotonin Reuptake Inhibitor (Citalopram) in Major Depressive Disorder With Melancholic Features. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1847-1855.	1.1	91
218	Adjunctive Antidepressant Use and Symptomatic Recovery Among Bipolar Depressed Patients With Concomitant Manic Symptoms: Findings From the STEP-BD. <i>American Journal of Psychiatry</i> , 2007, 164, 1348-1355.	4.0	185
219	Maximizing the Adequacy of Medication Treatment in Controlled Trials and Clinical Practice: STAR*D Measurement-Based Care. <i>Neuropsychopharmacology</i> , 2007, 32, 2479-2489.	2.8	135
220	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2007, 164, 739-752.	4.0	297
221	Insured and Non-insured Depressed Outpatients: How Do They Compare?. <i>Annals of Clinical Psychiatry</i> , 2007, 19, 73-82.	0.6	5
222	Distal Support and Community Living Among Individuals Diagnosed with Schizophrenia and Schizoaffective Disorder. <i>Psychiatry (New York)</i> , 2007, 70, 1-11.	0.3	17
223	Acceptability of Second-Step Treatments to Depressed Outpatients: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2007, 164, 753-760.	4.0	68
224	Association of GRIK4 With Outcome of Antidepressant Treatment in the STAR*D Cohort. <i>American Journal of Psychiatry</i> , 2007, 164, 1181-1188.	4.0	189
225	Predictors of Attrition During Initial (Citalopram) Treatment for Depression: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2007, 164, 1189-1197.	4.0	129
226	Intensive Psychosocial Intervention Enhances Functioning in Patients With Bipolar Depression: Results From a 9-Month Randomized Controlled Trial. <i>American Journal of Psychiatry</i> , 2007, 164, 1340-1347.	4.0	238
227	Effect of Age at Onset on the Course of Major Depressive Disorder. <i>American Journal of Psychiatry</i> , 2007, 164, 1539-1546.	4.0	393
228	Serum and Cerebrospinal Fluid Magnesium in Severe Traumatic Brain Injury Outcome. <i>Journal of Neurotrauma</i> , 2007, 24, 1347-1354.	1.7	28
229	Association Between a Functional Serotonin Transporter Promoter Polymorphism and Citalopram Treatment in Adult Outpatients With Major Depression. <i>Archives of General Psychiatry</i> , 2007, 64, 783.	13.8	208
230	Major Depression Symptoms in Primary Care and Psychiatric Care Settings: A Cross-Sectional Analysis. <i>Annals of Family Medicine</i> , 2007, 5, 126-134.	0.9	92
231	Ethnicity/Race and Outcome in the Treatment of Depression. <i>Medical Care</i> , 2007, 45, 1043-1051.	1.1	54
232	Comparison of Quality of Life Measures in a Depressed Population. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 219-225.	0.5	27
233	Psychosocial Treatments for Bipolar Depression. <i>Archives of General Psychiatry</i> , 2007, 64, 419.	13.8	485
234	Pain in depression: STAR*D study findings. <i>Journal of Psychosomatic Research</i> , 2007, 63, 113-122.	1.2	73

#	ARTICLE	IF	CITATIONS
235	Major Depressive Disorder and Comorbid Cardiac Disease: Is There a Depressive Subtype With Greater Cardiovascular Morbidity? Results From the STAR*D Study. <i>Psychosomatics</i> , 2007, 48, 418-425.	2.5	30
236	Multiplex Assessment of Cytokine and Chemokine Levels in Cerebrospinal Fluid following Severe Pediatric Traumatic Brain Injury: Effects of Moderate Hypothermia. <i>Journal of Neurotrauma</i> , 2007, 24, 1707-1718.	1.7	137
237	Effectiveness of Adjunctive Antidepressant Treatment for Bipolar Depression. <i>New England Journal of Medicine</i> , 2007, 356, 1711-1722.	13.9	822
238	Is Psychosocial Management Effective?â€”Reply. <i>Archives of General Psychiatry</i> , 2007, 64, 1452.	13.8	0
239	Clinical differences among depressed patients with and without a history of suicide attempts: Findings from the STARâŽD trial. <i>Journal of Affective Disorders</i> , 2007, 97, 77-84.	2.0	71
240	Influences of hormone-based contraception on depressive symptoms in premenopausal women with major depression. <i>Psychoneuroendocrinology</i> , 2007, 32, 843-853.	1.3	70
241	Family history of mood disorder and characteristics of major depressive disorder: A STARâŽD (sequenced treatment alternatives to relieve depression) study. <i>Journal of Psychiatric Research</i> , 2007, 41, 214-221.	1.5	67
242	Electronic source materials in clinical research: Acceptability and validity of symptom self-rating in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2007, 41, 737-743.	1.5	20
243	The STAR*D project results: A comprehensive review of findings. <i>Current Psychiatry Reports</i> , 2007, 9, 449-459.	2.1	554
244	Diurnal Mood Variation in Outpatients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1339-1347.	1.1	36
245	Are Depressed Outpatients With and Without a Family History of Substance Use Disorder Different?. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1931-1938.	1.1	13
246	Clinical Features of Depression in Outpatients With and Without Co-Occurring General Medical Conditions in STAR*D. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2007, 09, 7-15.	0.6	56
247	Diurnal mood variation in outpatients with major depressive disorder: implications for DSM-V from an analysis of the Sequenced Treatment Alternatives to Relieve Depression Study data. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1339-47.	1.1	15
248	Bupropion-SR, Sertraline, or Venlafaxine-XR after Failure of SSRIs for Depression. <i>New England Journal of Medicine</i> , 2006, 354, 1231-1242.	13.9	934
249	Variation in the Gene Encoding the Serotonin 2A Receptor Is Associated with Outcome of Antidepressant Treatment. <i>American Journal of Human Genetics</i> , 2006, 78, 804-814.	2.6	434
250	An Evaluation of the Quick Inventory of Depressive Symptomatology and the Hamilton Rating Scale for Depression: A Sequenced Treatment Alternatives to Relieve Depression Trial Report. <i>Biological Psychiatry</i> , 2006, 59, 493-501.	0.7	344
251	Prevention of Missing Data in Clinical Research Studies. <i>Biological Psychiatry</i> , 2006, 59, 997-1000.	0.7	36
252	Comparisons of perceived quality of life across clinical states in bipolar disorder: data from the first 2000 Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD) participants. <i>Comprehensive Psychiatry</i> , 2006, 47, 161-168.	1.5	57

#	ARTICLE	IF	CITATIONS
253	Enrolling research subjects from clinical practice: Ethical and procedural issues in the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) trial. <i>Psychiatry Research</i> , 2006, 141, 193-200.	1.7	21
254	Omega-3 fatty acids in bipolar disorder: Clinical and research considerations. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2006, 75, 315-321.	1.0	27
255	Self-Rated Global Measure of the Frequency, Intensity, and Burden of Side Effects. <i>Journal of Psychiatric Practice</i> , 2006, 12, 71-79.	0.3	227
256	Tranlycypromine Versus Venlafaxine Plus Mirtazapine Following Three Failed Antidepressant Medication Trials for Depression: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2006, 163, 1531-1541.	4.0	300
257	Suicidal Ideation and Pharmacotherapy Among STEP-BD Patients. <i>Focus (American Psychiatric Publishing)</i> , 2006, 14, 107-110.	0.4	10
258	What Clinical and Symptom Features and Comorbid Disorders Characterize Outpatients with Anxious Major Depressive Disorder: A Replication and Extension. <i>Canadian Journal of Psychiatry</i> , 2006, 51, 823-835.	0.9	148
259	Dr. Trivedi and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2006, 163, 1293-1294.	4.0	5
260	Psychotherapy, Symptom Outcomes, and Role Functioning Over One Year Among Patients With Bipolar Disorder. <i>Psychiatric Services</i> , 2006, 57, 959-965.	1.1	17
261	Prospective 12-month course of bipolar disorder in out-patients with and without comorbid anxiety disorders. <i>British Journal of Psychiatry</i> , 2006, 189, 20-25.	1.7	188
262	Prospective predictors of suicide and suicide attempts in 1,556 patients with bipolar disorders followed for up to 2 years. <i>Bipolar Disorders</i> , 2006, 8, 566-575.	1.1	118
263	Substance Use Disorder Comorbidity in Major Depressive Disorder: A Confirmatory Analysis of the STAR*D Cohort. <i>American Journal on Addictions</i> , 2006, 15, 278-285.	1.3	83
264	Positron emission tomography imaging of peripheral benzodiazepine receptor binding in human immunodeficiency virus-infected subjects with and without cognitive impairment. <i>Journal of NeuroVirology</i> , 2006, 12, 262-271.	1.0	55
265	Towards A Noninvasive Method for Determination of Patient-Specific Wall Strength Distribution in Abdominal Aortic Aneurysms. <i>Annals of Biomedical Engineering</i> , 2006, 34, 1098-1106.	1.3	181
266	Presenting characteristics of depressed outpatients as a function of recurrence: Preliminary findings from the STAR*D clinical trial. <i>Journal of Psychiatric Research</i> , 2006, 40, 59-69.	1.5	95
267	Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>Focus (American Psychiatric Publishing)</i> , 2006, 14, 553-561.	0.4	7
268	Mitochondrial Heat Shock Protein 60 Is Increased in Cerebrospinal Fluid following Pediatric Traumatic Brain Injury. <i>Developmental Neuroscience</i> , 2006, 28, 336-341.	1.0	26
269	Predictors of Recurrence in Bipolar Disorder: Primary Outcomes From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2006, 163, 217-224.	4.0	563
270	Remissions in Maternal Depression and Child Psychopathology. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 1389.	3.8	539

#	ARTICLE	IF	CITATIONS
271	A Comparison of Mirtazapine and Nortriptyline Following Two Consecutive Failed Medication Treatments for Depressed Outpatients: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1161-1172.	4.0	233
272	Pharmacological Treatment Patterns at Study Entry for the First 500 STEP-BD Participants. Psychiatric Services, 2006, 57, 660-665.	1.1	110
273	Clinical and Demographic Factors Associated With DSM-IV Melancholic Depression. Annals of Clinical Psychiatry, 2006, 18, 91-98.	0.6	105
274	A Comparison of Lithium and T ₃ Augmentation Following Two Failed Medication Treatments for Depression: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1519-1530.	4.0	526
275	Treatment-Resistant Bipolar Depression: A STEP-BD Equipose Randomized Effectiveness Trial of Antidepressant Augmentation With Lamotrigine, Inositol, or Risperidone. American Journal of Psychiatry, 2006, 163, 210-216.	4.0	218
276	Evaluation of Outcomes With Citalopram for Depression Using Measurement-Based Care in STAR*D: Implications for Clinical Practice. American Journal of Psychiatry, 2006, 163, 28-40.	4.0	3,206
277	Medication Augmentation after the Failure of SSRIs for Depression. New England Journal of Medicine, 2006, 354, 1243-1252.	13.9	897
278	Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment Steps: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1905-1917.	4.0	4,241
279	TREAD: Treatment with Exercise Augmentation for Depression: study rationale and design. Clinical Trials, 2006, 3, 291-305.	0.7	66
280	A Comparison of Mirtazapine and Nortriptyline Following Two Consecutive Failed Medication Treatments for Depressed Outpatients: A STAR*D Report. American Journal of Psychiatry, 2006, 163, 1161.	4.0	167
281	Are Antidepressants Associated With New-Onset Suicidality in Bipolar Disorder?. Journal of Clinical Psychiatry, 2006, 67, 48-55.	1.1	79
282	Children of Currently Depressed Mothers. Journal of Clinical Psychiatry, 2006, 67, 126-136.	1.1	123
283	Factors Associated With Health-Related Quality of Life Among Outpatients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2006, 67, 185-195.	1.1	139
284	Mild Hypothermia Improves Survival After Prolonged, Traumatic Hemorrhagic Shock in Pigs. Journal of Trauma, 2005, 59, 291-301.	2.3	41
285	Gender differences in bipolar disorder: retrospective data from the first 500 STEP-BD participants. Bipolar Disorders, 2005, 7, 465-470.	1.1	116
286	Cytochrome c, a Biomarker of Apoptosis, is Increased in Cerebrospinal Fluid from Infants with Inflicted Brain Injury from Child Abuse. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 919-927.	2.4	96
287	Characterization of the Effects of Adenosine Receptor Agonists on Cerebral Blood Flow in Uninjured and Traumatically Injured Rat Brain using Continuous Arterial Spin-Labeled Magnetic Resonance Imaging. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 1596-1612.	2.4	34
288	Gender differences in depression: Findings from the STAR*D study. Journal of Affective Disorders, 2005, 87, 141-150.	2.0	359

#	ARTICLE	IF	CITATIONS
289	Comorbid psychiatric disorders in depressed outpatients: Demographic and clinical features. <i>Journal of Affective Disorders</i> , 2005, 87, 43-55.	2.0	210
290	Development of an efficient SAS® macro to perform permutation tests for two independent samples. <i>Computer Methods and Programs in Biomedicine</i> , 2005, 79, 179-187.	2.6	3
291	A direct comparison of presenting characteristics of depressed outpatients from primary vs. specialty care settings: preliminary findings from the STAR*D clinical trial. <i>General Hospital Psychiatry</i> , 2005, 27, 87-96.	1.2	62
292	Prevalence and correlates of tobacco use in bipolar disorder: data from the first 2000 participants in the Systematic Treatment Enhancement Program. <i>General Hospital Psychiatry</i> , 2005, 27, 321-328.	1.2	117
293	Characteristics of Insured and Noninsured Outpatients With Depression in STAR*D. <i>Psychiatric Services</i> , 2005, 56, 995-1004.	1.1	26
294	Suicidal Ideation and Pharmacotherapy Among STEP-BD Patients. <i>Psychiatric Services</i> , 2005, 56, 1534-1540.	1.1	28
295	Baseline Predictors of Serious Adverse Events at One Year Among Patients With Bipolar Disorder in STEP-BD. <i>Psychiatric Services</i> , 2005, 56, 1541-1548.	1.1	21
296	Contributors to Suicidal Ideation Among Bipolar Patients With and Without a History of Suicide Attempts. <i>Suicide and Life-Threatening Behavior</i> , 2005, 35, 671-680.	0.9	33
297	Age-Related Characteristics of Depression: A Preliminary STAR*D Report. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 852-860.	0.6	52
298	Quality improvement methods as applied to a multicenter effectiveness trial—STAR*D. <i>Contemporary Clinical Trials</i> , 2005, 26, 95-112.	0.8	6
299	Substance use disorder comorbidity in major depressive disorder: an exploratory analysis of the Sequenced Treatment Alternatives to Relieve Depression cohort. <i>Comprehensive Psychiatry</i> , 2005, 46, 81-89.	1.5	75
300	Care satisfaction, hope, and life functioning among adults with bipolar disorder: data from the first 1000 participants in the Systematic Treatment Enhancement Program. <i>Comprehensive Psychiatry</i> , 2005, 46, 98-104.	1.5	23
301	Response to Zhang et al., (2005) Loss-of-Function Mutation in Tryptophan Hydroxylase-2 Identified in Unipolar Major Depression. <i>Neuron</i> 45, 11–16. <i>Neuron</i> , 2005, 48, 702-703.	3.8	26
302	Perceived criticism from family members as a predictor of the one-year course of bipolar disorder. <i>Psychiatry Research</i> , 2005, 136, 101-111.	1.7	110
303	Clinical and Diagnostic Implications of Lifetime Attention-Deficit/Hyperactivity Disorder Comorbidity in Adults with Bipolar Disorder: Data from the First 1000 STEP-BD Participants. <i>Biological Psychiatry</i> , 2005, 57, 1467-1473.	0.7	247
304	Revisiting Depressive-Prone Bipolar Disorder: Polarity of Initial Mood Episode and Disease Course Among Bipolar I Systematic Treatment Enhancement Program for Bipolar Disorder Participants. <i>Biological Psychiatry</i> , 2005, 58, 549-553.	0.7	82
305	Age-Related Characteristics of Depression: A Preliminary STAR*D Report. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 852-860.	0.6	43
306	Prevalence and Clinical Correlates of Irritability in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 159-166.	1.1	65

#	ARTICLE	IF	CITATIONS
307	Does Recovery From Substance Use Disorder Matter in Patients With Bipolar Disorder?. Journal of Clinical Psychiatry, 2005, 66, 730-735.	1.1	111
308	Clinical and Demographic Features of Atypical Depression in Outpatients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2005, 66, 1002-1011.	1.1	165
309	Prevalence and clinical correlates of irritability in major depressive disorder: a preliminary report from the Sequenced Treatment Alternatives to Relieve Depression study. Journal of Clinical Psychiatry, 2005, 66, 159-66; quiz 147, 273-4.	1.1	22
310	Continuous Versus Intermittent Cerebrospinal Fluid Drainage after Severe Traumatic Brain Injury in Children: Effect on Biochemical Markers. Journal of Neurotrauma, 2004, 21, 1113-1122.	1.7	93
311	Positive Aspects of Caregiving. Research on Aging, 2004, 26, 429-453.	0.9	407
312	Assessment of the Macrophage Marker Quinolinic Acid in Cerebrospinal Fluid after Pediatric Traumatic Brain Injury: Insight into the Timing and Severity of Injury in Child Abuse. Journal of Neurotrauma, 2004, 21, 1123-1130.	1.7	28
313	Marked Gender Effect on Lipid Peroxidation after Severe Traumatic Brain Injury in Adult Patients. Journal of Neurotrauma, 2004, 21, 1-8.	1.7	198
314	Anxiety Disorder Comorbidity in Bipolar Disorder Patients: Data From the First 500 Participants in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). American Journal of Psychiatry, 2004, 161, 2222-2229.	4.0	501
315	Web-based communications and management of a multi-center clinical trial: the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) project. Clinical Trials, 2004, 1, 387-398.	0.7	42
316	Demographic and diagnostic characteristics of the first 1000 patients enrolled in the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). Bipolar Disorders, 2004, 6, 460-469.	1.1	110
317	Methods of testing feasibility for sequenced treatment alternatives to relieve depression (STAR*D). Journal of Psychiatric Research, 2004, 38, 241-248.	1.5	7
318	Suicide risk management for the sequenced treatment alternatives to relieve depression study: applied NIMH guidelines. Journal of Psychiatric Research, 2004, 38, 583-589.	1.5	25
319	Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design. Contemporary Clinical Trials, 2004, 25, 119-142.	2.0	898
320	Clinical features of depressed outpatients with and without co-occurring general medical conditions in STAR*D. General Hospital Psychiatry, 2004, 26, 421-429.	1.2	109
321	The Implementation of Cognitive Therapy in STAR*D. Cognitive Therapy and Research, 2004, 28, 819-833.	1.2	6
322	Bone mineral density and prevalent vertebral fractures in men and women. Osteoporosis International, 2004, 15, 32-37.	1.3	51
323	Long-Term implications of early onset in bipolar disorder: data from the first 1000 participants in the systematic treatment enhancement program for bipolar disorder (STEP-BD). Biological Psychiatry, 2004, 55, 875-881.	0.7	746
324	Alzheimer's pathology in human temporal cortex surgically excised after severe brain injury. Experimental Neurology, 2004, 190, 192-203.	2.0	358

#	ARTICLE	IF	CITATIONS
325	Factors that differentiate early vs. later onset of major depression disorder. <i>Psychiatry Research</i> , 2004, 129, 127-140.	1.7	121
326	Pharmacotherapy for Bipolar Disorder and Comorbid Conditions. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 512-520.	0.7	97
327	Vascular Endothelial Growth Factor Is Increased in Cerebrospinal Fluid after Traumatic Brain Injury in Infants and Children. <i>Neurosurgery</i> , 2004, 54, 605-612.	0.6	57
328	Phenomenology of Rapid-Cycling Bipolar Disorder: Data From the First 500 Participants in the Systematic Treatment Enhancement Program. <i>American Journal of Psychiatry</i> , 2004, 161, 1902-1908.	4.0	110
329	Clinical correlates and symptom patterns of anxious depression among patients with major depressive disorder in STAR*D. <i>Psychological Medicine</i> , 2004, 34, 1299-1308.	2.7	352
330	Psychosocial Service Utilization by Patients with Bipolar Disorders: Data from the First 500 Participants in the Systematic Treatment Enhancement Program. <i>Journal of Psychiatric Practice</i> , 2004, 10, 81-87.	0.3	27
331	PET imaging of brain macrophages using the peripheral benzodiazepine receptor in a macaque model of neuroAIDS. <i>Journal of Clinical Investigation</i> , 2004, 113, 981-989.	3.9	39
332	PET imaging of brain macrophages using the peripheral benzodiazepine receptor in a macaque model of neuroAIDS. <i>Journal of Clinical Investigation</i> , 2004, 113, 981-989.	3.9	36
333	Plasma and cerebrospinal fluid β 1-antichymotrypsin levels in Alzheimer's disease: Correlation with cognitive impairment. <i>Annals of Neurology</i> , 2003, 53, 81-90.	2.8	85
334	F2-Isoprostane and Neuron-Specific Enolase in Cerebrospinal Fluid after Severe Traumatic Brain Injury in Infants and Children. <i>Journal of Neurotrauma</i> , 2003, 20, 781-786.	1.7	82
335	Psychotic Symptoms in Alzheimer Disease: Evidence for Subtypes. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 406-413.	0.6	60
336	Rationale, design, and methods of the systematic treatment enhancement program for bipolar disorder (STEP-BD). <i>Biological Psychiatry</i> , 2003, 53, 1028-1042.	0.7	493
337	Acute etomidate treatment reduces cognitive deficits and histopathology in rats with traumatic brain injury. <i>Critical Care Medicine</i> , 2003, 31, 2222-2227.	0.4	34
338	Introduction to the special section on Resources for Enhancing Alzheimer's Caregiver Health (REACH).. <i>Psychology and Aging</i> , 2003, 18, 357-360.	1.4	70
339	The Resources for Enhancing Alzheimer's Caregiver Health (REACH): Project design and baseline characteristics.. <i>Psychology and Aging</i> , 2003, 18, 375-384.	1.4	190
340	Apolipoprotein E and Alpha-1-Antichymotrypsin Genotypes Do Not Predict Time to Psychosis in Alzheimer's Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2002, 15, 24-30.	1.2	20
341	Neuron-Specific Enolase and S100B in Cerebrospinal Fluid After Severe Traumatic Brain Injury in Infants and Children. <i>Pediatrics</i> , 2002, 109, e31-e31.	1.0	190
342	Diabetes and postcataract extraction endophthalmitis. <i>Current Opinion in Ophthalmology</i> , 2002, 13, 147-151.	1.3	20

#	ARTICLE	IF	CITATIONS
343	Cerebrospinal fluid procalcitonin and severe traumatic brain injury in children. <i>Pediatric Critical Care Medicine</i> , 2002, 3, 39-44.	0.2	12
344	Upregulation of choline acetyltransferase activity in hippocampus and frontal cortex of elderly subjects with mild cognitive impairment. <i>Annals of Neurology</i> , 2002, 51, 145-155.	2.8	639
345	Strengthening clinical effectiveness trials: Equipoise-stratified randomization. <i>Biological Psychiatry</i> , 2001, 50, 792-801.	0.7	144
346	Excitatory amino acid concentrations in ventricular cerebrospinal fluid after severe traumatic brain injury in infants and children: The role of child abuse. <i>Journal of Pediatrics</i> , 2001, 138, 18-25.	0.9	129
347	The Th1 versus Th2 cytokine profile in cerebrospinal fluid after severe traumatic brain injury in infants and children. <i>Pediatric Critical Care Medicine</i> , 2001, 2, 260-264.	0.2	48
348	Increased adenosine in cerebrospinal fluid after severe traumatic brain injury in infants and children: Association with severity of injury and excitotoxicity. <i>Critical Care Medicine</i> , 2001, 29, 2287-2293.	0.4	71
349	Alterations of Striatal Dopamine Receptor Binding in Alzheimer Disease Are Associated With Lewy Body Pathology and Antemortem Psychosis. <i>Archives of Neurology</i> , 2001, 58, 466-72.	4.9	72
350	No long-term benefit from hypothermia after severe traumatic brain injury with secondary insult in rats. <i>Critical Care Medicine</i> , 2000, 28, 3218-3223.	0.4	36
351	Psychotic Symptoms in Alzheimer's Disease Are Not Associated With More Severe Neuropathologic Features. <i>International Psychogeriatrics</i> , 2000, 12, 547-558.	0.6	56
352	Interleukin-8 is increased in cerebrospinal fluid of children with severe head injury. <i>Critical Care Medicine</i> , 2000, 28, 929-934.	0.4	173
353	Isoflurane Improves Long-Term Neurologic Outcome Versus Fentanyl After Traumatic Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 2000, 17, 1179-1189.	1.7	105
354	Increases in bcl-2 protein in cerebrospinal fluid and evidence for programmed cell death in infants and children after severe traumatic brain injury. <i>Journal of Pediatrics</i> , 2000, 137, 197-204.	0.9	110
355	Inducible nitric oxide synthase is an endogenous neuroprotectant after traumatic brain injury in rats and mice. <i>Journal of Clinical Investigation</i> , 1999, 104, 647-656.	3.9	200
356	Psychiatric Medication and Abnormal Behavior as Predictors of Progression in Probable Alzheimer Disease. <i>Archives of Neurology</i> , 1999, 56, 1266.	4.9	173
357	Factors Affecting Survival Rates for Acute Vertebrobasilar Artery Occlusions Treated with Intra-arterial Thrombolytic Therapy: A Meta-analytical Approach. <i>Neurosurgery</i> , 1999, 45, 539-548.	0.6	101
358	Quinolinic acid in the cerebrospinal fluid of children after traumatic brain injury. <i>Critical Care Medicine</i> , 1999, 27, 493-497.	0.4	56
359	Apolipoprotein E Polymorphism: A New Genetic Marker of Hip Fracture Risk The Study of Osteoporotic Fractures. <i>Journal of Bone and Mineral Research</i> , 1999, 14, 1175-1181.	3.1	104
360	Quinolinic Acid is Increased in CSF and Associated with Mortality after Traumatic Brain Injury in Humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998, 18, 610-615.	2.4	71

#	ARTICLE	IF	CITATIONS
361	Genetic association of two chromosome 14 genes (presenilin 1 and ?1-Antichymotrypsin) with Alzheimer's disease. <i>Annals of Neurology</i> , 1998, 44, 387-390.	2.8	25
362	Additional procedures after the initial vitrectomy or tap-biopsy in the endophthalmitis vitrectomy study. <i>Ophthalmology</i> , 1998, 105, 707-716.	2.5	67
363	Soluble Adhesion Molecules in CSF Are Increased in Children With Severe Head Injury. <i>Journal of Neurotrauma</i> , 1998, 15, 777-787.	1.7	79
364	Interstitial Adenosine, Inosine, and Hypoxanthine Are Increased after Experimental Traumatic Brain Injury in the Rat. <i>Journal of Neurotrauma</i> , 1998, 15, 163-170.	1.7	104
365	Cerebrovascular Response in Infants and Young Children following Severe Traumatic Brain Injury: A Preliminary Report. <i>Pediatric Neurosurgery</i> , 1997, 26, 200-207.	0.4	217
366	Treatment of Traumatic Brain Injury with Moderate Hypothermia. <i>New England Journal of Medicine</i> , 1997, 336, 540-546.	13.9	1,321
367	Assessment of Cerebral Blood Flow and CO2 Reactivity After Controlled Cortical Impact By Perfusion Magnetic Resonance Imaging Using Arterial Spin-Labeling in Rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 865-874.	2.4	78
368	Cerebrospinal fluid and plasma nitrite and nitrate concentrations after head injury in humans. <i>Critical Care Medicine</i> , 1996, 24, 1243-1251.	0.4	107
369	Quantitative Computer-Assisted Image Analysis of Suction Biopsy in Pediatric Gastroesophageal Reflux. <i>Pediatric Pathology</i> , 1994, 14, 653-664.	0.5	16