

# Saobo Lei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4254446/publications.pdf>

Version: 2024-02-01

21  
papers

448  
citations

840776

11  
h-index

713466

21  
g-index

21  
all docs

21  
docs citations

21  
times ranked

646  
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of Oxytocin Receptors Excites Subicular Neurons by Multiple Signaling and Ionic Mechanisms. <i>Cerebral Cortex</i> , 2021, 31, 2402-2415.	2.9	6
2	Involvement of TRPC5 channels, inwardly rectifying K <sup>+</sup> channels, PLC $\beta$ 2 and PIP <sub>2</sub> in vasopressin $\alpha$ -mediated excitation of medial central amygdala neurons. <i>Journal of Physiology</i> , 2021, 599, 3101-3119.	2.9	6
3	Activation of V1a vasopressin receptors excite subicular pyramidal neurons by activating TRPV1 and depressing GIRK channels. <i>Neuropharmacology</i> , 2021, 190, 108565.	4.1	2
4	Roles of PLC $\beta$ 2, PIP 2, and GIRK channels in arginine vasopressin $\alpha$ -elicited excitation of CA1 pyramidal neurons. <i>Journal of Cellular Physiology</i> , 2021, , .	4.1	4
5	Ionic and signaling mechanisms involved in neurotensin-mediated excitation of central amygdala neurons. <i>Neuropharmacology</i> , 2021, 196, 108714.	4.1	1
6	Oxytocin receptors excite lateral nucleus of central amygdala by phospholipase C $\beta$ and protein kinase C $\alpha$ -dependent depression of inwardly rectifying K <sup>+</sup> channels. <i>Journal of Physiology</i> , 2020, 598, 3501-3520.	2.9	18
7	Roles of K <sup>+</sup> and cation channels in ORL-1 receptor-mediated depression of neuronal excitability and epileptic activities in the medial entorhinal cortex. <i>Neuropharmacology</i> , 2019, 151, 144-158.	4.1	10
8	TRPM2 Promotes Neurotoxin MPP <sup>+</sup> /MPTP-Induced Cell Death. <i>Molecular Neurobiology</i> , 2018, 55, 409-420.	4.0	72
9	Inhibition of L-Type Ca <sup>2+</sup> Channels by TRPC1-STIM1 Complex Is Essential for the Protection of Dopaminergic Neurons. <i>Journal of Neuroscience</i> , 2017, 37, 3364-3377.	3.6	69
10	Histamine facilitates GABAergic transmission in the rat entorhinal cortex: Roles of H 1 and H 2 receptors, Na <sup>+</sup> -permeable cation channels, and inward rectifier K <sup>+</sup> channels. <i>Hippocampus</i> , 2017, 27, 613-631.	1.9	11
11	Somatostatin depresses the excitability of subicular bursting cells: Roles of inward rectifier K <sup>+</sup> channels, KCNQ channels and Epac. <i>Hippocampus</i> , 2017, 27, 971-984.	1.9	17
12	A protocol for preparation and transfection of rat entorhinal cortex organotypic cultures for electrophysiological whole-cell recordings. <i>MethodsX</i> , 2017, 4, 360-371.	1.6	2
13	Neurotensinergic Excitation of Dentate Gyrus Granule Cells via G $\beta$ -Coupled Inhibition of TASK-3 Channels. <i>Cerebral Cortex</i> , 2016, 26, 977-990.	2.9	9
14	Neurotensinergic augmentation of glutamate release at the perforant path-granule cell synapse in rat dentate gyrus: Roles of L-Type Ca <sup>2+</sup> channels, calmodulin and myosin light-chain kinase. <i>Neuropharmacology</i> , 2015, 95, 252-260.	4.1	15
15	Depression of neuronal excitability and epileptic activities by group II metabotropic glutamate receptors in the medial entorhinal cortex. <i>Hippocampus</i> , 2015, 25, 1299-1313.	1.9	13
16	Activation of Neurotensin Receptor 1 Facilitates Neuronal Excitability and Spatial Learning and Memory in the Entorhinal Cortex: Beneficial Actions in an Alzheimer's Disease Model. <i>Journal of Neuroscience</i> , 2014, 34, 7027-7042.	3.6	45
17	Dopaminergic Modulation of GABAergic Transmission in the Entorhinal Cortex: Concerted Roles of $\alpha$ 1 Adrenoreceptors, Inward Rectifier K <sup>+</sup> , and T-Type Ca <sup>2+</sup> Channels. <i>Cerebral Cortex</i> , 2014, 24, 3195-3208.	2.9	33
18	Cross interaction of dopaminergic and adrenergic systems in neural modulation. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2014, 6, 137-42.	0.8	23

#	ARTICLE	IF	CITATIONS
19	Requirement of phospholipase C and protein kinase C in cholecystokinin-mediated facilitation of NMDA channel function and anxiety-like behavior. <i>Hippocampus</i> , 2012, 22, 1438-1450.	1.9	23
20	Serotonergic modulation of Neural activities in the entorhinal cortex. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2012, 4, 201-10.	0.8	14
21	Adrenergic Facilitation of GABAergic Transmission in Rat Entorhinal Cortex. <i>Journal of Neurophysiology</i> , 2007, 98, 2868-2877.	1.8	55