

Akio Kihara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/425530/publications.pdf>

Version: 2024-02-01

154
papers

18,681
citations

30070

54
h-index

12272

133
g-index

164
all docs

164
docs citations

164
times ranked

29602
citing authors

#	ARTICLE	IF	CITATIONS
1	Formation of fatty alcoholsâ€™ components of meibum lipidsâ€™ by the fatty acylâ€™CoA reductase FAR2 is essential for dry eye prevention. <i>FASEB Journal</i> , 2022, 36, e22216.	0.5	10
2	Hypomyelinating spastic dyskinesia and ichthyosis caused by a homozygous splice site mutation leading to exon skipping in ELOVL1. <i>Brain and Development</i> , 2022, 44, 391-400.	1.1	8
3	Whole picture of human stratum corneum ceramides, including the chain-length diversity of long-chain bases. <i>Journal of Lipid Research</i> , 2022, 63, 100235.	4.2	32
4	Production of branched-chain very-long-chain fatty acids by fatty acid elongases and their tissue distribution in mammals. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021, 1866, 158842.	2.4	19
5	Impaired production of the skin barrier lipid acylceramide by CYP4F22 ichthyosis mutations. <i>Journal of Dermatological Science</i> , 2021, 101, 69-71.	1.9	4
6	Direct uptake of sphingosine-1-phosphate independent of phospholipid phosphatases. <i>Journal of Biological Chemistry</i> , 2021, 296, 100605.	3.4	12
7	Comprehensive stratum corneum ceramide profiling reveals reduced acylceramides in ichthyosis patient with CERS3 mutations. <i>Journal of Dermatology</i> , 2021, 48, 447-456.	1.2	10
8	Improvement of Evaporative Dry Eye With Meibomian Gland Dysfunction in Model Mice by Treatment With Ophthalmic Solution Containing Mineral Oil. <i>Translational Vision Science and Technology</i> , 2021, 10, 21.	2.2	3
9	Diverse meibum lipids produced by Awat1 and Awat2 are important for stabilizing tear film and protecting the ocular surface. <i>IScience</i> , 2021, 24, 102478.	4.1	13
10	Amlexanox enhances the antitumor effect of anti-PD-1 antibody. <i>Biochemical and Biophysical Research Communications</i> , 2021, 560, 1-6.	2.1	4
11	Proteinâ€™bound ceramide levels in the epidermis of transglutaminase 1â€™deficient mice. <i>Journal of Dermatology</i> , 2021, 48, 1799-1801.	1.2	2
12	Impaired Skin Barrier Function Due to Reduced Î‰-Acylceramide Levels in a Mouse Model of Sjögren-Larsson Syndrome. <i>Molecular and Cellular Biology</i> , 2021, 41, e0035221.	2.3	4
13	Severe Skin Permeability Barrier Dysfunction in Knockout Mice Deficient in a Fatty Acid Î‰-Hydroxylase Crucial to Acylceramide Production. <i>Journal of Investigative Dermatology</i> , 2020, 140, 319-326.e4.	0.7	28
14	<i>N</i>-glycosylation of Rim21 at an Unconventional Site Fine-tunes Its Behavior in the Plasma Membrane. <i>Cell Structure and Function</i> , 2020, 45, 1-8.	1.1	3
15	Novel biallelic FA2H mutations in a Japanese boy with fatty acid hydroxylase-associated neurodegeneration. <i>Brain and Development</i> , 2020, 42, 217-221.	1.1	8
16	Comparative profiling and comprehensive quantification of stratum corneum ceramides in humans and mice by LC/MS/MS. <i>Journal of Lipid Research</i> , 2020, 61, 884-895.	4.2	66
17	Catalytic residues, substrate specificity, and role in carbon starvation of the 2-hydroxy FA dioxygenase Mpo1 in yeast. <i>Journal of Lipid Research</i> , 2020, 61, 1104-1114.	4.2	4
18	FTY720 Protects Against Ischemiaâ€™Reperfusion Injury by Preventing the Redistribution of Tight Junction Proteins and Decreases Inflammation in the Subacute Phase in an Experimental Stroke Model. <i>Translational Stroke Research</i> , 2020, 11, 1103-1116.	4.2	34

#	ARTICLE	IF	CITATIONS
19	Biosynthesis of the anti-lipid microdomain sphingoid base 4,14-sphingadiene by the ceramide desaturase FADS3. <i>FASEB Journal</i> , 2020, 34, 3318-3335.	0.5	38
20	Skin permeability barrier formation by the ichthyosis-causative gene <i>FATP4</i> through formation of the barrier lipid 1-O-acylceramide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 2914-2922.	7.1	49
21	Lipid polarity gradient formed by 1-hydroxy lipids in tear film prevents dry eye disease. <i>ELife</i> , 2020, 9, .	6.0	35
22	Neural symptoms in a gene knockout mouse model of Sjögren-Larsson syndrome are associated with a decrease in 2-hydroxygalactosylceramide. <i>FASEB Journal</i> , 2019, 33, 928-941.	0.5	20
23	Very-long-chain fatty acid elongase Elo2 rescues lethal defects associated with loss of the nuclear barrier function. <i>Journal of Cell Science</i> , 2019, 132, .	2.0	38
24	Reduced chain length in myelin sphingolipids and poorer motor coordination in mice deficient in the fatty acid elongase <i>Elovl1</i> . <i>FASEB BioAdvances</i> , 2019, 1, 747-759.	2.4	18
25	Yeast Mpo1 Is a Novel Dioxygenase That Catalyzes the 1-Oxidation of a 2-Hydroxy Fatty Acid in an Fe ²⁺ -Dependent Manner. <i>Molecular and Cellular Biology</i> , 2019, 39, .	2.3	7
26	De novo mutation in <i>ELOVL1</i> causes ichthyosis, <i>acanthosis nigricans</i> , hypomyelination, spastic paraplegia, high frequency deafness and optic atrophy. <i>Journal of Medical Genetics</i> , 2019, 56, 164-175.	3.2	54
27	The role of PNPLA1 in 1-O-acylceramide synthesis and skin barrier function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 869-879.	2.4	40
28	Decreased Skin Barrier Lipid Acylceramide and Differentiation-Dependent Gene Expression in Ichthyosis Gene <i>Nipal4</i> -Knockout Mice. <i>Journal of Investigative Dermatology</i> , 2018, 138, 741-749.	0.7	20
29	Sphingolipids activate the endoplasmic reticulum stress surveillance pathway. <i>Journal of Cell Biology</i> , 2018, 217, 495-505.	5.2	30
30	Structure-inspired design of a sphingolipid mimic sphingosine-1-phosphate receptor agonist from a naturally occurring sphingomyelin synthase inhibitor. <i>Chemical Communications</i> , 2018, 54, 12758-12761.	4.1	8
31	Molecular mechanism of the ichthyosis pathology of Chanarin-Dorfman syndrome: Stimulation of PNPLA1-catalyzed 1-O-acylceramide production by ABHD5. <i>Journal of Dermatological Science</i> , 2018, 92, 245-253.	1.9	37
32	Widespread tissue distribution and synthetic pathway of polyunsaturated C24:2 sphingolipids in mammals. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 1441-1448.	2.4	11
33	Very long-chain tear film lipids produced by fatty acid elongase ELOVL1 prevent dry eye disease in mice. <i>FASEB Journal</i> , 2018, 32, 2966-2978.	0.5	47
34	Sphingosine 1-phosphate receptor modulator ONO-4641 stimulates CD11b+Gr-1+ cell expansion and inhibits lymphocyte infiltration in the lungs to ameliorate murine pulmonary emphysema. <i>Mucosal Immunology</i> , 2018, 11, 1606-1620.	6.0	17
35	Metabolism of long-chain bases of sphingolipids and fatty acid 1-oxidation. <i>Plant Morphology</i> , 2018, 30, 5-14.	0.1	0
36	PNPLA1 is a transacylase essential for the generation of the skin barrier lipid 1-O-acylceramide. <i>Nature Communications</i> , 2017, 8, 14610.	12.8	97

#	ARTICLE	IF	CITATIONS
37	Systematic analysis of Ca ²⁺ homeostasis in <i>Saccharomyces cerevisiae</i> based on chemical-genetic interaction profiles. <i>Molecular Biology of the Cell</i> , 2017, 28, 3415-3427.	2.1	10
38	Phytosphingosine degradation pathway includes fatty acid β -oxidation reactions in the endoplasmic reticulum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E2616-E2623.	7.1	44
39	Decreases in 15-lipoxygenase metabolites in Olmsted syndrome model rats. <i>Journal of Dermatological Science</i> , 2017, 85, 186-196.	1.9	6
40	The Rim101 pathway contributes to ER stress adaptation through sensing the state of plasma membrane. <i>Biochemical Journal</i> , 2017, 474, 51-63.	3.7	14
41	Biallelic Mutations in KDSR Disrupt Ceramide Synthesis and Result in a Spectrum of Keratinization Disorders Associated with Thrombocytopenia. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2344-2353.	0.7	53
42	The 3-hydroxyacyl-CoA dehydratases HACD1 and HACD2 exhibit functional redundancy and are active in a wide range of fatty acid elongation pathways. <i>Journal of Biological Chemistry</i> , 2017, 292, 15538-15551.	3.4	38
43	Disruption of the Sjögren-Larsson Syndrome Gene <i>Aldh3a2</i> in Mice Increases Keratinocyte Growth and Retards Skin Barrier Recovery. <i>Journal of Biological Chemistry</i> , 2016, 291, 11676-11688.	3.4	30
44	Long-chain bases of sphingolipids are transported into cells via the acyl-CoA synthetases. <i>Scientific Reports</i> , 2016, 6, 25469.	3.3	25
45	Enzyme Activities of the Ceramide Synthases <i>CERS2-6</i> Are Regulated by Phosphorylation in the C-terminal Region. <i>Journal of Biological Chemistry</i> , 2016, 291, 7477-7487.	3.4	65
46	Synthesis and degradation pathways, functions, and pathology of ceramides and epidermal acylceramides. <i>Progress in Lipid Research</i> , 2016, 63, 50-69.	11.6	160
47	Mechanistic Details of Early Steps in Coenzyme Q Biosynthesis Pathway in Yeast. <i>Cell Chemical Biology</i> , 2016, 23, 1241-1250.	5.2	70
48	Title is missing!. <i>Kagaku To Seibutsu</i> , 2016, 54, 75-76.	0.0	0
49	Loop 5 region is important for the activity of the long-chain base transporter <i>Rsb1</i> . <i>Journal of Biochemistry</i> , 2016, 161, mvw059.	1.7	2
50	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
51	A role of the sphingosine-1-phosphate (S1P) receptor 2 pathway in epithelial defense against cancer (EDAC). <i>Molecular Biology of the Cell</i> , 2016, 27, 491-499.	2.1	42
52	AM251 Suppresses Epithelial-Mesenchymal Transition of Renal Tubular Epithelial Cells. <i>PLoS ONE</i> , 2016, 11, e0167848.	2.5	21
53	A novel factor <i>OPT2</i> mediates exposure of phospholipids during cellular adaptation to altered lipid asymmetry. <i>Journal of Cell Science</i> , 2015, 128, 61-9.	2.0	12
54	The C-terminal Cytosolic Region of <i>Rim21</i> Senses Alterations in Plasma Membrane Lipid Composition. <i>Journal of Biological Chemistry</i> , 2015, 290, 30797-30805.	3.4	25

#	ARTICLE	IF	CITATIONS
55	Essential role of the cytochrome P450 CYP4F22 in the production of acylceramide, the key lipid for skin permeability barrier formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 7707-7712.	7.1	134
56	Sphingolipid Metabolism via Sphingosine 1-Phosphate and Its Role in Physiology, Pathology, and Nutrition. , 2015, , 127-138.		0
57	Mouse aldehyde dehydrogenase ALDH3B2 is localized to lipid droplets via two C-terminal tryptophan residues and lipid modification. <i>Biochemical Journal</i> , 2015, 465, 79-87.	3.7	51
58	Histological analyses by matrix-assisted laser desorption/ionization-imaging mass spectrometry reveal differential localization of sphingomyelin molecular species regulated by particular ceramide synthase in mouse brains. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015, 1851, 1554-1565.	2.4	24
59	<i>HACD1</i> , a regulator of membrane composition and fluidity, promotes myoblast fusion and skeletal muscle growth. <i>Journal of Molecular Cell Biology</i> , 2015, 7, 429-440.	3.3	40
60	Metabolism of Very Long-Chain Fatty Acids: Genes and Pathophysiology. <i>Biomolecules and Therapeutics</i> , 2014, 22, 83-92.	2.4	201
61	Signaling Events of the Rim101 Pathway Occur at the Plasma Membrane in a Ubiquitination-Dependent Manner. <i>Molecular and Cellular Biology</i> , 2014, 34, 3525-3534.	2.3	42
62	Dual Functions of the Trans-2-Enoyl-CoA Reductase TER in the Sphingosine 1-Phosphate Metabolic Pathway and in Fatty Acid Elongation. <i>Journal of Biological Chemistry</i> , 2014, 289, 24736-24748.	3.4	37
63	Integrin $\alpha 9$ on lymphatic endothelial cells regulates lymphocyte egress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3080-3085.	7.1	32
64	Identification of the phytosphingosine metabolic pathway leading to odd-numbered fatty acids. <i>Nature Communications</i> , 2014, 5, 5338.	12.8	81
65	Lorenzo's oil inhibits ELOVL1 and lowers the level of sphingomyelin with a saturated very long-chain fatty acid. <i>Journal of Lipid Research</i> , 2014, 55, 524-530.	4.2	48
66	Sphingosine 1-phosphate is a key metabolite linking sphingolipids to glycerophospholipids. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 766-772.	2.4	53
67	Two Modes of Regulation of the Fatty Acid Elongase ELOVL6 by the 3-Ketoacyl-CoA Reductase KAR in the Fatty Acid Elongation Cycle. <i>PLoS ONE</i> , 2014, 9, e101823.	2.5	25
68	Phs1 and the Synthesis of Very Long Chain Fatty Acids Are Required for Ballistospore Formation. <i>PLoS ONE</i> , 2014, 9, e105147.	2.5	9
69	Identification of acyl-CoA synthetases involved in the mammalian sphingosine 1-phosphate metabolic pathway. <i>Biochemical and Biophysical Research Communications</i> , 2013, 442, 195-201.	2.1	52
70	Identification of residues important for the catalysis, structure maintenance, and substrate specificity of yeast 3-hydroxyacyl-CoA dehydratase Phs1. <i>FEBS Letters</i> , 2013, 587, 804-809.	2.8	3
71	Unperverted synthesis of complex sphingolipids is essential for cell survival under nitrogen starvation. <i>Genes To Cells</i> , 2013, 18, 650-659.	1.2	21
72	Substrate specificity, plasma membrane localization, and lipid modification of the aldehyde dehydrogenase ALDH3B1. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 1395-1401.	2.4	24

#	ARTICLE	IF	CITATIONS
73	Mutation for Nonsyndromic Mental Retardation in the trans-2-Enoyl-CoA Reductase TER Gene Involved in Fatty Acid Elongation Impairs the Enzyme Activity and Stability, Leading to Change in Sphingolipid Profile. <i>Journal of Biological Chemistry</i> , 2013, 288, 36741-36749.	3.4	29
74	Impaired Epidermal Permeability Barrier in Mice Lacking <i>Elovl1</i> , the Gene Responsible for Very-Long-Chain Fatty Acid Production. <i>Molecular and Cellular Biology</i> , 2013, 33, 2787-2796.	2.3	137
75	Congenital myopathy is caused by mutation of HACD1. <i>Human Molecular Genetics</i> , 2013, 22, 5229-5236.	2.9	48
76	Effects on vesicular transport pathways at the late endosome in cells with limited very long-chain fatty acids. <i>Journal of Lipid Research</i> , 2013, 54, 831-842.	4.2	27
77	Cooperative Synthesis of Ultra Long-Chain Fatty Acid and Ceramide during Keratinocyte Differentiation. <i>PLoS ONE</i> , 2013, 8, e67317.	2.5	40
78	Very long-chain fatty acids: elongation, physiology and related disorders. <i>Journal of Biochemistry</i> , 2012, 152, 387-395.	1.7	329
79	Sphingolipids Regulate the Yeast High-Osmolarity Glycerol Response Pathway. <i>Molecular and Cellular Biology</i> , 2012, 32, 2861-2870.	2.3	56
80	Analysis of substrate specificity of human DHHC protein acyltransferases using a yeast expression system. <i>Molecular Biology of the Cell</i> , 2012, 23, 4543-4551.	2.1	79
81	The Sjögren-Larsson Syndrome Gene Encodes a Hexadecenal Dehydrogenase of the Sphingosine 1-Phosphate Degradation Pathway. <i>Molecular Cell</i> , 2012, 46, 461-471.	9.7	141
82	A shift in sphingolipid composition from C24 to C16 increases susceptibility to apoptosis in HeLa cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012, 1821, 1031-1037.	2.4	82
83	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
84	Membrane Protein Rim21 Plays a Central Role in Sensing Ambient pH in <i>Saccharomyces cerevisiae</i> *. <i>Journal of Biological Chemistry</i> , 2012, 287, 38473-38481.	3.4	58
85	Palmitoylated calnexin is a key component of the ribosome-translocon complex. <i>EMBO Journal</i> , 2012, 31, 1823-1835.	7.8	152
86	Degradation of long-chain base 1-phosphate (LCBP) in Arabidopsis: functional characterization of LCBP phosphatase involved in the dehydration stress response. <i>Journal of Plant Research</i> , 2012, 125, 439-449.	2.4	32
87	Sphingolipid synthesis is involved in autophagy in <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2011, 410, 786-791.	2.1	46
88	Biochemical characterization of the very long-chain fatty acid elongase ELOVL7. <i>FEBS Letters</i> , 2011, 585, 3337-3341.	2.8	90
89	The fatty aldehyde dehydrogenase ALDH3A2 is involved in the sphingosine 1-phosphate metabolic pathway. <i>Chemistry and Physics of Lipids</i> , 2011, 164, S32.	3.2	0
90	Characterization of HACD1 K64Q mutant found in arrhythmogenic right ventricular dysplasia patients. <i>Journal of Biochemistry</i> , 2010, 148, 617-622.	1.7	14

#	ARTICLE	IF	CITATIONS
91	ELOVL1 production of C24 acyl-CoAs is linked to C24 sphingolipid synthesis. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 18439-18444.	7.1	302
92	Hetero-oligomeric interactions of an ELOVL4 mutant protein: implications in the molecular mechanism of Stargardt-3 macular dystrophy. Molecular Vision, 2010, 16, 2438-45.	1.1	18
93	Lysophosphatidic Acid 2 Receptor-mediated Supramolecular Complex Formation Regulates Its Antiapoptotic Effect. Journal of Biological Chemistry, 2009, 284, 14558-14571.	3.4	66
94	Feedback inactivation of D-serine synthesis by NMDA receptor-elicited translocation of serine racemase to the membrane. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7589-7594.	7.1	70
95	Palmitoylation of the sphingosine 1-phosphate receptor S1P ₁ is involved in its signaling functions and internalization. Genes To Cells, 2009, 14, 911-923.	1.2	15
96	Synthesis of very long-chain fatty acid and its relationship to sphingolipid metabolism. Chemistry and Physics of Lipids, 2009, 160, S10-S11.	3.2	0
97	Ceramide biosynthesis in keratinocyte and its role in skin function. Biochimie, 2009, 91, 784-790.	2.6	225
98	A sphingosine kinase activity assay using direct infusion electrospray ionization tandem mass spectrometry. Analytical Biochemistry, 2008, 380, 35-40.	2.4	8
99	Characterization of four mammalian 3-hydroxyacyl-CoA dehydratases involved in very long-chain fatty acid synthesis. FEBS Letters, 2008, 582, 2435-2440.	2.8	93
100	Production and release of sphingosine 1-phosphate and the phosphorylated form of the immunomodulator FTY720. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2008, 1781, 496-502.	2.4	77
101	A splicing isoform of LPP1, LPP1a, exhibits high phosphatase activity toward FTY720 phosphate. Biochemical and Biophysical Research Communications, 2008, 375, 675-679.	2.1	18
102	The Rim101 Pathway Is Involved in Rsb1 Expression Induced by Altered Lipid Asymmetry. Molecular Biology of the Cell, 2008, 19, 1922-1931.	2.1	45
103	2-Hydroxy-ceramide synthesis by ceramide synthase family: enzymatic basis for the preference of FA chain length. Journal of Lipid Research, 2008, 49, 2356-2364.	4.2	91
104	Membrane Topology and Essential Amino Acid Residues of Phs1, a 3-Hydroxyacyl-CoA Dehydratase Involved in Very Long-chain Fatty Acid Elongation*. Journal of Biological Chemistry, 2008, 283, 11199-11209.	3.4	52
105	Regulation of the Transport and Protein Levels of the Inositol Phosphorylceramide Mannosyltransferases Csg1 and Csh1 by the Ca ²⁺ -binding Protein Csg2. Journal of Biological Chemistry, 2007, 282, 8613-8621.	3.4	36
106	Intracellular Trafficking Pathway of Yeast Long-chain Base Kinase Lcb4, from Its Synthesis to Its Degradation. Journal of Biological Chemistry, 2007, 282, 28485-28492.	3.4	10
107	Metabolism and biological functions of two phosphorylated sphingolipids, sphingosine 1-phosphate and ceramide 1-phosphate. Progress in Lipid Research, 2007, 46, 126-144.	11.6	160
108	Lack of sphingosine 1-phosphate-degrading enzymes in erythrocytes. Biochemical and Biophysical Research Communications, 2007, 357, 212-217.	2.1	166

#	ARTICLE	IF	CITATIONS
109	The immunomodulator FTY720 is phosphorylated and released from platelets. <i>European Journal of Pharmacology</i> , 2007, 568, 106-111.	3.5	33
110	Rapid trafficking of c-Src, a non-palmitoylated Src-family kinase, between the plasma membrane and late endosomes/lysosomes. <i>Experimental Cell Research</i> , 2007, 313, 2651-2666.	2.6	80
111	Intracellular localization and tissue-specific distribution of human and yeast DHHC cysteine-rich domain-containing proteins. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 474-483.	2.4	391
112	Changes in S1P1 and S1P2 expression during embryonal development and primitive endoderm differentiation of F9 cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 344, 852-858.	2.1	6
113	Lipid Asymmetry of the Eukaryotic Plasma Membrane: Functions and Related Enzymes. <i>Biological and Pharmaceutical Bulletin</i> , 2006, 29, 1542-1546.	1.4	106
114	Rescue of cell growth by sphingosine with disruption of lipid microdomain formation in <i>Saccharomyces cerevisiae</i> deficient in sphingolipid biosynthesis. <i>Biochemical Journal</i> , 2006, 394, 237-242.	3.7	27
115	LASS3 (longevity assurance homologue 3) is a mainly testis-specific (dihydro)ceramide synthase with relatively broad substrate specificity. <i>Biochemical Journal</i> , 2006, 398, 531-538.	3.7	160
116	Sphingosine kinase assay system with fluorescent detection in high performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2006, 29, 1049-1054.	6.3	10
117	Sphingosine 1-phosphate is released from the cytosol of rat platelets in a carrier-mediated manner. <i>Journal of Lipid Research</i> , 2006, 47, 614-621.	4.2	146
118	Mouse Sphingosine Kinase Isoforms SPHK1a and SPHK1b Differ in Enzymatic Traits Including Stability, Localization, Modification, and Oligomerization. <i>Journal of Biological Chemistry</i> , 2006, 281, 4532-4539.	3.4	82
119	Synthesis, Metabolism, and Trans-Bilayer Movement of Long-Chain Base. , 2006, , 95-106.		1
120	Mammalian Lass6 and its related family members regulate synthesis of specific ceramides. <i>Biochemical Journal</i> , 2005, 390, 263-271.	3.7	332
121	Products by the sphingosine kinase/sphingosine 1-phosphate (S1P) lyase pathway but not S1P stimulate mitogenesis. <i>Genes To Cells</i> , 2005, 10, 605-615.	1.2	50
122	Phosphorylation by Pho85 Cyclin-dependent Kinase Acts as a Signal for the Down-regulation of the Yeast Sphingoid Long-chain Base Kinase Lcb4 during the Stationary Phase. <i>Journal of Biological Chemistry</i> , 2005, 280, 6520-6527.	3.4	28
123	Long-Chain Base Kinase Lcb4 Is Anchored to the Membrane through Its Palmitoylation by Akr1. <i>Molecular and Cellular Biology</i> , 2005, 25, 9189-9197.	2.3	40
124	Regulation of the Sphingoid Long-chain Base Kinase Lcb4p by Ergosterol and Heme. <i>Journal of Biological Chemistry</i> , 2005, 280, 36674-36682.	3.4	18
125	Sphingolipid-to-glycerophospholipid conversion in SPL-null cells implies the existence of an alternative isozyme. <i>Biochemical and Biophysical Research Communications</i> , 2005, 329, 474-479.	2.1	9
126	Cross Talk between Sphingolipids and Glycerophospholipids in the Establishment of Plasma Membrane Asymmetry. <i>Molecular Biology of the Cell</i> , 2004, 15, 4949-4959.	2.1	89

#	ARTICLE	IF	CITATIONS
127	FVT-1 Is a Mammalian 3-Ketodihydroshingosine Reductase with an Active Site That Faces the Cytosolic Side of the Endoplasmic Reticulum Membrane. <i>Journal of Biological Chemistry</i> , 2004, 279, 49243-49250.	3.4	82
128	Asp177 in C4 domain of mouse sphingosine kinase 1a is important for the sphingosine recognition. <i>FEBS Letters</i> , 2004, 578, 106-110.	2.8	40
129	Sphingosine-1-phosphate lyase SPL is an endoplasmic reticulum-resident, integral membrane protein with the pyridoxal 5â€²-phosphate binding domain exposed to the cytosol. <i>Biochemical and Biophysical Research Communications</i> , 2004, 325, 338-343.	2.1	136
130	Identification of the human sphingolipid C4-hydroxylase, hDES2, and its up-regulation during keratinocyte differentiation. <i>FEBS Letters</i> , 2004, 563, 93-97.	2.8	88
131	Transmembrane topology of sphingoid long-chain base-1-phosphate phosphatase, Lcb3p. <i>Genes To Cells</i> , 2003, 8, 525-535.	1.2	38
132	Csg1p and Newly Identified Csh1p Function in Mannosylinositol Phosphorylceramide Synthesis by Interacting with Csg2p. <i>Journal of Biological Chemistry</i> , 2003, 278, 45049-45055.	3.4	85
133	Distribution of sphingosine kinase activity in mouse tissues: contribution of SPHK1. <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 155-160.	2.1	109
134	Sphingosine-1-phosphate Lyase Is Involved in the Differentiation of F9 Embryonal Carcinoma Cells to Primitive Endoderm. <i>Journal of Biological Chemistry</i> , 2003, 278, 14578-14585.	3.4	71
135	Identification and Characterization of a Novel Human Sphingosine-1-phosphate Phosphohydrolase, hSPP2. <i>Journal of Biological Chemistry</i> , 2003, 278, 1268-1272.	3.4	161
136	Identification and Characterization of a <i>Saccharomyces cerevisiae</i> Gene, RSB1, Involved in Sphingoid Long-chain Base Release. <i>Journal of Biological Chemistry</i> , 2002, 277, 30048-30054.	3.4	87
137	Polypeptide binding of <i>Escherichia coli</i> FtsH (HflB). <i>Molecular Microbiology</i> , 2002, 28, 803-812.	2.5	36
138	Two Distinct Vps34 Phosphatidylinositol 3â€²-Kinase Complexes Function in Autophagy and Carboxypeptidase Y Sorting in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 2001, 152, 519-530.	5.2	944
139	Beclinâ€²-phosphatidylinositol 3â€²-kinase complex functions at the trans â€²-Golgi network. <i>EMBO Reports</i> , 2001, 2, 330-335.	4.5	775
140	Autophagosome Requires Specific Early Sec Proteins for Its Formation and NSF/SNARE for Vacuolar Fusion. <i>Molecular Biology of the Cell</i> , 2001, 12, 3690-3702.	2.1	325
141	Revisiting the Lysogenization Control of Bacteriophage λ . <i>Journal of Biological Chemistry</i> , 2001, 276, 13695-13700.	3.4	29
142	Three-dimensional structure of phosphoenolpyruvate carboxylase: A proposed mechanism for allosteric inhibition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 823-828.	7.1	138
143	Dislocation of membrane proteins in FtsH-mediated proteolysis. <i>EMBO Journal</i> , 1999, 18, 2970-2981.	7.8	101
144	Different pathways for protein degradation by the FtsH/HflKc membrane-embedded protease complex: an implication from the interference by a mutant form of a new substrate protein, YccA 1 Edited by J. Karn. <i>Journal of Molecular Biology</i> , 1998, 279, 175-188.	4.2	113

#	ARTICLE	IF	CITATIONS
145	Roles of the Periplasmic Domain of Escherichia coli FtsH (HflB) in Protein Interactions and Activity Modulation. <i>Journal of Biological Chemistry</i> , 1998, 273, 22326-22333.	3.4	44
146	Translocation, Folding, and Stability of the HflKC Complex with Signal Anchor Topogenic Sequences. <i>Journal of Biological Chemistry</i> , 1998, 273, 29770-29775.	3.4	33
147	Host regulation of lysogenic decision in bacteriophage λ : Transmembrane modulation of FtsH (HflB), the <i>cII</i> degrading protease, by HflKC (HflA). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 5544-5549.	7.1	107
148	Intracellular Stability of λ Fragments of λ -Galactosidase: Effects of Amino-Terminally Fused Polypeptides. <i>Biochemical and Biophysical Research Communications</i> , 1996, 227, 642.	2.1	0
149	Subunit of proton ATPase F ₀ sector is a substrate of the FtsH protease in Escherichia coli. <i>FEBS Letters</i> , 1996, 399, 26-28.	2.8	116
150	FtsH (HflB) Is an ATP-dependent Protease Selectively Acting on SecY and Some Other Membrane Proteins. <i>Journal of Biological Chemistry</i> , 1996, 271, 31196-31201.	3.4	134
151	FtsH is required for proteolytic elimination of uncomplexed forms of SecY, an essential protein translocase subunit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 4532-4536.	7.1	250
152	Phosphoenolpyruvate carboxylase: Alteration of catalytic and regulatory properties by site-directed mutagenesis and isolation of the gene from an extreme thermophile. <i>Energy Conversion and Management</i> , 1995, 36, 751-754.	9.2	0
153	Product of a New Gene, <i>syd</i> , Functionally Interacts with SecY when Overproduced in Escherichia coli. <i>Journal of Biological Chemistry</i> , 1995, 270, 5519-5526.	3.4	61
154	Intracellular Stability of λ Fragments of λ -Galactosidase: Effects of Amino-Terminally Fused Polypeptides. <i>Biochemical and Biophysical Research Communications</i> , 1995, 215, 452-458.	2.1	9