Cun-Yu Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4256128/publications.pdf

Version: 2024-02-01

7718 9234 28,646 144 74 150 citations h-index g-index papers 154 154 154 36777 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Investigation of multipotent postnatal stem cells from human periodontal ligament. Lancet, The, 2004, 364, 149-155. | 6.3 | 2,920 |
| 2 | TEAD mediates YAP-dependent gene induction and growth control. Genes and Development, 2008, 22, 1962-1971. | 2.7 | 1,943 |
| 3 | TSC2 Integrates Wnt and Energy Signals via a Coordinated Phosphorylation by AMPK and GSK3 to Regulate Cell Growth. Cell, 2006, 126, 955-968. | 13.5 | 1,183 |
| 4 | A coordinated phosphorylation by Lats and CK1 regulates YAP stability through SCF $<$ sup $>$ \hat{I}^2 -TRCP $<$ /sup $>$. Genes and Development, 2010, 24, 72-85. | 2.7 | 1,100 |
| 5 | Mesenchymal Stem Cell-Mediated Functional Tooth Regeneration in Swine. PLoS ONE, 2006, 1, e79. | 1.1 | 1,060 |
| 6 | The meaning, the sense and the significance: translating the science of mesenchymal stem cells into medicine. Nature Medicine, 2013, 19, 35-42. | 15.2 | 1,032 |
| 7 | Control of inducible chemoresistance: Enhanced anti-tumor therapy through increased apoptosis by inhibition of NF-κB. Nature Medicine, 1999, 5, 412-417. | 15.2 | 948 |
| 8 | NF-kappa B-Induced Loss of MyoD Messenger RNA: Possible Role in Muscle Decay and Cachexia. Science, 2000, 289, 2363-2366. | 6.0 | 841 |
| 9 | Proteasome Inhibitor PS-341 Induces Apoptosis through Induction of Endoplasmic Reticulum Stress-Reactive Oxygen Species in Head and Neck Squamous Cell Carcinoma Cells. Molecular and Cellular Biology, 2004, 24, 9695-9704. | 1.1 | 696 |
| 10 | Cell detachment activates the Hippo pathway via cytoskeleton reorganization to induce anoikis. Genes and Development, 2012, 26, 54-68. | 2.7 | 632 |
| 11 | Akt Suppresses Apoptosis by Stimulating the Transactivation Potential of the RelA/p65 Subunit of NF-κB. Molecular and Cellular Biology, 2000, 20, 1626-1638. | 1.1 | 618 |
| 12 | NF-κB Induces Expression of the Bcl-2 Homologue A1/Bfl-1 To Preferentially Suppress Chemotherapy-Induced Apoptosis. Molecular and Cellular Biology, 1999, 19, 5923-5929. | 1.1 | 549 |
| 13 | Alternative Wnt Signaling Activates YAP/TAZ. Cell, 2015, 162, 780-794. | 13.5 | 528 |
| 14 | Requirement of NF-κB Activation to Suppress p53-Independent Apoptosis Induced by Oncogenic Ras. Science, 1997, 278, 1812-1815. | 6.0 | 527 |
| 15 | Mammalian Mst1 and Mst2 kinases play essential roles in organ size control and tumor suppression. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 1431-1436. | 3.3 | 481 |
| 16 | Clusterin inhibits apoptosis by interacting with activated Bax. Nature Cell Biology, 2005, 7, 909-915. | 4.6 | 418 |
| 17 | Inhibition of osteoblastic bone formation by nuclear factor-κB. Nature Medicine, 2009, 15, 682-689. | 15.2 | 416 |
| 18 | Mutant Gq/11 Promote Uveal Melanoma Tumorigenesis by Activating YAP. Cancer Cell, 2014, 25, 822-830. | 7.7 | 391 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 19 | WNT-1 Signaling Inhibits Apoptosis by Activating β-Catenin/T Cell Factor–Mediated Transcription. Journal of Cell Biology, 2001, 152, 87-96. | 2.3 | 387 |
| 20 | IKK \hat{I}^2 Plays an Essential Role in the Phosphorylation of RelA/p65 on Serine 536 Induced by Lipopolysaccharide. Journal of Immunology, 2003, 170, 5630-5635. | 0.4 | 358 |
| 21 | Bone formation by human postnatal bone marrow stromal stem cells is enhanced by telomerase expression. Nature Biotechnology, 2002, 20, 587-591. | 9.4 | 351 |
| 22 | Crosstalk between tumor and endothelial cells promotes tumor angiogenesis by MAPK activation of Notch signaling. Cancer Cell, 2005, 8, 13-23. | 7.7 | 338 |
| 23 | NF-κB in breast cancer cells promotes osteolytic bone metastasis by inducing osteoclastogenesis via GM-CSF. Nature Medicine, 2007, 13, 62-69. | 15.2 | 296 |
| 24 | Cyclic strain enhances matrix mineralization by adult human mesenchymal stem cells via the extracellular signal-regulated kinase (ERK1/2) signaling pathway. Journal of Biomechanics, 2003, 36, 1087-1096. | 0.9 | 274 |
| 25 | RAP2 mediates mechanoresponses of the Hippo pathway. Nature, 2018, 560, 655-660. | 13.7 | 266 |
| 26 | Histone Demethylases KDM4B and KDM6B Promotes Osteogenic Differentiation of Human MSCs. Cell Stem Cell, 2012, 11, 50-61. | 5.2 | 264 |
| 27 | NF- \hat{l}^{P} B inhibits osteogenic differentiation of mesenchymal stem cells by promoting \hat{l}^{2} -catenin degradation. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 9469-9474. | 3.3 | 263 |
| 28 | Simultaneous profiling of transcriptome and DNA methylome from a single cell. Genome Biology, 2016, 17, 88. | 3.8 | 235 |
| 29 | BCOR regulates mesenchymal stem cell function by epigenetic mechanisms. Nature Cell Biology, 2009, 11, 1002-1009. | 4.6 | 231 |
| 30 | A Biomimetic Hierarchical Nanointerface Orchestrates Macrophage Polarization and Mesenchymal Stem Cell Recruitment To Promote Endogenous Bone Regeneration. ACS Nano, 2019, 13, 6581-6595. | 7.3 | 230 |
| 31 | Bnip3 Mediates the Hypoxia-induced Inhibition on Mammalian Target of Rapamycin by Interacting with Rheb. Journal of Biological Chemistry, 2007, 282, 35803-35813. | 1.6 | 224 |
| 32 | WT1 modulates apoptosis by transcriptionally upregulating the bcl-2 proto-oncogene. EMBO Journal, 1999, 18, 3990-4003. | 3.5 | 220 |
| 33 | Wnt signaling promotes oncogenic transformation by inhibiting c-Myc–induced apoptosis. Journal of Cell Biology, 2002, 157, 429-440. | 2.3 | 203 |
| 34 | Targeting BMI1 + Cancer Stem Cells Overcomes Chemoresistance and Inhibits Metastases in Squamous Cell Carcinoma. Cell Stem Cell, 2017, 20, 621-634.e6. | 5.2 | 201 |
| 35 | Noncanonical Wnt-4 Signaling Enhances Bone Regeneration of Mesenchymal Stem Cells in Craniofacial Defects through Activation of p38 MAPK. Journal of Biological Chemistry, 2007, 282, 30938-30948. | 1.6 | 198 |
| 36 | ll̂ºB kinase l̂µ and TANK-binding kinase 1 activate AKT by direct phosphorylation. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6474-6479. | 3.3 | 195 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | A Role for NF-κB Essential Modifier/lκB Kinase-γ (NEMO/IKKγ) Ubiquitination in the Activation of the lκB Kinase Complex by Tumor Necrosis Factor-α. Journal of Biological Chemistry, 2003, 278, 37297-37305. | 1.6 | 191 |
| 38 | Wnt4 signaling prevents skeletal aging and inflammation by inhibiting nuclear factor-κB. Nature Medicine, 2014, 20, 1009-1017. | 15.2 | 175 |
| 39 | TBL1–TBLR1 and β-catenin recruit each other to Wnt target-gene promoter for transcription activation and oncogenesis. Nature Cell Biology, 2008, 10, 160-169. | 4.6 | 171 |
| 40 | IL-10, But Not IL-4, Suppresses Infection-Stimulated Bone Resorption In Vivo. Journal of Immunology, 2000, 165, 3626-3630. | 0.4 | 162 |
| 41 | Pharmacologic Stem Cell Based Intervention as a New Approach to Osteoporosis Treatment in Rodents. PLoS ONE, 2008, 3, e2615. | 1.1 | 155 |
| 42 | Signaling between Transforming Growth Factor \hat{l}^2 (TGF- \hat{l}^2) and Transcription Factor SNAI2 Represses Expression of MicroRNA miR-203 to Promote Epithelial-Mesenchymal Transition and Tumor Metastasis. Journal of Biological Chemistry, 2013, 288, 10241-10253. | 1.6 | 147 |
| 43 | Histone Demethylase KDM6B Promotes Epithelial-Mesenchymal Transition. Journal of Biological Chemistry, 2012, 287, 44508-44517. | 1.6 | 145 |
| 44 | Parathyroid Hormone and Parathyroid Hormone-related Protein Exert Both Pro- and Anti-apoptotic Effects in Mesenchymal Cells. Journal of Biological Chemistry, 2002, 277, 19374-19381. | 1.6 | 140 |
| 45 | A Glycolytic Mechanism Regulating an Angiogenic Switch in Prostate Cancer. Cancer Research, 2007, 67, 149-159. | 0.4 | 140 |
| 46 | Wnt signaling and skeletal development. Cellular Signalling, 2008, 20, 999-1009. | 1.7 | 139 |
| 47 | Pathogenesis of induced rat periapical lesions. Oral Surgery, Oral Medicine, and Oral Pathology, 1994, 78, 494-502. | 0.6 | 138 |
| 48 | Tetra- and Penta-Acylated Lipid A Structures of Porphyromonas gingivalis LPS Differentially Activate TLR4-Mediated NF-κB Signal Transduction Cascade and Immuno-Inflammatory Response in Human Gingival Fibroblasts. PLoS ONE, 2013, 8, e58496. | 1.1 | 137 |
| 49 | Characterization of Side Populations in HNSCC: Highly Invasive, Chemoresistant and Abnormal Wnt Signaling. PLoS ONE, 2010, 5, e11456. | 1.1 | 135 |
| 50 | From bulk, single-cell to spatial RNA sequencing. International Journal of Oral Science, 2021, 13, 36. | 3.6 | 134 |
| 51 | Novel functions for NFκB: inhibition of bone formation. Nature Reviews Rheumatology, 2010, 6, 607-611. | 3.5 | 131 |
| 52 | Nanodiamond–Gutta Percha Composite Biomaterials for Root Canal Therapy. ACS Nano, 2015, 9, 11490-11501. | 7.3 | 128 |
| 53 | Activation of nuclear factor-kappa B accelerates vascular calcification by inhibiting ankylosis protein homolog expression. Kidney International, 2012, 82, 34-44. | 2.6 | 127 |
| 54 | CD276 expression enables squamous cell carcinoma stem cells to evade immune surveillance. Cell Stem Cell, 2021, 28, 1597-1613.e7. | 5.2 | 127 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Hepatocyte Growth Factor Inhibits Anoikis in Head and Neck Squamous Cell Carcinoma Cells by Activation of ERK and Akt Signaling Independent of NFIºB. Journal of Biological Chemistry, 2002, 277, 25203-25208. | 1.6 | 126 |
| 56 | Telomerase Accelerates Osteogenesis of Bone Marrow Stromal Stem Cells by Upregulation of CBFA1, Osterix, and Osteocalcin. Journal of Bone and Mineral Research, 2003, 18, 716-722. | 3.1 | 124 |
| 57 | MAVS Self-Association Mediates Antiviral Innate Immune Signaling. Journal of Virology, 2009, 83, 3420-3428. | 1.5 | 121 |
| 58 | Notch signaling in the regulation of tumor angiogenesis. Trends in Cell Biology, 2006, 16, 293-300. | 3.6 | 112 |
| 59 | Proteasome Inhibitor PS-341 Induces Apoptosis in Cisplatin-resistant Squamous Cell Carcinoma Cells by Induction of Noxa. Journal of Biological Chemistry, 2006, 281, 31440-31447. | 1.6 | 111 |
| 60 | Nuclear Factor-l ^o B-inducible Death Effector Domain-containing Protein Suppresses Tumor Necrosis Factor-mediated Apoptosis by Inhibiting Caspase-8 Activity. Journal of Biological Chemistry, 2001, 276, 26398-26404. | 1.6 | 110 |
| 61 | PGC-1α Controls Skeletal Stem Cell Fate and Bone-Fat Balance in Osteoporosis and Skeletal Aging by Inducing TAZ. Cell Stem Cell, 2018, 23, 193-209.e5. | 5.2 | 108 |
| 62 | Tumor microenvironment and immune evasion in head and neck squamous cell carcinoma. International Journal of Oral Science, 2021, 13, 24. | 3.6 | 107 |
| 63 | Regulation of the G2–M cell cycle progression by the ERK5–NFκB signaling pathway. Journal of Cell Biology, 2007, 177, 253-264. | 2.3 | 106 |
| 64 | Kinetics of immune cell and bone resorptive responses to endodontic infections. Journal of Endodontics, 1992, 18, 422-426. | 1.4 | 102 |
| 65 | Bcl-2 Acts in a Proangiogenic Signaling Pathway through Nuclear Factor-κB and CXC Chemokines. Cancer Research, 2005, 65, 5063-5069. | 0.4 | 101 |
| 66 | Proteasome inhibitor induces apoptosis through induction of endoplasmic reticulum stress. Cancer Biology and Therapy, 2006, 5, 745-748. | 1.5 | 100 |
| 67 | Wnt $\hat{\mathbb{I}}^2$ -catenin signaling inhibits death receptor-mediated apoptosis and promotes invasive growth of HNSCC. Cellular Signalling, 2006, 18, 679-687. | 1.7 | 94 |
| 68 | KDM3 epigenetically controls tumorigenic potentials of human colorectal cancer stem cells through Wnt \hat{l}^2 -catenin signalling. Nature Communications, 2017, 8, 15146. | 5.8 | 93 |
| 69 | Reversible Regulation of Promoter and Enhancer Histone Landscape by DNA Methylation in Mouse Embryonic Stem Cells. Cell Reports, 2016, 17, 289-302. | 2.9 | 92 |
| 70 | Osteoporosis: The Result of an â€~Aged' Bone Microenvironment. Trends in Molecular Medicine, 2016, 22, 641-644. | 3.5 | 92 |
| 71 | Epigenetic Activation of AP1 Promotes Squamous Cell Carcinoma Metastasis. Science Signaling, 2013, 6, ra28.1-13, S0-15. | 1.6 | 91 |
| 72 | BMI1 Inhibition Eliminates Residual Cancer Stem Cells after PD1 Blockade and Activates Antitumor Immunity to Prevent Metastasis and Relapse. Cell Stem Cell, 2020, 27, 238-253.e6. | 5.2 | 87 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | PAK4 inhibition improves PD-1 blockade immunotherapy. Nature Cancer, 2020, 1, 46-58. | 5.7 | 85 |
| 74 | CXCL12/SDFâ€1α Activates NFâ€PB and Promotes Oral Cancer Invasion through the Carma3/Bcl10/Malt1 Complex. International Journal of Oral Science, 2009, 1, 105-118. | 3.6 | 83 |
| 75 | The p65/RelA Subunit of NF-κB Suppresses the Sustained, Antiapoptotic Activity of Jun Kinase Induced by Tumor Necrosis Factor. Molecular and Cellular Biology, 2002, 22, 8175-8183. | 1.1 | 80 |
| 76 | Osteoporosis and periodontal diseases $\hat{a}\in$ An update on their association and mechanistic links. Periodontology 2000, 2022, 89, 99-113. | 6.3 | 79 |
| 77 | Loss of KDM4B exacerbates bone-fat imbalance and mesenchymal stromal cell exhaustion in skeletal aging. Cell Stem Cell, 2021, 28, 1057-1073.e7. | 5.2 | 77 |
| 78 | Direct Ubiquitination of \hat{l}^2 -Catenin by Siah-1 and Regulation by the Exchange Factor TBL1. Journal of Biological Chemistry, 2010, 285, 13507-13516. | 1.6 | 76 |
| 79 | Porphyromonas gingivalis lipopolysaccharide lipid A heterogeneity differentially modulates the expression of IL-6 and IL-8 in human gingival fibroblasts. Journal of Clinical Periodontology, 2011, 38, 694-701. | 2.3 | 70 |
| 80 | Histone methyltransferases and demethylases: regulators in balancing osteogenic and adipogenic differentiation of mesenchymal stem cells. International Journal of Oral Science, 2015, 7, 197-204. | 3.6 | 70 |
| 81 | TRAF5 Is a Downstream Target of MAVS in Antiviral Innate Immune Signaling. PLoS ONE, 2010, 5, e9172. | 1.1 | 70 |
| 82 | Characterization of bone-resorbing activity in human periapical lesions. Journal of Endodontics, 1993, 19, 107-111. | 1.4 | 69 |
| 83 | LATS2 Suppresses Oncogenic Wnt Signaling by Disrupting \hat{l}^2 -Catenin/BCL9 Interaction. Cell Reports, 2013, 5, 1650-1663. | 2.9 | 69 |
| 84 | Induction of AP-1 by YAP/TAZ contributes to cell proliferation and organ growth. Genes and Development, 2020, 34, 72-86. | 2.7 | 68 |
| 85 | KDM6B epigenetically regulates odontogenic differentiation of dental mesenchymal stem cells. International Journal of Oral Science, 2013, 5, 200-205. | 3.6 | 67 |
| 86 | Targeting cancer stem cells in squamous cell carcinoma. Precision Clinical Medicine, 2019, 2, 152-165. | 1.3 | 67 |
| 87 | Functional regeneration and repair of tendons using biomimetic scaffolds loaded with recombinant periostin. Nature Communications, 2021, 12, 1293. | 5.8 | 66 |
| 88 | Suppression of Tumor Necrosis Factor-mediated Apoptosis by Nuclear Factor ÎB-independent Bone Morphogenetic Protein/Smad Signaling. Journal of Biological Chemistry, 2001, 276, 39259-39263. | 1.6 | 65 |
| 89 | c-Myc Sensitizes Cells to Tumor Necrosis Factor-mediated Apoptosis by Inhibiting Nuclear Factor κB Transactivation. Journal of Biological Chemistry, 2002, 277, 36671-36677. | 1.6 | 64 |
| 90 | Osteoblast Lineage Cells Play an Essential Role in Periodontal Bone Loss Through Activation of Nuclear Factor-Kappa B. Scientific Reports, 2015, 5, 16694. | 1.6 | 63 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Beclin1 Modulates Bone Homeostasis by Regulating Osteoclast and Chondrocyte Differentiation. Journal of Bone and Mineral Research, 2019, 34, 1753-1766. | 3.1 | 63 |
| 92 | circFAT1 Promotes Cancer Stemness and Immune Evasion by Promoting STAT3 Activation. Advanced Science, 2021, 8, 2003376. | 5.6 | 63 |
| 93 | Hepatocyte Growth Factor Inhibits Anoikis by Induction of Activator Protein 1-dependent Cyclooxygenase-2. Journal of Biological Chemistry, 2002, 277, 50137-50142. | 1.6 | 59 |
| 94 | Characterization of the osteogenic potential of mesenchymal stem cells from human periodontal ligament based on cell surface markers. International Journal of Oral Science, 2015, 7, 213-219. | 3.6 | 58 |
| 95 | A Dominant Function of IKK/NF-κB Signaling in Global Lipopolysaccharide-induced Gene Expression. Journal of Biological Chemistry, 2006, 281, 31142-31151. | 1.6 | 57 |
| 96 | Baicalin Downregulates Porphyromonas gingivalis Lipopolysaccharide-Upregulated IL-6 and IL-8 Expression in Human Oral Keratinocytes by Negative Regulation of TLR Signaling. PLoS ONE, 2012, 7, e51008. | 1.1 | 54 |
| 97 | Rap1 Stabilizes β-Catenin and Enhances β-Catenin–Dependent Transcription and Invasion in Squamous Cell Carcinoma of the Head and Neck. Clinical Cancer Research, 2010, 16, 65-76. | 3.2 | 52 |
| 98 | Transforming Growth Factor- \hat{l}^2 -Induced KDM4B Promotes Chondrogenic Differentiation of Human Mesenchymal Stem Cells. Stem Cells, 2016, 34, 711-719. | 1.4 | 52 |
| 99 | Periodontitis-induced systemic inflammation exacerbates atherosclerosis partly via endothelial–mesenchymal transition in mice. International Journal of Oral Science, 2019, 11, 21. | 3.6 | 52 |
| 100 | Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. Scientific Reports, 2015, 5, 14237. | 1.6 | 51 |
| 101 | Siglecg Limits the Size of B1a B Cell Lineage by Down-Regulating NFÎB Activation. PLoS ONE, 2007, 2, e997. | 1.1 | 50 |
| 102 | Single CD271 marker isolates mesenchymal stem cells from human dental pulp. International Journal of Oral Science, 2015, 7, 205-212. | 3.6 | 49 |
| 103 | Transcriptional super-enhancers control cancer stemness and metastasis genes in squamous cell carcinoma. Nature Communications, 2021, 12, 3974. | 5.8 | 49 |
| 104 | Inhibition of IKK/NF-κB Signaling Enhances Differentiation of Mesenchymal Stromal Cells from Human Embryonic Stem Cells. Stem Cell Reports, 2016, 6, 456-465. | 2.3 | 47 |
| 105 | KDM4B protects against obesity and metabolic dysfunction. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E5566-E5575. | 3.3 | 47 |
| 106 | Knockdown of CypA inhibits interleukin-8 (IL-8) and IL-8-mediated proliferation and tumor growth of glioblastoma cells through down-regulated NF-κB. Journal of Neuro-Oncology, 2011, 101, 1-14. | 1.4 | 46 |
| 107 | Differential modulation of human \hat{l}^2 -defensins expression in human gingival epithelia by Porphyromonas gingivalis lipopolysaccharide with tetra- and penta-acylated lipid A structures. Innate Immunity, 2009, 15, 325-335. | 1.1 | 43 |
| 108 | Kaposi's Sarcoma-Associated Herpesvirus ORF18 and ORF30 Are Essential for Late Gene Expression during Lytic Replication. Journal of Virology, 2014, 88, 11369-11382. | 1.5 | 40 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Epigenetic gene regulation by histone demethylases: emerging role in oncogenesis and inflammation. Oral Diseases, 2017, 23, 709-720. | 1.5 | 40 |
| 110 | Alcohol-induced suppression of KDM6B dysregulates the mineralization potential in dental pulp stem cells. Stem Cell Research, 2016, 17, 111-121. | 0.3 | 39 |
| 111 | Enhanced Osteogenesis of Adipose-Derived Stem Cells by Regulating Bone Morphogenetic Protein Signaling Antagonists and Agonists. Stem Cells Translational Medicine, 2016, 5, 539-551. | 1.6 | 39 |
| 112 | Roles for Homotypic Interactions and Transautophosphorylation in lî®B Kinase (IKKβ) Activation. Journal of Biological Chemistry, 2003, 278, 38566-38570. | 1.6 | 38 |
| 113 | SDF-1α Promotes Invasion of Head and Neck Squamous Cell Carcinoma by Activating NF-κB*. Journal of Biological Chemistry, 2008, 283, 19888-19894. | 1.6 | 38 |
| 114 | IKKÎ \pm stabilizes cytosolic Î 2 -catenin by inhibiting both canonical and non-canonical degradation pathways. Cellular Signalling, 2006, 18, 1941-1946. | 1.7 | 37 |
| 115 | Inhibition of EZH2 Promotes Human Embryonic Stem Cell Differentiation into Mesoderm by Reducing H3K27me3. Stem Cell Reports, 2017, 9, 752-761. | 2.3 | 36 |
| 116 | The Zinc Finger Mutation C417R of I-κB Kinase γ Impairs Lipopolysaccharide- and TNF-Mediated NF-κB Activation through Inhibiting Phosphorylation of the I-κB Kinase β Activation Loop. Journal of Immunology, 2004, 172, 2446-2452. | 0.4 | 34 |
| 117 | NF-ÎB Has a Direct Role in Inhibiting Bmp- and Wnt-Induced Matrix Protein Expression. Journal of Bone and Mineral Research, 2016, 31, 52-64. | 3.1 | 33 |
| 118 | PS-341 and Histone Deacetylase Inhibitor Synergistically Induce Apoptosis in Head and Neck Squamous Cell Carcinoma Cells. Molecular Cancer Therapeutics, 2010, 9, 1977-1984. | 1.9 | 32 |
| 119 | Inhibition of HDAC6 Protein Enhances Bortezomib-induced Apoptosis in Head and Neck Squamous Cell Carcinoma (HNSCC) by Reducing Autophagy. Journal of Biological Chemistry, 2016, 291, 18199-18209. | 1.6 | 31 |
| 120 | Proteasome Inhibitor PS-341 Induces Apoptosis in Cisplatin-resistant Squamous Cell Carcinoma Cells by Induction of Noxa. Journal of Biological Chemistry, 2006, 281, 31440-31447. | 1.6 | 31 |
| 121 | Targeting KDM4A epigenetically activates tumor-cell-intrinsic immunity by inducing DNA replication stress. Molecular Cell, 2021, 81, 2148-2165.e9. | 4.5 | 30 |
| 122 | AFF1 and AFF4 differentially regulate the osteogenic differentiation of human MSCs. Bone Research, 2017, 5, 17044. | 5.4 | 29 |
| 123 | Heterogeneous Porphyromonas gingivalis LPS modulates immuno-inflammatory response, antioxidant defense and cytoskeletal dynamics in human gingival fibroblasts. Scientific Reports, 2016, 6, 29829. | 1.6 | 28 |
| 124 | A novel read-through transcript JMJD7-PLA2G4B regulates head and neck squamous cell carcinoma cell proliferation and survival. Oncotarget, 2017, 8, 1972-1982. | 0.8 | 28 |
| 125 | <i>Porphyromonas gingivalis</i> LPS stimulates the expression of LPS-binding protein in human oral keratinocytes <i>inAvitro</i> Innate Immunity, 2013, 19, 66-75. | 1.1 | 27 |
| 126 | Selective demethylation and altered gene expression are associated with ICF syndrome in human-induced pluripotent stem cells and mesenchymal stem cells. Human Molecular Genetics, 2014, 23, 6448-6457. | 1.4 | 26 |

| # | Article | IF | Citations |
|-----|---|--------------|-----------|
| 127 | Recent advancements in PARP inhibitors-based targeted cancer therapy. Precision Clinical Medicine, 2020, 3, 187-201. | 1.3 | 26 |
| 128 | Transducin \hat{l}^2 -Like Protein 1 Recruits Nuclear Factor \hat{l}^9 B to the Target Gene Promoter for Transcriptional Activation. Molecular and Cellular Biology, 2011, 31, 924-934. | 1.1 | 25 |
| 129 | The clinical effectiveness of reflectance optical spectroscopy for the in vivo diagnosis of oral lesions. International Journal of Oral Science, 2014, 6, 162-167. | 3.6 | 25 |
| 130 | Real-time-guided bone regeneration around standardized critical size calvarial defects using bone marrow-derived mesenchymal stem cells and collagen membrane with and without using tricalcium phosphate: an in vivo micro-computed tomographic and histologic experiment in rats. International Journal of Oral Science, 2016, 8, 7-15. | 3.6 | 24 |
| 131 | Single Amino Acid Change in STING Leads to Constitutive Active Signaling. PLoS ONE, 2015, 10, e0120090. | 1.1 | 23 |
| 132 | Grainyhead-like 2 (GRHL2) knockout abolishes oral cancer development through reciprocal regulation of the MAP kinase and TGF- \hat{l}^2 signaling pathways. Oncogenesis, 2018, 7, 38. | 2.1 | 21 |
| 133 | Reducing posttreatment relapse in cleft lip palatal expansion using an injectable estrogen–nanodiamond hydrogel. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E7218-E7225. | 3.3 | 20 |
| 134 | 3LPS-binding protein and its interactions with P. gingivalis LPS modulate pro-inflammatory response and Toll-like receptor signaling in human oral keratinocytes. PLoS ONE, 2017, 12, e0173223. | 1.1 | 20 |
| 135 | Wnt1 inhibits vascular smooth muscle cell calcification by promoting ANKH expression. Journal of Molecular and Cellular Cardiology, 2019, 135, 10-21. | 0.9 | 18 |
| 136 | Whitlockite-Enabled Hydrogel for Craniofacial Bone Regeneration. ACS Applied Materials & Samp; Interfaces, 2021, 13, 35342-35355. | 4.0 | 13 |
| 137 | Relationship of activated extracellular signal-regulated kinase 1/2 with lung metastasis in salivary adenoid cystic carcinoma. Oncology Reports, 2009, 21, 137-43. | 1.2 | 13 |
| 138 | The ERÎ \pm /KDM6B regulatory axis modulates osteogenic differentiation in human mesenchymal stem cells. Bone Research, 2022, 10, 3. | 5 . 4 | 12 |
| 139 | Loss of KDM4B impairs osteogenic differentiation of OMSCs and promotes oral bone aging. International Journal of Oral Science, 2022, 14, 24. | 3.6 | 6 |
| 140 | Epigenetic Regulation of NGF-Mediated Osteogenic Differentiation in Human Dental Mesenchymal Stem Cells. Stem Cells, 2022, 40, 818-830. | 1.4 | 6 |
| 141 | Growth differentiation factor 6, a repressive target of EZH2, promotes the commitment of human embryonic stem cells to mesenchymal stem cells. Bone Research, 2020, 8, 39. | 5.4 | 5 |
| 142 | Generation of a squamous cell carcinoma mouse model for lineage tracing of BMI1+ cancer stem cells. STAR Protocols, 2021, 2, 100484. | 0.5 | 4 |
| 143 | YAP-mediated induction of monoacylglycerol lipase restrains oncogenic transformation. Cellular Signalling, 2015, 27, 836-840. | 1.7 | 1 |
| 144 | Molecular Signaling in Oral Cancer Invasion and Metastasis. , 2016, , 71-99. | | 1 |