Cun-Yu Wang

List of Publications by Year
in descending order

144	28,646	9234 74	7718 150
papers	citations	h-index	g-index

154	154	154	36777
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	The ERÎ±/KDM6B regulatory axis modulates osteogenic differentiation in human mesenchymal stem cells. Bone Research, 2022, 10, 3.	5.4	12
2	Osteoporosis and periodontal diseases â€“ An update on their association and mechanistic links. Periodontology 2000, 2022, 89, 99-113.	6.3	79
3	Loss of KDM4B impairs osteogenic differentiation of OMSCs and promotes oral bone aging. International Journal of Oral Science, 2022, 14, 24.	3.6	6
4	Epigenetic Regulation of NGF-Mediated Osteogenic Differentiation in Human Dental Mesenchymal Stem Cells. Stem Cells, 2022, 40, 818-830.	1.4	6
5	Functional regeneration and repair of tendons using biomimetic scaffolds loaded with recombinant periostin. Nature Communications, 2021, 12, 1293.	5.8	66
6	circFAT1 Promotes Cancer Stemness and Immune Evasion by Promoting STAT3 Activation. Advanced Science, 2021, 8, 2003376.	5.6	63
7	Targeting KDM4A epigenetically activates tumor-cell-intrinsic immunity by inducing DNA replication stress. Molecular Cell, 2021, 81, 2148-2165.e9.	4.5	30
8	Transcriptional super-enhancers control cancer stemness and metastasis genes in squamous cell carcinoma. Nature Communications, 2021, 12, 3974.	5.8	49
9	Loss of KDM4B exacerbates bone-fat imbalance and mesenchymal stromal cell exhaustion in skeletal aging. Cell Stem Cell, 2021, 28, 1057-1073.e7.	5.2	77
10	Generation of a squamous cell carcinoma mouse model for lineage tracing of BMI1+ cancer stem cells. STAR Protocols, 2021, 2, 100484.	0.5	4
11	Whitlockite-Enabled Hydrogel for Craniofacial Bone Regeneration. ACS Applied Materials & Interfaces, 2021, 13, 35342-35355.	4.0	13
12	Tumor microenvironment and immune evasion in head and neck squamous cell carcinoma. International Journal of Oral Science, 2021, 13, 24.	3.6	107
13	CD276 expression enables squamous cell carcinoma stem cells to evade immune surveillance. Cell Stem Cell, 2021, 28, 1597-1613.e7.	5.2	127
14	From bulk, single-cell to spatial RNA sequencing. International Journal of Oral Science, 2021, 13, 36.	3.6	134
15	PAK4 inhibition improves PD-1 blockade immunotherapy. Nature Cancer, 2020, 1, 46-58.	5.7	85
16	Induction of AP-1 by YAP/TAZ contributes to cell proliferation and organ growth. Genes and Development, 2020, 34, 72-86.	2.7	68
17	Recent advancements in PARP inhibitors-based targeted cancer therapy. Precision Clinical Medicine, 2020, 3, 187-201.	1.3	26
18	BMI1 Inhibition Eliminates Residual Cancer Stem Cells after PD1 Blockade and Activates Antitumor Immunity to Prevent Metastasis and Relapse. Cell Stem Cell, 2020, 27, 238-253.e6.	5.2	87

#	Article	IF	Citations
19	Growth differentiation factor 6, a repressive target of EZH2, promotes the commitment of human embryonic stem cells to mesenchymal stem cells. Bone Research, 2020, 8, 39.	5.4	5
20	Wnt1 inhibits vascular smooth muscle cell calcification by promoting ANKH expression. Journal of Molecular and Cellular Cardiology, 2019, 135, 10-21.	0.9	18
21	Periodontitis-induced systemic inflammation exacerbates atherosclerosis partly via endothelialâ€“mesenchymal transition in mice. International Journal of Oral Science, 2019, 11, 21.	3.6	52
22	Targeting cancer stem cells in squamous cell carcinoma. Precision Clinical Medicine, 2019, 2, 152-165.	1.3	67
23	A Biomimetic Hierarchical Nanointerface Orchestrates Macrophage Polarization and Mesenchymal Stem Cell Recruitment To Promote Endogenous Bone Regeneration. ACS Nano, 2019, 13, 6581-6595.	7.3	230
24	Beclin1 Modulates Bone Homeostasis by Regulating Osteoclast and Chondrocyte Differentiation. Journal of Bone and Mineral Research, 2019, 34, 1753-1766.	3.1	63
25	KDM4B protects against obesity and metabolic dysfunction. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E5566-E5575.	3.3	47
26	PGC-1Î± Controls Skeletal Stem Cell Fate and Bone-Fat Balance in Osteoporosis and Skeletal Aging by Inducing TAZ. Cell Stem Cell, 2018, 23, 193-209.e5.	5.2	108
27	Grainyhead-like 2 (GRHL2) knockout abolishes oral cancer development through reciprocal regulation of the MAP kinase and TGF-Î² signaling pathways. Oncogenesis, 2018, 7, 38.	2.1	21
28	RAP2 mediates mechanoresponses of the Hippo pathway. Nature, 2018, 560, 655-660.	13.7	266
29	Targeting BMI1 + Cancer Stem Cells Overcomes Chemoresistance and Inhibits Metastases in Squamous Cell Carcinoma. Cell Stem Cell, 2017, 20, 621-634.e6.	5.2	201
30	KDM3 epigenetically controls tumorigenic potentials of human colorectal cancer stem cells through Wnt/Î²-catenin signalling. Nature Communications, 2017, 8, 15146.	5.8	93
31	AFF1 and AFF4 differentially regulate the osteogenic differentiation of human MSCs. Bone Research, 2017, 5, 17044.	5.4	29
32	Inhibition of EZH2 Promotes Human Embryonic Stem Cell Differentiation into Mesoderm by Reducing H3K27me3. Stem Cell Reports, 2017, 9, 752-761.	2.3	36
33	Reducing posttreatment relapse in cleft lip palatal expansion using an injectable estrogenâ€“nanodiamond hydrogel. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E7218-E7225.	3.3	20
34	Epigenetic gene regulation by histone demethylases: emerging role in oncogenesis and inflammation. Oral Diseases, 2017, 23, 709-720.	1.5	40
35	3LPS-binding protein and its interactions with P. gingivalis LPS modulate pro-inflammatory response and Toll-like receptor signaling in human oral keratinocytes. PLoS ONE, 2017, 12, e0173223.	1.1	20
36	A novel read-through transcript JMJD7-PLA2G4B regulates head and neck squamous cell carcinoma cell proliferation and survival. Oncotarget, 2017, 8, 1972-1982.	0.8	28

#	Article	IF	Citations
37	Transforming Growth Factor-Î²-Induced KDM4B Promotes Chondrogenic Differentiation of Human Mesenchymal Stem Cells. Stem Cells, 2016, 34, 711-719.	1.4	52
38	Molecular Signaling in Oral Cancer Invasion and Metastasis. , 2016, , 71-99.		1
39	Simultaneous profiling of transcriptome and DNA methylome from a single cell. Genome Biology, 2016, 17, 88.	3.8	235
40	Reversible Regulation of Promoter and Enhancer Histone Landscape by DNA Methylation in Mouse Embryonic Stem Cells. Cell Reports, 2016, 17, 289-302.	2.9	92
41	Alcohol-induced suppression of KDM6B dysregulates the mineralization potential in dental pulp stem cells. Stem Cell Research, 2016, 17, 111-121.	0.3	39
42	Inhibition of HDAC6 Protein Enhances Bortezomib-induced Apoptosis in Head and Neck Squamous Cell Carcinoma (HNSCC) by Reducing Autophagy. Journal of Biological Chemistry, 2016, 291, 18199-18209.	1.6	31
43	Heterogeneous Porphyromonas gingivalis LPS modulates immuno-inflammatory response, antioxidant defense and cytoskeletal dynamics in human gingival fibroblasts. Scientific Reports, 2016, 6, 29829.	1.6	28
44	Osteoporosis: The Result of an â€˜Agedâ€™ Bone Microenvironment. Trends in Molecular Medicine, 2016, 22, 641-644.	3.5	92
45	Inhibition of IKK/NF-ÎºB Signaling Enhances Differentiation of Mesenchymal Stromal Cells from Human Embryonic Stem Cells. Stem Cell Reports, 2016, 6, 456-465.	2.3	47
46	NF-ÎºB Has a Direct Role in Inhibiting Bmp- and Wnt-Induced Matrix Protein Expression. Journal of Bone and Mineral Research, 2016, 31, 52-64.	3.1	33
47	Enhanced Osteogenesis of Adipose-Derived Stem Cells by Regulating Bone Morphogenetic Protein Signaling Antagonists and Agonists. Stem Cells Translational Medicine, 2016, 5, 539-551.	1.6	39
48	Real-time-guided bone regeneration around standardized critical size calvarial defects using bone marrow-derived mesenchymal stem cells and collagen membrane with and without using tricalcium phosphate: an in vivo micro-computed tomographic and histologic experiment in rats. International Journal of Oral Science, 2016, 8, 7-15.	3.6	24
49	Whole Exome Sequencing Identifies Frequent Somatic Mutations in Cell-Cell Adhesion Genes in Chinese Patients with Lung Squamous Cell Carcinoma. Scientific Reports, 2015, 5, 14237.	1.6	51
50	Osteoblast Lineage Cells Play an Essential Role in Periodontal Bone Loss Through Activation of Nuclear Factor-Kappa B. Scientific Reports, 2015, 5, 16694.	1.6	63
51	Histone methyltransferases and demethylases: regulators in balancing osteogenic and adipogenic differentiation of mesenchymal stem cells. International Journal of Oral Science, 2015, 7, 197-204.	3.6	70
52	Single CD271 marker isolates mesenchymal stem cells from human dental pulp. International Journal of Oral Science, 2015, 7, 205-212.	3.6	49
53	Characterization of the osteogenic potential of mesenchymal stem cells from human periodontal ligament based on cell surface markers. International Journal of Oral Science, 2015, 7, 213-219.	3.6	58
54	Alternative Wnt Signaling Activates YAP/TAZ. Cell, 2015, 162, 780-794.	13.5	528

#	Article	IF	Citations
55	YAP-mediated induction of monoacylglycerol lipase restrains oncogenic transformation. Cellular Signalling, 2015, 27, 836-840.	1.7	1
56	Nanodiamondâ€“Gutta Percha Composite Biomaterials for Root Canal Therapy. ACS Nano, 2015, 9, 11490-11501.	7.3	128
57	Single Amino Acid Change in STING Leads to Constitutive Active Signaling. PLoS ONE, 2015, 10, e0120090.	1.1	23
58	Selective demethylation and altered gene expression are associated with ICF syndrome in human-induced pluripotent stem cells and mesenchymal stem cells. Human Molecular Genetics, 2014, 23, 6448-6457.	1.4	26
59	The clinical effectiveness of reflectance optical spectroscopy for the in vivo diagnosis of oral lesions. International Journal of Oral Science, 2014, 6, 162-167.	3.6	25
60	Kaposi's Sarcoma-Associated Herpesvirus ORF18 and ORF30 Are Essential for Late Gene Expression during Lytic Replication. Journal of Virology, 2014, 88, 11369-11382.	1.5	40
61	Wnt4 signaling prevents skeletal aging and inflammation by inhibiting nuclear factor-ÎºB. Nature Medicine, 2014, 20, 1009-1017.	15.2	175
62	Mutant Gq/11 Promote Uveal Melanoma Tumorigenesis by Activating YAP. Cancer Cell, 2014, 25, 822-830.	7.7	391
63	LATS2 Suppresses Oncogenic Wnt Signaling by Disrupting Î²-Catenin/BCL9 Interaction. Cell Reports, 2013, 5, 1650-1663.	2.9	69
64	NF-ÎºB inhibits osteogenic differentiation of mesenchymal stem cells by promoting Î²-catenin degradation. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 9469-9474.	3.3	263
65	The meaning, the sense and the significance: translating the science of mesenchymal stem cells into medicine. Nature Medicine, 2013, 19, 35-42.	15.2	1,032
66	Epigenetic Activation of AP1 Promotes Squamous Cell Carcinoma Metastasis. Science Signaling, 2013, 6, ra28.1-13, S0-15.	1.6	91
67	Porphyromonas gingivalis LPS stimulates the expression of LPS-binding protein in human oral keratinocytes inÂvitro. Innate Immunity, 2013, 19, 66-75.	1.1	27
68	Signaling between Transforming Growth Factor Î² (TGF-Î²) and Transcription Factor SNAI2 Represses Expression of MicroRNA miR-203 to Promote Epithelial-Mesenchymal Transition and Tumor Metastasis. Journal of Biological Chemistry, 2013, 288, 10241-10253.	1.6	147
69	KDM6B epigenetically regulates odontogenic differentiation of dental mesenchymal stem cells. International Journal of Oral Science, 2013, 5, 200-205.	3.6	67
70	Tetra- and Penta-Acylated Lipid A Structures of Porphyromonas gingivalis LPS Differentially Activate TLR4-Mediated NF-ÎºB Signal Transduction Cascade and Immuno-Inflammatory Response in Human Gingival Fibroblasts. PLoS ONE, 2013, 8, e58496.	1.1	137
71	Activation of nuclear factor-kappa B accelerates vascular calcification by inhibiting ankylosis protein homolog expression. Kidney International, 2012, 82, 34-44.	2.6	127
72	Cell detachment activates the Hippo pathway via cytoskeleton reorganization to induce anoikis. Genes and Development, 2012, 26, 54-68.	2.7	632

#	Article	IF	Citations
73	Histone Demethylase KDM6B Promotes Epithelial-Mesenchymal Transition. Journal of Biological Chemistry, 2012, 287, 44508-44517.	1.6	145
74	Histone Demethylases KDM4B and KDM6B Promotes Osteogenic Differentiation of Human MSCs. Cell Stem Cell, 2012, 11, 50-61.	5.2	264
75	Baicalin Downregulates Porphyromonas gingivalis Lipopolysaccharide-Upregulated IL-6 and IL-8 Expression in Human Oral Keratinocytes by Negative Regulation of TLR Signaling. PLoS ONE, 2012, 7, e51008.	1.1	54
76	Porphyromonas gingivalis lipopolysaccharide lipid A heterogeneity differentially modulates the expression of IL-6 and IL-8 in human gingival fibroblasts. Journal of Clinical Periodontology, 2011, 38, 694-701.	2.3	70
77	Knockdown of CypA inhibits interleukin-8 (IL-8) and IL-8-mediated proliferation and tumor growth of glioblastoma cells through down-regulated NF-Î¹B. Journal of Neuro-Oncology, 2011, 101, 1-14.	1.4	46
78	IÎ¹B kinase Îµ and TANK-binding kinase 1 activate AKT by direct phosphorylation. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6474-6479.	3.3	195
79	Transducin Î²-Like Protein 1 Recruits Nuclear Factor Î¹B to the Target Gene Promoter for Transcriptional Activation. Molecular and Cellular Biology, 2011, 31, 924-934.	1.1	25
80	Characterization of Side Populations in HNSCC: Highly Invasive, Chemoresistant and Abnormal Wnt Signaling. PLoS ONE, 2010, 5, e11456.	1.1	135
81	Rap1 Stabilizes Î²-Catenin and Enhances Î²-Cateninâ€“Dependent Transcription and Invasion in Squamous Cell Carcinoma of the Head and Neck. Clinical Cancer Research, 2010, 16, 65-76.	3.2	52
82	A coordinated phosphorylation by Lats and CK1 regulates YAP stability through SCF^{Î²-TRCP}. Genes and Development, 2010, 24, 72-85.	2.7	1,100
83	Mammalian Mst1 and Mst2 kinases play essential roles in organ size control and tumor suppression. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 1431-1436.	3.3	481
84	Direct Ubiquitination of Î²-Catenin by Siah-1 and Regulation by the Exchange Factor TBL1. Journal of Biological Chemistry, 2010, 285, 13507-13516.	1.6	76
85	PS-341 and Histone Deacetylase Inhibitor Synergistically Induce Apoptosis in Head and Neck Squamous Cell Carcinoma Cells. Molecular Cancer Therapeutics, 2010, 9, 1977-1984.	1.9	32
86	Novel functions for NFÎ¹B: inhibition of bone formation. Nature Reviews Rheumatology, 2010, 6, 607-611.	3.5	131
87	TRAF5 Is a Downstream Target of MAVS in Antiviral Innate Immune Signaling. PLoS ONE, 2010, 5, e9172.	1.1	70
88	MAVS Self-Association Mediates Antiviral Innate Immune Signaling. Journal of Virology, 2009, 83, 3420-3428.	1.5	121
89	BCOR regulates mesenchymal stem cell function by epigenetic mechanisms. Nature Cell Biology, 2009, 11, 1002-1009.	4.6	231
90	Inhibition of osteoblastic bone formation by nuclear factor-Î¹B. Nature Medicine, 2009, 15, 682-689.	15.2	416

#	Article	IF	Citations
91	Differential modulation of human Î²-defensins expression in human gingival epithelia by Porphyromonas gingivalis lipopolysaccharide with tetra- and penta-acylated lipid A structures. Innate Immunity, 2009, 15, 325-335.	1.1	43
92	CXCL12/SDFâ€1Î± Activates NFâ€ºB and Promotes Oral Cancer Invasion through the Carma3/Bcl10/Malt1 Complex. International Journal of Oral Science, 2009, 1, 105-118.	3.6	83
93	Relationship of activated extracellular signal-regulated kinase 1/2 with lung metastasis in salivary adenoid cystic carcinoma. Oncology Reports, 2009, 21, 137-43.	1.2	13
94	TBL1â€“TBLR1 and Î²-catenin recruit each other to Wnt target-gene promoter for transcription activation and oncogenesis. Nature Cell Biology, 2008, 10, 160-169.	4.6	171
95	Wnt signaling and skeletal development. Cellular Signalling, 2008, 20, 999-1009.	1.7	139
96	SDF-1Î± Promotes Invasion of Head and Neck Squamous Cell Carcinoma by Activating NF-ÎºB*. Journal of Biological Chemistry, 2008, 283, 19888-19894.	1.6	38
97	TEAD mediates YAP-dependent gene induction and growth control. Genes and Development, 2008, 22, 1962-1971.	2.7	1,943
98	Pharmacologic Stem Cell Based Intervention as a New Approach to Osteoporosis Treatment in Rodents. PLoS ONE, 2008, 3, e2615.	1.1	155
99	Bnip3 Mediates the Hypoxia-induced Inhibition on Mammalian Target of Rapamycin by Interacting with Rheb. Journal of Biological Chemistry, 2007, 282, 35803-35813.	1.6	224
100	Noncanonical Wnt-4 Signaling Enhances Bone Regeneration of Mesenchymal Stem Cells in Craniofacial Defects through Activation of p38 MAPK. Journal of Biological Chemistry, 2007, 282, 30938-30948.	1.6	198
101	Regulation of the G2â€“M cell cycle progression by the ERK5â€“NFÎºB signaling pathway. Journal of Cell Biology, 2007, 177, 253-264.	2.3	106
102	A Glycolytic Mechanism Regulating an Angiogenic Switch in Prostate Cancer. Cancer Research, 2007, 67, 149-159.	0.4	140
103	Siglecg Limits the Size of B1a B Cell Lineage by Down-Regulating NFÎºB Activation. PLoS ONE, 2007, 2, e997.	1.1	50
104	NF-ÎºB in breast cancer cells promotes osteolytic bone metastasis by inducing osteoclastogenesis via GM-CSF. Nature Medicine, 2007, 13, 62-69.	15.2	296
105	TSC2 Integrates Wnt and Energy Signals via a Coordinated Phosphorylation by AMPK and GSK3 to Regulate Cell Growth. Cell, 2006, 126, 955-968.	13.5	1,183
106	Wnt/Î²-catenin signaling inhibits death receptor-mediated apoptosis and promotes invasive growth of HNSCC. Cellular Signalling, 2006, 18, 679-687.	1.7	94
107	IKKÎ± stabilizes cytosolic Î²-catenin by inhibiting both canonical and non-canonical degradation pathways. Cellular Signalling, 2006, 18, 1941-1946.	1.7	37
108	Notch signaling in the regulation of tumor angiogenesis. Trends in Cell Biology, 2006, 16, 293-300.	3.6	112

#	Article	IF	Citations
109	Proteasome inhibitor induces apoptosis through induction of endoplasmic reticulum stress. Cancer Biology and Therapy, 2006, 5, 745-748.	1.5	100
110	Proteasome Inhibitor PS-341 Induces Apoptosis in Cisplatin-resistant Squamous Cell Carcinoma Cells by Induction of Noxa. Journal of Biological Chemistry, 2006, 281, 31440-31447.	1.6	111
111	A Dominant Function of IKK/NF-Î²B Signaling in Global Lipopolysaccharide-induced Gene Expression. Journal of Biological Chemistry, 2006, 281, 31142-31151.	1.6	57
112	Mesenchymal Stem Cell-Mediated Functional Tooth Regeneration in Swine. PLoS ONE, 2006, 1, e79.	1.1	1,060
113	Proteasome Inhibitor PS-341 Induces Apoptosis in Cisplatin-resistant Squamous Cell Carcinoma Cells by Induction of Noxa. Journal of Biological Chemistry, 2006, 281, 31440-31447.	1.6	31
114	Clusterin inhibits apoptosis by interacting with activated Bax. Nature Cell Biology, 2005, 7, 909-915.	4.6	418
115	Crosstalk between tumor and endothelial cells promotes tumor angiogenesis by MAPK activation of Notch signaling. Cancer Cell, 2005, 8, 13-23.	7.7	338
116	Bcl-2 Acts in a Proangiogenic Signaling Pathway through Nuclear Factor-Î²B and CXC Chemokines. Cancer Research, 2005, 65, 5063-5069.	0.4	101
117	Proteasome Inhibitor PS-341 Induces Apoptosis through Induction of Endoplasmic Reticulum Stress-Reactive Oxygen Species in Head and Neck Squamous Cell Carcinoma Cells. Molecular and Cellular Biology, 2004, 24, 9695-9704.	1.1	696
118	The Zinc Finger Mutation C417R of I-Î²B Kinase Î³ Impairs Lipopolysaccharide- and TNF-Mediated NF-Î²B Activation through Inhibiting Phosphorylation of the I-Î²B Kinase Î² Activation Loop. Journal of Immunology, 2004, 172, 2446-2452.	0.4	34
119	Investigation of multipotent postnatal stem cells from human periodontal ligament. Lancet, The, 2004, 364, 149-155.	6.3	2,920
120	Telomerase Accelerates Osteogenesis of Bone Marrow Stromal Stem Cells by Upregulation of CBFA1, Osterix, and Osteocalcin. Journal of Bone and Mineral Research, 2003, 18, 716-722.	3.1	124
121	Cyclic strain enhances matrix mineralization by adult human mesenchymal stem cells via the extracellular signal-regulated kinase (ERK1/2) signaling pathway. Journal of Biomechanics, 2003, 36, 1087-1096.	0.9	274
122	Roles for Homotypic Interactions and Transautophosphorylation in IÎ²B Kinase (IKKÎ²) Activation. Journal of Biological Chemistry, 2003, 278, 38566-38570.	1.6	38
123	A Role for NF-Î²B Essential Modifier/IÎ²B Kinase-Î³ (NEMO/IKKÎ³) Ubiquitination in the Activation of the IÎ²B Kinase Complex by Tumor Necrosis Factor-Î±. Journal of Biological Chemistry, 2003, 278, 37297-37305.	1.6	191
124	IKKÎ² Plays an Essential Role in the Phosphorylation of RelA/p65 on Serine 536 Induced by Lipopolysaccharide. Journal of Immunology, 2003, 170, 5630-5635.	0.4	358
125	Parathyroid Hormone and Parathyroid Hormone-related Protein Exert Both Pro- and Anti-apoptotic Effects in Mesenchymal Cells. Journal of Biological Chemistry, 2002, 277, 19374-19381.	1.6	140
126	Hepatocyte Growth Factor Inhibits Anoikis in Head and Neck Squamous Cell Carcinoma Cells by Activation of ERK and Akt Signaling Independent of NFÎ²B. Journal of Biological Chemistry, 2002, 277, 25203-25208.	1.6	126

#	Article	IF	Citations
127	c-Myc Sensitizes Cells to Tumor Necrosis Factor-mediated Apoptosis by Inhibiting Nuclear Factor ÎºB Transactivation. Journal of Biological Chemistry, 2002, 277, 36671-36677.	1.6	64
128	Hepatocyte Growth Factor Inhibits Anoikis by Induction of Activator Protein 1-dependent Cyclooxygenase-2. Journal of Biological Chemistry, 2002, 277, 50137-50142.	1.6	59
129	The p65/RelA Subunit of NF-ÎºB Suppresses the Sustained, Antiapoptotic Activity of Jun Kinase Induced by Tumor Necrosis Factor. Molecular and Cellular Biology, 2002, 22, 8175-8183.	1.1	80
130	Wnt signaling promotes oncogenic transformation by inhibiting c-Mycâ€“induced apoptosis. Journal of Cell Biology, 2002, 157, 429-440.	2.3	203
131	Bone formation by human postnatal bone marrow stromal stem cells is enhanced by telomerase expression. Nature Biotechnology, 2002, 20, 587-591.	9.4	351
132	Suppression of Tumor Necrosis Factor-mediated Apoptosis by Nuclear Factor ÎºB-independent Bone Morphogenetic Protein/Smad Signaling. Journal of Biological Chemistry, 2001, 276, 39259-39263.	1.6	65
133	Nuclear Factor-ÎºB-inducible Death Effector Domain-containing Protein Suppresses Tumor Necrosis Factor-mediated Apoptosis by Inhibiting Caspase-8 Activity. Journal of Biological Chemistry, 2001, 276, 26398-26404.	1.6	110
134	WNT-1 Signaling Inhibits Apoptosis by Activating Î²-Catenin/T Cell Factorâ€“Mediated Transcription. Journal of Cell Biology, 2001, 152, 87-96.	2.3	387
135	IL-10, But Not IL-4, Suppresses Infection-Stimulated Bone Resorption In Vivo. Journal of Immunology, 2000, 165, 3626-3630.	0.4	162
136	Akt Suppresses Apoptosis by Stimulating the Transactivation Potential of the RelA/p65 Subunit of NF-ÎºB. Molecular and Cellular Biology, 2000, 20, 1626-1638.	1.1	618
137	NF-kappa B-Induced Loss of MyoD Messenger RNA: Possible Role in Muscle Decay and Cachexia. Science, 2000, 289, 2363-2366.	6.0	841
138	Control of inducible chemoresistance: Enhanced anti-tumor therapy through increased apoptosis by inhibition of NF-ÎºB. Nature Medicine, 1999, 5, 412-417.	15.2	948
139	WT1 modulates apoptosis by transcriptionally upregulating the bcl-2 proto-oncogene. EMBO Journal, 1999, 18, 3990-4003.	3.5	220
140	NF-ÎºB Induces Expression of the Bcl-2 Homologue A1/Bfl-1 To Preferentially Suppress Chemotherapy-Induced Apoptosis. Molecular and Cellular Biology, 1999, 19, 5923-5929.	1.1	549
141	Requirement of NF-ÎºB Activation to Suppress p53-Independent Apoptosis Induced by Oncogenic Ras. Science, 1997, 278, 1812-1815.	6.0	527
142	Pathogenesis of induced rat periapical lesions. Oral Surgery, Oral Medicine, and Oral Pathology, 1994, 78, 494-502.	0.6	138
143	Characterization of bone-resorbing activity in human periapical lesions. Journal of Endodontics, 1993, 19, 107-111.	1.4	69
144	Kinetics of immune cell and bone resorptive responses to endodontic infections. Journal of Endodontics, 1992, 18, 422-426.	1.4	102